

The Comprehensive L^AT_EX Symbol List

Scott Pakin <scott+cls1@pakin.org>*

19 January 2017

Abstract

This document lists 14283 symbols and the corresponding L^AT_EX commands that produce them. Some of these symbols are guaranteed to be available in every L^AT_EX 2_ε system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. All of the fonts and packages used to prepare this document—as well as this document itself—are freely available from the Comprehensive T_EX Archive Network (<http://www.ctan.org/>).

Contents

Contents	1
1 Introduction	12
1.1 Document Usage	12
1.2 Frequently Requested Symbols	12
2 Body-text symbols	14
Table 1: L ^A T _E X 2 _ε Escapable “Special” Characters	14
Table 2: Predefined L ^A T _E X 2 _ε Text-mode Commands	14
Table 3: L ^A T _E X 2 _ε Commands Defined to Work in Both Math and Text Mode	15
Table 4: \mathcal{AMS} Commands Defined to Work in Both Math and Text Mode	15
Table 5: Non-ASCII Letters (Excluding Accented Letters)	15
Table 6: textgreek Upright Greek Letters	16
Table 7: Letters Used to Typeset African Languages	16
Table 8: Letters Used to Typeset Vietnamese	16
Table 9: Punctuation Marks Not Found in OT1	17
Table 10: pifont Decorative Punctuation Marks	17
Table 11: tipa Phonetic Symbols	17
Table 12: tipx Phonetic Symbols	18
Table 13: wsuipa Phonetic Symbols	19
Table 14: wasysym Phonetic Symbols	20
Table 15: phonetic Phonetic Symbols	20
Table 16: t4phonet Phonetic Symbols	20
Table 17: semtrans Transliteration Symbols	20
Table 18: Text-mode Accents	21
Table 19: tipa Text-mode Accents	21
Table 20: extraipa Text-mode Accents	23
Table 21: wsuipa Text-mode Accents	23
Table 22: phonetic Text-mode Accents	23
Table 23: metre Text-mode Accents	24

*The original version of this document was written by David Carlisle, with several additional tables provided by Alexander Holt. See Section 10.8 on page 246 for more information about who did what.

Table 24:	t4phonet Text-mode Accents	24
Table 25:	arcs Text-mode Accents	24
Table 26:	semtrans Accents	24
Table 27:	ogonek Accents	24
Table 28:	combelow Accents	25
Table 29:	wsuipa Diacritics	25
Table 30:	textcomp Diacritics	25
Table 31:	marvosym Diacritics	25
Table 32:	textcomp Currency Symbols	26
Table 33:	marvosym Currency Symbols	26
Table 34:	fontawesome Currency Symbols	26
Table 35:	wasysym Currency Symbols	26
Table 36:	Q _A 2e Currency Symbols	26
Table 37:	teubner Currency Symbols	27
Table 38:	tfruppee Currency Symbols	27
Table 39:	eurosym Euro Signs	27
Table 40:	fourier Euro Signs	27
Table 41:	textcomp Legal Symbols	27
Table 42:	fontawesome Legal Symbols	27
Table 43:	cclicenses Creative Commons License Icons	28
Table 44:	ccicons Creative Commons License Icons	28
Table 45:	textcomp Old-style Numerals	28
Table 46:	Miscellaneous textcomp Symbols	28
Table 47:	Miscellaneous wasysym Text-mode Symbols	28
3	Mathematical symbols	30
Table 48:	Math-Mode Versions of Text Symbols	30
Table 49:	cmll Unary Operators	30
Table 50:	Binary Operators	31
Table 51:	\mathcal{AMS} Binary Operators	31
Table 52:	stmaryrd Binary Operators	32
Table 53:	wasysym Binary Operators	32
Table 54:	txfonts/pxfonts Binary Operators	32
Table 55:	mathabx Binary Operators	33
Table 56:	MnSymbol Binary Operators	33
Table 57:	fdsymbol Binary Operators	34
Table 58:	boisik Binary Operators	35
Table 59:	stix Binary Operators	36
Table 60:	mathdesign Binary Operators	37
Table 61:	cmll Binary Operators	37
Table 62:	shuffle Binary Operators	37
Table 63:	ulsy Geometric Binary Operators	37
Table 64:	mathabx Geometric Binary Operators	37
Table 65:	MnSymbol Geometric Binary Operators	38
Table 66:	fdsymbol Geometric Binary Operators	38
Table 67:	boisik Geometric Binary Operators	39
Table 68:	stix Geometric Binary Operators	40
Table 69:	halloweenmath Halloween-Themed Math Operators	40
Table 70:	stix Small Integrals	41
Table 71:	stix Small Integrals with Explicit Slant	41
Table 72:	Variable-sized Math Operators	42
Table 73:	\mathcal{AMS} Variable-sized Math Operators	42
Table 74:	stmaryrd Variable-sized Math Operators	42
Table 75:	wasysym Variable-sized Math Operators	43

Table 76:	<code>mathabx</code> Variable-sized Math Operators	43
Table 77:	<code>txfonts/pxfonts</code> Variable-sized Math Operators	44
Table 78:	<code>esint</code> Variable-sized Math Operators	45
Table 79:	<code>bigints</code> Variable-sized Math Operators	46
Table 80:	<code>MnSymbol</code> Variable-sized Math Operators	46
Table 81:	<code>fdsymbol</code> Variable-sized Math Operators	47
Table 82:	<code>boisik</code> Variable-sized Math Operators	48
Table 83:	<code>stix</code> Variable-sized Math Operators	48
Table 84:	<code>stix</code> Integrals with Explicit Slant	50
Table 85:	<code>mathdesign</code> Variable-sized Math Operators	51
Table 86:	<code>prodint</code> Variable-sized Math Operators	52
Table 87:	<code>cmll</code> Large Math Operators	52
Table 88:	Binary Relations	52
Table 89:	\mathcal{AMS} Binary Relations	52
Table 90:	\mathcal{AMS} Negated Binary Relations	53
Table 91:	<code>stmaryrd</code> Binary Relations	53
Table 92:	<code>wasysym</code> Binary Relations	53
Table 93:	<code>txfonts/pxfonts</code> Binary Relations	53
Table 94:	<code>txfonts/pxfonts</code> Negated Binary Relations	54
Table 95:	<code>mathabx</code> Binary Relations	54
Table 96:	<code>mathabx</code> Negated Binary Relations	54
Table 97:	<code>MnSymbol</code> Binary Relations	55
Table 98:	<code>MnSymbol</code> Negated Binary Relations	56
Table 99:	<code>fdsymbol</code> Binary Relations	57
Table 100:	<code>fdsymbol</code> Negated Binary Relations	59
Table 101:	<code>boisik</code> Binary Relations	60
Table 102:	<code>boisik</code> Negated Binary Relations	60
Table 103:	<code>stix</code> Binary Relations	61
Table 104:	<code>stix</code> Negated Binary Relations	62
Table 105:	<code>mathtools</code> Binary Relations	62
Table 106:	<code>turnstile</code> Binary Relations	63
Table 107:	<code>trsym</code> Binary Relations	64
Table 108:	<code>trfsigns</code> Binary Relations	64
Table 109:	<code>cmll</code> Binary Relations	64
Table 110:	<code>colonequals</code> Binary Relations	64
Table 111:	<code>fourier</code> Binary Relations	64
Table 112:	Subset and Superset Relations	64
Table 113:	\mathcal{AMS} Subset and Superset Relations	65
Table 114:	<code>stmaryrd</code> Subset and Superset Relations	65
Table 115:	<code>wasysym</code> Subset and Superset Relations	65
Table 116:	<code>txfonts/pxfonts</code> Subset and Superset Relations	65
Table 117:	<code>mathabx</code> Subset and Superset Relations	65
Table 118:	<code>MnSymbol</code> Subset and Superset Relations	66
Table 119:	<code>fdsymbol</code> Subset and Superset Relations	66
Table 120:	<code>boisik</code> Subset and Superset Relations	66
Table 121:	<code>stix</code> Subset and Superset Relations	67
Table 122:	Inequalities	67
Table 123:	\mathcal{AMS} Inequalities	67
Table 124:	<code>wasysym</code> Inequalities	68
Table 125:	<code>txfonts/pxfonts</code> Inequalities	68
Table 126:	<code>mathabx</code> Inequalities	68
Table 127:	<code>MnSymbol</code> Inequalities	69
Table 128:	<code>fdsymbol</code> Inequalities	70
Table 129:	<code>boisik</code> Inequalities	71

Table 130:	stix Inequalities	71
Table 131:	\mathcal{AMS} Triangle Relations	72
Table 132:	stmaryrd Triangle Relations	72
Table 133:	mathabx Triangle Relations	73
Table 134:	MnSymbol Triangle Relations	73
Table 135:	fdsymbol Triangle Relations	74
Table 136:	boisik Triangle Relations	74
Table 137:	stix Triangle Relations	74
Table 138:	Arrows	75
Table 139:	Harpoons	75
Table 140:	textcomp Text-mode Arrows	75
Table 141:	\mathcal{AMS} Arrows	75
Table 142:	\mathcal{AMS} Negated Arrows	75
Table 143:	\mathcal{AMS} Harpoons	76
Table 144:	stmaryrd Arrows	76
Table 145:	txfonts/pxfonts Arrows	76
Table 146:	mathabx Arrows	76
Table 147:	mathabx Negated Arrows	76
Table 148:	mathabx Harpoons	77
Table 149:	MnSymbol Arrows	77
Table 150:	MnSymbol Negated Arrows	79
Table 151:	MnSymbol Harpoons	80
Table 152:	MnSymbol Negated Harpoons	81
Table 153:	fdsymbol Arrows	81
Table 154:	fdsymbol Negated Arrows	83
Table 155:	fdsymbol Harpoons	85
Table 156:	fdsymbol Negated Harpoons	85
Table 157:	boisik Arrows	86
Table 158:	boisik Negated Arrows	87
Table 159:	boisik Harpoons	87
Table 160:	stix Arrows	87
Table 161:	stix Negated Arrows	90
Table 162:	stix Harpoons	90
Table 163:	harpoon Extensible Harpoons	91
Table 164:	chemarrow Arrows	91
Table 165:	fge Arrows	91
Table 166:	old-arrows Arrows	92
Table 167:	old-arrows Harpoons	92
Table 168:	esrelation Restrictions	92
Table 169:	MnSymbol Spoons	93
Table 170:	MnSymbol Pitchforks	93
Table 171:	MnSymbol Smiles and Frowns	94
Table 172:	fdsymbol Spoons	94
Table 173:	fdsymbol Pitchforks	95
Table 174:	fdsymbol Smiles and Frowns	95
Table 175:	ulsy Contradiction Symbols	95
Table 176:	Extension Characters	95
Table 177:	stmaryrd Extension Characters	95
Table 178:	txfonts/pxfonts Extension Characters	95
Table 179:	mathabx Extension Characters	95
Table 180:	stix Extension Characters	96
Table 181:	Log-like Symbols	96
Table 182:	\mathcal{AMS} Log-like Symbols	96
Table 183:	\mathbb{Q} Number Sets	96

Table 184:	Greek Letters	97
Table 185:	\mathcal{AMS} Greek Letters	97
Table 186:	txfonts/pxfonts Upright Greek Letters	98
Table 187:	upgreek Upright Greek Letters	98
Table 188:	fourier Variant Greek Letters	98
Table 189:	txfonts/pxfonts Variant Latin Letters	99
Table 190:	boisik Variant Greek Letters	99
Table 191:	boisik Variant Latin Letters	99
Table 192:	stix Variant Greek Letters	99
Table 193:	stix Transformed Greek Letters	99
Table 194:	\mathcal{AMS} Hebrew Letters	99
Table 195:	MnSymbol Hebrew Letters	99
Table 196:	fdsymbol Hebrew Letters	99
Table 197:	boisik Hebrew Letters	100
Table 198:	stix Hebrew Letters	100
Table 199:	Letter-like Symbols	100
Table 200:	\mathcal{AMS} Letter-like Symbols	100
Table 201:	txfonts/pxfonts Letter-like Symbols	100
Table 202:	mathabx Letter-like Symbols	100
Table 203:	MnSymbol Letter-like Symbols	100
Table 204:	fdsymbol Letter-like Symbols	101
Table 205:	boisik Letter-like Symbols	101
Table 206:	stix Letter-like Symbols	101
Table 207:	trfsigns Letter-like Symbols	101
Table 208:	mathdesign Letter-like Symbols	101
Table 209:	fge Letter-like Symbols	102
Table 210:	fourier Letter-like Symbols	102
Table 211:	cmll Letter-like Symbols	102
Table 212:	\mathcal{AMS} Delimiters	102
Table 213:	stmaryrd Delimiters	102
Table 214:	mathabx Delimiters	102
Table 215:	boisik Delimiters	102
Table 216:	stix Delimiters	103
Table 217:	nath Delimiters	103
Table 218:	Variable-sized Delimiters	103
Table 219:	Large, Variable-sized Delimiters	104
Table 220:	\mathcal{AMS} Variable-sized Delimiters	104
Table 221:	stmaryrd Variable-sized Delimiters	104
Table 222:	mathabx Variable-sized Delimiters	104
Table 223:	MnSymbol Variable-sized Delimiters	105
Table 224:	fdsymbol Variable-sized Delimiters	106
Table 225:	stix Variable-sized Delimiters	107
Table 226:	mathdesign Variable-sized Delimiters	108
Table 227:	nath Variable-sized Delimiters (Double)	109
Table 228:	nath Variable-sized Delimiters (Triple)	109
Table 229:	fourier Variable-sized Delimiters	109
Table 230:	textcomp Text-mode Delimiters	110
Table 231:	metre Text-mode Delimiters	110
Table 232:	Math-mode Accents	110
Table 233:	\mathcal{AMS} Math-mode Accents	110
Table 234:	MnSymbol Math-mode Accents	111
Table 235:	fdsymbol Math-mode Accents	111
Table 236:	boisik Math-mode Accents	111
Table 237:	stix Math-mode Accents	111

Table 238:	fge Math-mode Accents	111
Table 239:	yhmath Math-mode Accents	112
Table 240:	Extensible Accents	112
Table 241:	overrightarrow Extensible Accents	112
Table 242:	yhmath Extensible Accents	113
Table 243:	\mathcal{AMS} Extensible Accents	113
Table 244:	MnSymbol Extensible Accents	113
Table 245:	fdsymbol Extensible Accents	113
Table 246:	stix Extensible Accents	114
Table 247:	mathtools Extensible Accents	114
Table 248:	mathabx Extensible Accents	114
Table 249:	fourier Extensible Accents	115
Table 250:	esvect Extensible Accents	115
Table 251:	abraces Extensible Accents	115
Table 252:	undertilde Extensible Accents	115
Table 253:	ushort Extensible Accents	116
Table 254:	mdwmath Extensible Accents	116
Table 255:	actuarialangle Extensible Accents	116
Table 256:	\mathcal{AMS} Extensible Arrows	116
Table 257:	mathtools Extensible Arrows	116
Table 258:	chemarr Extensible Arrows	116
Table 259:	chemarrow Extensible Arrows	117
Table 260:	extarrows Extensible Arrows	117
Table 261:	extpfeil Extensible Arrows	117
Table 262:	DotArrow Extensible Arrows	117
Table 263:	halloweenmath Extensible Arrows	118
Table 264:	trfsigns Extensible Transform Symbols	118
Table 265:	esrelation Extensible Relations	118
Table 266:	halloweenmath Extensible Witches	118
Table 267:	halloweenmath Extensible Ghosts	118
Table 268:	holtpolt Non-commutative Division Symbols	119
Table 269:	Dots	119
Table 270:	\mathcal{AMS} Dots	119
Table 271:	wasysym Dots	119
Table 272:	MnSymbol Dots	120
Table 273:	fdsymbol Dots	120
Table 274:	stix Dots	120
Table 275:	mathdots Dots	120
Table 276:	yhmath Dots	121
Table 277:	teubner Dots	121
Table 278:	begriff Begriffsschrift Symbols	121
Table 279:	frege Begriffsschrift Symbols	121
Table 280:	mathcomp Math Symbols	121
Table 281:	marvosym Math Symbols	122
Table 282:	marvosym Digits	122
Table 283:	fge Digits	122
Table 284:	dozenal Base-12 Digits	122
Table 285:	mathabx Mayan Digits	122
Table 286:	stix Infinities	122
Table 287:	stix Primes	122
Table 288:	stix Empty Sets	123
Table 289:	\mathcal{AMS} Angles	123
Table 290:	MnSymbol Angles	123
Table 291:	fdsymbol Angles	123

Table 292:	boisik Angles	123
Table 293:	stix Angles	123
Table 294:	Miscellaneous L ^A T _E X 2 _ε Math Symbols	124
Table 295:	Miscellaneous $\mathcal{A}\mathcal{M}\mathcal{S}$ Math Symbols	124
Table 296:	Miscellaneous wasysym Math Symbols	124
Table 297:	Miscellaneous txfonts/pxfonts Math Symbols	124
Table 298:	Miscellaneous mathabx Math Symbols	124
Table 299:	Miscellaneous MnSymbol Math Symbols	125
Table 300:	Miscellaneous Internal MnSymbol Math Symbols	125
Table 301:	Miscellaneous fdsymbol Math Symbols	125
Table 302:	Miscellaneous boisik Math Symbols	125
Table 303:	Miscellaneous stix Math Symbols	126
Table 304:	Miscellaneous textcomp Text-mode Math Symbols	126
Table 305:	Miscellaneous fge Math Symbols	126
Table 306:	Miscellaneous mathdesign Math Symbols	127
Table 307:	Math Alphabets	128
4	Science and technology symbols	130
Table 308:	gensymb Symbols Defined to Work in Both Math and Text Mode	130
Table 309:	wasysym Electrical and Physical Symbols	130
Table 310:	ifsym Pulse Diagram Symbols	130
Table 311:	ar Aspect Ratio Symbol	130
Table 312:	textcomp Text-mode Science and Engineering Symbols	130
Table 313:	steinmetz Extensible Phasor Symbol	131
Table 314:	emf Electromotive Force Symbols	131
Table 315:	wasysym Astronomical Symbols	131
Table 316:	marvosym Astronomical Symbols	132
Table 317:	fontawesome Astronomical Symbols	132
Table 318:	mathabx Astronomical Symbols	132
Table 319:	stix Astronomical Symbols	132
Table 320:	starfont Astronomical Symbols	133
Table 321:	wasysym APL Symbols	133
Table 322:	stix APL Symbols	134
Table 323:	apl APL Symbols	134
Table 324:	marvosym Computer Hardware Symbols	134
Table 325:	keystroke Computer Keys	134
Table 326:	ascii Control Characters (CP437)	135
Table 327:	logic Logic Gates	135
Table 328:	marvosym Communication Symbols	136
Table 329:	marvosym Engineering Symbols	136
Table 330:	wasysym Biological Symbols	136
Table 331:	stix Biological Symbols	136
Table 332:	marvosym Biological Symbols	136
Table 333:	fontawesome Biological Symbols	136
Table 334:	marvosym Safety-related Symbols	136
Table 335:	feyn Feynman Diagram Symbols	137
Table 336:	svrsymbols Physics Ideograms	137
5	Dingbats	139
Table 337:	bbding Arrows	139
Table 338:	pifont Arrows	139
Table 339:	adfsymbols Arrows	140
Table 340:	adfor Arrows	140
Table 341:	arev Arrows	140

Table 342:	fontawesome Arrows	140
Table 343:	fontawesome Chevrons	141
Table 344:	marvosym Scissors	141
Table 345:	bbding Scissors	141
Table 346:	pifont Scissors	141
Table 347:	dingbat Pencils	141
Table 348:	arev Pencils	141
Table 349:	fontawesome Pencils	141
Table 350:	bbding Pencils and Nibs	141
Table 351:	pifont Pencils and Nibs	142
Table 352:	dingbat Fists	142
Table 353:	bbding Fists	142
Table 354:	pifont Fists	142
Table 355:	fourier Fists	142
Table 356:	arev Fists	142
Table 357:	fontawesome Fists	142
Table 358:	bbding Crosses and Pluses	143
Table 359:	pifont Crosses and Pluses	143
Table 360:	adfsymbols Crosses and Pluses	143
Table 361:	arev Crosses	143
Table 362:	bbding Xs and Check Marks	143
Table 363:	pifont Xs and Check Marks	143
Table 364:	wasysym Xs and Check Marks	143
Table 365:	marvosym Xs and Check Marks	143
Table 366:	arev Xs and Check Marks	144
Table 367:	fontawesome Xs and Check Marks	144
Table 368:	pifont Circled Numerals	144
Table 369:	wasysym Stars	144
Table 370:	bbding Stars, Flowers, and Similar Shapes	145
Table 371:	pifont Stars, Flowers, and Similar Shapes	145
Table 372:	adfsymbols Stars, Flowers, and Similar Shapes	145
Table 373:	adorn Stars	145
Table 374:	fontawesome Stars	146
Table 375:	fourier Fleurons and Flowers	146
Table 376:	adorn Fleurons and Flowers	146
Table 377:	wasysym Geometric Shapes	146
Table 378:	MnSymbol Geometric Shapes	147
Table 379:	fdsymbol Geometric Shapes	147
Table 380:	boisik Geometric Shapes	147
Table 381:	stix Geometric Shapes	148
Table 382:	ifsym Geometric Shapes	149
Table 383:	bbding Geometric Shapes	150
Table 384:	pifont Geometric Shapes	150
Table 385:	universa Geometric Shapes	150
Table 386:	adfsymbols Geometric Shapes	150
Table 387:	fontawesome Geometric Shapes	151
Table 388:	L ^A T _E X 2 _ε Playing-Card Suits	151
Table 389:	txfonts/pxfonts Playing-Card Suits	151
Table 390:	MnSymbol Playing-Card Suits	151
Table 391:	fdsymbol Playing-Card Suits	151
Table 392:	boisik Playing-Card Suits	151
Table 393:	stix Playing-Card Suits	151
Table 394:	arev Playing-Card Suits	151
Table 395:	adorn Flourishes	152

Table 396:	Miscellaneous <code>dingbat</code> Dingbats	152
Table 397:	Miscellaneous <code>bbding</code> Dingbats	152
Table 398:	Miscellaneous <code>pifont</code> Dingbats	152
Table 399:	Miscellaneous <code>adorn</code> Dingbats	152
6	Ancient languages	153
Table 400:	<code>phaistos</code> Symbols from the Phaistos Disk	153
Table 401:	<code>protosem</code> Proto-Semitic Characters	153
Table 402:	<code>hieroglf</code> Hieroglyphics	154
Table 403:	<code>linearA</code> Linear A Script	154
Table 404:	<code>linearb</code> Linear B Basic and Optional Letters	157
Table 405:	<code>linearb</code> Linear B Numerals	157
Table 406:	<code>linearb</code> Linear B Weights and Measures	157
Table 407:	<code>linearb</code> Linear B Ideograms	158
Table 408:	<code>linearb</code> Unidentified Linear B Symbols	158
Table 409:	<code>cypriot</code> Cypriot Letters	158
Table 410:	<code>sarabian</code> South Arabian Letters	159
Table 411:	<code>teubner</code> Archaic Greek Letters and Greek Numerals	159
Table 412:	<code>boisik</code> Archaic Greek Letters and Greek Numerals	159
Table 413:	<code>epiolmec</code> Epi-Olmec Script	160
Table 414:	<code>epiolmec</code> Epi-Olmec Numerals	161
Table 415:	<code>allrunes</code> Runes	162
Table 416:	<code>allrunes</code> Rune Separators	162
7	Musical symbols	163
Table 417:	<code>l^AT_EX_ε</code> Musical Symbols	163
Table 418:	<code>textcomp</code> Musical Symbols	163
Table 419:	<code>wasysym</code> Musical Symbols	163
Table 420:	<code>MnSymbol</code> Musical Symbols	163
Table 421:	<code>fdsymbol</code> Musical Symbols	163
Table 422:	<code>boisik</code> Musical Symbols	163
Table 423:	<code>stix</code> Musical Symbols	163
Table 424:	<code>arev</code> Musical Symbols	163
Table 425:	<code>MusiX_TE_X</code> Musical Symbols	164
Table 426:	<code>MusiX_TE_X</code> Alternative Clefs	165
Table 427:	<code>harmony</code> Musical Symbols	165
Table 428:	<code>harmony</code> Musical Accents	165
Table 429:	<code>lily^gly^pbs</code> Single Notes	166
Table 430:	<code>lily^gly^pbs</code> Beamed Notes	167
Table 431:	<code>lily^gly^pbs</code> Clefs	167
Table 432:	<code>lily^gly^pbs</code> Time Signatures	167
Table 433:	<code>lily^gly^pbs</code> Accidentals	167
Table 434:	<code>lily^gly^pbs</code> Rests	168
Table 435:	<code>lily^gly^pbs</code> Dynamics Letters	168
Table 436:	<code>lily^gly^pbs</code> Dynamics Symbols	168
Table 437:	<code>lily^gly^pbs</code> Articulations	168
Table 438:	<code>lily^gly^pbs</code> Scripts	168
Table 439:	<code>lily^gly^pbs</code> Accordion Notation	168
Table 440:	<code>lily^gly^pbs</code> Named Time Signatures	169
Table 441:	<code>lily^gly^pbs</code> Named Scripts	169

Table 442:	<i>lilyglyphs</i> Named Rests	170
Table 443:	<i>lilyglyphs</i> Named Pedals	170
Table 444:	<i>lilyglyphs</i> Named Flags	171
Table 445:	<i>lilyglyphs</i> Named Custodes	171
Table 446:	<i>lilyglyphs</i> Named Clefs	172
Table 447:	<i>lilyglyphs</i> Named Noteheads	173
Table 448:	<i>lilyglyphs</i> Named Accordion Symbols	178
Table 449:	<i>lilyglyphs</i> Named Accidentals	178
Table 450:	<i>lilyglyphs</i> Named Arrowheads	179
Table 451:	<i>lilyglyphs</i> Named Alphanumerics and Punctuation	179
Table 452:	Miscellaneous <i>lilyglyphs</i> Named Musical Symbols	180
8	Other symbols	181
Table 453:	textcomp Genealogical Symbols	181
Table 454:	wasysym General Symbols	181
Table 455:	manfnt Dangerous Bend Symbols	181
Table 456:	Miscellaneous manfnt Symbols	181
Table 457:	marvosym Media Control Symbols	182
Table 458:	marvosym Laundry Symbols	182
Table 459:	marvosym Information Symbols	182
Table 460:	Other marvosym Symbols	182
Table 461:	Miscellaneous universa Symbols	182
Table 462:	Miscellaneous fourier Symbols	182
Table 463:	ifsym Weather Symbols	183
Table 464:	ifsym Alpine Symbols	183
Table 465:	ifsym Clocks	183
Table 466:	Other ifsym Symbols	183
Table 467:	clock Clocks	184
Table 468:	epsdice Dice	184
Table 469:	hhcount Dice	184
Table 470:	stix Dice	184
Table 471:	bullcntr Tally Markers	185
Table 472:	hhcount Tally Markers	185
Table 473:	dozenal Tally Markers	185
Table 474:	skull Symbols	186
Table 475:	Non-Mathematical mathabx Symbols	186
Table 476:	skak Chess Informator Symbols	186
Table 477:	skak Chess Pieces and Chessboard Squares	187
Table 478:	igo Go Symbols	187
Table 479:	go Go Symbols	188
Table 480:	metre Metrical Symbols	188
Table 481:	metre Small and Large Metrical Symbols	188
Table 482:	teubner Metrical Symbols	189
Table 483:	dictsym Dictionary Symbols	189
Table 484:	simpsons Characters from <i>The Simpsons</i>	189
Table 485:	pmbxdraw Box-Drawing Symbols	190
Table 486:	staves Magical Staves	190
Table 487:	pigpen Cipher Symbols	191
Table 488:	Q ^u A ² e Phases of the Moon	191
Table 489:	Q ^u A ² e Recycling Symbols	192
Table 490:	marvosym Recycling Symbols	192

Table 491: recycle Recycling Symbols	192
Table 492: Other G _A 2e Symbols	192
Table 493: soyombo Soyombo Symbols	193
Table 494: knitting Knitting Symbols	193
Table 495: CountriesOfEurope Country Maps	194
Table 496: Miscellaneous arev Symbols	196
Table 497: cookingsymbols Cooking Symbols	196
Table 498: tikzsymbols Cooking Symbols	196
Table 499: tikzsymbols Emoticons	196
Table 500: tikzsymbols 3D Emoticons	197
Table 501: tikzsymbols Trees	197
Table 502: Miscellaneous tikzsymbols Symbols	197
Table 503: Miscellaneous bclogo Symbols	197
Table 504: fontawesome Web-Related Icons	199
Table 505: rubikcube Rubik’s Cube Rotations	203
9 Fonts with minimal L^AT_EX support	204
Table 506: hands Fists	204
Table 507: greenpoint Recycling Symbols	204
Table 508: nkarta Map Symbols	204
Table 509: moonphase Astronomical Symbols	206
Table 510: astrosym Astronomical Symbols	206
Table 511: webomints Decorative Borders	209
Table 512: umranda Decorative Borders	210
Table 513: umrandb Decorative Borders	211
Table 514: dingbat Decorative Borders	213
Table 515: knot Celtic Knots	213
Table 516: dancers Dancing Men	217
Table 517: semaphor Semaphore Alphabet	220
Table 518: cryst Crystallography Symbols	222
Table 519: dice Dice	223
Table 520: magic Trading Card Symbols	224
Table 521: bartel-chess-fonts Chess Pieces and Chessboard Squares	224
10 Additional Information	226
10.1 Symbol Name Clashes	226
10.2 Resizing symbols	226
10.3 Where can I find the symbol for ...?	229
10.4 Math-mode spacing	239
10.5 Bold mathematical symbols	240
10.6 ASCII and Latin 1 quick reference	240
10.7 Unicode characters	244
10.8 About this document	246
10.9 Copyright and license	248
References	249
Index	250

1 Introduction

Welcome to the Comprehensive L^AT_EX Symbol List! This document strives to be your primary source of L^AT_EX symbol information: font samples, L^AT_EX commands, packages, usage details, caveats—everything needed to put thousands of different symbols at your disposal. All of the fonts covered herein meet the following criteria:

1. They are freely available from the Comprehensive T_EX Archive Network (<http://www.ctan.org/>).
2. All of their symbols have L^AT_EX 2_ε bindings. That is, a user should be able to access a symbol by name (e.g., `\bigtriangleup`).

As of version 12 of the Comprehensive L^AT_EX Symbol List, that second restriction has been relaxed with the inclusion of Section 9, which showcases fonts that provide, at a minimum, either T_EX font-metric files (`.tfm`) or the METAFONT sources (`.mf`) that produce those font-metric files. Some of the Section 9 fonts do include L^AT_EX font-definition files (`.fd`). However, what sets the fonts in Section 9 apart from the fonts in rest of the document is that they lack a L^AT_EX style file (`.sty`) that individually names each of the glyphs.

The restrictions listed above are not particularly limiting criteria; the Comprehensive L^AT_EX Symbol List contains samples of 14283 symbols—quite a large number. Some of these symbols are guaranteed to be available in every L^AT_EX 2_ε system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=instpackages+wherefiles> for help with installing new fonts and packages.

1.1 Document Usage

Each section of this document contains a number of font tables. Each table shows a set of symbols, with the corresponding L^AT_EX command to the right of each symbol. A table’s caption indicates what package needs to be loaded in order to access that table’s symbols. For example, the symbols in Table 45, “textcomp Old-Style Numerals”, are made available by putting “`\usepackage{textcomp}`” in your document’s preamble. “ \mathcal{AMS} ” means to use the \mathcal{AMS} packages, viz. `amssymb` and/or `amsmath`. Notes below a table provide additional information about some or all the symbols in that table.

One note that appears a few times in this document, particularly in Section 2, indicates that certain symbols do not exist in the OT1 font encoding (Donald Knuth’s original, 7-bit font encoding, which is the default font encoding for L^AT_EX) and that you should use `fontenc` to select a different encoding, such as T1 (a common 8-bit font encoding). That means that you should put “`\usepackage[⟨encoding⟩]{fontenc}`” in your document’s preamble, where `⟨encoding⟩` is, e.g., T1 or LY1. To limit the change in font encoding to the current group, use “`\fontencoding{⟨encoding⟩}\selectfont`”.

Section 10 contains some additional information about the symbols in this document. It discusses how certain mathematical symbols can vary in height, shows which symbol names are not unique across packages, gives examples of how to create new symbols out of existing symbols, explains how symbols are spaced in math mode, compares various schemes for boldfacing symbols, presents L^AT_EX ASCII and Latin 1 tables, shows how to input and output Unicode characters, and provides some information about this document itself. The Comprehensive L^AT_EX Symbol List ends with an index of all the symbols in the document and various additional useful terms.

1.2 Frequently Requested Symbols

There are a number of symbols that are requested over and over again on `comp.text.tex`. If you’re looking for such a symbol the following list will help you find it quickly.

_, as in “Spaces_are_significant.”	14	©, ®, and ™	27
ī, î, ĩ, ĵ, ħ, etc. (versus î, î, î, ĵ, and ħ)	21	%o	28
¢	26	ℒ	44
€	26	∴	52

$:=$ and $::=$	53	\mathbb{N} , \mathbb{Z} , \mathbb{R} , etc.	128
\lesssim and \gtrsim	67	ε	128
\therefore	120	f	232
$^\circ$, as in “180 $^\circ$ ” or “15 $^\circ$ C”	126	\acute{a} , \grave{e} , etc. (i.e., several accents per character)	234
\mathcal{L} , \mathcal{F} , etc.	128	$<$, $>$, and $ $ (instead of $\grave{\imath}$, $\grave{\iota}$, and $—$)	242
		$\hat{\ } and \tilde{\ } (or \sim)$	242

2 Body-text symbols

This section lists symbols that are intended for use in running text, such as punctuation marks, accents, ligatures, and currency symbols.

TABLE 1: L^AT_EX 2_ε Escapable “Special” Characters

\$ \ \$ % \ % - \ _ * } \ } & \ & # \ # { \ {

* The `underscore` package redefines “_” to produce an underscore in text mode (i.e., it makes it unnecessary to escape the underscore character).

TABLE 2: Predefined L^AT_EX 2_ε Text-mode Commands

^		\textasciicircum*	<		\textless
~		\textasciitilde*	a	à	\textordfeminine
*	*	\textasteriskcentered	o	ó	\textordmasculine
\		\textbackslash	¶	¶	\textparagraph [†]
		\textbar	.	.	\textperiodcentered
		\textbardbl	% ₀₀₀	% ₀₀₀	\textpertenthousand
○	○	\textbigcircle	% ₀₀	% ₀₀	\textperthousand
{		\textbraceleft [†]	¿		\textquestiondown
}		\textbraceright [†]	“		\textquotedblleft
•	•	\textbullet	”		\textquotedblright
©	©	\textcopyright [†]	‘		\textquoteleft
†	†	\textdagger [†]	,		\textquoteright
‡	‡	\textdaggerdbl [†]	®	®	\textregistered
\$	\$	\textdollar [†]	§	§	\textsection [†]
...		\textellipsis [†]	£	£	\textsterling [†]
—		\textendash	™	™	\texttrademark
-		\textendash	-		\textunderscore [†]
¡		\textexclamdown	˘		\textvisiblespace
>		\textgreater			

The first symbol column represents the—sometimes “faked”—symbol that L^AT_EX 2_ε provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 2’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

* `\^{}` and `\~{}` can be used instead of `\textasciicircum` and `\textasciitilde`. See the discussion of “~” on page 242.

[†] It’s generally preferable to use the corresponding symbol from Table 3 on the following page because the symbols in that table work properly in both text mode and math mode.

TABLE 3: $\text{\LaTeX} 2_{\varepsilon}$ Commands Defined to Work in Both Math and Text Mode

{	\{	-	_	‡	‡	\ddag	£	\pounds
}	\}	©	©	\copyright	...	\dots	§	\S
\$	\\$	†	†	\dag	¶	\P		

The first symbol column represents the—sometimes “faked”—symbol that $\text{\LaTeX} 2_{\varepsilon}$ provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 3’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

TABLE 4: \mathcal{AMS} Commands Defined to Work in Both Math and Text Mode

✓	\checkmark	®	\circledR	✠	\maltese
---	------------	---	-----------	---	----------

TABLE 5: Non-ASCII Letters (Excluding Accented Letters)

å	\aa	Ð	\DH*	L	\L	ø	\o	þ	\th*
Å	\AA	Ð	\DJ*	l	\l	œ	\oe	Þ	\TH*
Æ	\AE	đ	\dj*	l	\l	Œ	\OE		
æ	\ae	IJ	\IJ	l	\l	ß	\ss		
ð	\dh*	ij	\ij	Ø	\O	SS	\SS		

* Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 6: `textgreek` Upright Greek Letters

α	<code>\textalpha</code>	η	<code>\texteta</code>	ν	<code>\textnu</code>	τ	<code>\texttau</code>
β	<code>\textbeta</code>	θ	<code>\texttheta</code>	ξ	<code>\textxi</code>	υ	<code>\textupsilon</code>
γ	<code>\textgamma</code>	ι	<code>\textiota</code>	\omicron	<code>\textomikron</code>	ϕ	<code>\textphi</code>
δ	<code>\textdelta</code>	κ	<code>\textkappa</code>	π	<code>\textpi</code>	χ	<code>\textchi</code>
ϵ	<code>\textepsilon</code>	λ	<code>\textlambda</code>	ρ	<code>\textrho</code>	ψ	<code>\textpsi</code>
ζ	<code>\textzeta</code>	μ	<code>\textmu*</code>	σ	<code>\textsigma</code>	ω	<code>\textomega</code>
A	<code>\textAlpha</code>	H	<code>\textEta</code>	N	<code>\textNu</code>	T	<code>\textTau</code>
B	<code>\textBeta</code>	Θ	<code>\textTheta</code>	Ξ	<code>\textXi</code>	Υ	<code>\textUpsilon</code>
Γ	<code>\textGamma</code>	I	<code>\textIota</code>	O	<code>\textOmikron</code>	Φ	<code>\textPhi</code>
Δ	<code>\textDelta</code>	K	<code>\textKappa</code>	Π	<code>\textPi</code>	X	<code>\textChi</code>
E	<code>\textEpsilon</code>	Λ	<code>\textLambda</code>	P	<code>\textRho</code>	Ψ	<code>\textPsi</code>
Z	<code>\textZeta</code>	M	<code>\textMu</code>	Σ	<code>\textSigma</code>	Ω	<code>\textOmega</code>

* Synonyms for `\textmu` include `\textmicro` and `\textmugreek`.

`textgreek` tries to use a Greek font that matches the body text. As a result, the glyphs may appear slightly different from the above.

Unlike `upgreek` (Table 187 on page 98), `textgreek` works in text mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., in phrases such as “ β -decay”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 7: Letters Used to Typeset African Languages

\mathcal{D}	<code>\B{D}</code>	\mathcal{C}	<code>\m{c}</code>	f	<code>\m{f}</code>	k	<code>\m{k}</code>	t	<code>\M{t}</code>	\mathcal{Z}	<code>\m{Z}</code>
\mathcal{d}	<code>\B{d}</code>	\mathcal{D}	<code>\m{D}</code>	F	<code>\m{F}</code>	N	<code>\m{N}</code>	T	<code>\M{T}</code>	\mathcal{E}	<code>\T{E}</code>
H	<code>\B{H}</code>	d	<code>\M{d}</code>	G	<code>\m{G}</code>	n	<code>\m{n}</code>	t	<code>\m{t}</code>	\mathcal{E}	<code>\T{e}</code>
h	<code>\B{h}</code>	\mathcal{D}	<code>\M{D}</code>	g	<code>\m{g}</code>	o	<code>\m{o}</code>	T	<code>\m{T}</code>	\mathcal{O}	<code>\T{O}</code>
t	<code>\B{t}</code>	d	<code>\m{d}</code>	I	<code>\m{I}</code>	O	<code>\m{O}</code>	u	<code>\m{u}</code> *	\mathcal{O}	<code>\T{o}</code>
T	<code>\B{T}</code>	\mathcal{E}	<code>\m{E}</code>	i	<code>\m{i}</code>	P	<code>\m{P}</code>	U	<code>\m{U}</code> *		
\mathcal{B}	<code>\m{b}</code>	\mathcal{E}	<code>\m{e}</code>	J	<code>\m{J}</code>	p	<code>\m{p}</code>	Y	<code>\m{Y}</code>		
\mathcal{B}	<code>\m{B}</code>	\mathcal{E}	<code>\M{E}</code>	j	<code>\m{j}</code>	s	<code>\m{s}</code>	y	<code>\m{y}</code>		
\mathcal{C}	<code>\m{C}</code>	\mathcal{E}	<code>\M{e}</code>	K	<code>\m{K}</code>	S	<code>\m{S}</code>	z	<code>\m{z}</code>		

These characters all need the T4 font encoding, which is provided by the `fc` package.

* `\m{v}` and `\m{V}` are synonyms for `\m{u}` and `\m{U}`.

TABLE 8: Letters Used to Typeset Vietnamese

\mathcal{O}	<code>\OHORN</code>	\mathcal{o}	<code>\ohorn</code>	\mathcal{U}	<code>\UHORN</code>	\mathcal{u}	<code>\uhorn</code>
---------------	---------------------	---------------	---------------------	---------------	---------------------	---------------	---------------------

These characters all need the T5 font encoding, which is provided by the `vntex` package.

TABLE 9: Punctuation Marks Not Found in OT1

«	<code>\guillemotleft</code>	<	<code>\guilsinglleft</code>	„	<code>\quotedblbase</code>	"	<code>\textquotedbl</code>
»	<code>\guillemotright</code>	>	<code>\guilsinglright</code>	,	<code>\quotesinglbase</code>		

To get these symbols, use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 10: pifont Decorative Punctuation Marks

•	<code>\ding{123}</code>	“	<code>\ding{125}</code>	¶	<code>\ding{161}</code>	•	<code>\ding{163}</code>
•	<code>\ding{124}</code>	”	<code>\ding{126}</code>	¶	<code>\ding{162}</code>		

TABLE 11: tipa Phonetic Symbols

\varkappa	<code>\textbabygamma</code>	?	<code>\textglotstop</code>	η	<code>\textrightn</code>
b	<code>\textbarb</code>	·	<code>\texthalflength</code>	r	<code>\textrightr</code>
e	<code>\textbarc</code>	b	<code>\texthardsign</code>	s	<code>\textrightails</code>
d	<code>\textbard</code>	ˆ	<code>\texthooktop</code>	t	<code>\textrightait</code>
j	<code>\textbardotlessj</code>	b	<code>\texthtb</code>	z	<code>\textrightailz</code>
g	<code>\textbarg</code>	f	<code>\texthtbardotlessj</code>	c	<code>\textrighthook</code>
z	<code>\textbarglotstop</code>	c	<code>\texthtc</code>	A	<code>\texttsca</code>
i	<code>\textbari</code>	d	<code>\texthtd</code>	B	<code>\texttscb</code>
l	<code>\textbarl</code>	g	<code>\texthtg</code>	E	<code>\texttsce</code>
o	<code>\textbaro</code>	h	<code>\texthth</code>	G	<code>\texttscg</code>
f	<code>\textbarrevglotstop</code>	h	<code>\texththeng</code>	H	<code>\texttsch</code>
u	<code>\textbaru</code>	k	<code>\texthtk</code>	ə	<code>\texttschwa</code>
t	<code>\textbeltl</code>	p	<code>\texthtp</code>	I	<code>\texttsci</code>
\beta	<code>\textbeta</code>	q	<code>\texthtq</code>	J	<code>\texttscj</code>
$\text{\textcircled{O}}$	<code>\textbullseye</code>	q	<code>\texthttrtaild</code>	L	<code>\texttscl</code>
’	<code>\textceltpal</code>	G	<code>\texthtscg</code>	N	<code>\texttscn</code>
\chi	<code>\textchi</code>	t	<code>\texthtt</code>	$\text{\textcircled{E}}$	<code>\texttscoelig</code>
\textepsilon	<code>\textcloseepsilon</code>	lv	<code>\texthvlig</code>	\Omega	<code>\texttsomega</code>
\textomega	<code>\textcloseomega</code>	b	<code>\textinvglotstop</code>	R	<code>\texttsr</code>
\textepsilon	<code>\textcloserevepsilon</code>	B	<code>\textinvscr</code>	a	<code>\texttscripta</code>
z	<code>\textcommatailz</code>	i	<code>\texttiota</code>	g	<code>\texttscriptg</code>
^	<code>\textcorner</code>	\lambda	<code>\texttlambda</code>	v	<code>\texttscriptv</code>
b	<code>\textcrb</code>	:	<code>\textlengthmark</code>	U	<code>\texttsu</code>
d	<code>\textcrd</code>	t	<code>\texttlhookt</code>	Y	<code>\texttsy</code>
g	<code>\textcrg</code>	l	<code>\texttlhtlongi</code>	,	<code>\texttsecstress</code>
h	<code>\textcrh</code>	v	<code>\texttlhtlongy</code>	b	<code>\texttsoftsign</code>
s	<code>\textcrinvglotstop</code>	r	<code>\texttlonglegr</code>	[<code>\texttstretchc</code>
\lambda	<code>\textcrlambda</code>	<	<code>\texttlptr</code>	t	<code>\textttctclig</code>
2	<code>\textcrtwo</code>	\eta	<code>\texttltailm</code>	f	<code>\texttteshlig</code>
c	<code>\textctc</code>	j	<code>\texttltailn</code>	$\text{\textcircled{d}}$	<code>\textttheta</code>

(continued on next page)

(continued from previous page)

d	\textctd	†	\textltilde	þ	\textthorn
dz	\textctdctzlig	‡	\textlyoghlig		\texttoneletterstem
f	\textctesh	J	\textObardotlessj	ts	\texttslig
j	\textctj	‡	\textOlyoghlig	e	\textturna
n	\textctn	ω	\textomega	æ	\textturncelig
t	\textctt	⌞	\textopencorner	u	\textturnh
tc	\textcttctclig	o	\textopeno	ɣ	\textturnk
z	\textctz	⋈	\textpalhook	l	\textturnlongleg
dz	\textdctzlig	φ	\textphi	u	\textturnm
f	\textdoublebaresh		\textpipe	uq	\textturnmrleg
‡	\textdoublebarpipe	ˊ	\textprimstress	r	\textturnr
≠	\textdoublebarslash	ʔ	\textraiseglotstop	ɹ	\textturnrrtail
	\textdoublepipe	l	\textraisevibyi	ɒ	\textturnscripta
	\textdoublevertline	ɣ	\texttramshorns	ɹ	\textturnt
↓	\textdownstep	ˈ	\textrevapostrophe	Λ	\textturnv
ɔ̥	\textdyoghlig	ə	\textreve	Ⓜ	\textturnw
dz	\textdzlig	ɜ	\textrelepsilon	ɹ	\textturny
ε	\textepsilon	ɿ	\textrevglotstop	υ	\textupsilon
f	\textesh	ɿ	\textrevyogh	↑	\textupstep
r	\textfishhookr	ʒ	\textrhookrelepsilon		\textvertline
g	\textg	ʒ	\textrhookschwa	ɹ	\textvibyi
γ	\textgamma	˘	\textrhoticity	u	\textvibyy
↘	\textglobfall	>	\textrptr	p	\textwynn
↗	\textglobrise	d	\textrtaild	z	\textyogh
		l	\textrtaill		

tipa defines shortcut characters for many of the above. It also defines a command \tone for denoting tone letters (itches). See the tipa documentation for more information.

TABLE 12: tipx Phonetic Symbols

æ	\textaoilig	f	\texttbardotlessjvar	l	\textrthooklong
z̥	\textbenttailyogh	ω	\textinomega	ɒ	\textscaolig
γ	\textbktailgamma	v	\textinvsca	Δ	\textscdelta
ɔ̥	\textctinvglotstop	σ	\textinvscrip	F	\textscf
j	\textctjvar	†	\textlfishhookrlig	K	\textscck
l	\textctstretchc	4	\textlhookfour	M	\textscm
l	\textctstretchcvar	p	\textlhookp	P	\textscp
ɹ	\textctturnt	l	\textlhti	Q	\textscq
db	\textdblign	l	\textlhooktoprevesh	←	\textspleftarrow
‡	\textdoublebarpipevar	η	\textnrleg	C	\textstretchcvar
	\textdoublepipevar	⊙	\textObullseye	↔	\textsubdoublearrow

(continued on next page)

(continued from previous page)

↓	\textdownfullarrow	⋈	\textpalhooklong	→	\textsubrightarrow
♀	\textfemale	⋉	\textpalhookvar	⋔	\textthornvari
n	\textfrbarn		\textpipevar	⋕	\textthornvarii
⦿	\textfrhookd	⦶	\textqplig	⋖	\textthornvariii
⦿	\textfrhookdvar	◻	\textrectangle	⋗	\textthornvariv
t	\textfrhookt	↵	\textretractingvar	↶	\textturnglotstop
γ	\textfrtailgamma	↷	\textrevscl	↸	\textturnsck
?	\textglotstopvari	↹	\textrevscr	↺	\textturnscu
?	\textglotstopvarii	⦶	\textrhooka	⦶	\textturnthree
?	\textglotstopvariii	⦶	\textrhooke	⦶	\textturntwo
γ	\textgrgamma	ε	\textrhookepsilon	♀	\textuncrfemale
ḥ	\textheng	⦶	\textrhookopeno	↑	\textupfullarrow
ḥ	\texthmlig	⦶	\textrtailhth		

TABLE 13: wsuipa Phonetic Symbols

ɤ	\babygamma	ŋ	\eng	ŋ	\labdentalnas	ə	\schwa
̣	\barb	ɤ	\er	ɤ	\latfric	ɪ	\sci
̣	\bard	ʃ	\esh	ɥ	\legm	N	\scn
i	\bari	ð	\eth	ɹ	\legr	R	\scr
̣	\barl	r	\flapr	ʒ	\lz	α	\scripta
ə	\baro	?	\glotstop	α	\nialpha	g	\scriptg
̣	\barp	β	\hookb	β	\nibeta	υ	\scriptv
̣	\barsci	ɸ	\hookd	χ	\nichi	U	\scu
̣	\barscu	ɸ	\hookg	ε	\niepsilon	Y	\scy
̣	\baru	ɦ	\hookh	γ	\nigamma	ʃ	\slashb
⊙	\clickb	ɦ	\hookheng	ι	\niiota	ϕ	\slashc
⊙	\clickc	ɤ	\hookrepepsilon	λ	\nilambda	ϕ	\slashd
ɤ	\clickt	ɦv	\hv	ω	\niomega	ϕ	\slashu
ω	\closedniomega	ɤ	\inva	φ	\nipheri	ɔ	\taild
ɔ	\closedrepepsilon	ɤ	\invf	σ	\nisigma	ɔ	\tailinvr
̣	\crossb	ɔ	\invglotstop	θ	\nitheta	ɔ	\taill
̣	\crossd	ɥ	\invh	υ	\niupsilon	η	\tailn
̣	\crossh	ɔ	\invlegr	ɤ	\nj	ɔ	\tailr
λ	\crossnilambda	uu	\invm	∞	\oo	ɔ	\tails
ε	\curlyc	ɔ	\invr	ɔ	\openo	ɔ	\tailt
ɔ	\curlyesh	ɔ	\invscr	ə	\reve	ɔ	\tailz
ɔ	\curlyyogh	ɔ	\invscripta	ɔ	\reveject	ɔ	\tesh
z	\curlyz	Λ	\invv	ɔ	\repepsilon	ɔ	\thorn
ɔ	\dlbari	Λ	\invw	ɔ	\revglotstop	ɔ	\tildel
ɔ	\dz	Λ	\invy	D	\scd	ɔ	\yogh
ɔ	\ejective	ɔ	\ipagamma	G	\scg		

TABLE 14: wasysym Phonetic Symbols

Ð	\DH	ð	\dh	ɔ	\openo
Þ	\Thorn	ə	\inve	þ	\thorn

TABLE 15: phonetic Phonetic Symbols

ɟ	\barj	ɾ	\flap	ɨ	\libar	ɔ̃	\rotvara	ɹ	\vari
λ	\barlambda	ʔ	\glottal	ɔ̄	\openo	ʌ	\rotw	ω	\varomega
ɱ	\emgma	Ƀ	\hausab	ħ	\planck	ʀ	\roty	ɔ̅	\varopeno
ɲ	\engma	β	\hausab	ʌ	\pwedge	ə	\schwa	ʏ	\vod
ɳ	\enya	ɗ	\hausad	Ɔ	\revD	þ	\thorn	fi	\voicedh
ε	\epsi	Ð	\hausad	ɹ	\riota	⊥	\ubar	ʒ	\yogh
ʃ	\esh	ƙ	\hausak	ʍ	\rotm	ɥ	\udesc		
ð	\eth	Ƙ	\hausak	ϖ	\rotOmega	ɑ	\vara		
fj	\fj	ɔ̇	\hookd	ɹ	\rotr	g	\varg		

TABLE 16: t4phonet Phonetic Symbols

ḍ	\textcrd	ḏ	\texthtd		\textpipe
ḥ	\textcrh	ḑ	\texthtk	ḑ	\textrtaild
ε	\textepsilon	Ḕ	\texthtp	ḑ	\textrtailt
ʃ	\textesh	ḑ	\texthtt	ɗ	\textschwa
fj	\textfjlig	ɹ	\textiota	ʃ	\textscriptv
ḑ	\texthtb	ɳ	\textltailn	ʃ	\texttshlig
ḑ	\texthtc	ɔ̅	\textopeno	ʒ	\textyogh

The idea behind the `t4phonet` package's phonetic symbols is to provide an interface to some of the characters in the T4 font encoding (Table 7 on page 16) but using the same names as the `tipa` characters presented in Table 11 on page 17.

TABLE 17: semtrans Transliteration Symbols

ʾ	\Alif	ʿ	\Ayn
---	-------	---	------

TABLE 18: Text-mode Accents

Ää	\{"A}\{a}	Áá	\ {A}\ {a}‡	Ââ	\f{A}\f{a}¶	Â̂	\t{A}\t{a}
Áá	\' {A}\' {a}	Ãã	\~ {A}\~ {a}	Ăă	\G{A}\G{a}‡	Ăă	\u{A}\u{a}
Ăă	\. {A}\. {a}	Ȃȃ	\b{A}\b{a}	Ȧ̈ȧ̈	\h{A}\h{a}§	Ȧ̈ȧ̈	\U{A}\U{a}‡
Ȧ̈ȧ̈	\={A}\={a}	Ȧȧ	\c{A}\c{a}	Ȧ̈ȧ̈	\H{A}\H{a}	Ȧ̈ȧ̈	\U{A}\U{a}¶
Ȧ̈ȧ̈	\^ {A}\^ {a}	Ȧ̈ȧ̈	\C{A}\C{a}¶	Ȧȧ	\k{A}\k{a}†	Ȧ̈ȧ̈	\v{A}\v{a}
Ȧ̈ȧ̈	\' {A}\' {a}	Ȧȧ	\d{A}\d{a}	Ȧ̈ȧ̈	\r{A}\r{a}		
		Ȧ̈ȧ̈	\newtie{A}\newtie{a}* ⒶⒶ				

* Requires the `textcomp` package.

† Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.

‡ Requires the T4 font encoding, provided by the `fc` package.

§ Requires the T5 font encoding, provided by the `vtex` package.

¶ Requires one of the Cyrillic font encodings (T2A, T2B, T2C, or X2). Use the `fontenc` package to select an encoding.

Also note the existence of `\i` and `\j`, which produce dotless versions of “i” and “j” (viz., “ı” and “ȷ”). These are useful when the accent is supposed to replace the dot in encodings that need to composite (i.e., combine) letters and accents. For example, “`na\{"i}ve`” always produces a correct “naïve”, while “`na\{i}ve`” yields the rather odd-looking “naïve” when using the OT1 font encoding and older versions of L^AT_EX. Font encodings other than OT1 and newer versions of L^AT_EX properly typeset “`na\{i}ve`” as “naïve”.

TABLE 19: tipa Text-mode Accents

Ăă	\textacutemacron{A}\textacutemacron{a}
Ăă	\textacutewedge{A}\textacutewedge{a}
Ȧȧ	\textadvancing{A}\textadvancing{a}
Ȧȧ	\textbottomtiebar{A}\textbottomtiebar{a}
Ȧ̈ȧ̈	\textbrevemacron{A}\textbrevemacron{a}
Ȧ̈ȧ̈	\textcircumacute{A}\textcircumacute{a}
Ȧ̈ȧ̈	\textcircumdot{A}\textcircumdot{a}
Ȧ̈ȧ̈	\textdotacute{A}\textdotacute{a}
Ȧ̈ȧ̈	\textdotbreve{A}\textdotbreve{a}
Ȧ̈ȧ̈	\textdoublegrave{A}\textdoublegrave{a}
Ȧ̈ȧ̈	\textdoublevbaraccent{A}\textdoublevbaraccent{a}

(continued on next page)

(continued from previous page)

$\tilde{A}\tilde{a}$ `\textfallrise{A}\textfallrise{a}`
 $\grave{A}\grave{a}$ `\textgravecircum{A}\textgravecircum{a}`
 $\ddot{A}\ddot{a}$ `\textgravedot{A}\textgravedot{a}`
 $\grave{A}\grave{a}$ `\textgravemacron{A}\textgravemacron{a}`
 $\grave{A}\grave{a}$ `\textgravemid{A}\textgravemid{a}`
 $\acute{A}\acute{a}$ `\texthighrise{A}\texthighrise{a}`
 $\underset{\sim}{A}\underset{\sim}{a}$ `\textinvsubbridge{A}\textinvsubbridge{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textlowering{A}\textlowering{a}`
 $\grave{A}\grave{a}$ `\textlowrise{A}\textlowrise{a}`
 $\acute{A}\acute{a}$ `\textmidacute{A}\textmidacute{a}`
 $\overset{\times}{A}\overset{\times}{a}$ `\textovercross{A}\textovercross{a}`
 $\tilde{A}\tilde{a}$ `\textoverw{A}\textoverw{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textpolhook{A}\textpolhook{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textraising{A}\textraising{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textretracting{A}\textretracting{a}`
 $\overset{\circ}{A}\overset{\circ}{a}$ `\textringmacron{A}\textringmacron{a}`
 $\tilde{A}\tilde{a}$ `\textrisefall{A}\textrisefall{a}`
 $\hat{A}\hat{a}$ `\textroundcap{A}\textroundcap{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textseagull{A}\textseagull{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubacute{A}\textsubacute{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubarch{A}\textsubarch{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubbar{A}\textsubbar{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubbridge{A}\textsubbridge{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubcircum{A}\textsubcircum{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubdot{A}\textsubdot{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubgrave{A}\textsubgrave{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsublhalfring{A}\textsublhalfring{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubplus{A}\textsubplus{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubrhalfring{A}\textsubrhalfring{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubring{A}\textsubring{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubsquare{A}\textsubsquare{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubtilde{A}\textsubtilde{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubumlaut{A}\textsubumlaut{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubw{A}\textsubw{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsubwedge{A}\textsubwedge{a}`
 $\tilde{A}\tilde{a}$ `\textsuperimposetilde{A}\textsuperimposetilde{a}`
 $\underset{\cdot}{A}\underset{\cdot}{a}$ `\textsyllabic{A}\textsyllabic{a}`
 $\tilde{\tilde{A}}\tilde{\tilde{a}}$ `\texttildedot{A}\texttildedot{a}`
 $\widehat{A}\widehat{a}$ `\texttoptiebar{A}\texttoptiebar{a}`

(continued on next page)

(continued from previous page)

Áá \textvbaraccent{A}\textvbaraccent{a}

tipa defines shortcut sequences for many of the above. See the tipa documentation for more information.

TABLE 20: extraipa Text-mode Accents

Ää	\bibridge{A}\bibridge{a}	Ää	\partvoiceless{A}\partvoiceless{a}
Åå	\crtilde{A}\crtilde{a}	Ää	\sliding{A}\sliding{a}
Ää	\dottedtilde{A}\dottedtilde{a}	Ää	\spreadlips{A}\spreadlips{a}
Ää	\doubletilde{A}\doubletilde{a}	Ää	\subcorner{A}\subcorner{a}
Ää	\finpartvoice{A}\finpartvoice{a}	Ää	\subdoublebar{A}\subdoublebar{a}
Ää	\finpartvoiceless{A}\finpartvoiceless{a}	Ää	\subdoublevert{A}\subdoublevert{a}
Ää	\inipartvoice{A}\inipartvoice{a}	Ää	\sublptr{A}\sublptr{a}
Ää	\inipartvoiceless{A}\inipartvoiceless{a}	Ää	\subrptr{A}\subrptr{a}
Ää	\overbridge{A}\overbridge{a}	Ää	\whistle{A}\whistle{a}
Ää	\partvoice{A}\partvoice{a}		

TABLE 21: wsuipa Text-mode Accents

Ää \dental{A}\dental{a}
 Ää \underarch{A}\underarch{a}

TABLE 22: phonetic Text-mode Accents

Ää \hill{A}\hill{a} Ää \rc{A}\rc{a} Ää \ut{A}\ut{a}
 Ää \od{A}\od{a} Ää \syl{A}\syl{a}
 Ää \ohill{A}\ohill{a} Ää \td{A}\td{a}

The phonetic package provides a few additional macros for linguistic accents. \acbar and \acarc compose characters with multiple accents; for example, \acbar{\'}{a} produces “ä” and \acarc{\"}{e} produces “ë”. \labvel joins two characters with an arc: \labvel{mn} → “m̂n”. \upbar is intended to go between characters as in “x\upbar{y}” → “x̂y”. Lastly, \uplett behaves like \textsuperscript but uses a smaller font. Contrast “p\uplett{h}” → “p^h” with “ph” → “p^h”.

TABLE 23: metre Text-mode Accents

Áá	<code>\acutus{A}\acutus{a}</code>
Ăă	<code>\breve{A}\breve{a}</code>
Ãã	<code>\circumflexus{A}\circumflexus{a}</code>
Ää	<code>\diaeresis{A}\diaeresis{a}</code>
Àà	<code>\gravis{A}\gravis{a}</code>
Āā	<code>\macron{A}\macron{a}</code>

TABLE 24: t4phonet Text-mode Accents

Ää	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
Àà	<code>\textvbaraccent{A}\textvbaraccent{a}</code>
Ää	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>

The idea behind the `t4phonet` package’s text-mode accents is to provide an interface to some of the accents in the T4 font encoding (accents marked with “‡” in Table 18 on page 21) but using the same names as the `tipa` accents presented in Table 19 on page 21.

TABLE 25: arcs Text-mode Accents

\widehat{A}	<code>\overarc{A}\overarc{a}</code>	\underline{A}	<code>\underarc{A}\underarc{a}</code>
---------------	-------------------------------------	-----------------	---------------------------------------

The accents shown above scale only to a few characters wide. An optional macro argument alters the effective width of the accented characters. See the `arcs` documentation for more information.

At the time of this writing (2015/11/12), there exists an incompatibility between the `arcs` package and the `resize` package, upon which `arcs` depends. As a workaround, one should apply the patch proposed by Michael Sharpe on the X_YTeX mailing list (Subject: “The arcs package”, dated 2013/08/25) to prevent spurious text from being added to the document (as in, “5.0pt \widehat{A} ” when “ \widehat{A} ” is expected).

TABLE 26: semtrans Accents

\grave{A}	<code>\D{A}\D{a}</code>	\grave{A}	<code>\U{A}\U{a}</code>
\vee	<code>\T{A}\T{a}</code> *		

`\T` is not actually an accent but a command that rotates its argument 180° using the `graphicx` package’s `\rotatebox` command.

TABLE 27: ogonek Accents

\k{A}	<code>\k{A}\k{a}</code>
---------	-------------------------

TABLE 28: combelow Accents

Àà \cb{A}\cb{a}

\cb places a comma *above* letters with descenders. Hence, while “\cb{s}” produces “ſ̣”, “\cb{g}” produces “g̣”.

TABLE 29: wsuipa Diacritics

ˆ	\ain	<	\leftp	˚	\overring	ˆ	\stress	˘	\underwedge
⌞	\corner	⌞	\leftt	ˆ	\polishhook	ˆ	\syllabic	ˆ	\upp
˘	\downp	:	\length	>	\rightp	˙	\underdots	⊥	\upt
⌞	\downt	˜	\midtilde	⌞	\rightt	˚	\underring		
˘	\halflength	ˆ	\open	ˆ	\secstress	˜	\undertilde		

The `wsuipa` package defines all of the above as ordinary characters, not as accents. However, it does provide `\diatop` and `\diaunder` commands, which are used to compose diacritics with other characters. For example, `\diatop[\overring|a]` produces “å”, and `\diaunder[\underdots|a]` produces “ạ”. See the `wsuipa` documentation for more information.

TABLE 30: textcomp Diacritics

ˆ	\textacutedbl	˘	\textasciicaron	ˉ	\textasciimacron
ˆ	\textasciiacute	ˆ	\textasciidieresis	ˆ	\textgravedbl
˘	\textasciibreve	˘	\textasciigrave		

The `textcomp` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 233 for more information.

TABLE 31: marvosym Diacritics

→	\arrowOver	—	\barOver	/	\StrikingThrough
→	\ArrowOver	—	\BarOver		

The `marvosym` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 233 for more information.

TABLE 32: textcomp Currency Symbols

B	<code>\textbaht</code>	\$	<code>\textdollar*</code>	₵	<code>\textguarani</code>	₩	<code>\textwon</code>
¢	<code>\textcent</code>	\$	<code>\textdollaroldstyle</code>	₯	<code>\textlira</code>	¥	<code>\textyen</code>
¢	<code>\textcentoldstyle</code>	₫	<code>\textdong</code>	₯	<code>\textnaira</code>		
₯	<code>\textcolonmonetary</code>	€	<code>\texteuro</code>	₱	<code>\textpeso</code>		
₱	<code>\textcurrency</code>	f	<code>\textflorin</code>	£	<code>\textsterling*</code>		

* It's generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 33: marvosym Currency Symbols

₴	<code>\Denarius</code>	€	<code>\EURcr</code>	€	<code>\EURtm</code>	₯	<code>\Pfund</code>
€	<code>\Ecommerce</code>	€	<code>\EURdig</code>	\$	<code>\EyesDollar</code>	β	<code>\Shilling</code>
€	<code>\EUR</code>	€	<code>\EURhv</code>	₯	<code>\Florin</code>		

The different euro signs are meant to be visually compatible with different fonts—Courier (`\EURcr`), Helvetica (`\EURhv`), Times Roman (`\EURtm`), and the marvosym digits listed in Table 282 (`\EURdig`). The `mathdesign` package redefines `\texteuro` to be visually compatible with one of three additional fonts: Utopia (€), Charter (€), or Garamond (€).

TABLE 34: fontawesome Currency Symbols

₿	<code>\faBtc</code>	₹	<code>\faIls</code>	₩	<code>\faKrw</code>	\$	<code>\faUsd</code>
€	<code>\faEur</code>	₹	<code>\faInr</code>	₱	<code>\faRub</code>	₿	<code>\faViacoin</code>
£	<code>\faGbp</code>	¥	<code>\faJpy</code>	₯	<code>\faTry</code>		

fontawesome defines `\faBitcoin` as a synonym for `\faBtc`; `\faCny`, `\faYen`, and `\faRmb` as synonyms for `\faJpy`; `\faDollar` as a synonym for `\faUsd`; `\faEuro` as a synonym for `\faEur`; `\faRouble` and `\faRuble` as synonyms for `\faRub`; `\faRuppee` as a synonym for `\faInr`; `\faShekel` and `\faSheqel` as synonyms for `\faIls`; `\faTurkishLira` as a synonym for `\faTry`; and `\faWon` as a synonym for `\faKrw`.

TABLE 35: wasysym Currency Symbols

¢	<code>\cent</code>	₱	<code>\currency</code>
---	--------------------	---	------------------------

TABLE 36: GiNA2e Currency Symbols

€	<code>\Euro</code>	₯	<code>\Pound</code>
---	--------------------	---	---------------------

TABLE 37: teubner Currency Symbols

✕	<code>\denarius</code>	c	<code>\hemiobelion</code>	▷	<code>\tetartemorion</code>
†	<code>\dracma</code>	ℳ	<code>\stater</code>		

TABLE 38: tfrupée Currency Symbols

₹	<code>\rupee</code>
---	---------------------

TABLE 39: eurosym Euro Signs

€	<code>\geneuro</code>	€	<code>\geneuronarrow</code>	€	<code>\geneuowide</code>	€	<code>\officiaeuro</code>
---	-----------------------	---	-----------------------------	---	--------------------------	---	---------------------------

`\euro` is automatically mapped to one of the above—by default, `\officiaeuro`—based on a `eurosym` package option. See the `eurosym` documentation for more information. The `\geneuro...` characters are generated from the current body font’s “C” character and therefore may not appear exactly as shown.

TABLE 40: fourier Euro Signs

€	<code>\eurologo</code>	€	<code>\texteuro</code>
---	------------------------	---	------------------------

TABLE 41: textcomp Legal Symbols

⒫	<code>\textcircledP</code>	©	©	<code>\textcopyright</code>	SM	<code>\textservicemark</code>
Ⓒ	<code>\textcopyleft</code>	®	®	<code>\textregistered</code>	TM	<code>\texttrademark</code>






The first symbol column represents the—sometimes “faked”—symbol that $\text{\LaTeX} 2_{\epsilon}$ provides by default. The second symbol column represents the symbol as redefined by `textcomp`. The `textcomp` package is generally required to typeset Table 41’s symbols in italic.

See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=tradesyms> for solutions to common problems that occur when using these symbols (e.g., getting a “⒫” when you expected to get a “®”).

TABLE 42: fontawesome Legal Symbols














©	<code>\faCopyright</code>	®	<code>\faRegistered</code>
©	<code>\faCreativeCommons</code>	™	<code>\faTrademark</code>

TABLE 43: ccllicenses Creative Commons License Icons

	<code>\cc</code>		<code>\ccnc*</code>		<code>\ccsa*</code>
	<code>\ccby</code>		<code>\ccnd</code>		

* These symbols utilize the `rotating` package and therefore display improperly in some DVI viewers.

TABLE 44: ccicons Creative Commons License Icons

	<code>\ccAttribution</code>		<code>\ccNonCommercialEU</code>		<code>\ccShare</code>
	<code>\ccCopy</code>		<code>\ccNonCommercialJP</code>		<code>\ccShareAlike</code>
	<code>\ccLogo</code>		<code>\ccPublicDomain</code>		<code>\ccZero</code>
	<code>\ccNoDerivatives</code>		<code>\ccRemix</code>		
	<code>\ccNonCommercial</code>		<code>\ccSampling</code>		


`ccicons` additionally defines a set of commands for typesetting many complete Creative Commons licenses (i.e., juxtapositions of two or more of the preceding icons). For example, the `\ccbyncnd` command typesets the “Attribution–Noncommercial–No Derivative Works” license (“”). See the `ccicons` documentation for more information.

TABLE 45: textcomp Old-style Numerals

0	<code>\textzerooldstyle</code>	4	<code>\textfouroldstyle</code>	8	<code>\texteightoldstyle</code>
1	<code>\textoneoldstyle</code>	5	<code>\textfiveoldstyle</code>	9	<code>\textnineoldstyle</code>
2	<code>\texttwooldstyle</code>	6	<code>\textsixoldstyle</code>		
3	<code>\textthreeoldstyle</code>	7	<code>\textsevenoldstyle</code>		

Rather than use the bulky `\textoneoldstyle`, `\texttwooldstyle`, etc. commands shown above, consider using `\oldstylenums{...}` to typeset an old-style number.

TABLE 46: Miscellaneous textcomp Symbols


<code>\textblank</code>		<code>\textpilcrow</code>
<code>\textbrokenbar</code>	<code>'</code>	<code>\textquotesingle</code>
<code>\textdblhyphen</code>	<code>,</code>	<code>\textquotestraightbase</code>
<code>\textdblhyphenchar</code>	<code>„</code>	<code>\textquotestraightdblbase</code>
<code>\textdiscount</code>	<code>R</code>	<code>\textrecipe</code>
<code>\textestimated</code>	<code>*</code>	<code>\textreferencemark</code>
<code>\textinterrobang</code>	<code>—</code>	<code>\textthreequartersemdash</code>
<code>\textinterrobangdown</code>	<code>~</code>	<code>\texttildelow</code>
<code>\textnumero</code>	<code>—</code>	<code>\texttwelveudash</code>
<code>\textopenbullet</code>		

TABLE 47: Miscellaneous wasysym Text-mode Symbols

<code>\permil</code>

3 Mathematical symbols

Most, but not all, of the symbols in this section are math-mode only. That is, they yield a “Missing \$ inserted” error message if not used within `$. . $`, `\[. . \]`, or another math-mode environment. Operators marked as “variable-sized” are taller in displayed formulas, shorter in in-text formulas, and possibly shorter still when used in various levels of superscripts or subscripts.

Alphanumeric symbols (e.g., “ \mathcal{L} ” and “ \mathcal{Z} ”) are usually produced using one of the math alphabets in Table 307 rather than with an explicit symbol command. Look there first if you need a symbol for a transform, number set, or some other alphanumeric.

Although there have been many requests on `comp.text.tex` for a contradiction symbol, the ensuing discussion invariably reveals innumerable ways to represent contradiction in a proof, including “ \blitz ” (`\blitza`), “ $\Rightarrow\Leftarrow$ ” (`\Rightarrow\Leftarrow`), “ \perp ” (`\bot`), “ \Leftrightarrow ” (`\leftrightharrow`), and “ $\textcircled{*}$ ” (`\textcircled{*}`). Because of the lack of notational consensus, it is probably better to spell out “Contradiction!” than to use a symbol for this purpose. Similarly, discussions on `comp.text.tex` have revealed that there are a variety of ways to indicate the mathematical notion of “is defined as”. Common candidates include “ \triangleq ” (`\triangleq`), “ \equiv ” (`\equiv`), “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`), and “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`). See also the example of `\equalsfill` on page 235. Depending upon the context, disjoint union may be represented as “ \coprod ” (`\coprod`), “ \sqcup ” (`\sqcup`), “ $\dot{\cup}$ ” (`\dotcup`), “ \oplus ” (`\oplus`), or any of a number of other symbols.² Finally, the average value of a variable x is written by some people as “ \overline{x} ” (`\overline{x}`), by some people as “ $\langle x \rangle$ ” (`\langle x \rangle`), and by some people as “ $\emptyset x$ ” or “ $\emptyset x$ ” (`\diameter x` or `\varnothing x`). The moral of the story is that you should be careful always to explain your notation to avoid confusing your readers.

TABLE 48: Math-Mode Versions of Text Symbols

<code>\$</code>	<code>\mathdollar</code>	<code>¶</code>	<code>\mathparagraph</code>	<code>£</code>	<code>\mathsterling</code>
<code>...</code>	<code>\mathellipsis</code>	<code>§</code>	<code>\mathsection</code>	<code>-</code>	<code>\mathunderscore</code>

It’s generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 49: `cmll` Unary Operators

<code>!</code>	<code>\oc*</code>	<code>↑</code>	<code>\shneg</code>	<code>?</code>	<code>\wn*</code>
<code>↕</code>	<code>\shift</code>	<code>↓</code>	<code>\shpos</code>		

* `\oc` and `\wn` differ from “!” and “?” in terms of their math-mode spacing: `$A=!B$` produces “ $A =!B$ ”, for example, while `$A=\oc B$` produces “ $A = !B$ ”.

¹In `txfonts`, `pxfonts`, and `mathtools` the symbol is called `\coloneqq`. In `mathabx` and `MnSymbol` it’s called `\coloneq`. In `colonequals` it’s called `\colonequals`.

²Bob Tennent listed these and other disjoint-union symbol possibilities in a November 2007 post to `comp.text.tex`.

TABLE 50: Binary Operators

\amalg	<code>\amalg</code>	\cup	<code>\cup</code>	\oplus	<code>\oplus</code>	\times	<code>\times</code>
\ast	<code>\ast</code>	\dagger	<code>\dagger</code>	\oslash	<code>\oslash</code>	\triangleleft	<code>\triangleleft</code>
\bigcirc	<code>\bigcirc</code>	\ddagger	<code>\ddagger</code>	\otimes	<code>\otimes</code>	\triangleright	<code>\triangleright</code>
\bigtriangledown	<code>\bigtriangledown</code>	\diamond	<code>\diamond</code>	\pm	<code>\pm</code>	\triangleleft	<code>\unlhd*</code>
\bigtriangleup	<code>\bigtriangleup</code>	\div	<code>\div</code>	\triangleright	<code>\rhd*</code>	\triangleright	<code>\unrhd*</code>
\bullet	<code>\bullet</code>	\triangleleft	<code>\lhd*</code>	\setminus	<code>\setminus</code>	\oplus	<code>\uplus</code>
\cap	<code>\cap</code>	\mp	<code>\mp</code>	\sqcap	<code>\sqcap</code>	\vee	<code>\vee</code>
\cdot	<code>\cdot</code>	\odot	<code>\odot</code>	\sqcup	<code>\sqcup</code>	\wedge	<code>\wedge</code>
\circ	<code>\circ</code>	\ominus	<code>\ominus</code>	\star	<code>\star</code>	\wr	<code>\wr</code>

* Not predefined by the $\text{\LaTeX} 2_{\epsilon}$ core. Use the `latexsym` package to expose this symbol.

TABLE 51: \mathcal{AMS} Binary Operators

$\bar{\wedge}$	<code>\barwedge</code>	\odot	<code>\circledcirc</code>	\intercal	<code>\intercal*</code>
\boxdot	<code>\boxdot</code>	\ominus	<code>\circleddash</code>	\leftthreetimes	<code>\leftthreetimes</code>
\boxminus	<code>\boxminus</code>	\cup	<code>\Cup</code>	\ltimes	<code>\ltimes</code>
\boxplus	<code>\boxplus</code>	\curlyvee	<code>\curlyvee</code>	\rightthreetimes	<code>\rightthreetimes</code>
\boxtimes	<code>\boxtimes</code>	\curlywedge	<code>\curlywedge</code>	\rtimes	<code>\rtimes</code>
\Cap	<code>\Cap</code>	\divideontimes	<code>\divideontimes</code>	\smallsetminus	<code>\smallsetminus</code>
\centerdot	<code>\centerdot</code>	\dotplus	<code>\dotplus</code>	\veebar	<code>\veebar</code>
\circledast	<code>\circledast</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>		

* Some people use a superscripted `\intercal` for matrix transpose: “ A^{\intercal} ” \mapsto “ A^T ”. (See the May 2009 `comp.text.tex` thread, “raising math symbols”, for suggestions about altering the height of the superscript.) `\top` (Table 199 on page 100), `T`, and `\mathsf{T}` are other popular choices: “ A^T ”, “ A^T ”, “ A^T ”.

TABLE 52: stmaryrd Binary Operators

ϕ	<code>\baro</code>	\parallel	<code>\interleave</code>	\oplus	<code>\varoast</code>
\backslash	<code>\bbslash</code>	\triangleleft	<code>\leftslice</code>	\ominus	<code>\varobar</code>
$\&$	<code>\binampersand</code>	\M	<code>\merge</code>	\oslash	<code>\varobslash</code>
\wp	<code>\bindnasrepma</code>	\ominus	<code>\minuso</code>	\odot	<code>\varocircle</code>
\boxast	<code>\boxast</code>	\ddagger	<code>\moo</code>	\odot	<code>\varodot</code>
\boxbar	<code>\boxbar</code>	\oplus	<code>\nplus</code>	\otimes	<code>\varogreaterthan</code>
\boxbox	<code>\boxbox</code>	\odot	<code>\obar</code>	\oslash	<code>\varolessthan</code>
\boxbslash	<code>\boxbslash</code>	\square	<code>\oblong</code>	\ominus	<code>\varominus</code>
\boxcircle	<code>\boxcircle</code>	\oslash	<code>\obslash</code>	\oplus	<code>\varoplus</code>
\boxdot	<code>\boxdot</code>	\otimes	<code>\ogreaterthan</code>	\oslash	<code>\varoslash</code>
\boxempty	<code>\boxempty</code>	\oslash	<code>\olessthan</code>	\otimes	<code>\varotimes</code>
\boxslash	<code>\boxslash</code>	\oslash	<code>\ovee</code>	\oslash	<code>\varovee</code>
\curlyveedownarrow	<code>\curlyveedownarrow</code>	\oslash	<code>\owedge</code>	\oslash	<code>\varowedge</code>
\curlyveeuparrow	<code>\curlyveeuparrow</code>	\triangleright	<code>\rightslice</code>	\times	<code>\vartimes</code>
\curlywedgedownarrow	<code>\curlywedgedownarrow</code>	$\//$	<code>\sslash</code>	\Uparrow	<code>\Ydown</code>
\curlywedgeuparrow	<code>\curlywedgeuparrow</code>	\parallel	<code>\talloblong</code>	\leftarrow	<code>\Yleft</code>
\fatbslash	<code>\fatbslash</code>	\bigcirc	<code>\varbigcirc</code>	\rightarrow	<code>\Yright</code>
\fatsemi	<code>\fatsemi</code>	\Uparrow	<code>\varcurlyvee</code>	\Uparrow	<code>\Yup</code>
\fatslash	<code>\fatslash</code>	\curlywedge	<code>\varcurlywedge</code>		

TABLE 53: wasysym Binary Operators

\triangleleft	<code>\lhd</code>	\circ	<code>\ocircle</code>	\blacktriangleright	<code>\RHD</code>	\triangleright	<code>\unrhd</code>
\blacktriangleleft	<code>\LHD</code>	\blacktriangleright	<code>\rhd</code>	\trianglelefteq	<code>\unlhd</code>		

TABLE 54: txfonts/pxfonts Binary Operators

\odot	<code>\circledbar</code>	\oslash	<code>\circledwedge</code>	\circ	<code>\medcirc</code>
\oslash	<code>\circledbslash</code>	\wp	<code>\invamp</code>	\boxplus	<code>\sqcapplus</code>
\oslash	<code>\circledvee</code>	\bullet	<code>\medbullet</code>	\boxplus	<code>\sqcupplus</code>

TABLE 55: mathabx Binary Operators

*	<code>\ast</code>	\wedge	<code>\curlywedge</code>	\sqcap	<code>\sqcap</code>
*	<code>\Asterisk</code>	\div	<code>\divdot</code>	\sqcup	<code>\sqcup</code>
$\bar{\wedge}$	<code>\barwedge</code>	*	<code>\divideontimes</code>	$\sqcap\sqcup$	<code>\sqdoublecap</code>
★	<code>\bigstar</code>	$\dot{\div}$	<code>\dotdiv</code>	$\sqcup\sqcup$	<code>\sqdoublecup</code>
★	<code>\bigvarstar</code>	$\dot{+}$	<code>\dotplus</code>	\square	<code>\square</code>
◆	<code>\blackdiamond</code>	$\dot{\times}$	<code>\dottimes</code>	\boxplus	<code>\squplus</code>
\cap	<code>\cap</code>	$\overline{\wedge}$	<code>\doublebarwedge</code>	\cdot	<code>\udot</code>
\dagger	<code>\circplus</code>	$\cap\cap$	<code>\doublecap</code>	\oplus	<code>\uplus</code>
*	<code>\coasterisk</code>	$\cup\cup$	<code>\doublecup</code>	*	<code>\varstar</code>
*	<code>\coAsterisk</code>	\times	<code>\ltimes</code>	\vee	<code>\vee</code>
*	<code>\convolution</code>	\oplus	<code>\pluscirc</code>	\veebar	<code>\veebar</code>
\cup	<code>\cup</code>	\rtimes	<code>\rtimes</code>	$\underline{\vee}$	<code>\veedoublebar</code>
\vee	<code>\curlyvee</code>	■	<code>\sqbullet</code>	\wedge	<code>\wedge</code>

Many of the preceding glyphs go by multiple names. `\centerdot` is equivalent to `\sqbullet`, and `\ast` is equivalent to `*`. `\asterisk` produces the same glyph as `\ast`, but as an ordinary symbol, not a binary operator. Similarly, `\bigast` produces a large-operator version of the `\Asterisk` binary operator, and `\bigcoast` produces a large-operator version of the `\coAsterisk` binary operator.

TABLE 56: MnSymbol Binary Operators

\amalg	<code>\amalg</code>	$\sqcup\sqcup$	<code>\doublecup</code>	\therefore	<code>\righttherefore</code>
*	<code>\ast</code>	\mathbb{W}	<code>\doublevee</code>	\times	<code>\rightthreetimes</code>
\backslash	<code>\backslash</code>	\mathbb{M}	<code>\doublewedge</code>	\succ	<code>\rightY</code>
\bowtie	<code>\bowtie</code>	\therefore	<code>\downtherefore</code>	\times	<code>\rtimes</code>
•	<code>\bullet</code>	Υ	<code>\downY</code>	\div	<code>\slashdiv</code>
\cap	<code>\cap</code>	\times	<code>\dtimes</code>	\prod	<code>\smallprod</code>
$\cap\dot{\cap}$	<code>\capdot</code>	\therefore	<code>\fivedots</code>	\sqcap	<code>\sqcap</code>
$\cap\oplus$	<code>\capplus</code>	∞	<code>\hbipropto</code>	$\sqcap\dot{\cap}$	<code>\sqcapdot</code>
\cdot	<code>\cdot</code>	$\ddot{\cdot}$	<code>\hdotdot</code>	$\sqcap\oplus$	<code>\sqcapplus</code>
\circ	<code>\circ</code>	\lrcorner	<code>\lefthalfcap</code>	\sqcup	<code>\sqcup</code>
\vee	<code>\closedcurlyvee</code>	\llcorner	<code>\lefthalfcup</code>	$\sqcup\dot{\cup}$	<code>\sqcupdot</code>
\wedge	<code>\closedcurlywedge</code>	\therefore	<code>\lefttherefore</code>	$\sqcup\oplus$	<code>\sqcupplus</code>
\cup	<code>\cup</code>	\times	<code>\leftthreetimes</code>	$\ddot{\cdot}$	<code>\squaredots</code>
$\cup\dot{\cup}$	<code>\cupdot</code>	\prec	<code>\leftY</code>	\times	<code>\times</code>
$\cup\oplus$	<code>\cupplus</code>	\times	<code>\ltimes</code>	\cdot	<code>\udotdot</code>
\vee	<code>\curlyvee</code>	\backslash	<code>\medbackslash</code>	\therefore	<code>\uptherefore</code>
$\vee\dot{\vee}$	<code>\curlyveedot</code>	\bigcirc	<code>\medcircle</code>	\uparrow	<code>\upY</code>
\wedge	<code>\curlywedge</code>	\diagup	<code>\medslash</code>	\times	<code>\utimes</code>
$\wedge\dot{\wedge}$	<code>\curlywedgedot</code>	\lvert	<code>\medvert</code>	\wp	<code>\vbipropto</code>
\cdot	<code>\ddotdot</code>	\lrcorner	<code>\medvertdot</code>	$:$	<code>\vdotdot</code>
\therefore	<code>\diamonddots</code>	$-$	<code>\minus</code>	\vee	<code>\vee</code>
\div	<code>\div</code>	$\dot{-}$	<code>\minusdot</code>	$\vee\dot{\vee}$	<code>\veedot</code>

(continued on next page)

(continued from previous page)

$\cdot\mid$	<code>\dotmedvert</code>	\mp	<code>\mp</code>	\times	<code>\vertbowtie</code>
$\dot{-}$	<code>\dotminus</code>	\wp	<code>\neswbipropto</code>	$\cdot\div$	<code>\vertdiv</code>
\cap	<code>\doublecap</code>	\wp	<code>\nwsebipropto</code>	\wedge	<code>\wedge</code>
\cup	<code>\doublecup</code>	$+$	<code>\plus</code>	\wedge	<code>\wedgedot</code>
\curlyvee	<code>\doublecurlyvee</code>	\pm	<code>\pm</code>	\wr	<code>\wreath</code>
\curlywedge	<code>\doublecurlywedge</code>	\lrcorner	<code>\righthalfcap</code>		
\sqcap	<code>\doublesqcap</code>	\lrcorner	<code>\righthalfcup</code>		

MnSymbol defines `\setminus` and `\smallsetminus` as synonyms for `\medbackslash`; `\Join` as a synonym for `\bowtie`; `\wr` as a synonym for `\wreath`; `\shortmid` as a synonym for `\medvert`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; and, `\uplus` as a synonym for `\cupplus`.

TABLE 57: fdsymbol Binary Operators

\amalg	<code>\amalg</code>	\doublevee	<code>\doublevee</code>	\rtimes	<code>\rtimes</code>
\ast	<code>\ast</code>	\doublewedge	<code>\doublewedge</code>	\setminus	<code>\setminus</code>
$\bar{\wedge}$	<code>\barwedge</code>	$\downarrow Y$	<code>\downarrow Y</code>	\sqcap	<code>\sqcap</code>
\cap	<code>\cap</code>	\times	<code>\dimes</code>	\sqcap	<code>\sqcapdot</code>
\cap	<code>\capdot</code>	\cdots	<code>\hdotdot</code>	\sqcap	<code>\sqcapplus</code>
\cap	<code>\capplus</code>	\intercal	<code>\intercal</code>	\sqcup	<code>\sqcup</code>
\cdot	<code>\cdot</code>	\int	<code>\intprod</code>	\sqcup	<code>\sqcupdot</code>
\cdot	<code>\centerdot</code>	\int	<code>\intprodr</code>	\sqcup	<code>\sqcupplus</code>
\cup	<code>\cup</code>	\times	<code>\leftthreetimes</code>	\times	<code>\times</code>
\cup	<code>\cupdot</code>	$\leftarrow Y$	<code>\leftarrow Y</code>	\times	<code>\timesbar</code>
\cup	<code>\cupplus</code>	\ltimes	<code>\ltimes</code>	\cdot	<code>\udotdot</code>
\curlyvee	<code>\curlyvee</code>	\backslash	<code>\medbackslash</code>	\times	<code>\upbowtie</code>
\curlywedge	<code>\curlywedge</code>	$/$	<code>\medslash</code>	\uparrow	<code>\uparrow Y</code>
$\ddot{\cdot}$	<code>\ddotdot</code>	$-$	<code>\minus</code>	\times	<code>\utimes</code>
\div	<code>\div</code>	$\dot{-}$	<code>\minusdot</code>	\amalg	<code>\varamalg</code>
\ast	<code>\divideontimes</code>	$\dot{-}$	<code>\minusfdots</code>	$:$	<code>\vdotdot</code>
$/$	<code>\divslash</code>	$\dot{-}$	<code>\minusrdots</code>	$:$	<code>\vdots</code>
$\dot{-}$	<code>\dotminus</code>	\mp	<code>\mp</code>	\vee	<code>\vee</code>
$\dot{+}$	<code>\dotplus</code>	$+$	<code>\plus</code>	$\underline{\vee}$	<code>\veebar</code>
$\dot{\times}$	<code>\dottimes</code>	$\dot{+}$	<code>\plusdot</code>	$\underline{\vee}$	<code>\veedot</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	\pm	<code>\pm</code>	$\underline{\underline{\vee}}$	<code>\veedoublebar</code>
\cap	<code>\doublecap</code>	\lrcorner	<code>\pullback</code>	\wedge	<code>\wedge</code>
\cup	<code>\doublecup</code>	\lrcorner	<code>\pushout</code>	\wedge	<code>\wedgedot</code>
\sqcap	<code>\doublesqcap</code>	\leftarrow	<code>\rightthreetimes</code>	\wr	<code>\wreath</code>
\sqcup	<code>\doublesqcup</code>	\rightarrow	<code>\rightarrow Y</code>		

fdsymbol defines `\btimes` as a synonym for `\dtimes`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; `\hookupminus` as a synonym for `\intprodr`; `\hourglass` as a synonym for `\upbowtie`; `\land` as a synonym for `\wedge`; `\lor` as a synonym for `\vee`; `\minushookup` as a synonym for `\intprod`; `\smalldivslash` as a synonym for `\medslash`; `\smallsetminus` as a synonym for `\medbackslash`; `\Sqcap` as a synonym for `\doublesqcap`; `\Sqcup` as a synonym for `\doublecup`; `\ttimes` as a synonym for `\utimes`; `\lJoin` as a synonym for `\ltimes`; `\rJoin` as a synonym for `\rtimes`; `\Join` and `\lrtimes` as synonyms for `\bowtie`; `\uplus` as a synonym for `\cupplus`; `\veeonvee` as a synonym for `\doublevee`; `\wedgeonwedge` as a synonym for `\doublewedge`; and `\wreath` as a synonym for `\wreath`).

TABLE 58: boisk Binary Operators

*	<code>\ast</code>	×	<code>\dottimes</code>	✕	<code>\rtimesblack</code>
ϕ	<code>\baro</code>	⌠	<code>\doublebarwedge</code>	∖	<code>\smallsetminus</code>
⌠	<code>\barwedge</code>	;	<code>\fatsemi</code>	⊗	<code>\smashtimes</code>
∥	<code>\bbslash</code>	>	<code>\gtrdot</code>	⊕	<code>\sqcupplus</code>
&	<code>\binampersand</code>	⌞	<code>\intercal</code>	//	<code>\sslash</code>
⌘	<code>\bindnasrepma</code>	⌋	<code>\lbag</code>	×	<code>\times</code>
⌚	<code>\blackbowtie</code>	⌚	<code>\lblackbowtie</code>	⊕	<code>\uplus</code>
⌚	<code>\bowtie</code>	◁	<code>\leftslice</code>	∩	<code>\varcap</code>
∩	<code>\cap</code>	λ	<code>\leftthreetimes</code>	∪	<code>\varcup</code>
Ⓜ	<code>\Cap</code>	≲	<code>\lessdot</code>	⌞	<code>\varintercal</code>
·	<code>\cdot</code>	×	<code>\ltimes</code>	∩	<code>\varsqcap</code>
.	<code>\centerdot</code>	⌚	<code>\ltimesblack</code>	∩	<code>\varsqcup</code>
‡	<code>\circplus</code>	⌚	<code>\merge</code>	×	<code>\vartimes</code>
*	<code>\coAsterisk</code>	⊖	<code>\minuso</code>	∨	<code>\vee</code>
*	<code>\convolution</code>	±	<code>\moo</code>	∨	<code>\Vee</code>
∪	<code>\cup</code>	⌞	<code>\mp</code>	∨	<code>\veebar</code>
∪	<code>\Cup</code>	Ⓜ	<code>\nplus</code>	∨	<code>\veeonvee</code>
⊕	<code>\cupleftarrow</code>	⊕	<code>\pluscirc</code>	∧	<code>\wedge</code>
∨	<code>\curlyvee</code>	⊕	<code>\plustrif</code>	∧	<code>\Wedge</code>
∧	<code>\curlywedge</code>	±	<code>\pm</code>	∨	<code>\Ydown</code>
†	<code>\dagger</code>	∫	<code>\rbag</code>	<	<code>\Yleft</code>
‡	<code>\ddagger</code>	⌚	<code>\rblackbowtie</code>	>	<code>\Yright</code>
÷	<code>\div</code>	▷	<code>\rightslice</code>	∧	<code>\Yup</code>
⊗	<code>\divideontimes</code>	∧	<code>\rightthreetimes</code>		
‡	<code>\dotplus</code>	×	<code>\rtimes</code>		

TABLE 59: stix Binary Operators

\amalg	<code>\amalg</code>	$;$	<code>\fcmp</code>	\sqcup	<code>\sqcup</code>
$*$	<code>\ast</code>	$/$	<code>\fracslash</code>	\sqcup	<code>\Sqcup</code>
$\bar{\cap}$	<code>\barcap</code>	\intercal	<code>\intercal</code>	$//$	<code>\sslash</code>
$\bar{\cup}$	<code>\barcup</code>	\parallel	<code>\interleave</code>	$:$	<code>\threedotcolon</code>
$\bar{\vee}$	<code>\barvee</code>	\int	<code>\intprod</code>	\times	<code>\times</code>
$\bar{\wedge}$	<code>\barwedge</code>	\int	<code>\intprodr</code>	\times	<code>\timesbar</code>
\bigvee	<code>\bigvee</code>	\approx	<code>\invlazys</code>	$-$	<code>\tminus</code>
\bigwedge	<code>\bigwedge</code>	λ	<code>\leftthreetimes</code>	$+$	<code>\tplus</code>
\times	<code>\btimes</code>	\triangleleft	<code>\lhd</code>	$\#$	<code>\tripleplus</code>
\cap	<code>\cap</code>	\times	<code>\ltimes</code>	$///$	<code>\trslash</code>
\Cap	<code>\Cap</code>	$\bar{\vee}$	<code>\midbarvee</code>	\cap	<code>\twocaps</code>
$\bar{\cup}$	<code>\capbarcup</code>	$\bar{\wedge}$	<code>\midbarwedge</code>	\cup	<code>\twocup</code>
$\dot{\cap}$	<code>\capdot</code>	$\dot{-}$	<code>\minusdot</code>	$:$	<code>\typecolon</code>
$\bar{\cup}$	<code>\capovercup</code>	$\dot{-}$	<code>\minusdots</code>	\ominus	<code>\uminus</code>
$\bar{\wedge}$	<code>\capwedge</code>	$\dot{-}$	<code>\minusrdots</code>	\triangleleft	<code>\unlhd</code>
$\bar{\cup}$	<code>\closedvarcap</code>	\mp	<code>\mp</code>	\triangleleft	<code>\unrhd</code>
$\bar{\cup}$	<code>\closedvarcup</code>	$\#$	<code>\nhVvert</code>	\wp	<code>\upand</code>
$\bar{\cup}$	<code>\closedvarcupsmashprod</code>	\oplus	<code>\opluslhrim</code>	\oplus	<code>\uplus</code>
\dagger	<code>\commaminus</code>	\oplus	<code>\oplusrhrim</code>	$\bar{\wedge}$	<code>\varbarwedge</code>
\cup	<code>\cup</code>	\otimes	<code>\otimeslhrim</code>	$\bar{\wedge}$	<code>\vardoublebarwedge</code>
\Cup	<code>\Cup</code>	\otimes	<code>\otimesrhrim</code>	$\underline{\vee}$	<code>\varveebar</code>
$\bar{\cup}$	<code>\cupbarcap</code>	\dagger	<code>\plusdot</code>	\times	<code>\vectimes</code>
$\dot{\cup}$	<code>\cupdot</code>	\pm	<code>\pluseqq</code>	\vee	<code>\Vee</code>
$\bar{\cup}$	<code>\cupleftarrow</code>	$\hat{+}$	<code>\plushat</code>	\vee	<code>\vee</code>
$\bar{\cup}$	<code>\cupovercap</code>	\ddagger	<code>\plussim</code>	$\underline{\vee}$	<code>\veebar</code>
$\bar{\cup}$	<code>\cupvee</code>	\ddagger	<code>\plussubtwo</code>	\vee	<code>\veedot</code>
\curlyvee	<code>\curlyvee</code>	\ddagger	<code>\plustrif</code>	$\underline{\vee}$	<code>\veedoublebar</code>
\curlywedge	<code>\curlywedge</code>	\pm	<code>\pm</code>	\vee	<code>\veemidvert</code>
\dagger	<code>\dagger</code>	\triangleright	<code>\rhd</code>	$\dot{\vee}$	<code>\veeodot</code>
\ddagger	<code>\ddagger</code>	\llcorner	<code>\rightthreetimes</code>	\wp	<code>\veeonvee</code>
\div	<code>\div</code>	\dagger	<code>\ringplus</code>	\blacktriangle	<code>\Wedge</code>
\ast	<code>\divideontimes</code>	\dagger	<code>\rsolbar</code>	\wedge	<code>\wedge</code>
$\dot{-}$	<code>\dotminus</code>	\times	<code>\rtimes</code>	\triangle	<code>\wedgebar</code>
$\dot{+}$	<code>\dotplus</code>	\setminus	<code>\setminusminus</code>	\blacktriangle	<code>\wedgedot</code>
\times	<code>\dottimes</code>	\sqcup	<code>\shuffle</code>	$\underline{\triangle}$	<code>\wedgedoublebar</code>
$\bar{\vee}$	<code>\doublebarvee</code>	\dagger	<code>\simplus</code>	\blacktriangle	<code>\wedgemidvert</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	\setminus	<code>\smallsetminusminus</code>	\blacktriangle	<code>\wedgeodot</code>
$\#$	<code>\doubleplus</code>	\ast	<code>\smashtimes</code>	\blacktriangle	<code>\wedgeonwedge</code>
$/$	<code>\dsol</code>	\sqcap	<code>\sqcap</code>	\wr	<code>\wr</code>
$\bar{\dagger}$	<code>\eqqplus</code>	\boxplus	<code>\Sqcap</code>		

stix defines `\land` as a synonym for `\wedge`, `\lor` as a synonym for `\vee`, `\doublecap` as a synonym for `\Cap`, and `\doublecup` as a synonym for `\Cup`.

TABLE 60: mathdesign Binary Operators

\times `\dtimes` \times `\udtimes` \times `\utimes`

The `mathdesign` package additionally provides versions of each of the binary operators shown in Table 51 on page 31.

TABLE 61: cml Binary Operators

\wp `\parr*` $\&$ `\with†`

* `cml` defines `\invamp` as a synonym for `\parr`.

† `\with` differs from `\&` in terms of its math-mode spacing: `\$A \& B\$` produces “ $A \& B$ ”, for example, while `\$A \with B\$` produces “ $A \& B$ ”.

TABLE 62: shuffle Binary Operators

\sqcup `\cshuffle` \sqcup `\shuffle`

TABLE 63: ulsy Geometric Binary Operators

\oplus `\odplus`

TABLE 64: mathabx Geometric Binary Operators

\blacktriangledown	<code>\blacktriangledown</code>	\boxright	<code>\boxright</code>	\ominus	<code>\ominus</code>
\blacktriangleleft	<code>\blacktriangleleft</code>	\boxslash	<code>\boxslash</code>	\oplus	<code>\oplus</code>
\blacktriangleright	<code>\blacktriangleright</code>	\boxtimes	<code>\boxtimes</code>	\otimes	<code>\otimes</code>
\blacktriangleup	<code>\blacktriangleup</code>	\boxtop	<code>\boxtop</code>	\oslash	<code>\oslash</code>
\boxasterisk	<code>\boxasterisk</code>	\boxtriangleup	<code>\boxtriangleup</code>	\otimes	<code>\otimes</code>
\boxbackslash	<code>\boxbackslash</code>	\boxvoid	<code>\boxvoid</code>	\oplus	<code>\otop</code>
\boxbot	<code>\boxbot</code>	\oasterisk	<code>\oasterisk</code>	\triangleup	<code>\otriangleup</code>
\boxcirc	<code>\boxcirc</code>	\obackslash	<code>\obackslash</code>	\circ	<code>\ovoid</code>
\boxcoasterisk	<code>\boxcoasterisk</code>	\obot	<code>\obot</code>	\blacktriangledown	<code>\smalltriangledown</code>
\boxdiv	<code>\boxdiv</code>	\ocirc	<code>\ocirc</code>	\blacktriangleleft	<code>\smalltriangleleft</code>
\boxdot	<code>\boxdot</code>	\ocoasterisk	<code>\ocoasterisk</code>	\blacktriangleright	<code>\smalltriangleright</code>
\boxleft	<code>\boxleft</code>	\odiv	<code>\odiv</code>	\blacktriangleup	<code>\smalltriangleup</code>
\boxminus	<code>\boxminus</code>	\odot	<code>\odot</code>		
\boxplus	<code>\boxplus</code>	\oleft	<code>\oleft</code>		

TABLE 65: MnSymbol Geometric Binary Operators

▣	<code>\boxbackslash</code>	▼	<code>\filledmedtriangledown</code>	⊙	<code>\ocirc</code>
▢	<code>\boxbox</code>	◀	<code>\filledmedtriangleleft</code>	⊙	<code>\odot</code>
▣	<code>\boxdot</code>	▶	<code>\filledmedtriangleright</code>	⊖	<code>\ominus</code>
▤	<code>\boxminus</code>	▲	<code>\filledmedtriangleup</code>	⊕	<code>\oplus</code>
⊞	<code>\boxplus</code>	■	<code>\filledsquare</code>	⊘	<code>\oslash</code>
▧	<code>\boxslash</code>	★	<code>\filledstar</code>	⊗	<code>\otimes</code>
⊠	<code>\boxtimes</code>	▼	<code>\filledtriangledown</code>	⊗	<code>\otimes</code>
▣	<code>\boxvert</code>	◀	<code>\filledtriangleleft</code>	⊕	<code>\otriangle</code>
◊	<code>\diamondbackslash</code>	▶	<code>\filledtriangleright</code>	⊕	<code>\overt</code>
⊠	<code>\diamonddiamond</code>	▲	<code>\filledtriangleup</code>	★	<code>\pentagram</code>
◊	<code>\diamonddot</code>	◊	<code>\meddiamond</code>	◊	<code>\smalldiamond</code>
◊	<code>\diamondminus</code>	□	<code>\medsquare</code>	□	<code>\smallsquare</code>
⊕	<code>\diamondplus</code>	☆	<code>\medstar</code>	★	<code>\smallstar</code>
◊	<code>\diamondslash</code>	▽	<code>\medtriangledown</code>	▽	<code>\smalltriangledown</code>
⊠	<code>\diamondtimes</code>	◁	<code>\medtriangleleft</code>	◁	<code>\smalltriangleleft</code>
◊	<code>\diamondvert</code>	▷	<code>\medtriangleright</code>	▷	<code>\smalltriangleright</code>
▽	<code>\downslice</code>	△	<code>\medtriangleup</code>	△	<code>\smalltriangleup</code>
◆	<code>\filleddiamond</code>	⊗	<code>\oast</code>	★	<code>\thinstar</code>
■	<code>\filledmedsquare</code>	⊘	<code>\obackslash</code>	△	<code>\upslice</code>

MnSymbol defines `\blacksquare` as a synonym for `\filledmedsquare`; `\square` and `\Box` as synonyms for `\medsquare`; `\diamond` as a synonym for `\smalldiamond`; `\Diamond` as a synonym for `\meddiamond`; `\star` as a synonym for `\thinstar`; `\circledast` as a synonym for `\oast`; `\circledcirc` as a synonym for `\ocirc`; and, `\circleddash` as a synonym for `\ominus`.

TABLE 66: fdsymbol Geometric Binary Operators

▣	<code>\boxbackslash</code>	▼	<code>\medblacktriangledown</code>	⊕	<code>\oplus</code>
▢	<code>\boxbox</code>	◀	<code>\medblacktriangleleft</code>	⊘	<code>\oslash</code>
▣	<code>\boxdot</code>	▶	<code>\medblacktriangleright</code>	⊗	<code>\otimes</code>
▤	<code>\boxminus</code>	▲	<code>\medblacktriangleup</code>	⊕	<code>\overt</code>
⊞	<code>\boxplus</code>	○	<code>\medcircle</code>	●	<code>\smallblackcircle</code>
▧	<code>\boxslash</code>	◊	<code>\meddiamond</code>	◆	<code>\smallblackdiamond</code>
⊠	<code>\boxtimes</code>	/	<code>\medslash</code>	■	<code>\smallblacksquare</code>
▣	<code>\boxvert</code>	□	<code>\medsquare</code>	★	<code>\smallblackstar</code>
◊	<code>\diamondbackslash</code>	▽	<code>\medtriangledown</code>	▼	<code>\smallblacktriangledown</code>
⊠	<code>\diamonddiamond</code>	◁	<code>\medtriangleleft</code>	◀	<code>\smallblacktriangleleft</code>
◊	<code>\diamonddot</code>	▷	<code>\medtriangleright</code>	▶	<code>\smallblacktriangleright</code>
◊	<code>\diamondminus</code>	△	<code>\medtriangleup</code>	▲	<code>\smallblacktriangleup</code>
⊕	<code>\diamondplus</code>	☆	<code>\medwhitestar</code>	○	<code>\smallcircle</code>
◊	<code>\diamondslash</code>	⊗	<code>\oast</code>	◊	<code>\smalldiamond</code>
⊠	<code>\diamondtimes</code>	⊘	<code>\obackslash</code>	□	<code>\smallsquare</code>
◊	<code>\diamondvert</code>	⊙	<code>\ocirc</code>	▽	<code>\smalltriangledown</code>

(continued on next page)

(continued from previous page)

●	<code>\medblackcircle</code>	⊖	<code>\odash</code>	◁	<code>\smalltriangleleft</code>
◆	<code>\medblackdiamond</code>	⊙	<code>\odot</code>	▷	<code>\smalltriangleright</code>
■	<code>\medblacksquare</code>	⊖	<code>\oequal</code>	△	<code>\smalltriangleup</code>
★	<code>\medblackstar</code>	⊖	<code>\ominus</code>	☆	<code>\smallwhitestar</code>

`fdsymbol` defines synonyms for most of the preceding symbols:

◆	<code>\blackdiamond</code>	◇	<code>\diamond</code>	●	<code>\smbkcircle</code>
▲	<code>\blacktriangle</code>	◇	<code>\Diamond</code>	◆	<code>\smbkdiamond</code>
▼	<code>\blacktriangledown</code>	◇	<code>\diamondbslash</code>	■	<code>\smbklsquare</code>
◀	<code>\blacktriangleleft</code>	◇	<code>\diamondcdot</code>	☆	<code>\smwhitestar</code>
▶	<code>\blacktriangleright</code>	◆	<code>\mdblkdiamond</code>	○	<code>\smwhtcircle</code>
□	<code>\Box</code>	■	<code>\mdblksquare</code>	◇	<code>\smwhtdiamond</code>
▣	<code>\boxbar</code>	●	<code>\mdlgbkcircle</code>	◻	<code>\smwhtsquare</code>
▤	<code>\boxbslash</code>	◆	<code>\mdlgbkdiamond</code>	□	<code>\square</code>
▥	<code>\boxdiag</code>	■	<code>\mdlgbklsquare</code>	★	<code>\star</code>
•	<code>\bullet</code>	○	<code>\mdlgwhtcircle</code>	△	<code>\triangle</code>
◦	<code>\circ</code>	◇	<code>\mdlgwhtdiamond</code>	▽	<code>\triangledown</code>
⊗	<code>\circledast</code>	◻	<code>\mdlgwhtsquare</code>	◁	<code>\triangleleft</code>
⊙	<code>\circledcirc</code>	◇	<code>\mdwhtdiamond</code>	▷	<code>\triangleright</code>
⊖	<code>\circleddash</code>	◻	<code>\mdwhtsquare</code>	△	<code>\vartriangle</code>
⊖	<code>\circledequal</code>	★	<code>\medstar</code>		
⊕	<code>\circledvert</code>	⊙	<code>\obslash</code>		

TABLE 67: `boisik` Geometric Binary Operators

◆	<code>\blacklozenge</code>	▣	<code>\boxright</code>	□	<code>\oblong</code>
■	<code>\blacksquare</code>	▤	<code>\boxslash</code>	⊕	<code>\obot</code>
▲	<code>\blacktriangle</code>	⊗	<code>\boxtimes</code>	⊙	<code>\obslash</code>
▼	<code>\blacktriangledown</code>	▣	<code>\boxtop</code>	⊗	<code>\ogreaterthan</code>
◀	<code>\blacktriangleleft</code>	▤	<code>\boxtriangle</code>	⊕	<code>\oleft</code>
▶	<code>\blacktriangleright</code>	⊗	<code>\circledast</code>	⊖	<code>\olessthan</code>
⊗	<code>\boxast</code>	⊙	<code>\circledcirc</code>	⊖	<code>\ominus</code>
▣	<code>\boxbar</code>	⊖	<code>\circleddash</code>	⊕	<code>\oplus</code>
▣	<code>\boxbot</code>	◇	<code>\diamond</code>	⊕	<code>\oright</code>
▣	<code>\boxbox</code>	⋈	<code>\diamondbar</code>	⊗	<code>\oslash</code>
▤	<code>\boxbslash</code>	⊗	<code>\diamondcircle</code>	⊗	<code>\otimes</code>
▣	<code>\boxcircle</code>	⊖	<code>\diamondminus</code>	⊕	<code>\otop</code>
▣	<code>\boxdivision</code>	◇	<code>\diamondop</code>	⊗	<code>\otriangle</code>
□	<code>\boxdot</code>	⊕	<code>\diamondplus</code>	⊗	<code>\ovee</code>
▣	<code>\boxleft</code>	⊗	<code>\diamondtimes</code>	⊗	<code>\owedge</code>
▣	<code>\boxminus</code>	⊗	<code>\diamondtriangle</code>	*	<code>\star</code>
▣	<code>\boxplus</code>	⊕	<code>\obar</code>	▣	<code>\talloblong</code>

TABLE 68: stix Geometric Binary Operators

⚬	<code>\blackhourglass</code>	◊	<code>\concavediamondtickleft</code>	⊕	<code>\oplus</code>
⊛	<code>\boxast</code>	◊	<code>\concavediamondtickright</code>	⊘	<code>\oslash</code>
▣	<code>\boxbar</code>	◊	<code>\diamond</code>	⊗	<code>\otimes</code>
▢	<code>\boxbox</code>	◁	<code>\dsub</code>	⊛	<code>\Otimes</code>
▧	<code>\boxbslash</code>	⌚	<code>\hourglass</code>	⊗	<code>\otimeshat</code>
⊙	<code>\boxcircle</code>	◊	<code>\lozengeminus</code>	▷	<code>\rsub</code>
▧	<code>\boxdiag</code>	◆	<code>\mdlgbklklozenge</code>	•	<code>\smbkcircle</code>
◻	<code>\boxdot</code>	○	<code>\mdlgwhtcircle</code>	★	<code>\star</code>
▣	<code>\boxminus</code>	⊖	<code>\obar</code>	⏏	<code>\talloblong</code>
⊕	<code>\boxplus</code>	⊕	<code>\obot*</code>	△	<code>\triangle</code>
⊗	<code>\boxtimes</code>	⊗	<code>\obslash</code>	△	<code>\triangleminus</code>
⊛	<code>\circledast</code>	⊕	<code>\odiv</code>	△	<code>\triangleplus</code>
⊙	<code>\circledcirc</code>	⊙	<code>\odot</code>	△	<code>\triangleserifs</code>
⊖	<code>\circleddash</code>	⊗	<code>\odotslashdot*</code>	△	<code>\triangletimes</code>
⊕	<code>\circledequal</code>	⊕	<code>\ogreaterthan</code>	•	<code>\vysmbkcircle</code> [†]
⊕	<code>\circledparallel</code>	⊗	<code>\olcross*</code>	◦	<code>\vysmwhtcircle</code>
⊖	<code>\circledvert</code>	⊖	<code>\olessthan</code>	◻	<code>\whitesquaretickleft</code>
⊖	<code>\circlehbar</code>	⊖	<code>\ominus</code>	◻	<code>\whitesquaretickright</code>
◊	<code>\concavediamond</code>	⊖	<code>\operp</code>		

* Defined as an ordinary character, not as a binary relation. However, these symbols more closely resemble the other symbols in this table than they do the geometric shapes presented in Table 381, which is why they are included here.

[†] stix defines `\bullet` as a synonym for `\vysmbkcircle`.

TABLE 69: halloweenmath Halloween-Themed Math Operators

🎃	<code>\bigpumpkin</code> [‡]	👻	<code>\mathrightghost</code>	☁	<code>\reversemathcloud</code>
☁	<code>\mathcloud</code>	👻	<code>\mathwitch</code> [†]	👻	<code>\reversemathwitch</code> [†]
👻	<code>\mathghost</code>	👻	<code>\mathwitch*</code> [†]	👻	<code>\reversemathwitch*</code> [†]
👻	<code>\mathleftghost</code>	🎃	<code>\pumpkin</code>		

[†] These symbols accept limits. For example, `\mathwitch*_{i=0}^{\infty} f(x)` produces “ $\sum_{i=0}^{\infty} f(x)$ ” in text mode and

$$\sum_{i=0}^{\infty} f(x)$$

in display mode.

[‡] `\greatpumpkin` is a synonym for `\bigpumpkin`.

TABLE 70: stix Small Integrals

\int	<code>\smallawint</code>	\int	<code>\smallintcap</code>	\int	<code>\smalloint</code>
\int	<code>\smallcirfnint</code>	\int	<code>\smallintclockwise</code>	\int	<code>\smallointctrcclockwise</code>
\int	<code>\smallfint</code>	\int	<code>\smallintcup</code>	\int	<code>\smallpointint</code>
\int	<code>\smalliiiint</code>	\int	<code>\smallintlarhk</code>	\int	<code>\smallrppointint</code>
\int	<code>\smalliiint</code>	\int	<code>\smallintx</code>	\int	<code>\smallscpointint</code>
\int	<code>\smalliint</code>	\int	<code>\smalllowint</code>	\int	<code>\smallsqint</code>
\int	<code>\smallint</code>	\int	<code>\smallnpointint</code>	\int	<code>\smallsumint</code>
\int	<code>\smallintbar</code>	\int	<code>\smallloiiint</code>	\int	<code>\smallupint</code>
\int	<code>\smallintBar</code>	\int	<code>\smallloiiint</code>	\int	<code>\smallvarointclockwise</code>

By default, each of the preceding commands points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 71.

TABLE 71: stix Small Integrals with Explicit Slant

\int	<code>\smallawintsl</code>	\int	<code>\smallawintup</code>
\int	<code>\smallcirfnintsl</code>	\int	<code>\smallcirfnintup</code>
\int	<code>\smallfintsl</code>	\int	<code>\smallfintup</code>
\int	<code>\smalliiiintsl</code>	\int	<code>\smalliiiintup</code>
\int	<code>\smalliiintsl</code>	\int	<code>\smalliiintup</code>
\int	<code>\smalliintsl</code>	\int	<code>\smalliintup</code>
\int	<code>\smallintbarsl</code>	\int	<code>\smallintBarup</code>
\int	<code>\smallintBarsl</code>	\int	<code>\smallintbarup</code>
\int	<code>\smallintcapsl</code>	\int	<code>\smallintcapup</code>
\int	<code>\smallintclockwisesl</code>	\int	<code>\smallintclockwiseup</code>
\int	<code>\smallintcupsl</code>	\int	<code>\smallintcupup</code>
\int	<code>\smallintlarhksl</code>	\int	<code>\smallintlarhkup</code>
\int	<code>\smallintsl</code>	\int	<code>\smallintup</code>
\int	<code>\smallintxsl</code>	\int	<code>\smallintxup</code>
\int	<code>\smalllowintsl</code>	\int	<code>\smalllowintup</code>
\int	<code>\smallnpointintsl</code>	\int	<code>\smallnpointintup</code>
\int	<code>\smallloiiintsl</code>	\int	<code>\smallloiiintup</code>
\int	<code>\smallloiiintsl</code>	\int	<code>\smallloiiintup</code>
\int	<code>\smallointctrcclockwisesl</code>	\int	<code>\smallointctrcclockwiseup</code>
\int	<code>\smallointsl</code>	\int	<code>\smallointup</code>
\int	<code>\smallpointintsl</code>	\int	<code>\smallpointintup</code>
\int	<code>\smallrppointintsl</code>	\int	<code>\smallrppointintup</code>
\int	<code>\smallscpointintsl</code>	\int	<code>\smallscpointintup</code>
\int	<code>\smallsqintsl</code>	\int	<code>\smallsqintup</code>
\int	<code>\smallsumintsl</code>	\int	<code>\smallsumintup</code>
\int	<code>\smallupintsl</code>	\int	<code>\smallupintup</code>
\int	<code>\smallvarointclockwisesl</code>	\int	<code>\smallvarointclockwiseup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 70 either with or without the `upint` package option. Specifying `upint` selects each integral’s upright (`up`) variant, while omitting `upint` selects each integral’s slanted (`s1`) variant. Use the symbols shown in Table 71 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 72: Variable-sized Math Operators

$\cap \cap$	<code>\bigcap</code>	$\otimes \otimes$	<code>\bigotimes</code>	$\wedge \wedge$	<code>\bigwedge</code>	$\prod \prod$	<code>\prod</code>
$\cup \cup$	<code>\bigcup</code>	$\sqcup \sqcup$	<code>\bigsqcup</code>	$\coprod \coprod$	<code>\coprod</code>	$\sum \sum$	<code>\sum</code>
$\odot \odot$	<code>\bigodot</code>	$\oplus \oplus$	<code>\bigoplus</code>	$\int \int$	<code>\int</code>		
$\oplus \oplus$	<code>\bigoplus</code>	$\vee \vee$	<code>\bigvee</code>	$\oint \oint$	<code>\oint</code>		

TABLE 73: $\mathcal{A}\mathcal{M}\mathcal{S}$ Variable-sized Math Operators

$\iint \iint$	<code>\iint</code>	$\iiint \iiint$	<code>\iiint</code>
$\iiint \iiint$	<code>\iiiint</code>	$\int \dots \int \int \dots \int$	<code>\idotsint</code>

TABLE 74: `stmaryrd` Variable-sized Math Operators

$\square \square$	<code>\bigbox</code>	$\parallel \parallel$	<code>\biginterleave</code>	$\sqcap \sqcap$	<code>\bigsqcap</code>
$\curlyvee \curlyvee$	<code>\bigcurlyvee</code>	$\bigoplus \bigoplus$	<code>\bignplus</code>	$\nabla \nabla$	<code>\bigtriangledown</code>
$\curlywedge \curlywedge$	<code>\bigcurlywedge</code>	$\parallel \parallel$	<code>\bigparallel</code>	$\triangle \triangle$	<code>\bigtriangleup</code>

TABLE 75: wasysym Variable-sized Math Operators

$\int \int$	<code>\int</code>	$\iint \iiint$	<code>\iint</code>	$\iiint \iiiiiint$	<code>\iiint</code>
\oint	<code>\oint</code>	\oiint	<code>\oiint</code>		

If `wasysym` is loaded without package options then none of the preceding symbols are defined. However, `\varint` produces `wasysym`'s `\int` glyph, and `\varoint` produces `wasysym`'s `\oint` glyph.

If `wasysym` is loaded with the `integrals` option then all of the preceding symbols are defined, but `\varint` and `\varoint` are left undefined.

If `wasysym` is loaded with the `nointegrals` option then none of the preceding symbols, `\varint`, or `\varoint` are defined.

TABLE 76: mathabx Variable-sized Math Operators

$\curlyvee \curlyvee$	<code>\bigcurlyvee</code>	$\boxslash \boxslash$	<code>\bigboxslash</code>	$\oplus \oplus$	<code>\bigoright</code>
$\sqcap \sqcap$	<code>\bigsqcap</code>	$\boxtimes \boxtimes$	<code>\bigboxtimes</code>	$\oslash \oslash$	<code>\bigoslash</code>
$\curlywedge \curlywedge$	<code>\bigcurlywedge</code>	$\boxplus \boxplus$	<code>\bigboxplus</code>	$\oplus \oplus$	<code>\bigotop</code>
$\boxast \boxast$	<code>\bigboxast</code>	$\boxtriangleup \boxtriangleup$	<code>\bigboxtriangleup</code>	$\triangleup \triangleup$	<code>\bigotriangleup</code>
$\boxbackslash \boxbackslash$	<code>\bigboxbackslash</code>	$\boxvoid \boxvoid$	<code>\bigboxvoid</code>	$\bigcirc \bigcirc$	<code>\bigovoid</code>
$\boxbot \boxbot$	<code>\bigboxbot</code>	$\complement \complement$	<code>\bigcomplementtop</code>	$\plus \plus$	<code>\bigplus</code>
$\boxcirc \boxcirc$	<code>\bigboxcirc</code>	$\bigcirc \bigcirc$	<code>\bigoaasterisk</code>	$\boxplus \boxplus$	<code>\bigsqplus</code>
$\boxcoasterisk \boxcoasterisk$	<code>\bigboxcoasterisk</code>	$\oslash \oslash$	<code>\bigobackslash</code>	$\times \times$	<code>\bigtimes</code>
$\boxdiv \boxdiv$	<code>\bigboxdiv</code>	$\oplus \oplus$	<code>\bigobot</code>	$\iiiiiint \iiiiiint$	<code>\iiiiiint</code>
$\boxdot \boxdot$	<code>\bigboxdot</code>	$\odot \odot$	<code>\bigocirc</code>	$\iint \iint$	<code>\iint</code>

(continued on next page)

(continued from previous page)

$\boxplus\boxplus$	<code>\bigboxleft</code>	$\bigcirc\bigcirc$	<code>\bigocoasterisk</code>	\int	<code>\int</code>
$\boxminus\boxminus$	<code>\bigboxminus</code>	$\oplus\oplus$	<code>\bigodiv</code>	\oint	<code>\oint</code>
$\boxplus\boxplus$	<code>\bigboxplus</code>	$\oplus\oplus$	<code>\bigoleft</code>	\oint	<code>\oint</code>
$\boxright\boxright$	<code>\bigboxright</code>	$\ominus\ominus$	<code>\bigominus</code>		

TABLE 77: txfonts/pxfonts Variable-sized Math Operators

\sqcap	\sqcap	<code>\bigsqcapplus</code>	\oint	\oint	<code>\ointclockwise</code>
\sqcup	\sqcup	<code>\bigsqcupplus</code>	\oint	\oint	<code>\ointctrlockwise</code>
f	f	<code>\fint</code>	\int	\int	<code>\sqiiint</code>
$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint</code>	\int	\int	<code>\sqiint</code>
\iiint	\iiint	<code>\iiiint</code>	\int	\int	<code>\sqint</code>
\iiint	\iiint	<code>\iiint</code>	\int	\int	<code>\varoiintclockwise</code>
\iint	\iint	<code>\iint</code>	\int	\int	<code>\varoiintctrlockwise</code>
\oiint	\oiint	<code>\oiintclockwise</code>	\int	\int	<code>\varoiintclockwise</code>
\oiint	\oiint	<code>\oiintctrlockwise</code>	\int	\int	<code>\varoiintctrlockwise</code>
\oiint	\oiint	<code>\oiint</code>	\int	\int	<code>\varointclockwise</code>

(continued on next page)

(continued from previous page)

\oint	\oint	<code>\ointclockwise</code>	\oint	\oint	<code>\varointctrcklockwise</code>
\oint	\oint	<code>\ointctrcklockwise</code>	\times	\times	<code>\varprod</code>
\oint	\oint	<code>\oiint</code>			

TABLE 78: esint Variable-sized Math Operators

$\int \dots \int$	$\int \dots \int$	<code>\dotsint</code>	\oint	\oint	<code>\ointclockwise</code>
\int	\int	<code>\fint</code>	\oint	\oint	<code>\ointctrcklockwise</code>
\iiint	\iiint	<code>\iiiint</code>	\sqint	\sqint	<code>\sqint</code>
\iint	\iint	<code>\iiint</code>	\sqint	\sqint	<code>\sqint</code>
\iint	\iint	<code>\iint</code>	\varoiint	\varoiint	<code>\varoiint</code>
\int	\int	<code>\landdownint</code>	\varoint	\varoint	<code>\varointclockwise</code>
\int	\int	<code>\landupint</code>	\varoint	\varoint	<code>\varointctrcklockwise</code>
\oint	\oint	<code>\oiint</code>			

TABLE 79: bigints Variable-sized Math Operators

\int	\int	<code>\bigint</code>	\oint	\oint	<code>\bigoint</code>
\int	\int	<code>\bigints</code>	\oint	\oint	<code>\bigoints</code>
\int	\int	<code>\bigintss</code>	\oint	\oint	<code>\bigointss</code>
\int	\int	<code>\bigintsss</code>	\oint	\oint	<code>\bigointsss</code>
\int	\int	<code>\bigintsssss</code>	\oint	\oint	<code>\bigointsssss</code>

TABLE 80: MnSymbol Variable-sized Math Operators

\cap	\cap	<code>\bigcap</code>	\ominus	\ominus	<code>\bigominus</code>	\complement	\complement	<code>\complement</code>
\cap	\cap	<code>\bigcapdot</code>	\oplus	\oplus	<code>\bigoplus</code>	\amalg	\amalg	<code>\coprod</code>
\cap	\cap	<code>\bigcapplus</code>	\oslash	\oslash	<code>\bigoslash</code>	$\int \cdots \int$	$\int \cdots \int$	<code>\idotsint</code>
\bigcirc	\bigcirc	<code>\bigcircle</code>	\otimes	\otimes	<code>\bigotimes</code>	\iiint	\iiint	<code>\iiiint</code>
\cup	\cup	<code>\bigcup</code>	\otimes	\otimes	<code>\bigotimes</code>	\iiint	\iiint	<code>\iiint</code>
\cup	\cup	<code>\bigcupdot</code>	\triangle	\triangle	<code>\bigtriangle</code>	\iint	\iint	<code>\iint</code>
\cup	\cup	<code>\bigcupplus*</code>	\bigcirc	\bigcirc	<code>\bigover</code>	\int	\int	<code>\int</code>
\curlyvee	\curlyvee	<code>\bigcurlyvee</code>	$+$	$+$	<code>\bigplus</code>	\int	\int	<code>\landdownint</code>
\curlyvee	\curlyvee	<code>\bigcurlyveedot</code>	\sqcap	\sqcap	<code>\bigsqcap</code>	\int	\int	<code>\landupint</code>
\curlywedge	\curlywedge	<code>\bigcurlywedge</code>	\sqcap	\sqcap	<code>\bigsqcapdot</code>	\oint	\oint	<code>\lcircleleftint</code>
\curlywedge	\curlywedge	<code>\bigcurlywedgedot</code>	\cap	\cap	<code>\bigsqcapplus</code>	\oint	\oint	<code>\lcircleleftint</code>
\curlyvee	\curlyvee	<code>\bigdoublecurlyvee</code>	\sqcup	\sqcup	<code>\bigsqcup</code>	\oint	\oint	<code>\oiint</code>
\curlywedge	\curlywedge	<code>\bigdoublecurlywedge</code>	\sqcup	\sqcup	<code>\bigsqcupdot</code>	\oint	\oint	<code>\oint</code>

(continued on next page)

(continued from previous page)

\mathbb{W}	\mathbb{V}	<code>\bigdoublevee</code>	\sqcup	\sqcup	<code>\bigscupplus</code>	\prod	\prod	<code>\prod</code>
\mathbb{A}	\mathbb{A}	<code>\bigdoublewedge</code>	\times	\times	<code>\bigtimes</code>	\oint	\oint	<code>\rcircleleftint</code>
\oplus	\oplus	<code>\bigoast</code>	\vee	\vee	<code>\bigvee</code>	\oint	\oint	<code>\rcircclerightint</code>
\oslash	\oslash	<code>\bigobackslash</code>	\vee	\vee	<code>\bigveedot</code>	f	f	<code>\strokedint</code>
\odot	\odot	<code>\bigocirc</code>	\wedge	\wedge	<code>\bigwedge</code>	Σ	Σ	<code>\sum</code>
\odot	\odot	<code>\bigodot</code>	\wedge	\wedge	<code>\bigwedgedot</code>	\int	\int	<code>\sumint</code>

* MnSymbol defines `\biguplus` as a synonym for `\bigcupplus`.

TABLE 81: fdsymbol Variable-sized Math Operators

\cap	\cap	<code>\bigcap</code>	\sqcup	\sqcup	<code>\bigscup</code>	\int	\int	<code>\landupint</code>
\cap	\cap	<code>\bigcapdot</code>	\sqcup	\sqcup	<code>\bigscupdot</code>	\oint	\oint	<code>\lcircleleftint</code>
\cap	\cap	<code>\bigcapplus</code>	\sqcup	\sqcup	<code>\bigscupplus</code>	\oint	\oint	<code>\lclerightint</code>
\cup	\cup	<code>\bigcup</code>	\times	\times	<code>\bigtimes</code>	\int	\int	<code>\oiint</code>
\cup	\cup	<code>\bigcupdot</code>	\vee	\vee	<code>\bigvee</code>	\int	\int	<code>\oiint</code>
\cup	\cup	<code>\bigcupplus</code>	\vee	\vee	<code>\bigveedot</code>	\oint	\oint	<code>\oint</code>
\curlyvee	\curlyvee	<code>\bigcurlyvee</code>	\wedge	\wedge	<code>\bigwedge</code>	Σ	Σ	<code>\osum</code>
\curlywedge	\curlywedge	<code>\bigcurlywedge</code>	\wedge	\wedge	<code>\bigwedgedot</code>	\prod	\prod	<code>\prod</code>
\mathbb{W}	\mathbb{W}	<code>\bigdoublevee</code>	\prod	\prod	<code>\coprod</code>	\oint	\oint	<code>\rcircleleftint</code>
\mathbb{A}	\mathbb{A}	<code>\bigdoublewedge</code>	\int	\int	<code>\fint</code>	\oint	\oint	<code>\rcircclerightint</code>
\oplus	\oplus	<code>\bigoast</code>	\int	\int	<code>\idotsint</code>	Σ	Σ	<code>\sum</code>
\odot	\odot	<code>\bigodot</code>	\int	\int	<code>\iiiint</code>	\int	\int	<code>\sumint</code>
\oplus	\oplus	<code>\bigoplus</code>	\int	\int	<code>\iiint</code>	\prod	\prod	<code>\varcoprod</code>

(continued on next page)

(continued from previous page)

\otimes	\otimes	<code>\bigotimes</code>	\iint	\iiint	<code>\iint</code>	Σ	Σ	<code>\varosum</code>
$+$	$+$	<code>\bigplus</code>	\int	\int	<code>\int</code>	\prod	\prod	<code>\varprod</code>
\sqcap	\sqcap	<code>\bigsqcap</code>	\int	\int	<code>\intbar</code>	Σ	Σ	<code>\varsum</code>
\sqcap	\sqcap	<code>\bigsqcapdot</code>	\int	\int	<code>\intBar</code>	\int	\int	<code>\varsumint</code>
\sqcup	\sqcup	<code>\bigsqcupplus</code>	\int	\int	<code>\landdownint</code>			

* `fdsymbol` defines `\awint` as a synonym for `\landdownint`, `\biguplus` as a synonym for `\bigcupplus`, `\conjquant` as a synonym for `\bigdoublewedge`, `\disjquant` as a synonym for `\bigdoublevee`, `\dotsint` as a synonym for `\idotsint`, `\intclockwise` as a synonym for `\landupint`, `\intctrcclockwise` as a synonym for `\landdownint`, `\modtwosum` as a synonym for `\osum`, `\ointclockwise` as a synonym for `\lrcircleleftint`, `\ointctrcclockwise` as a synonym for `\rcirclerightint`, `\varmodtwosum` as a synonym for `\varosum`, `\varointclockwise` as a synonym for `\lrcirclerightint`, and `\varointctrcclockwise` as a synonym for `\rcircleleftint`.

TABLE 82: `boisik` Variable-sized Math Operators

\int \int `\intup`

`boisik` additionally provides all of the symbols in Table 72.

TABLE 83: `stix` Variable-sized Math Operators

\int	\int	<code>\awint</code>	\amalg	\amalg	<code>\coprod</code>	\amalg	\amalg	<code>\oiint</code>
Σ	Σ	<code>\Bbbsum</code>	\curlywedge	\curlywedge	<code>\disjquant</code>	\curlywedge	\curlywedge	<code>\oiint</code>
\cap	\cap	<code>\bigcap</code>	\int	\int	<code>\fint</code>	\oint	\oint	<code>\oint</code>
\cup	\cup	<code>\bigcup</code>	\amalg	\amalg	<code>\iiiint</code>	\oint	\oint	<code>\ointctrcclockwise</code>

(continued from previous page)

\bigcup	\bigcup	<code>\bigcupdot</code>	\iiint	\iiint	<code>\iiint</code>	\oint	\oint	<code>\pointint</code>
\bigodot	\bigodot	<code>\bigodot</code>	\iint	\iint	<code>\iint</code>	\prod	\prod	<code>\prod</code>
\bigoplus	\bigoplus	<code>\bigoplus</code>	\int	\int	<code>\int</code>	$\rlap{-}\int$	$\rlap{-}\int$	<code>\rppointint</code>
\bigotimes	\bigotimes	<code>\bigotimes</code>	\int	\int	<code>\intbar</code>	$\rlap{-}\int$	$\rlap{-}\int$	<code>\scpointint</code>
\bigsqcap	\bigsqcap	<code>\bigsqcap</code>	\int	\int	<code>\intBar</code>	\int	\int	<code>\sqint</code>
\bigsqcup	\bigsqcup	<code>\bigsqcup</code>	\int	\int	<code>\intcap</code>	\sum	\sum	<code>\sum</code>
\bigtalloblong	\bigtalloblong	<code>\bigtalloblong</code>	\int	\int	<code>\intclockwise</code>	\int	\int	<code>\sumint</code>
\bigtimes	\bigtimes	<code>\bigtimes</code>	\int	\int	<code>\intcup</code>	\int	\int	<code>\upint</code>
\biguplus	\biguplus	<code>\biguplus</code>	\int	\int	<code>\intlarhk</code>	\int	\int	<code>\varointclockwise</code>
\bigvee	\bigvee	<code>\bigvee</code>	\int	\int	<code>\intx</code>	\backslash	\backslash	<code>\xbsol</code>
\bigwedge	\bigwedge	<code>\bigwedge</code>	\int	\int	<code>\lowint</code>	$/$	$/$	<code>\xsol</code>
\int	\int	<code>\cirfnint</code>	\int	\int	<code>\modtwosum</code>			
\int	\int	<code>\conjquant</code>	\int	\int	<code>\npointint</code>			

By default, each of the integral-producing commands in Table 83 points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 84.

TABLE 84: stix Integrals with Explicit Slant

\int	\int	<code>\intsl</code>	\int	\int	<code>\intup</code>
\iint	\iint	<code>\iintsl</code>	\iint	\iint	<code>\iintup</code>
\iiint	\iiint	<code>\iiintsl</code>	\iiint	\iiint	<code>\iiintup</code>
\oint	\oint	<code>\ointsl</code>	\oint	\oint	<code>\ointup</code>
\oiint	\oiint	<code>\oiintsl</code>	\oiint	\oiint	<code>\oiintup</code>
\oiiint	\oiiint	<code>\oiiintsl</code>	\oiiint	\oiiint	<code>\oiiintup</code>
$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\intclockwisesl</code>	$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\intclockwiseup</code>
\oint	\oint	<code>\varointclockwisesl</code>	\oint	\oint	<code>\varointclockwiseup</code>
\oint	\oint	<code>\ointctrclockwisesl</code>	\oint	\oint	<code>\ointctrclockwiseup</code>
\sumint	\sumint	<code>\sumintsl</code>	\sumint	\sumint	<code>\sumintup</code>
\iiiiiint	\iiiiiint	<code>\iiiiiintsl</code>	\iiiiiint	\iiiiiint	<code>\iiiiiintup</code>
$\int\bar{\int}$	$\int\bar{\int}$	<code>\intbarsl</code>	$\int\bar{\int}$	$\int\bar{\int}$	<code>\intbarup</code>
$\int\bar{\int}$	$\int\bar{\int}$	<code>\intBarsl</code>	$\int\bar{\int}$	$\int\bar{\int}$	<code>\intBarup</code>
$\int\int$	$\int\int$	<code>\fintsl</code>	$\int\int$	$\int\int$	<code>\fintup</code>
\oint	\oint	<code>\cirfnintsl</code>	\oint	\oint	<code>\cirfnintup</code>
$\int\int$	$\int\int$	<code>\awintsl</code>	$\int\int$	$\int\int$	<code>\awintup</code>
$\int\int$	$\int\int$	<code>\rppolintsl</code>	$\int\int$	$\int\int$	<code>\rppolintup</code>
$\int\int$	$\int\int$	<code>\scpolintsl</code>	$\int\int$	$\int\int$	<code>\scpolintup</code>

(continued on next page)

(continued from previous page)

\int	\int	<code>\npolintsl</code>	\int	\int	<code>\npolintup</code>
\oint	\oint	<code>\pointintsl</code>	\oint	\oint	<code>\pointintup</code>
\int	\int	<code>\sqintsl</code>	\int	\int	<code>\sqintup</code>
\int	\int	<code>\intlarhksl</code>	\int	\int	<code>\intlarhkup</code>
\int	\int	<code>\intxsl</code>	\int	\int	<code>\intxup</code>
\int	\int	<code>\intcapsl</code>	\int	\int	<code>\intcapup</code>
\int	\int	<code>\intcupsl</code>	\int	\int	<code>\intcupup</code>
\int	\int	<code>\upintsl</code>	\int	\int	<code>\upintup</code>
\int	\int	<code>\lowintsl</code>	\int	\int	<code>\lowintup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 83 either with or without the `upint` package option. Specifying `upint` selects each integral’s upright (`up`) variant, while omitting `upint` selects each integral’s slanted (`sl`) variant. Use the symbols shown in Table 84 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 85: `mathdesign` Variable-sized Math Operators

\int	\int	<code>\intclockwise</code>	\int	\int	<code>\ointclockwise</code>
\int	\int	<code>\oiint</code>	\int	\int	<code>\ointctrlockwise</code>
\int	\int	<code>\oiint</code>			

The `mathdesign` package provides three versions of each integral—in fact, of every symbol—to accompany different text fonts: Utopia (\int), Garamond (\int), and Charter (\int).

TABLE 86: `prodint` Variable-sized Math Operators

\prod	<code>\prodi</code>	\prod	<code>\Prodi</code>	\prod	<code>\PRODI</code>
---------	---------------------	---------	---------------------	---------	---------------------

`prodint` currently requires the author to manually specify `\prodi` for inlined expressions (`$. . $`), `\Prodi` for displayed math (`\[. . \]`), and `\PRODI` for displayed math involving tall integrands. The package does not define a product integral command that scales automatically akin to the symbols in Table 72.

TABLE 87: `cmll` Large Math Operators

\bigwedge	<code>\bigparr*</code>	$\&$	<code>\bigwith</code>
-------------	------------------------	------	-----------------------

* `cmll` defines `\beginvamp` as a synonym for `\bigparr`.

TABLE 88: Binary Relations

\approx	<code>\approx</code>	\equiv	<code>\equiv</code>	\perp	<code>\perp</code>	\smile	<code>\smile</code>
\asymp	<code>\asymp</code>	\frown	<code>\frown</code>	\prec	<code>\prec</code>	\succ	<code>\succ</code>
\bowtie	<code>\bowtie</code>	\Join^*	<code>\Join*</code>	\preceq	<code>\preceq</code>	\succeq	<code>\succeq</code>
\cong	<code>\cong</code>	\mid^\dagger	<code>\mid^\dagger</code>	\propto	<code>\propto</code>	\vdash	<code>\vdash</code>
\dashv	<code>\dashv</code>	\models	<code>\models</code>	\sim	<code>\sim</code>		
\doteq	<code>\doteq</code>	\parallel	<code>\parallel</code>	\simeq	<code>\simeq</code>		

* Not predefined by the $\text{\LaTeX} 2_\epsilon$ core. Use the `latexsym` package to expose this symbol.

† The difference between `\mid` and `|` is that the former is a binary relation while the latter is a math ordinal. Consequently, \LaTeX typesets the two with different surrounding spacing. Contrast “ $P(A \mid B)$ ” \mapsto “ $P(A|B)$ ” with “ $P(A \mid B)$ ” \mapsto “ $P(A | B)$ ”.

TABLE 89: \mathcal{AMS} Binary Relations

\approx	<code>\approx</code>	\equiv	<code>\equiv</code>	\approx	<code>\approx</code>
\backepsilon	<code>\backepsilon</code>	\fallingdotseq	<code>\fallingdotseq</code>	\succapprox	<code>\succapprox</code>
\backsim	<code>\backsim</code>	\multimap	<code>\multimap</code>	\succcurlyeq	<code>\succcurlyeq</code>
\backsimeq	<code>\backsimeq</code>	\pitchfork	<code>\pitchfork</code>	\succsim	<code>\succsim</code>
\because	<code>\because</code>	\preccurlyeq	<code>\preccurlyeq</code>	\therefore	<code>\therefore</code>
\between	<code>\between</code>	\preccurlyeq	<code>\preccurlyeq</code>	\thickapprox	<code>\thickapprox</code>
\bumpeq	<code>\bumpeq</code>	\precsim	<code>\precsim</code>	\thicksim	<code>\thicksim</code>
\bumpeq	<code>\bumpeq</code>	\risingdotseq	<code>\risingdotseq</code>	\varpropto	<code>\varpropto</code>
\circeq	<code>\circeq</code>	\shortmid	<code>\shortmid</code>	\Vdash	<code>\Vdash</code>
\curlyeqprec	<code>\curlyeqprec</code>	\shortparallel	<code>\shortparallel</code>	\Vdash	<code>\Vdash</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\smallfrown	<code>\smallfrown</code>		
\doteqdot	<code>\doteqdot</code>	\smallsmile	<code>\smallsmile</code>		

TABLE 90: \mathcal{AMS} Negated Binary Relations

$\not\cong$	<code>\ncong</code>	\nparallel	<code>\nshortparallel</code>	\nVdash	<code>\nVDash</code>
\nmid	<code>\nmid</code>	\nsim	<code>\nsim</code>	\nprecapprox	<code>\precnapprox</code>
\nparallel	<code>\nparallel</code>	\nsucc	<code>\nsucc</code>	\nprecnsim	<code>\precnsim</code>
\nprec	<code>\nprec</code>	\nsucceq	<code>\nsucceq</code>	\succapprox	<code>\succnapprox</code>
\npreceq	<code>\npreceq</code>	\nVDash	<code>\nVDash</code>	\succnsim	<code>\succnsim</code>
\nshortmid	<code>\nshortmid</code>	\nvdash	<code>\nvdash</code>		

TABLE 91: `stmaryrd` Binary Relations

\in	<code>\inplus</code>	\ni	<code>\niplus</code>
-------	----------------------	-------	----------------------

TABLE 92: `wasysym` Binary Relations

\neg	<code>\invneg</code>	\leadsto	<code>\leadsto</code>	\propto	<code>\wasypropto</code>
\Join	<code>\Join</code>	\otimes	<code>\logof</code>		

TABLE 93: `txfonts/pxfonts` Binary Relations

\circledast	<code>\circledgtr</code>	\Join	<code>\lJoin</code>	\times	<code>\opentimes</code>
\circledless	<code>\circledless</code>	\lrtimes	<code>\lrtimes</code>	\perp	<code>\Perp</code>
\approx	<code>\colonapprox</code>	\multimap	<code>\multimap</code>	\preceq	<code>\preceq</code>
$\approx\approx$	<code>\Colonapprox</code>	$\multimap\multimap$	<code>\multimapboth</code>	$\preceq\preceq$	<code>\preceqq</code>
\coloneq	<code>\coloneq</code>	$\multimap\multimap\text{vert}$	<code>\multimapbothvert</code>	\rJoin	<code>\rJoin</code>
\Coloneq	<code>\Coloneq</code>	$\multimap\text{dot}$	<code>\multimapdot</code>	\strictfi	<code>\strictfi</code>
\Coloneqq	<code>\Coloneqq</code>	$\multimap\text{dot}\text{both}$	<code>\multimapdotboth</code>	\strictif	<code>\strictif</code>
\coloneqq^*	<code>\coloneqq*</code>	$\multimap\text{dot}\text{both}A$	<code>\multimapdotbothA</code>	\strictiff	<code>\strictiff</code>
\Colonsim	<code>\Colonsim</code>	$\multimap\text{dot}\text{both}A\text{vert}$	<code>\multimapdotbothAvert</code>	\succeq	<code>\succeq</code>
\colonsim	<code>\colonsim</code>	$\multimap\text{dot}\text{both}B$	<code>\multimapdotbothB</code>	\succneqq	<code>\succneqq</code>
\Eqcolon	<code>\Eqcolon</code>	$\multimap\text{dot}\text{both}B\text{vert}$	<code>\multimapdotbothBvert</code>	\varparallel	<code>\varparallel</code>
\eqcolon	<code>\eqcolon</code>	$\multimap\text{dot}\text{both}\text{vert}$	<code>\multimapdotbothvert</code>	$\varparallel\text{inv}$	<code>\varparallelinv</code>
\eqqcolon	<code>\eqqcolon</code>	$\multimap\text{dot}\text{inv}$	<code>\multimapdotinv</code>	\Vdash	<code>\Vdash</code>
\Eqqcolon	<code>\Eqqcolon</code>	$\multimap\text{inv}$	<code>\multimapinv</code>		
\eqsim	<code>\eqsim</code>	\openJoin	<code>\openJoin</code>		

* As an alternative to using `txfonts/pxfonts`, a “ \coloneqq ” symbol can be constructed with “`\mathrel{\mathop{:}}=`”.

TABLE 94: txfonts/pxfonts Negated Binary Relations

$\not\approx$	<code>\napproxeq</code>	\nprec	<code>\npreccurlyeq</code>	$\not\approx$	<code>\nthickapprox</code>
\nasymp	<code>\nasymp</code>	\npreceq	<code>\npreceq</code>	\nleftarrow	<code>\ntwoheadleftarrow</code>
\nbacksim	<code>\nbacksim</code>	\nprec	<code>\nprec</code>	\nrightarrow	<code>\ntwoheadrightarrow</code>
\nbacksimeq	<code>\nbacksimeq</code>	\nsimeq	<code>\nsimeq</code>	\nparallel	<code>\nvarparallel</code>
\nbumpeq	<code>\nbumpeq</code>	\succapprox	<code>\succapprox</code>	\nparallel	<code>\nvarparallelinv</code>
\nBumpeq	<code>\nBumpeq</code>	\succcurlyeq	<code>\succcurlyeq</code>	\nVdash	<code>\nVdash</code>
\nequiv	<code>\nequiv</code>	\succeq	<code>\succeq</code>		
\nprecapprox	<code>\nprecapprox</code>	\succsim	<code>\succsim</code>		

TABLE 95: mathabx Binary Relations

\between	<code>\between</code>	\divides	<code>\divides</code>	\risingdotseq	<code>\risingdotseq</code>
\botdoteq	<code>\botdoteq</code>	\dotseq	<code>\dotseq</code>	\succapprox	<code>\succapprox</code>
\Bumpedeq	<code>\Bumpedeq</code>	\eqbumped	<code>\eqbumped</code>	\succcurlyeq	<code>\succcurlyeq</code>
\bumpedeq	<code>\bumpedeq</code>	\eqcirc	<code>\eqcirc</code>	\succdot	<code>\succdot</code>
\circeq	<code>\circeq</code>	\eqcolon	<code>\eqcolon</code>	\succsim	<code>\succsim</code>
\coloneq	<code>\coloneq</code>	\fallingdotseq	<code>\fallingdotseq</code>	\therefore	<code>\therefore</code>
\corresponds	<code>\corresponds</code>	\ggcurly	<code>\ggcurly</code>	\topdoteq	<code>\topdoteq</code>
\curlyeqprec	<code>\curlyeqprec</code>	\llcurly	<code>\llcurly</code>	\vDash	<code>\vDash</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\precapprox	<code>\precapprox</code>	\Vdash	<code>\Vdash</code>
\DashV	<code>\DashV</code>	\preccurlyeq	<code>\preccurlyeq</code>	\VDash	<code>\VDash</code>
\Dashv	<code>\Dashv</code>	\prec	<code>\prec</code>	\Vdash	<code>\Vdash</code>
\dashVv	<code>\dashVv</code>	\prec	<code>\prec</code>		

TABLE 96: mathabx Negated Binary Relations

\napprox	<code>\napprox</code>	\notperp	<code>\notperp</code>	\nVdash	<code>\nVdash</code>
\ncong	<code>\ncong</code>	\nprec	<code>\nprec</code>	\nVDash	<code>\nVDash</code>
\ncurlyeqprec	<code>\ncurlyeqprec</code>	\nprecapprox	<code>\nprecapprox</code>	\nVdash	<code>\nVdash</code>
\ncurlyeqsucc	<code>\ncurlyeqsucc</code>	\npreccurlyeq	<code>\npreccurlyeq</code>	\nvDash	<code>\nvDash</code>
\nDashv	<code>\nDashv</code>	\npreceq	<code>\npreceq</code>	\nVdash	<code>\nVdash</code>
\nDashV	<code>\nDashV</code>	\nprec	<code>\nprec</code>	\nprecapprox	<code>\nprecapprox</code>
\ndashv	<code>\ndashv</code>	\nsim	<code>\nsim</code>	\nprec	<code>\nprec</code>
\nDashV	<code>\nDashV</code>	\nsimeq	<code>\nsimeq</code>	\nprec	<code>\nprec</code>
\ndashVv	<code>\ndashVv</code>	\nsucc	<code>\nsucc</code>	\succapprox	<code>\succapprox</code>
\neq	<code>\neq</code>	\succapprox	<code>\succapprox</code>	\succ	<code>\succ</code>
\notasympt	<code>\notasympt</code>	\succcurlyeq	<code>\succcurlyeq</code>	\succsim	<code>\succsim</code>
\notdivides	<code>\notdivides</code>	\succeq	<code>\succeq</code>		
\notequiv	<code>\notequiv</code>	\succsim	<code>\succsim</code>		

The `\changenotsign` command toggles the behavior of `\not` to produce either a vertical or a diagonal slash through a binary operator. Thus, “`$a \not= b$`” can be made to produce either “ $a \nmid b$ ” or “ $a \neq b$ ”.

TABLE 97: MnSymbol Binary Relations

\approx	<code>\approx</code>	$\hat{=}$	<code>\hateq</code>	∞	<code>\rightpropto</code>
\approx	<code>\approxeq</code>	\times	<code>\hcrossing</code>	\triangleright	<code>\rightslice</code>
\approx	<code>\backapprox</code>	\dashv	<code>\leftfootline</code>	\Vdash	<code>\rightVdash</code>
\approx	<code>\backapproxeq</code>	\leftarrow	<code>\leftfree</code>	\vdash	<code>\rightvdash</code>
\approx	<code>\backcong</code>	\equiv	<code>\leftmodels</code>	$\dot{=}$	<code>\risingdotseq</code>
\approx	<code>\backeqsim</code>	\equiv	<code>\leftModels</code>	\searrow	<code>\sefootline</code>
\approx	<code>\backsim</code>	\propto	<code>\leftpropto</code>	\searrow	<code>\sefree</code>
\approx	<code>\backsimeq</code>	\dashv	<code>\leftrightline</code>	\bowtie	<code>\seModels</code>
\approx	<code>\backtriplesim</code>	\equiv	<code>\Lefttrightline</code>	\bowtie	<code>\semodels</code>
\approx	<code>\between</code>	\triangleleft	<code>\leftslice</code>	\langle	<code>\separated</code>
\approx	<code>\bumpeq</code>	\equiv	<code>\leftVdash</code>	\curvearrowright	<code>\seVdash</code>
\approx	<code>\Bumpeq</code>	\dashv	<code>\leftvdash</code>	\curvearrowleft	<code>\sevdash</code>
\approx	<code>\circeq</code>	\succ	<code>\nefootline</code>	\parallel	<code>\shortparallel</code>
\approx	<code>\closedequal</code>	\succ	<code>\nefree</code>	\sim	<code>\sim</code>
\approx	<code>\closedprec</code>	\bowtie	<code>\neModels</code>	\approx	<code>\simeq</code>
\approx	<code>\closedsucc</code>	\bowtie	<code>\nemodels</code>	$>$	<code>\succ</code>
\approx	<code>\coloneq</code>	\diagup	<code>\neswline</code>	\gtrapprox	<code>\succapprox</code>
\approx	<code>\cong</code>	\parallel	<code>\Neswline</code>	\gtrsim	<code>\succcurlyeq</code>
\approx	<code>\curlyeqprec</code>	\bowtie	<code>\neVdash</code>	\gtrsim	<code>\succeq</code>
\approx	<code>\curlyeqsucc</code>	\bowtie	<code>\nevDash</code>	\gtrsim	<code>\succsim</code>
\approx	<code>\Doteq</code>	\nwarrow	<code>\nwfootline</code>	\swarrow	<code>\swfootline</code>
\approx	<code>\doteq</code>	\nwarrow	<code>\nwfree</code>	\swarrow	<code>\swfree</code>
\approx	<code>\downfootline</code>	\searrow	<code>\nwmodels</code>	\bowtie	<code>\swModels</code>
\approx	<code>\downfree</code>	\searrow	<code>\nwModels</code>	\bowtie	<code>\swmodels</code>
\approx	<code>\downmodels</code>	\dagger	<code>\nwsecrossing</code>	\bowtie	<code>\swVdash</code>
\approx	<code>\downModels</code>	\parallel	<code>\Nwseline</code>	\succ	<code>\swvdash</code>
\approx	<code>\downpropto</code>	\diagdown	<code>\nwseline</code>	\approx	<code>\triplesim</code>
\approx	<code>\downvdash</code>	\searrow	<code>\nwvdash</code>	$ $	<code>\updownline</code>
\approx	<code>\downVdash</code>	\searrow	<code>\nwVdash</code>	\parallel	<code>\Updownline</code>
\approx	<code>\eqbump</code>	$<$	<code>\prec</code>	\Uparrow	<code>\upfootline</code>
\approx	<code>\eqcirc</code>	\gtrapprox	<code>\precapprox</code>	\Uparrow	<code>\upfree</code>
\approx	<code>\eqdot</code>	\bowtie	<code>\preccurlyeq</code>	\parallel	<code>\upModels</code>
\approx	<code>\eqsim</code>	\leq	<code>\preceq</code>	\parallel	<code>\upmodels</code>
\approx	<code>\equal</code>	\approx	<code>\precsim</code>	\bowtie	<code>\uppropto</code>
\approx	<code>\equalclosed</code>	\dashv	<code>\rightfootline</code>	\perp	<code>\upvdash</code>
\approx	<code>\equiv</code>	\rightarrow	<code>\rightfree</code>	\perp	<code>\upVdash</code>
\approx	<code>\equivclosed</code>	\equiv	<code>\rightmodels</code>	\times	<code>\vcrossing</code>
\approx	<code>\fallingdotseq</code>	\equiv	<code>\rightModels</code>	\equiv	<code>\Vdash</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

\dashv	<code>\dashv</code>	(same as <code>\leftvdash</code>)
\diagdown	<code>\diagdown</code>	(same as <code>\nwseline</code>)
\diagup	<code>\diagup</code>	(same as <code>\neswline</code>)
\divides	<code>\divides</code>	(same as <code>\updownline</code>)
\doteqdot	<code>\doteqdot</code>	(same as <code>\Doteq</code>)
\models	<code>\models</code>	(same as <code>\rightmodels</code>)
\parallel	<code>\parallel</code>	(same as <code>\Updownline</code>)
\perp	<code>\perp</code>	(same as <code>\upvdash</code>)
\propto	<code>\propto</code>	(same as <code>\leftpropto</code>)
\relbar	<code>\relbar</code>	(same as <code>\leftrightline</code>)
\Relbar	<code>\Relbar</code>	(same as <code>\Leftrightarrow</code>)
\varpropto	<code>\varpropto</code>	(same as <code>\leftpropto</code>)
\vDash	<code>\vDash</code>	(same as <code>\rightmodels</code>)
\Vdash	<code>\Vdash</code>	(same as <code>\rightModels</code>)
\vdash	<code>\vdash</code>	(same as <code>\rightvdash</code>)
\Vdash	<code>\Vdash</code>	(same as <code>\rightVdash</code>)

TABLE 98: MnSymbol Negated Binary Relations

\napprox	<code>\napprox</code>	\nleftfootline	<code>\nleftfootline</code>	\nrisingdotseq	<code>\nrisingdotseq</code>
\napproxeq	<code>\napproxeq</code>	\nleftfree	<code>\nleftfree</code>	\nsefootline	<code>\nsefootline</code>
\nbackapprox	<code>\nbackapprox</code>	\nleftmodels	<code>\nleftmodels</code>	\nsefree	<code>\nsefree</code>
\nbackapproxeq	<code>\nbackapproxeq</code>	\nleftModels	<code>\nleftModels</code>	\nseModels	<code>\nseModels</code>
\nbackcong	<code>\nbackcong</code>	\nleftrightline	<code>\nleftrightline</code>	\nsemodels	<code>\nsemodels</code>
\nbackeqsim	<code>\nbackeqsim</code>	\nLeftrightarrow	<code>\nLeftrightarrow</code>	\nsevdash	<code>\nsevdash</code>
\nbacksim	<code>\nbacksim</code>	\nleftvdash	<code>\nleftvdash</code>	\nseVdash	<code>\nseVdash</code>
\nbacksimeq	<code>\nbacksimeq</code>	\nleftVdash	<code>\nleftVdash</code>	\nshortmid	<code>\nshortmid</code>
\nbacktriplesim	<code>\nbacktriplesim</code>	\nnefootline	<code>\nnefootline</code>	\nshortparallel	<code>\nshortparallel</code>
\nbump	<code>\nbump</code>	\nnefree	<code>\nnefree</code>	\nsim	<code>\nsim</code>
\nBump	<code>\nBump</code>	\nnmodels	<code>\nnmodels</code>	\nsimeq	<code>\nsimeq</code>
\ncirc	<code>\ncirc</code>	\nneModels	<code>\nneModels</code>	\nsucc	<code>\nsucc</code>
\nclosedequal	<code>\nclosedequal</code>	\nneswline	<code>\nneswline</code>	\nsuccapprox	<code>\nsuccapprox</code>
\ncong	<code>\ncong</code>	\nNeswline	<code>\nNeswline</code>	\nsucccurlyeq	<code>\nsucccurlyeq</code>
\ncurlyeqprec	<code>\ncurlyeqprec</code>	\nneVdash	<code>\nneVdash</code>	\nsucceq	<code>\nsucceq</code>
\ncurlyeqsucc	<code>\ncurlyeqsucc</code>	\nnevDash	<code>\nnevDash</code>	\nsuccsim	<code>\nsuccsim</code>
\ndoteq	<code>\ndoteq</code>	\nnwfootline	<code>\nnwfootline</code>	\nswfootline	<code>\nswfootline</code>
\nDoteq	<code>\nDoteq</code>	\nnwfree	<code>\nnwfree</code>	\nswfree	<code>\nswfree</code>
\ndownfootline	<code>\ndownfootline</code>	\nnwmodels	<code>\nnwmodels</code>	\nswModels	<code>\nswModels</code>
\ndownfree	<code>\ndownfree</code>	\nnwModels	<code>\nnwModels</code>	\nswmodels	<code>\nswmodels</code>
\ndownModels	<code>\ndownModels</code>	\nNwseline	<code>\nNwseline</code>	\nswvdash	<code>\nswvdash</code>
\ndownmodels	<code>\ndownmodels</code>	\nnwseline	<code>\nnwseline</code>	\nswVdash	<code>\nswVdash</code>
\ndownVdash	<code>\ndownVdash</code>	\nnwvdash	<code>\nnwvdash</code>	\ntriplesim	<code>\ntriplesim</code>
\ndownvdash	<code>\ndownvdash</code>	\nnwVdash	<code>\nnwVdash</code>	\nUpdownline	<code>\nUpdownline</code>
\neqbump	<code>\neqbump</code>	\nprec	<code>\nprec</code>	\nupdownline	<code>\nupdownline</code>
\neqcirc	<code>\neqcirc</code>	\nprecapprox	<code>\nprecapprox</code>	\nupfootline	<code>\nupfootline</code>
\neqdot	<code>\neqdot</code>	\nprecCurlyeq	<code>\nprecCurlyeq</code>	\nupfree	<code>\nupfree</code>
\neqsim	<code>\neqsim</code>	\npreceq	<code>\npreceq</code>	\nupModels	<code>\nupModels</code>

(continued on next page)

(continued from previous page)

#	\neq	≠	\nprec	#	\nupmodels
#	$\neq\text{closed}$	≠	rightfootline	±	nupVdash
#	\equiv	↔	rightfree	±	nupvdash
#	$\equiv\text{closed}$	≠	rightModels	±	precnapprox
+	neswcrossing	≠	rightmodels	±	precnsim
≠	fallingdotseq	≠	rightvdash	±	succnapprox
≠	hateq	≠	rightVdash	±	succnsim

MnSymbol additionally defines synonyms for some of the preceding symbols:

≠	ndashv	(same as nleftvdash)
×	ndiagdown	(same as nnwseline)
×	ndiagup	(same as nneswline)
†	ndivides	(same as nupdownline)
≠	ne	(same as nequal)
≠	neq	(same as nequal)
†	nmid	(same as nupdownline)
#	nmodels	(same as rightmodels)
	nparallel	(same as nUpdownline)
±	nperp	(same as nupvdash)
+	nrelbar	(same as nleftrightline)
≠	nRelbar	(same as nLeftrightline)
#	nvDash	(same as rightmodels)
≠	nvdash	(same as rightvdash)
≠	nVdash	(same as rightVdash)
≠	nVDash	(same as rightModels)

TABLE 99: fdsymbol Binary Relations

≈	approx	≡	equiv	⊢	rightmodels
≈	approxeq	≡	fallingdotseq	⊢	rightVdash
≡	backcong	∩	frown	⊢	rightVDash
∞	backpropto	≡	frowneq	⊢	rightvdash
∩	backsim	∩	frownsmile	⊢	rightvDash
≡	backsimeq	∈	in	≡	risingdotseq
∩	between	⊢	leftassert		shortmid
∩	bowtie	⊢	leftAssert		shortparallel
≡	bumpeq	⊢	leftfootline	~	sim
≡	Bumpeq	⊢	leftmodels	≈	simeq
≡	bumpeqq	⊢	leftvdash	∩	smile
≡	circeq	⊢	leftvDash	≡	smileeq
≡	coloneq	⊢	leftVdash	∩	smilefrown
≡	cong	⊢	leftVDash	≡	stareq
×	crossing	⊢	longleftfootline	>	succ

(continued on next page)

(continued from previous page)

\curvearrowright	<code>\curlyeqprec</code>	\Longleftarrow	<code>\Longmapsfrom</code>	\rightsquigarrow	<code>\succapprox</code>
\curvearrowleft	<code>\curlyeqsucc</code>	\rightarrow	<code>\longmapsfrom</code>	\succcurlyeq	<code>\succcurlyeq</code>
\dashv	<code>\dashVv</code>	\perp	<code>\longrightfootline</code>	\simeq	<code>\succeq</code>
\Ddash	<code>\Ddashv</code>	\mid	<code>\mid</code>	\simeq	<code>\succeqq</code>
$\dot{\cong}$	<code>\dotcong</code>	\supset	<code>\owns</code>	\sim	<code>\succsim</code>
\doteq	<code>\doteq</code>	\parallel	<code>\parallel</code>	\approx	<code>\thickapprox</code>
\Doteq	<code>\Doteq</code>	\prec	<code>\prec</code>	\sim	<code>\thicksim</code>
\dotsminusdots	<code>\dotsminusdots</code>	\approx	<code>\precapprox</code>	\approx	<code>\triplesim</code>
$\downarrow\text{Assert}$	<code>\downAssert</code>	\succ	<code>\preccurlyeq</code>	\perp	<code>\upassert</code>
$\downarrow\text{assert}$	<code>\downassert</code>	\succ	<code>\preceq</code>	\perp	<code>\upAssert</code>
$\downarrow\text{models}$	<code>\downmodels</code>	\simeq	<code>\preceqq</code>	\perp	<code>\upmodels</code>
$\downarrow\text{vDash}$	<code>\downvDash</code>	\approx	<code>\precnapprox</code>	\perp	<code>\upvDash</code>
$\downarrow\text{Vdash}$	<code>\downVdash</code>	\approx	<code>\precneq</code>	\perp	<code>\upvDash</code>
$\downarrow\text{vdash}$	<code>\downvdash</code>	\approx	<code>\precneqq</code>	\perp	<code>\upVdash</code>
$\downarrow\text{VDash}$	<code>\downVDash</code>	\approx	<code>\precnsim</code>	\perp	<code>\upVDash</code>
\eqcirc	<code>\eqcirc</code>	\sim	<code>\precsim</code>	\perp	<code>\vDash</code>
\eqcolon	<code>\eqcolon</code>	\propto	<code>\propto</code>	\approx	<code>\veeeq</code>
\eqdot	<code>\eqdot</code>	\vdash	<code>\rightassert</code>	\perp	<code>\Vdash</code>
\eqsim	<code>\eqsim</code>	\vdash	<code>\rightAssert</code>	\approx	<code>\wedgedq</code>
\equal	<code>\equal</code>	\perp	<code>\rightfootline</code>		

fdsymbol defines synonyms for many of the preceding symbols:

\approx	<code>\approxident</code>	\dashv	<code>\dashV</code>	\vdash	<code>\shortrighttack</code>
\arceq	<code>\arceq</code>	\doteqdot	<code>\doteqdot</code>	\perp	<code>\shortuptack</code>
\Assert	<code>\Assert</code>	\eqqcolon	<code>\eqqcolon</code>	\frown	<code>\smallfrown</code>
\assert	<code>\assert</code>	\hateq	<code>\hateq</code>	\smile	<code>\smallsmile</code>
\asymp	<code>\asymp</code>	\Join	<code>\Join</code>	\propto	<code>\varpropto</code>
\Barv	<code>\Barv</code>	\longdashv	<code>\longdashv</code>	\perp	<code>\vBar</code>
\barV	<code>\barV</code>	\models	<code>\models</code>	\perp	<code>\Vbar</code>
\closure	<code>\closure</code>	\ni	<code>\ni</code>	\perp	<code>\vDash</code>
\coloneqq	<code>\coloneqq</code>	\perp	<code>\perp</code>	\perp	<code>\VDash</code>
\dashv	<code>\dashv</code>	\propto	<code>\propfrom</code>	\perp	<code>\Vdash</code>
\DashV	<code>\DashV</code>	\top	<code>\shortdowntack</code>	\vdash	<code>\vdash</code>
\Dashv	<code>\Dashv</code>	\vdash	<code>\shortlefttack</code>	\longdash	<code>\vlongdash</code>

TABLE 100: fdsymbol Negated Binary Relations

≠	\backsimneqq	∉	\nin	≠	\nsim
≠	\napprox	⊄	\nleftAssert	≠	\nsimeq
≠	\napproxeq	⊈	\nleftassert	≠	\nsmile
≠	\nbackcong	⊈	\nleftfootline	≠	\nsmileeq
≠	\nbacksim	⊈	\nleftmodels	≠	\nsmilefrown
≠	\nbacksimeq	⊈	\nleftvDash	≠	\nstareq
≠	\nbumpeq	⊈	\nleftvdash	≠	\nsucc
≠	\nBumpeq	⊄	\nleftVDash	≠	\nsuccapprox
≠	\nbumpeqq	⊄	\nleftVDash	≠	\nsucccurlyeq
≠	\ncirceq	⊈	\nlongleftfootline	≠	\nsucceq
≠	\ncong	⊈	\nLongmapsfrom	≠	\nsucceqq
≠	\ncurlyeqprec	⊈	\nlongmapsfrom	≠	\nsucssim
≠	\ncurlyeqsucc	⊈	\nlongrightfootline	≠	\ntriplesim
⊄	\ndashVv	⊈	\nmid	±	\nupassert
⊄	\nDdashv	⊈	\nowns	±	\nupAssert
≠	\ndoteq	⊈	\nparallel	±	\nupmodels
≠	\nDoteq	⊈	\nprec	±	\nupVDash
⊈	\ndownassert	⊈	\nprecapprox	±	\nupvDash
⊈	\ndownAssert	⊈	\npreccurlyeq	±	\nupVDash
⊈	\ndownmodels	⊈	\npreceq	±	\nupvdash
⊈	\ndownvdash	⊈	\npreceqq	±	\nvDdash
⊈	\ndownVdash	⊈	\nprecsim	±	\nvveeq
⊈	\ndownVDash	⊈	\nrightassert	⊈	\nVvdash
⊈	\ndownvDash	⊈	\nrightAssert	⊈	\nwedgeq
≠	\neqcirc	⊈	\nrightfootline	≠	\nprecneq
≠	\neqdot	⊈	\nrightmodels	≠	\nprecneqq
≠	\neqsim	⊈	\nrightvdash	≠	\nsimneqq
≠	\nequal	⊈	\nrightVdash	≠	\succnapprox
≠	\nequiv	⊈	\nrightvDash	≠	\succneq
≠	\nfallingdotseq	⊈	\nrightVDash	≠	\succneqq
≠	\nfrown	⊈	\nrisingdotseq	≠	\succnsim
≠	\nfrownneq	⊈	\nshortmid		
⊈	\nfrownsmile	⊈	\nshortparallel		

fdsymbol defines synonyms for many of the preceding symbols:

≠	\napproxident	⊄	\ndashV	⊈	\nshortrighttack
≠	\narceq	≠	\ne	±	\nshortuptack
⊈	\nAssert	≠	\neq	≠	\nsime
⊈	\nassert	≠	\nhateq	±	\nvBar
≠	\nasymp	⊈	\nlongdashv	±	\nvbar
⊈	\nBarv	⊈	\nmodels	⊈	\nVdash
⊈	\nbarV	⊈	\nni	⊈	\nvDash
⊈	\nclosure	∉	\notin	⊈	\nVDash
⊄	\nDashV	±	\nperp	⊈	\nvDash
⊄	\nDashv	⊈	\nshortdowntack	⊈	\nvldash
⊄	\ndashv	⊈	\nshortlefttack	⊈	\nvlongdash

TABLE 101: boisik Binary Relations

\approx	<code>\ac</code>	$\//$	<code>\fatslash</code>	\scurlyeq	<code>\scurrel</code>
\approx	<code>\approxeq</code>	\ni	<code>\forkv</code>	\shortmid	<code>\shortmid</code>
\arceq	<code>\arceq</code>	\frown	<code>\frown</code>	\shortparallel	<code>\shortparallel</code>
\backsimeq	<code>\backsimeq</code>	\ggcurly	<code>\ggcurly</code>	\sim	<code>\sim</code>
\backsimeq	<code>\backsimeq</code>	$\#$	<code>\hash</code>	\smallfrown	<code>\smallfrown</code>
\in	<code>\in</code>	\inplus	<code>\inplus</code>	\smallsmile	<code>\smallsmile</code>
\because	<code>\because</code>	\kernelcontraction	<code>\kernelcontraction</code>	\smile	<code>\smile</code>
\between	<code>\between</code>	\llcurly	<code>\llcurly</code>	\strictfi	<code>\strictfi</code>
\bumpeq	<code>\bumpeq</code>	\multimap	<code>\multimap</code>	\strictif	<code>\strictif</code>
\Bumpeq	<code>\Bumpeq</code>	\multimapboth	<code>\multimapboth</code>	\succapprox	<code>\succapprox</code>
\circeq	<code>\circeq</code>	\multimapbothvert	<code>\multimapbothvert</code>	\succcurlyeq	<code>\succcurlyeq</code>
\CircledEq	<code>\CircledEq</code>	\multimapdot	<code>\multimapdot</code>	\succapprox	<code>\succapprox</code>
\cong	<code>\cong</code>	\multimapdotboth	<code>\multimapdotboth</code>	\succneqq	<code>\succneqq</code>
\corresponds	<code>\corresponds</code>	\multimapdotbothA	<code>\multimapdotbothA</code>	\succnsim	<code>\succnsim</code>
\curlyeqprec	<code>\curlyeqprec</code>	\multimapdotbothAvert	<code>\multimapdotbothAvert</code>	\succsim	<code>\succsim</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\multimapdotbothB	<code>\multimapdotbothB</code>	\therefore	<code>\therefore</code>
\dashV	<code>\dashV</code>	\multimapdotbothBvert	<code>\multimapdotbothBvert</code>	\thickapprox	<code>\thickapprox</code>
\DashV	<code>\DashV</code>	\multimapdotbothvert	<code>\multimapdotbothvert</code>	\thicksim	<code>\thicksim</code>
\dashVv	<code>\dashVv</code>	\multimapdotinv	<code>\multimapdotinv</code>	\topfork	<code>\topfork</code>
\dfourier	<code>\dfourier</code>	\multimapinv	<code>\multimapinv</code>	\triangleleft	<code>\triangleleft</code>
\Dfourier	<code>\Dfourier</code>	\niplus	<code>\niplus</code>	\varhash	<code>\varhash</code>
\disin	<code>\disin</code>	\nisd	<code>\nisd</code>	\varisins	<code>\varisins</code>
\doteq	<code>\doteq</code>	\Perp	<code>\Perp</code>	\varnis	<code>\varnis</code>
\doteqdot	<code>\doteqdot</code>	\pitchfork	<code>\pitchfork</code>	\varpropto	<code>\varpropto</code>
\dotminus	<code>\dotminus</code>	\precapprox	<code>\precapprox</code>	\Vdash	<code>\Vdash</code>
\dotsim	<code>\dotsim</code>	\preccurlyeq	<code>\preccurlyeq</code>	\vDash	<code>\vDash</code>
\eqbumped	<code>\eqbumped</code>	\precnapprox	<code>\precnapprox</code>	\VDash	<code>\VDash</code>
\eqcirc	<code>\eqcirc</code>	\precneqq	<code>\precneqq</code>	\veeeq	<code>\veeeq</code>
\eqsim	<code>\eqsim</code>	\precnsim	<code>\precnsim</code>	\Vvdash	<code>\Vvdash</code>
\equalparallel	<code>\equalparallel</code>	\precsim	<code>\precsim</code>	\ztransf	<code>\ztransf</code>
\fallingdotseq	<code>\fallingdotseq</code>	\prurel	<code>\prurel</code>	\Ztransf	<code>\Ztransf</code>
\fatbslash	<code>\fatbslash</code>	\risingdotseq	<code>\risingdotseq</code>		

TABLE 102: boisik Negated Binary Relations

$\not\cong$	<code>\ncong</code>	$\not\preceq$	<code>\npreceq</code>	$\not\VDash$	<code>\nVDash</code>
\neq	<code>\neq</code>	$\not\shortmid$	<code>\nshortmid</code>	$\not\Vdash$	<code>\nVdash</code>
$\not\equiv$	<code>\nequiv</code>	$\not\shortparallel$	<code>\nshortparallel</code>	$\not\vdash$	<code>\nvdash</code>
$\not\mid$	<code>\nmid</code>	$\not\sim$	<code>\nsim</code>	$\not\vdash$	<code>\nvDash</code>
$\not\parallel$	<code>\nparallel</code>	$\not\succ$	<code>\nsucc</code>		
$\not\prec$	<code>\nprec</code>	$\not\succeq$	<code>\nsucceq</code>		

TABLE 103: stix Binary Relations

\approx	<code>\approx</code>	$\#$	<code>\eqvparsl</code>	\rhd	<code>\rightfishtail</code>
$\approx\approx$	<code>\approxeq</code>	\fallingdotseq	<code>\fallingdotseq</code>	\supset	<code>\rightimply</code>
$\approx\approx\approx$	<code>\approxeqq</code>	\bowtie	<code>\fbowtie</code>	\rceil	<code>\righttail</code>
$\approx\approx\approx\approx$	<code>\approxident</code>	\forksnot	<code>\forksnot</code>	\risingdotseq	<code>\risingdotseq</code>
\arceq	<code>\arceq</code>	\forkv	<code>\forkv</code>	\rsqhook	<code>\rsqhook</code>
\assert	<code>\assert</code>	\frown	<code>\frown</code>	\ruledelayed	<code>\ruledelayed</code>
\asteq	<code>\asteq</code>	\gleichstark	<code>\gleichstark</code>	\scurel	<code>\scurel</code>
\asymp	<code>\asymp</code>	$\hat{a}pprox$	<code>\hat{a}pprox</code>	$\shortdown tack$	<code>\shortdown tack</code>
\backcong	<code>\backcong</code>	\imageof	<code>\imageof</code>	$\shortleft tack$	<code>\shortleft tack</code>
\backsim	<code>\backsim</code>	\in	<code>\in</code>	\shortmid	<code>\shortmid</code>
$\backsim\approx$	<code>\backsim\approx</code>	\isindot	<code>\isindot</code>	\shortparallel	<code>\shortparallel</code>
\baggmember	<code>\baggmember</code>	\isinE	<code>\isinE</code>	\shortuptack	<code>\shortuptack</code>
\Barv	<code>\Barv</code>	\isinobar	<code>\isinobar</code>	\sim	<code>\sim</code>
\bar{V}	<code>\bar{V}</code>	\isins	<code>\isins</code>	\simeq	<code>\simeq</code>
\between	<code>\between</code>	\isinvb	<code>\isinvb</code>	$\sim\sim$	<code>\sim\sim</code>
\bNot	<code>\bNot</code>	\kernelcontraction	<code>\kernelcontraction</code>	$\sim\sim\sim$	<code>\sim\sim\sim</code>
\bowtie	<code>\bowtie</code>	$\leftdbl tail$	<code>\leftdbl tail</code>	$\sim\sim\sim\sim$	<code>\sim\sim\sim\sim</code>
\bumpeq	<code>\bumpeq</code>	\leftfishtail	<code>\leftfishtail</code>	\smallfrown	<code>\smallfrown</code>
$\bumpeq\approx$	<code>\bumpeq\approx</code>	\lefttail	<code>\lefttail</code>	\smallin	<code>\smallin</code>
$\bumpeq\approx\approx$	<code>\bumpeq\approx\approx</code>	\lfbowtie	<code>\lfbowtie</code>	\smallni	<code>\smallni</code>
\cirbot	<code>\cirbot</code>	\lftimes	<code>\lftimes</code>	\smallsmile	<code>\smallsmile</code>
\circeq	<code>\circeq</code>	\longdashv	<code>\longdashv</code>	\smeparsl	<code>\smeparsl</code>
\cirmid	<code>\cirmid</code>	\lsqhook	<code>\lsqhook</code>	\smile	<code>\smile</code>
\closure	<code>\closure</code>	\measeq	<code>\measeq</code>	\stareq	<code>\stareq</code>
\Coloneq	<code>\Coloneq</code>	\mid	<code>\mid</code>	\succ	<code>\succ</code>
\coloneq	<code>\coloneq</code>	\midcir	<code>\midcir</code>	\Succ	<code>\Succ</code>
\cong	<code>\cong</code>	\mlcp	<code>\mlcp</code>	\succapprox	<code>\succapprox</code>
$\cong\dot{}$	<code>\cong\dot{}</code>	\models	<code>\models</code>	\succcurlyeq	<code>\succcurlyeq</code>
\curlyeqprec	<code>\curlyeqprec</code>	\multimap	<code>\multimap</code>	\succeq	<code>\succeq</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	$\multimap\inv$	<code>\multimap\inv</code>	\succeqq	<code>\succeqq</code>
\dashcolon	<code>\dashcolon</code>	\ni	<code>\ni</code>	\succnapprox	<code>\succnapprox</code>
\dashv	<code>\dashv</code>	\niobar	<code>\niobar</code>	\succneq	<code>\succneq</code>
\dashV	<code>\dashV</code>	\nis	<code>\nis</code>	\succneqq	<code>\succneqq</code>
\Dashv	<code>\Dashv</code>	\nisd	<code>\nisd</code>	\succnsim	<code>\succnsim</code>
\DashV	<code>\DashV</code>	\Not	<code>\Not</code>	\succsim	<code>\succsim</code>
$\DashV\Dash$	<code>\DashV\Dash</code>	\notchar	<code>\notchar</code>	\thickapprox	<code>\thickapprox</code>
\dashVdash	<code>\dashVdash</code>	\origof	<code>\origof</code>	\thicksim	<code>\thicksim</code>
$\ddot{}$	<code>\ddot{}</code>	\parallel	<code>\parallel</code>	\topfork	<code>\topfork</code>
\disin	<code>\disin</code>	\parsim	<code>\parsim</code>	\upfishtail	<code>\upfishtail</code>
\Doteq	<code>\Doteq</code>	\perp	<code>\perp</code>	\upin	<code>\upin</code>
\doteq	<code>\doteq</code>	\pitchfork	<code>\pitchfork</code>	\varisinobar	<code>\varisinobar</code>
\dotequiv	<code>\dotequiv</code>	\prec	<code>\prec</code>	\varisins	<code>\varisins</code>
$\dot{\sim}$	<code>\dot{\sim}</code>	\Prec	<code>\Prec</code>	\varniobar	<code>\varniobar</code>
$\dot{\sim}\dot{\sim}$	<code>\dot{\sim}\dot{\sim}</code>	\precapprox	<code>\precapprox</code>	\varnis	<code>\varnis</code>
\downfishtail	<code>\downfishtail</code>	\preccurlyeq	<code>\preccurlyeq</code>	\varpropto	<code>\varpropto</code>
\dualmap	<code>\dualmap</code>	\preceq	<code>\preceq</code>	\varVdash	<code>\varVdash</code>
$\#$	<code>\eparsl</code>	\preceqq	<code>\preceqq</code>	\vBar	<code>\vBar</code>

(continued on next page)

(continued from previous page)

$\#$	<code>\eqcirc</code>	\approx	<code>\precnapprox</code>	\parallel	<code>\Vbar</code>
$==$	<code>\eqcolon</code>	\napprox	<code>\precneq</code>	\nparallel	<code>\vBarv</code>
\equiv	<code>\eqdef</code>	\nprec	<code>\precneqq</code>	\dashv	<code>\Vdash</code>
\cdot	<code>\eqdot</code>	\nprecnsim	<code>\precnsim</code>	\vdash	<code>\vdash</code>
$==$	<code>\eqeq</code>	\prec	<code>\precsim</code>	\Vdash	<code>\vDash</code>
$===$	<code>\eqeqeq</code>	\propto	<code>\propto</code>	\Vdash	<code>\VDash</code>
\approx	<code>\eqqsim</code>	\curlywedge	<code>\prurel</code>	\equiv	<code>\vDdash</code>
\sim	<code>\eqsim</code>	\sqsubset	<code>\pullback</code>	\vdots	<code>\vdots</code>
$\#$	<code>\equalparallel</code>	\sqsupset	<code>\pushout</code>	\leq	<code>\veeeq</code>
\equiv	<code>\equiv</code>	$\stackrel{?}{=}$	<code>\questeq</code>	\wedge	<code>\veeonwedge</code>
\equiv	<code>\Equiv</code>	\dagger	<code>\revnmid</code>	$ $	<code>\vertoverlay</code>
\equiv	<code>\equivDD</code>	\bowtie	<code>\rftimes</code>	\longdash	<code>\vlongdash</code>
$\#$	<code>\equivVert</code>	\times	<code>\rftimes</code>	\Vdash	<code>\Vdash</code>
$\#$	<code>\equivVvert</code>	\succ	<code>\rightdbltail</code>	\triangleq	<code>\wedgeq</code>

stix defines `\owns` as a synonym for `\ni` and `\doteqdot` as a synonym for `\Doteq`.

TABLE 104: stix Negated Binary Relations

\nexists	<code>\forks</code>	\nparallel	<code>\nhpar</code>	\nsime	<code>\nsime</code>
\napprox	<code>\napprox</code>	\nmid	<code>\nmid</code>	\nsucc	<code>\nsucc</code>
\napprox	<code>\napproxeqq</code>	\nni	<code>\nni</code>	\nsucccurlyeq	<code>\nsucccurlyeq</code>
\nasymp	<code>\nasymp</code>	\notin	<code>\notin</code>	\nsucceq	<code>\nsucceq</code>
\nbumpeq	<code>\nbumpeq</code>	\nparallel	<code>\nparallel</code>	\nvarisinobar	<code>\nvarisinobar</code>
\nbumpeq	<code>\nbumpeq</code>	\nprec	<code>\nprec</code>	\nvarniobar	<code>\nvarniobar</code>
\ncong	<code>\ncong</code>	\nprec	<code>\nprec</code>	\nvDash	<code>\nvDash</code>
\ncong	<code>\ncongdot</code>	\npreceq	<code>\npreceq</code>	\nvDash	<code>\nvDash</code>
\neq	<code>\neq</code>	\nshortmid	<code>\nshortmid</code>	\nVDash	<code>\nVDash</code>
\neq	<code>\neqsim</code>	\nshortparallel	<code>\nshortparallel</code>	\nVDash	<code>\nVDash</code>
\neq	<code>\nequiv</code>	\nsim	<code>\nsim</code>		

stix defines `\neq` as a synonym for `\neq`, `\nsimeq` as a synonym for `\nsime`, and `\nforksnot` as a synonym for `\forks`.

TABLE 105: mathtools Binary Relations

$::\approx$	<code>\Colonapprox</code>	$:-$	<code>\coloneq</code>	$-::$	<code>\Eqcolon</code>
\approx	<code>\colonapprox</code>	\sim	<code>\colonsim</code>	$==$	<code>\eqqcolon</code>
$==$	<code>\coloneqq</code>	$::\sim$	<code>\Colonsim</code>	$==$	<code>\Eqqcolon</code>
$==$	<code>\Coloneqq</code>	$::$	<code>\dblcolon</code>		
$:-$	<code>\Coloneq</code>	$-:$	<code>\eqcolon</code>		

Similar symbols can be defined using mathtools's `\vcentcolon`, which produces a colon centered on the font's math axis:

$$\begin{array}{ccc} \text{==}\dot{=}\text{==} & \text{vs.} & \text{==}\dot{=}\text{==} \\ \text{"=:="} & & \text{"=\vcentcolon="} \end{array}$$

TABLE 107: trsym Binary Relations

$\bullet\text{---}\circ$	<code>\InversTransformHoriz</code>	$\circ\text{---}\bullet$	<code>\TransformHoriz</code>
$\bullet\text{---}\updownarrow$	<code>\InversTransformVert</code>	$\updownarrow\text{---}\bullet$	<code>\TransformVert</code>

TABLE 108: trfsigns Binary Relations

\curvearrowright	<code>\dfourier</code>	\curvearrowleft	<code>\Dfourier</code>
$\text{---}\circ$	<code>\fourier</code>	$\text{---}\circ$	<code>\Fourier</code>
$\text{---}\bullet$	<code>\laplace</code>	$\bullet\text{---}\circ$	<code>\Laplace</code>
$\curvearrowright\bullet$	<code>\ztransf</code>	$\bullet\curvearrowleft$	<code>\Ztransf</code>

TABLE 109: cml Binary Relations

\circ	<code>\coh</code>	\frown	<code>\scoh</code>
\succ	<code>\incoh</code>	\smile	<code>\sincoh</code>
\perp	<code>\Perp</code>	\sphericalangle	<code>\simperp</code>
$\circ\text{---}\circ$	<code>\multimapboth</code>		

TABLE 110: colonequals Binary Relations

\approx	<code>\approxcolon</code>	$\text{---}\text{---}$	<code>\coloncolonminus</code>	$\text{---}\text{---}\text{---}$	<code>\equalscoloncolon</code>
$\approx\text{---}$	<code>\approxcoloncolon</code>	$\text{---}\sim$	<code>\coloncolonsim</code>	---	<code>\minuscolon</code>
$\text{---}\approx$	<code>\colonapprox</code>	$\text{---}=\text{---}$	<code>\colonequals</code>	$\text{---}\text{---}\text{---}$	<code>\minuscoloncolon</code>
$\text{---}\text{---}$	<code>\coloncolon</code>	$\text{---}-$	<code>\colonminus</code>	---	<code>\ratio</code>
$\text{---}\approx\text{---}$	<code>\coloncolonapprox</code>	$\text{---}\sim$	<code>\colonsim</code>	$\text{---}\text{---}$	<code>\simcolon</code>
$\text{---}=\text{---}$	<code>\coloncolonequals</code>	$\text{---}=\text{---}$	<code>\equalscolon</code>	$\text{---}\text{---}\text{---}$	<code>\simcoloncolon</code>

TABLE 111: fourier Binary Relations

$\#$	<code>\nparallelslant</code>	\parallel	<code>\parallelslant</code>
------	------------------------------	-------------	-----------------------------

TABLE 112: Subset and Superset Relations

\sqsubset^*	<code>\sqsubset^*</code>	\sqsupseteq	<code>\sqsupseteq</code>	\supset	<code>\supset</code>
\sqsubseteq	<code>\sqsubseteq</code>	\subset	<code>\subset</code>	\supseteq	<code>\supseteq</code>
\sqsupset^*	<code>\sqsupset^*</code>	\subseteq	<code>\subseteq</code>		

* Not predefined by the L^AT_EX_{2 ϵ} core. Use the latexsym package to expose this symbol.

TABLE 113: \mathcal{AMS} Subset and Superset Relations

$\not\subseteq$	<code>\nsubseteq</code>	\subseteq	<code>\subseteq</code>	\supsetneq	<code>\supsetneqq</code>
$\not\supseteq$	<code>\nsupseteq</code>	\subsetneq	<code>\subsetneqq</code>	\varsubsetneq	<code>\varsubsetneqq</code>
$\not\supseteqq$	<code>\nsupseteqq</code>	\subsetneqq	<code>\subsetneqq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\sqsubset	<code>\sqsubset</code>	\supset	<code>\Supset</code>	\varsupsetneq	<code>\varsupsetneqq</code>
\sqsupset	<code>\sqsupset</code>	\supseteq	<code>\supseteq</code>	\varsupsetneqq	<code>\varsupsetneqq</code>
\Subset	<code>\Subset</code>	\supsetneq	<code>\supsetneq</code>		

TABLE 114: `stmaryrd` Subset and Superset Relations

\Subsetplus	<code>\subsetplus</code>	\supsetplus	<code>\supsetplus</code>
\Subsetpluseq	<code>\subsetpluseq</code>	\supsetpluseq	<code>\supsetpluseq</code>

TABLE 115: `wasysym` Subset and Superset Relations

\sqsubset	<code>\sqsubset</code>	\sqsupset	<code>\sqsupset</code>
-------------	------------------------	-------------	------------------------

TABLE 116: `txfonts/pxfonts` Subset and Superset Relations

$\not\sqsubset$	<code>\nsqsubset</code>	$\not\sqsupseteq$	<code>\nsqsupseteq</code>	$\not\supset$	<code>\nSupset</code>
$\not\sqsubseteq$	<code>\nsqsubseteq</code>	$\not\Subset$	<code>\nSubset</code>		
$\not\supset$	<code>\nsqsupset</code>	$\not\subseteq$	<code>\nsubseteq</code>		

TABLE 117: `mathabx` Subset and Superset Relations

$\not\sqsubset$	<code>\nsqsubset</code>	$\not\supset$	<code>\nsupset</code>	\sqsupseteq	<code>\sqsupseteq</code>	\supseteq	<code>\supseteq</code>
$\not\sqsubseteq$	<code>\nsqSubset</code>	$\not\supseteq$	<code>\nSupset</code>	\sqsupseteqq	<code>\sqsupseteqq</code>	\supseteqq	<code>\supseteqq</code>
$\not\subseteq$	<code>\nsqsubteq</code>	$\not\supseteq$	<code>\nsupseteq</code>	\sqsupseteqneq	<code>\sqsupseteqneq</code>	\supseteqneq	<code>\supseteqneq</code>
$\not\subseteqq$	<code>\nsqsubteqq</code>	$\not\supseteqq$	<code>\nsupseteqq</code>	\sqsupseteqneqq	<code>\sqsupseteqneqq</code>	\supseteqneqq	<code>\supseteqneqq</code>
$\not\supset$	<code>\nsqsupset</code>	\sqsubset	<code>\sqsubset</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nsqSupset</code>	\sqsubseteq	<code>\sqSubset</code>	\Subset	<code>\Subset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nsqsupseteq</code>	\sqsubseteq	<code>\sqsubseteq</code>	\subseteq	<code>\subseteq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
$\not\supseteqq$	<code>\nsqsupseteqq</code>	\sqsubseteqq	<code>\sqsubseteqq</code>	\subseteqq	<code>\subseteqq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
$\not\subset$	<code>\nsubset</code>	\sqsubsetneq	<code>\sqsubsetneq</code>	\subsetneq	<code>\subsetneq</code>	\varsubsetneq	<code>\varsubsetneqq</code>
$\not\subseteq$	<code>\nSubset</code>	\sqsubsetneqq	<code>\sqsubsetneqq</code>	\subsetneqq	<code>\subsetneqq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
$\not\subseteq$	<code>\nsubseteq</code>	\sqsupseteq	<code>\sqSupset</code>	\supseteq	<code>\supseteq</code>	\varsupsetneq	<code>\varsupsetneqq</code>
$\not\subseteqq$	<code>\nsubseteqq</code>	\sqsupseteq	<code>\sqsupseteq</code>	\supseteq	<code>\supseteq</code>	\varsupsetneqq	<code>\varsupsetneqq</code>

TABLE 118: MnSymbol Subset and Superset Relations

\notin	<code>\nSqsubset</code>	\notin	<code>\nsubseteq</code>	$\not\subseteq$	<code>\sqsubsetneq</code>	\subseteq	<code>\subseteq</code>
\notin	<code>\nsqsubset</code>	\notin	<code>\nsubseteqqq</code>	$\not\subseteq$	<code>\sqsubsetneqq</code>	\subseteq	<code>\subseteqqq</code>
\notin	<code>\nsqsubseteq</code>	$\not\supseteq$	<code>\nSupset</code>	\supseteq	<code>\Sqsupset</code>	\supseteq	<code>\subseteq</code>
\notin	<code>\nsqsubseteqqq</code>	$\not\supseteq$	<code>\nSupset</code>	\supseteq	<code>\Sqsupset</code>	\supseteq	<code>\subseteqqq</code>
$\not\supseteq$	<code>\nSqsupset</code>	$\not\supseteq$	<code>\nsupseteq</code>	\supseteq	<code>\sqsupseteq</code>	\supseteq	<code>\Supset</code>
$\not\supseteq$	<code>\nsqsupset</code>	$\not\supseteq$	<code>\nsupseteqqq</code>	\supseteq	<code>\sqsupseteqqq</code>	\supseteq	<code>\supseteq</code>
$\not\supseteq$	<code>\nsqsupseteq</code>	\supseteq	<code>\Sqsubset</code>	\supseteq	<code>\sqsupsetneq</code>	\supseteq	<code>\supseteq</code>
$\not\supseteq$	<code>\nsqsupseteqqq</code>	\supseteq	<code>\sqsubset</code>	\supseteq	<code>\sqsupsetneqq</code>	\supseteq	<code>\supseteqqq</code>
\notin	<code>\nSubset</code>	\subseteq	<code>\sqsubseteq</code>	\subseteq	<code>\Subset</code>	\supseteq	<code>\supseteq</code>
\notin	<code>\nsubset</code>	\subseteq	<code>\sqsubseteqqq</code>	\subseteq	<code>\subset</code>	\supseteq	<code>\supseteqqq</code>

MnSymbol additionally defines `\varsubsetneq` as a synonym for `\subseteq`, `\varsubsetneqq` as a synonym for `\subseteqqq`, `\varsupseteq` as a synonym for `\supseteq`, and `\varsupseteqqq` as a synonym for `\supseteqqq`.

TABLE 119: fdsymbol Subset and Superset Relations

$\not\subseteq$	<code>\nsqsubset</code>	\notin	<code>\nsubseteq</code>	$\not\subseteq$	<code>\sqsubsetneq</code>	\subseteq	<code>\subseteq</code>
$\not\subseteq$	<code>\nSqsubset</code>	\notin	<code>\nsubseteqqq</code>	$\not\subseteq$	<code>\sqsubsetneqq</code>	\subseteq	<code>\subseteqqq</code>
$\not\subseteq$	<code>\nsqsubseteq</code>	$\not\supseteq$	<code>\nSupset</code>	\supseteq	<code>\Sqsupset</code>	\supseteq	<code>\subseteq</code>
$\not\subseteq$	<code>\nsqsubseteqqq</code>	$\not\supseteq$	<code>\nSupset</code>	\supseteq	<code>\Sqsupset</code>	\supseteq	<code>\subseteqqq</code>
$\not\supseteq$	<code>\nsqsupset</code>	$\not\supseteq$	<code>\nsupseteq</code>	\supseteq	<code>\sqsupseteq</code>	\supseteq	<code>\supseteq</code>
$\not\supseteq$	<code>\nSqsupset</code>	$\not\supseteq$	<code>\nsupseteqqq</code>	\supseteq	<code>\sqsupseteqqq</code>	\supseteq	<code>\Supset</code>
$\not\supseteq$	<code>\nsqsupseteq</code>	\supseteq	<code>\Sqsubset</code>	\supseteq	<code>\sqsupsetneq</code>	\supseteq	<code>\supseteq</code>
$\not\supseteq$	<code>\nsqsupseteqqq</code>	\supseteq	<code>\Sqsubset</code>	\supseteq	<code>\sqsupsetneqq</code>	\supseteq	<code>\supseteqqq</code>
\notin	<code>\nsubset</code>	\subseteq	<code>\sqsubseteq</code>	\subseteq	<code>\subset</code>	\supseteq	<code>\supseteq</code>
\notin	<code>\nSubset</code>	\subseteq	<code>\sqsubseteqqq</code>	\subseteq	<code>\Subset</code>	\supseteq	<code>\supseteqqq</code>

fdsymbol additionally defines `\varsubsetneqq` as a synonym for `\subseteqqq`, `\varsubsetneq` as a synonym for `\subseteq`, `\varsupseteqqq` as a synonym for `\supseteqqq`, and `\varsupseteq` as a synonym for `\supseteq`.

TABLE 120: boisik Subset and Superset Relations

\subset	<code>\nsubset</code>	\supseteq	<code>\sqSubset</code>	\subseteq	<code>\subsetplus</code>	\supseteq	<code>\supsetplusseq</code>
\subset	<code>\nsubseteq</code>	\supseteq	<code>\sqSupset</code>	\subseteq	<code>\subsetpluseq</code>	\supseteq	<code>\varsubsetneq</code>
\subset	<code>\nsubseteqqq</code>	\supseteq	<code>\sqsupset</code>	\supseteq	<code>\Supset</code>	\supseteq	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nsupset</code>	\supseteq	<code>\Subset</code>	\supseteq	<code>\supseteqqq</code>	\supseteq	<code>\varsupsetneq</code>
$\not\supseteq$	<code>\nsupseteq</code>	\supseteq	<code>\subseteqqq</code>	\supseteq	<code>\supsetneq</code>	\supseteq	<code>\varsupsetneqq</code>
$\not\supseteq$	<code>\nsupseteqqq</code>	\supseteq	<code>\subseteq</code>	\supseteq	<code>\supsetneqq</code>	\supseteq	<code>\varsupsetneqq</code>
\supseteq	<code>\sqsubset</code>	\supseteq	<code>\subseteq</code>	\supseteq	<code>\supsetplus</code>	\supseteq	<code>\supsetplus</code>

TABLE 121: stix Subset and Superset Relations

\subset	<code>\bsolhsub</code>	\sqsupseteq	<code>\sqsupseteq</code>	\supsetsubset	<code>\suphsub</code>
\subset	<code>\csub</code>	\sqsupsetneq	<code>\sqsupsetneq</code>	\suplarr	<code>\suplarr</code>
\subseteq	<code>\csube</code>	\subedot	<code>\subedot</code>	\supmult	<code>\supmult</code>
\supset	<code>\csup</code>	\submult	<code>\submult</code>	\Supset	<code>\Supset</code>
\supseteq	<code>\csupe</code>	\subrarr	<code>\subrarr</code>	\supset	<code>\supset</code>
\leftarrow	<code>\leftarrowsubset</code>	\Subset	<code>\Subset</code>	\supsetapprox	<code>\supsetapprox</code>
$\not\subset$	<code>\nsqsubset</code>	\subset	<code>\subset</code>	\supsetcirc^*	<code>\supsetcirc^*</code>
$\not\subseteq$	<code>\nsqsubseteq</code>	\subsetapprox	<code>\subsetapprox</code>	\supsetdot	<code>\supsetdot</code>
$\not\supset$	<code>\nsqsupset</code>	\subsetcirc^*	<code>\subsetcirc^*</code>	\supseteq	<code>\supseteq</code>
$\not\supseteq$	<code>\nsqsupseteq</code>	\subsetdot	<code>\subsetdot</code>	\supseteqeq	<code>\supseteqeq</code>
\subsetneq	<code>\nsubset</code>	\subseteq	<code>\subseteq</code>	\supsetneq	<code>\supsetneq</code>
\subseteq	<code>\nsubseteq</code>	\subseteqeq	<code>\subseteqeq</code>	\supsetneqq	<code>\supsetneqq</code>
\subseteq	<code>\nsubseteqeq</code>	\subseteqeq	<code>\subseteqeq</code>	\supsetplus	<code>\supsetplus</code>
\supset	<code>\nsupset</code>	\subsetneqq	<code>\subsetneqq</code>	\supsim	<code>\supsim</code>
\supseteq	<code>\nsupseteq</code>	\subsetplus	<code>\subsetplus</code>	\supsub	<code>\supsub</code>
\supseteq	<code>\nsupseteqq</code>	\subset	<code>\subset</code>	\supsup	<code>\supsup</code>
\Rightarrow	<code>\rightarrowsubset</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneq</code>
\sqsubset	<code>\sqsubset</code>	\subset	<code>\subset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\sqsubseteq	<code>\sqsubseteq</code>	\supsubset	<code>\supsubset</code>	\varsupsubsetneq	<code>\varsupsubsetneq</code>
\sqsupset	<code>\sqsupset</code>	\supsup	<code>\supsup</code>	\varsupsubsetneqq	<code>\varsupsubsetneqq</code>
\supset	<code>\sqsupseteq</code>	\supdot	<code>\supedot</code>	\varsupset	<code>\varsupset</code>
\supset	<code>\sqsupsetneq</code>	\supsol	<code>\supsol</code>	\varsupsetneq	<code>\varsupsetneq</code>
\supset	<code>\sqsupseteq</code>				

* Defined as an ordinary character, not as a binary relation.

TABLE 122: Inequalities

\geq	<code>\geq</code>	\gg	<code>\gg</code>	\leq	<code>\leq</code>	\ll	<code>\ll</code>	\neq	<code>\neq</code>
--------	-------------------	-------	------------------	--------	-------------------	-------	------------------	--------	-------------------

TABLE 123: \mathcal{AMS} Inequalities

\gtrsim	<code>\eqslantgtr</code>	\gtrdot	<code>\gtrdot</code>	\lesseqgtr	<code>\lesseqgtr</code>	\ngeq	<code>\ngeq</code>
\lesseqgtr	<code>\eqslantless</code>	\gtreqless	<code>\gtreqless</code>	\lesseqqgtr	<code>\lesseqqgtr</code>	\ngeqq	<code>\ngeqq</code>
\geqq	<code>\geqq</code>	\gtreqqless	<code>\gtreqqless</code>	\lessgtr	<code>\lessgtr</code>	\ngeqslant	<code>\ngeqslant</code>
\geqslant	<code>\geqslant</code>	\gtrless	<code>\gtrless</code>	\lesssim	<code>\lesssim</code>	\ngtr	<code>\ngtr</code>
\ggg	<code>\ggg</code>	\gtrsim	<code>\gtrsim</code>	\lll	<code>\lll</code>	\nleq	<code>\nleq</code>
\gapprox	<code>\gnapprox</code>	\gvertneqq	<code>\gvertneqq</code>	\lnapprox	<code>\lnapprox</code>	\nleqq	<code>\nleqq</code>
\gneq	<code>\gneq</code>	\leqq	<code>\leqq</code>	\lneq	<code>\lneq</code>	\nleqslant	<code>\nleqslant</code>
\gneqq	<code>\gneqq</code>	\leqslant	<code>\leqslant</code>	\lneqq	<code>\lneqq</code>	\nless	<code>\nless</code>
\gnsim	<code>\gnsim</code>	\lessapprox	<code>\lessapprox</code>	\lnsim	<code>\lnsim</code>		
\gtrapprox	<code>\gtrapprox</code>	\lessdot	<code>\lessdot</code>	\lvertneqq	<code>\lvertneqq</code>		

TABLE 124: wasysym Inequalities

\gtrsim `\apprge` \lesssim `\apprle`

TABLE 125: txfonts/pxfonts Inequalities

\nlessgtr `\ngg` \nlessgtr `\ngtrsim` \nlessgtr `\nlesssim`
 \nlessgtr `\ngtrapprox` \nlessgtr `\nlessapprox` \nlessgtr `\nll`
 \nlessgtr `\ngtrless` \nlessgtr `\nlessgtr`

TABLE 126: mathabx Inequalities

\gtrsim	<code>\eqslantgtr</code>	\gtrsim	<code>\gtreqless</code>	\lesssim	<code>\lesssim</code>	\nlessgtr	<code>\ngtr</code>
\lessgtr	<code>\eqslantless</code>	\gtrsim	<code>\gtreqqlless</code>	\ll	<code>\ll</code>	\nlessgtr	<code>\ngtrapprox</code>
\geq	<code>\geq</code>	\lessgtr	<code>\gtrless</code>	\lll	<code>\lll</code>	\nlessgtr	<code>\ngtrsim</code>
\geqq	<code>\geqq</code>	\gtrsim	<code>\gtrsim</code>	\lnapprox	<code>\lnapprox</code>	\nlessgtr	<code>\nleq</code>
\gg	<code>\gg</code>	\nlessgtr	<code>\gvertneqq</code>	\lneq	<code>\lneq</code>	\nlessgtr	<code>\nleqq</code>
\ggg	<code>\ggg</code>	\leq	<code>\leq</code>	\lneqq	<code>\lneqq</code>	\nlessgtr	<code>\nless</code>
\gnapprox	<code>\gnapprox</code>	\leqq	<code>\leqq</code>	\lnsim	<code>\lnsim</code>	\nlessgtr	<code>\nlessapprox</code>
\gneq	<code>\gneq</code>	\lessapprox	<code>\lessapprox</code>	\lvertneqq	<code>\lvertneqq</code>	\nlessgtr	<code>\nlesssim</code>
\gneqq	<code>\gneqq</code>	\lessdot	<code>\lessdot</code>	\neqslantgtr	<code>\neqslantgtr</code>	\nlessgtr	<code>\nvargeq</code>
\gnsim	<code>\gnsim</code>	\lesseqgtr	<code>\lesseqgtr</code>	\neqslantless	<code>\neqslantless</code>	\nlessgtr	<code>\nvarleq</code>
\gtrapprox	<code>\gtrapprox</code>	\lesseqqgtr	<code>\lesseqqgtr</code>	\ngeq	<code>\ngeq</code>	\geq	<code>\vargeq</code>
\gtrdot	<code>\gtrdot</code>	\lessgtr	<code>\lessgtr</code>	\ngeqq	<code>\ngeqq</code>	\leq	<code>\varleq</code>

`mathabx` defines `\leqslant` and `\le` as synonyms for `\leq`, `\geqslant` and `\ge` as synonyms for `\geq`, `\nleqslant` as a synonym for `\nleq`, and `\ngeqslant` as a synonym for `\ngeq`.

TABLE 127: MnSymbol Inequalities

\gtrsim	<code>\eqslantgtr</code>	\gtrsim	<code>\gtreqqless</code>	\lesssim	<code>\lesssim</code>	\gtrless	<code>\ngtreqlless</code>
\lessgtr	<code>\eqslantless</code>	\gtrless	<code>\gtrless</code>	\lll	<code>\lll</code>	\ngtrless	<code>\ngtreqllessslant</code>
\geq	<code>\geq</code>	\gtreqless	<code>\gtrneqqless</code>	\lll	<code>\lll</code>	\ngtrless	<code>\ngtreqqless</code>
\geq	<code>\geqclosed</code>	\gtrsim	<code>\gtrsim</code>	\approx	<code>\lnapprox</code>	\gtrless	<code>\ngtrless</code>
\geq	<code>\geqdot</code>	\leq	<code>\leq</code>	\neq	<code>\lneqq</code>	\leq	<code>\nleq</code>
\geq	<code>\geqq</code>	\triangleleft	<code>\leqclosed</code>	\approx	<code>\lnsim</code>	\triangleleft	<code>\nleqclosed</code>
\geq	<code>\geqslant</code>	\triangleleft	<code>\leqdot</code>	\neq	<code>\neqslantgtr</code>	\triangleleft	<code>\nleqdot</code>
\geq	<code>\geqslantdot</code>	\trianglelefteq	<code>\leqq</code>	\neq	<code>\neqslantless</code>	\triangleleft	<code>\nleqq</code>
\gg	<code>\gg</code>	\triangleleft	<code>\leqslant</code>	\neq	<code>\ngeq</code>	\triangleleft	<code>\nleqslant</code>
\ggg	<code>\ggg</code>	\trianglelefteq	<code>\leqslantdot</code>	\neq	<code>\ngeqclosed</code>	\triangleleft	<code>\nleqslantdot</code>
\gtrapprox	<code>\gnapprox</code>	$<$	<code>\less</code>	\neq	<code>\ngeqdot</code>	$<$	<code>\nless</code>
\gneq	<code>\gneqq</code>	\gtrless	<code>\lessapprox</code>	\neq	<code>\ngeqq</code>	\triangleleft	<code>\nlessclosed</code>
\gnsim	<code>\gnsim</code>	\triangleleft	<code>\lessclosed</code>	\neq	<code>\ngeqslant</code>	\triangleleft	<code>\nlessdot</code>
$>$	<code>\gtr</code>	\triangleleft	<code>\lessdot</code>	\neq	<code>\ngeqslantdot</code>	\triangleleft	<code>\nlesseqgtr</code>
\gtrapprox	<code>\gtrapprox</code>	\gtrless	<code>\lesseqgtr</code>	\gtrless	<code>\ngg</code>	\gtrless	<code>\nlesseqgtrslant</code>
\gtrclosed	<code>\gtrclosed</code>	\gtrless	<code>\lesseqgtrslant</code>	\ggg	<code>\nggg</code>	\gtrless	<code>\nlesseqqgtr</code>
$>$	<code>\gtrdot</code>	\gtrless	<code>\lesseqqgtr</code>	\neq	<code>\ngtr</code>	\gtrless	<code>\nlessgtr</code>
\gtrless	<code>\gtreqless</code>	\lessgtr	<code>\lessgtr</code>	\neq	<code>\ngtrclosed</code>	\triangleleft	<code>\nlll</code>
\gtrless	<code>\gtreqlessslant</code>	\lessneqqgtr	<code>\lessneqqgtr</code>	\neq	<code>\ngtrdot</code>	\lll	<code>\nlll</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

\ggg	<code>\gggtr</code>	(same as <code>\ggg</code>)
\gtrneqq	<code>\gvertneqq</code>	(same as <code>\gneqq</code>)
\triangleleft	<code>\lhd</code>	(same as <code>\lessclosed</code>)
\lll	<code>\lllless</code>	(same as <code>\lll</code>)
\lneqq	<code>\lvertneqq</code>	(same as <code>\lneqq</code>)
\triangleleft	<code>\ntrianglelefteq</code>	(same as <code>\nleqclosed</code>)
\triangleleft	<code>\ntriangleleft</code>	(same as <code>\nlessclosed</code>)
\triangleleft	<code>\ntrianglerighteq</code>	(same as <code>\ngeqclosed</code>)
\triangleleft	<code>\ntriangleright</code>	(same as <code>\ngtrclosed</code>)
\triangleleft	<code>\rhd</code>	(same as <code>\gtrclosed</code>)
\triangleleft	<code>\trianglelefteq</code>	(same as <code>\leqclosed</code>)
\triangleleft	<code>\trianglerighteq</code>	(same as <code>\geqclosed</code>)
\triangleleft	<code>\unlhd</code>	(same as <code>\leqclosed</code>)
\triangleleft	<code>\unrhd</code>	(same as <code>\geqclosed</code>)
\triangleleft	<code>\vartriangleleft</code>	(same as <code>\lessclosed</code>)
\triangleleft	<code>\vartriangleright</code>	(same as <code>\gtrclosed</code>)

TABLE 128: fdsymbol Inequalities

\succ	<code>\eqslantgtr</code>	\simeq	<code>\leqslantdot</code>	\napprox	<code>\ngtrapprox</code>
\lessdot	<code>\eqslantless</code>	\triangleleft	<code>\leqslcc</code>	\nless	<code>\ngtrcc</code>
\geq	<code>\geq</code>	$<$	<code>\less</code>	\nless	<code>\ngtrclosed</code>
\geq	<code>\geqclosed</code>	\simeq	<code>\lessapprox</code>	\nless	<code>\ngtrdot</code>
\geq	<code>\geqdot</code>	\triangleleft	<code>\lesscc</code>	\nless	<code>\ngtreqlless</code>
\geq	<code>\geqq</code>	\triangleleft	<code>\lessclosed</code>	\nless	<code>\ngtreqqless</code>
\geq	<code>\geqslant</code>	\triangleleft	<code>\lessdot</code>	\nless	<code>\ngtreqslantless</code>
\geq	<code>\geqslantdot</code>	\simeq	<code>\lesseqgtr</code>	\nless	<code>\ngtrless</code>
\geq	<code>\geqslcc</code>	\simeq	<code>\lesseqqgtr</code>	\nless	<code>\ngtrsim</code>
\gg	<code>\gg</code>	\simeq	<code>\lesseqslantgtr</code>	\nless	<code>\nleq</code>
\ggg	<code>\ggg</code>	\simeq	<code>\lessgtr</code>	\nless	<code>\nleqclosed</code>
\gapprox	<code>\gnapprox</code>	\simeq	<code>\lesssim</code>	\nless	<code>\nleqdot</code>
\gneq	<code>\gneq</code>	\ll	<code>\ll</code>	\nless	<code>\nleqq</code>
\gneqq	<code>\gneqq</code>	\lll	<code>\lll</code>	\nless	<code>\nleqslant</code>
\gnsim	<code>\gnsim</code>	\approx	<code>\lnapprox</code>	\nless	<code>\nleqslantdot</code>
$>$	<code>\gtr</code>	\nless	<code>\nleq</code>	\nless	<code>\nleqslcc</code>
\gtrapprox	<code>\gtrapprox</code>	\nless	<code>\nleqq</code>	\nless	<code>\nless</code>
\gtrcc	<code>\gtrcc</code>	\nless	<code>\lnsim</code>	\nless	<code>\nlessapprox</code>
\gtrclosed	<code>\gtrclosed</code>	\nless	<code>\neqslantgtr</code>	\nless	<code>\nlesscc</code>
\gtrdot	<code>\gtrdot</code>	\nless	<code>\neqslantless</code>	\nless	<code>\nlessclosed</code>
\gtreqlless	<code>\gtreqlless</code>	\nless	<code>\ngeq</code>	\nless	<code>\nlessdot</code>
\gtreqqless	<code>\gtreqqless</code>	\nless	<code>\ngeqclosed</code>	\nless	<code>\nlesseqgtr</code>
\gtreqslantless	<code>\gtreqslantless</code>	\nless	<code>\ngeqdot</code>	\nless	<code>\nlesseqqgtr</code>
\gtrless	<code>\gtrless</code>	\nless	<code>\ngeqq</code>	\nless	<code>\nlesseqslantgtr</code>
\gtrsim	<code>\gtrsim</code>	\nless	<code>\ngeqslant</code>	\nless	<code>\nlessgtr</code>
\leq	<code>\leq</code>	\nless	<code>\ngeqslantdot</code>	\nless	<code>\nlesssim</code>
\leq	<code>\leqclosed</code>	\nless	<code>\ngeqslcc</code>	\nless	<code>\nll</code>
\leq	<code>\leqdot</code>	\nless	<code>\ngg</code>	\nless	<code>\nlll</code>
\leq	<code>\leqq</code>	\nless	<code>\nggg</code>	\nless	<code>\nggg</code>
\leq	<code>\leqslant</code>	\nless	<code>\ngtr</code>	\nless	<code>\ngtr</code>

fdsymbol defines synonyms for some of the preceding symbols:

\geq	<code>\ge</code>	\leq	<code>\lesdot</code>	\nless	<code>\ngtcc</code>
\geq	<code>\gescc</code>	\leq	<code>\lesg</code>	\nless	<code>\ngtreqllesslant</code>
\geq	<code>\gesdot</code>	\leq	<code>\lesseqgtrslant</code>	\nless	<code>\nlescc</code>
\geq	<code>\gesl</code>	\triangleleft	<code>\lhd</code>	\nless	<code>\nlesdot</code>
\gg	<code>\gggtr</code>	\lll	<code>\lllless</code>	\nless	<code>\nlesg</code>

(continued on next page)

(continued from previous page)

\triangleright	<code>\gtcc</code>	\triangleleft	<code>\ltcc</code>	\nlessseqgtrslant
\gtrless	<code>\gtreqlesslant</code>	\lvertneqq	<code>\lvertneqq</code>	\nltcc
\gvertneqq	<code>\gvertneqq</code>	\ngescc	<code>\ngescc</code>	\rhd
\leq	<code>\le</code>	\ngesdot	<code>\ngesdot</code>	\unlhd
\lescc	<code>\lescc</code>	\ngesl	<code>\ngesl</code>	\unrhd

TABLE 129: boisik Inequalities

\gtrsim	<code>\eqslantgtr</code>	\gtcirc	<code>\gtcirc</code>	\lesseqgtr	<code>\lesseqgtr</code>	\ngeq
\lesslantless	<code>\eqslantless</code>	\gtrapprox	<code>\gtrapprox</code>	\lessgtr	<code>\lessgtr</code>	\ngeqq
\geqq	<code>\geqq</code>	\gtreqless	<code>\gtreqless</code>	\lesssim	<code>\lesssim</code>	\ngeqslant
\geqslant	<code>\geqslant</code>	\gtreqqlless	<code>\gtreqqlless</code>	\lll	<code>\lll</code>	\ngtr
\ggg	<code>\ggg</code>	\gtrless	<code>\gtrless</code>	\lnapprox	<code>\lnapprox</code>	\nleq
\glj	<code>\glj</code>	\gtrsim	<code>\gtrsim</code>	\lneq	<code>\lneq</code>	\nleqq
\gnapprox	<code>\gnapprox</code>	\gvertneqq	<code>\gvertneqq</code>	\lneqq	<code>\lneqq</code>	\nleqslant
\gneq	<code>\gneq</code>	\leqq	<code>\leqq</code>	\lnsim	<code>\lnsim</code>	\nless
\gneqq	<code>\gneqq</code>	\leqslant	<code>\leqslant</code>	\Lt	<code>\Lt</code>	
\gnsim	<code>\gnsim</code>	\lessapprox	<code>\lessapprox</code>	\ltcirc	<code>\ltcirc</code>	
\Gt	<code>\Gt</code>	\lesseqgtr	<code>\lesseqgtr</code>	\lvertneqq	<code>\lvertneqq</code>	

TABLE 130: stix Inequalities

\egsdot	<code>\egsdot</code>	\gtquest	<code>\gtquest</code>	\lnsim
\elsdot	<code>\elsdot</code>	\gtrapprox	<code>\gtrapprox</code>	\lsime
\eqgtr	<code>\eqgtr</code>	\gtrarr	<code>\gtrarr</code>	\lsimg
\eqless	<code>\eqless</code>	\gtrdot	<code>\gtrdot</code>	\Lt
\eqqgtr	<code>\eqqgtr</code>	\gtreqless	<code>\gtreqless</code>	\ltcc
\eqqlless	<code>\eqqlless</code>	\gtreqqlless	<code>\gtreqqlless</code>	\ltcirc
\eqqslantgtr	<code>\eqqslantgtr</code>	\gtrless	<code>\gtrless</code>	\ltlarr
\eqqslantless	<code>\eqqslantless</code>	\gtrsim	<code>\gtrsim</code>	\ltquest
\eqslantgtr	<code>\eqslantgtr</code>	\gvertneqq	<code>\gvertneqq</code>	\lvertneqq
\eqslantless	<code>\eqslantless</code>	\lat	<code>\lat</code>	\neqslantgtr
\geq	<code>\geq</code>	\late	<code>\late</code>	\neqslantless
\geqq	<code>\geqq</code>	\leftarrowless	<code>\leftarrowless</code>	\ngeq

(continued on next page)

(continued from previous page)

\cong	<code>\geqqslant</code>	\leq	<code>\leq</code>	\ncong	<code>\ngeqq</code>
\supseteq	<code>\geqslant</code>	\leqq	<code>\leqq</code>	\nsubseteq	<code>\ngeqslant</code>
\triangleright	<code>\gescc</code>	\leqqslant	<code>\leqqslant</code>	\ntriangleright	<code>\ngg</code>
\trianglerighteq	<code>\gesdot</code>	\leqslant	<code>\leqslant</code>	\ntrianglerighteq	<code>\ngtr</code>
\trianglerighteqdot	<code>\gesdoto</code>	\lescc	<code>\lescc</code>	\ntrianglerighteqless	<code>\ngtrless</code>
\trianglerighteqdotol	<code>\gesdoto1</code>	\lesdot	<code>\lesdot</code>	\ntrianglerighteqsim	<code>\ngtrsim</code>
\leqq	<code>\gesles</code>	\lesdoto	<code>\lesdoto</code>	\nleq	<code>\nleq</code>
\gg	<code>\gg</code>	\lesdotor	<code>\lesdotor</code>	\nleqq	<code>\nleqq</code>
\ggg	<code>\ggg</code>	\lesges	<code>\lesges</code>	\nleqqslant	<code>\nleqqslant</code>
\gggnest	<code>\gggnest</code>	\lessapprox	<code>\lessapprox</code>	\nless	<code>\nless</code>
\gla	<code>\gla</code>	\lessdot	<code>\lessdot</code>	\nlessgtr	<code>\nlessgtr</code>
\glE	<code>\glE</code>	\lesseqgtr	<code>\lesseqgtr</code>	\nlesssim	<code>\nlesssim</code>
\glj	<code>\glj</code>	\lesseqqgtr	<code>\lesseqqgtr</code>	\nll	<code>\nll</code>
\gnapprox	<code>\gnapprox</code>	\lessgtr	<code>\lessgtr</code>	\partialmeetcontraction	<code>\partialmeetcontraction</code>
\gneq	<code>\gneq</code>	\lesssim	<code>\lesssim</code>	\rightarrowtr	<code>\rightarrowtr</code>
\gneqq	<code>\gneqq</code>	\lgE	<code>\lgE</code>	\simE	<code>\simE</code>
\gnsim	<code>\gnsim</code>	\ll	<code>\ll</code>	\simgtr	<code>\simgtr</code>
\gsime	<code>\gsime</code>	\lll	<code>\lll</code>	\simlE	<code>\simlE</code>
\gsiml	<code>\gsiml</code>	\lllnest	<code>\lllnest</code>	\simless	<code>\simless</code>
\gt	<code>\gt</code>	\lnapprox	<code>\lnapprox</code>	\smt	<code>\smt</code>
\gtcc	<code>\gtcc</code>	\lneq	<code>\lneq</code>	\smte	<code>\smte</code>
\gtcir	<code>\gtcir</code>	\lneqq	<code>\lneqq</code>		

stix defines `\le` as a synonym for `\leq`, `\ge` as a synonym for `\geq`, `\llless` as a synonym for `\lll`, `\gggtr` as a synonym for `\ggg`, `\nle` as a synonym for `\nleq`, and `\nge` as a synonym for `\ngeq`.

TABLE 131: \mathcal{AMS} Triangle Relations

\blacktriangleleft	<code>\blacktriangleleft</code>	\blacktriangleright	<code>\blacktriangleright</code>	\trianglerighteq	<code>\trianglerighteq</code>
\blacktriangleright	<code>\blacktriangleright</code>	\blacktrianglelefteq	<code>\blacktrianglelefteq</code>	\vartriangleleft	<code>\vartriangleleft</code>
\blacktrianglelefteq	<code>\blacktrianglelefteq</code>	\blacktrianglerighteq	<code>\blacktrianglerighteq</code>	\vartriangleright	<code>\vartriangleright</code>
\blacktrianglelefteq	<code>\blacktrianglelefteq</code>	\trianglelefteq	<code>\trianglelefteq</code>		

TABLE 132: stmaryrd Triangle Relations

\triangleleftslant	<code>\triangleleftslant</code>	\trianglerightslant	<code>\trianglerightslant</code>
\blacktriangleleftslant	<code>\blacktriangleleftslant</code>	\blacktrianglerightslant	<code>\blacktrianglerightslant</code>

TABLE 133: mathabx Triangle Relations

\blacktriangleleft	<code>\ntriangleleft</code>	\triangleleft	<code>\triangleleft</code>	\triangleleft	<code>\vartriangleleft</code>
\blacktrianglelefteq	<code>\ntrianglelefteq</code>	\trianglelefteq	<code>\trianglelefteq</code>	\triangleright	<code>\vartriangleright</code>
\blacktriangleright	<code>\ntriangleright</code>	\triangleright	<code>\triangleright</code>		
\blacktrianglerighteq	<code>\ntrianglerighteq</code>	\trianglerighteq	<code>\trianglerighteq</code>		

TABLE 134: MnSymbol Triangle Relations

\blacktriangledown	<code>\filledmedtriangledown</code>	\triangle	<code>\largetriangleup</code>	\blacktriangledown	<code>\smalltriangledown</code>
\blacktriangleleft	<code>\filledmedtriangleleft</code>	\blacktriangledown	<code>\medtriangledown</code>	\triangleleft	<code>\smalltriangleleft</code>
\blacktriangleright	<code>\filledmedtriangleright</code>	\triangleleft	<code>\medtriangleleft</code>	\blacktriangleright	<code>\smalltriangleright</code>
\blacktriangleup	<code>\filledmedtriangleup</code>	\blacktriangleright	<code>\medtriangleright</code>	\triangleup	<code>\smalltriangleup</code>
\blacktriangledown	<code>\filledtriangledown</code>	\triangle	<code>\medtriangleup</code>	\trianglelefteq	<code>\trianglelefteq</code>
\blacktriangleleft	<code>\filledtriangleleft</code>	\neq	<code>\ntrianglelefteq</code>	\trianglelefteq	<code>\trianglelefteq</code>
\blacktriangleright	<code>\filledtriangleright</code>	\blacktriangleleft	<code>\ntriangleleft</code>	\blacktrianglerighteq	<code>\trianglerighteq</code>
\blacktriangleup	<code>\filledtriangleup</code>	\blacktrianglelefteq	<code>\ntrianglelefteq</code>	\triangleleft	<code>\vartriangleleft</code>
\blacktriangledown	<code>\largetriangledown</code>	\blacktriangleright	<code>\ntriangleright</code>	\blacktriangleright	<code>\vartriangleright</code>
\blacktriangleleft	<code>\largetriangleleft</code>	\blacktrianglerighteq	<code>\ntrianglerighteq</code>		
\blacktriangleright	<code>\largetriangleright</code>	\circ	<code>\otriangle</code>		

MnSymbol additionally defines synonyms for many of the preceding symbols: `\trianglelefteq` is a synonym for `\trianglelefteq`; `\lhd` and `\lessclosed` are synonyms for `\vartriangleleft`; `\rhd` and `\gtrclosed` are synonyms for `\vartriangleright`; `\unlhd` and `\leqclosed` are synonyms for `\trianglelefteq`; `\unrhd` and `\geqclosed` are synonyms for `\trianglerighteq`; `\blacktriangledown`, `\blacktriangleleft`, `\blacktriangleright`, and `\blacktriangle` [*sic*] are synonyms for, respectively, `\filledmedtriangledown`, `\filledmedtriangleleft`, `\filledmedtriangleright`, and `\filledmedtriangleup`; `\triangleright` is a synonym for `\medtriangleright`; `\triangle`, `\vartriangle`, and `\bigtriangleup` are synonyms for `\medtriangleup`; `\triangleleft` is a synonym for `\medtriangleleft`; `\triangledown` and `\bigtriangledown` are synonyms for `\medtriangledown`; `\nlessclosed` is a synonym for `\ntriangleleft`; `\ngtrclosed` is a synonym for `\ntriangleright`; `\nleqclosed` is a synonym for `\ntrianglelefteq`; and `\ngeqclosed` is a synonym for `\ntrianglerighteq`.

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as T_EX relations (class 3 symbols). The `\largetriangle...` symbols are defined as T_EX “ordinary” characters (class 0) and all of the remaining characters are defined as T_EX binary operators (class 2).

TABLE 135: fdsymbol Triangle Relations

\rhd	<code>\geqclosed</code>	∇	<code>\medtriangledown</code>	\blacktriangleleft	<code>\smallblacktriangleleft</code>
\triangleright	<code>\gtrclosed</code>	\triangleleft	<code>\medtriangleleft</code>	\blacktriangleright	<code>\smallblacktriangleright</code>
\bigtriangledown	<code>\largetriangledown</code>	\triangleright	<code>\medtriangleright</code>	\blacktriangleup	<code>\smallblacktriangleup</code>
\bigtriangleup	<code>\largetriangleup</code>	\triangleup	<code>\medtriangleup</code>	∇	<code>\smalltriangledown</code>
\trianglelefteq	<code>\leqclosed</code>	\nexists	<code>\ngeqclosed</code>	\triangleleft	<code>\smalltriangleleft</code>
\lessclosed	<code>\lessclosed</code>	\nexists	<code>\ngtrclosed</code>	\triangleright	<code>\smalltriangleright</code>
\blacktriangledown	<code>\medblacktriangledown</code>	\nexists	<code>\nleqclosed</code>	\triangle	<code>\smalltriangleup</code>
\blacktriangleleft	<code>\medblacktriangleleft</code>	\nexists	<code>\nlessclosed</code>	\trianglelefteq	<code>\trianglelefteq</code>
\blacktriangleright	<code>\medblacktriangleright</code>	\nexists	<code>\ntrianglelefteq</code>		
\blacktriangleup	<code>\medblacktriangleup</code>	\blacktriangledown	<code>\smallblacktriangledown</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

\bigtriangledown	<code>\bigtriangledown</code>	\nexists	<code>\ntrianglelefteq</code>	\trianglelefteq	<code>\trianglelefteq</code>
\bigtriangleup	<code>\bigtriangleup</code>	\nexists	<code>\ntriangleright</code>	\triangleright	<code>\triangleright</code>
\blacktriangle	<code>\blacktriangle</code>	\nexists	<code>\ntrianglerighteq</code>	\trianglerighteq	<code>\trianglerighteq</code>
\blacktriangledown	<code>\blacktriangledown</code>	\triangle	<code>\triangle</code>	\triangle	<code>\vartriangle</code>
\blacktriangleleft	<code>\blacktriangleleft</code>	∇	<code>\triangledown</code>	\triangleleft	<code>\vartriangleleft</code>
\blacktriangleright	<code>\blacktriangleright</code>	\triangleleft	<code>\triangleleft</code>	\triangleright	<code>\vartriangleright</code>
\nexists	<code>\ntriangleleft</code>	\trianglelefteq	<code>\trianglelefteq</code>		

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as \TeX relations (class 3 symbols). The `\largetriangle...` symbols are defined as \TeX “ordinary” characters (class 0) and all of the remaining characters are defined as \TeX binary operators (class 2).

TABLE 136: boisik Triangle Relations

\nexists	<code>\ntriangleleft</code>	\triangleleft	<code>\trianglelefteq</code>	\triangleleft	<code>\varlrrtriangle</code>
\nexists	<code>\ntrianglelefteq</code>	\triangleleft	<code>\trianglelefteqslant</code>	\triangle	<code>\vartriangle</code>
\nexists	<code>\ntriangleright</code>	\triangleright	<code>\triangleright</code>	\triangleleft	<code>\vartriangleleft</code>
\nexists	<code>\ntrianglerighteq</code>	\trianglerighteq	<code>\trianglerighteq</code>	\triangleright	<code>\vartriangleright</code>
\triangleleft	<code>\triangleleft</code>	\trianglerighteq	<code>\trianglerighteqslant</code>		

TABLE 137: stix Triangle Relations

\trianglelefteq	<code>\lrrtrianglelefteq</code>	\nexists	<code>\nvartriangleright</code>	\triangle	<code>\vartriangle</code>
\triangleleft	<code>\ltrivb</code>	\nexists	<code>\rtriltri</code>	\triangleleft	<code>\vartriangleleft</code>
\nexists	<code>\ntrianglelefteq</code>	\triangleleft	<code>\trianglelefteq</code>	\triangleright	<code>\vartriangleright</code>
\nexists	<code>\ntrianglerighteq</code>	\trianglelefteq	<code>\trianglelefteq</code>	\triangleright	<code>\vbrtri</code>
\nexists	<code>\nvartriangleleft</code>	\trianglerighteq	<code>\trianglerighteq</code>		

TABLE 138: Arrows

\Downarrow	<code>\Downarrow</code>	\longleftarrow	<code>\longleftarrow</code>	\nwarrow	<code>\nwarrow</code>
\downarrow	<code>\downarrow</code>	\Longleftarrow	<code>\Longleftarrow</code>	\Rightarrow	<code>\Rightarrow</code>
\hookleftarrow	<code>\hookleftarrow</code>	\longleftrightarrow	<code>\longleftrightarrow</code>	\rightarrow	<code>\rightarrow</code>
\hookrightarrow	<code>\hookrightarrow</code>	\Longleftrightarrow	<code>\Longleftrightarrow</code>	\searrow	<code>\searrow</code>
\leadsto	<code>\leadsto*</code>	\mapsto	<code>\mapsto</code>	\swarrow	<code>\swarrow</code>
\leftarrow	<code>\leftarrow</code>	\Longrightarrow	<code>\Longrightarrow</code>	\uparrow	<code>\uparrow</code>
\Leftarrow	<code>\Leftarrow</code>	\longrightarrow	<code>\longrightarrow</code>	\Uparrow	<code>\Uparrow</code>
\Leftrightarrow	<code>\Leftrightarrow</code>	\mapsto	<code>\mapsto</code>	\updownarrow	<code>\updownarrow</code>
\leftrightharpoonup	<code>\leftrightharpoonup</code>	\nearrow	<code>\nearrow[†]</code>	\Updownarrow	<code>\Updownarrow</code>

* Not predefined by the $\text{\LaTeX} 2_{\epsilon}$ core. Use the `latexsym` package to expose this symbol.

[†] See the note beneath Table 240 for information about how to put a diagonal arrow across a mathematical expression (as in “ $\nabla \cdot \overset{0}{B}$ ”).

TABLE 139: Harpoons

\leftharpoondown	<code>\leftharpoondown</code>	\rightharpoondown	<code>\rightharpoondown</code>	\rightleftharpoons	<code>\rightleftharpoons</code>
\leftharpoonup	<code>\leftharpoonup</code>	\rightharpoonup	<code>\rightharpoonup</code>		

TABLE 140: `textcomp` Text-mode Arrows

\downarrow	<code>\textdownarrow</code>	\rightarrow	<code>\textrightarrow</code>
\leftarrow	<code>\textleftarrow</code>	\uparrow	<code>\textuparrow</code>

TABLE 141: \mathcal{AMS} Arrows

\circlearrowleft	<code>\circlearrowleft</code>	\leftleftarrows	<code>\leftleftarrows</code>	\rightrightarrows	<code>\rightrightarrows</code>
\circlearrowright	<code>\circlearrowright</code>	\leftrightarrows	<code>\leftrightarrows</code>	\rightleftarrows	<code>\rightleftarrows</code>
\curvearrowleft	<code>\curvearrowleft</code>	\leftrightsquigarrow	<code>\leftrightsquigarrow</code>	\rightsquigarrow	<code>\rightsquigarrow</code>
\curvearrowright	<code>\curvearrowright</code>	\Lleftarrow	<code>\Lleftarrow</code>	\Rsh	<code>\Rsh</code>
\dashleftarrow	<code>\dashleftarrow</code>	\looparrowleft	<code>\looparrowleft</code>	\twoheadleftarrow	<code>\twoheadleftarrow</code>
\dashrightarrow	<code>\dashrightarrow</code>	\looparrowright	<code>\looparrowright</code>	\twoheadrightarrow	<code>\twoheadrightarrow</code>
\downdownarrows	<code>\downdownarrows</code>	\Lsh	<code>\Lsh</code>	\upuparrows	<code>\upuparrows</code>
\leftarrowtail	<code>\leftarrowtail</code>	\rightarrowtail	<code>\rightarrowtail</code>		

TABLE 142: \mathcal{AMS} Negated Arrows

\nLeftarrow	<code>\nLeftarrow</code>	\nLeftrightarrow	<code>\nLeftrightarrow</code>	\nRightarrow	<code>\nRightarrow</code>
\nleftarrow	<code>\nleftarrow</code>	\nleftrightharpoonup	<code>\nleftrightharpoonup</code>	\nrightarrow	<code>\nrightarrow</code>

TABLE 143: \mathcal{AMS} Harpoons

\downarrow	<code>\downharpoonleft</code>	\Leftrightarrow	<code>\leftrightharpoons</code>	\uparrow	<code>\upharpoonleft</code>
\downarrow	<code>\downharpoonright</code>	\Rrightarrow	<code>\rightleftharpoons</code>	\uparrow	<code>\upharpoonright</code>

TABLE 144: `stmaryd` Arrows

\leftarrow	<code>\leftarrowtriangle</code>	\Leftarrow	<code>\Mapsfrom</code>	\leftarrow	<code>\shortleftarrow</code>
\Leftrightarrow	<code>\leftrightharroweq</code>	\leftarrow	<code>\mapsfrom</code>	\rightarrow	<code>\shortrightarrow</code>
\leftrightarrow	<code>\leftrightharrowtriangle</code>	\Rightarrow	<code>\Mapsto</code>	\uparrow	<code>\shortuparrow</code>
\lightning	<code>\lightning</code>	\nearrow	<code>\nrightarrow</code>	\searrow	<code>\ssearrow</code>
\Longleftarrow	<code>\Longmapsfrom</code>	\nwarrow	<code>\nnwarrow</code>	\swarrow	<code>\sswarrow</code>
\longleftarrow	<code>\longmapsfrom</code>	\rightarrow	<code>\rightarrowtriangle</code>		
\Longrightarrow	<code>\Longmapsto</code>	\downarrow	<code>\shortdownarrow</code>		

TABLE 145: `txfonts`/`pxfonts` Arrows

\boxdotleft	<code>\boxdotLeft</code>	\circrightarrow	<code>\circleddotright</code>	\diamondleft	<code>\Diamondleft</code>
\boxdotleft	<code>\boxdotleft</code>	\circleftarrow	<code>\circleleft</code>	\diamondrightarrow	<code>\Diamondright</code>
\boxdotright	<code>\boxdotright</code>	\circrightarrow	<code>\circcleright</code>	\diamondrightarrow	<code>\DiamondRight</code>
\boxdotright	<code>\boxdotRight</code>	\dashrightarrow	<code>\dashleftrightharrow</code>	\leftleftarrows	<code>\leftsquigarrow</code>
\boxleftarrow	<code>\boxLeft</code>	\dottedleftarrow	<code>\DiamonddotLeft</code>	\nearrow	<code>\Nearrow</code>
\boxleftarrow	<code>\boxleft</code>	\dottedleftarrow	<code>\Diamonddotleft</code>	\nwarrow	<code>\Nwarrow</code>
\boxrightarrow	<code>\boxright</code>	\dottedrightarrow	<code>\Diamonddotright</code>	\rightarrow	<code>\Rrightarrow</code>
\boxrightarrow	<code>\boxRight</code>	\dottedrightarrow	<code>\DiamonddotRight</code>	\searrow	<code>\Searrow</code>
\circleftarrow	<code>\circleddotleft</code>	\diamondleftarrow	<code>\DiamondLeft</code>	\swarrow	<code>\Swarrow</code>

TABLE 146: `mathabx` Arrows

\circlearrowleft	<code>\circlearrowleft</code>	\leftarrow	<code>\leftarrow</code>	\nwarrow	<code>\nwarrow</code>
\circlearrowright	<code>\circlearrowright</code>	\leftleftarrows	<code>\leftleftarrows</code>	\uparrow	<code>\restriction</code>
\curvearrowleft	<code>\curvearrowbotleft</code>	\leftrightarrow	<code>\leftrightarrow</code>	\rightarrow	<code>\rightarrow</code>
\curvearrowright	<code>\curvearrowbotleft</code>	\leftrightarrows	<code>\leftrightarrows</code>	\rightleftarrows	<code>\rightleftarrows</code>
\curvearrowleft	<code>\curvearrowbotright</code>	\leftrightsquigarrow	<code>\leftrightsquigarrow</code>	\rightrightarrows	<code>\rightrightarrows</code>
\curvearrowright	<code>\curvearrowleft</code>	\leftsquigarrow	<code>\leftsquigarrow</code>	\rightsquigarrow	<code>\rightsquigarrow</code>
\curvearrowleft	<code>\curvearrowleft</code>	\lefttorightarrow	<code>\lefttorightarrow</code>	\righttoleftarrow	<code>\righttoleftarrow</code>
\curvearrowright	<code>\curvearrowleft</code>	\looparrowleft	<code>\looparrowdownleft</code>	\Rsh	<code>\Rsh</code>
\dls	<code>\dls</code>	\looparrowright	<code>\looparrowdownright</code>	\searrow	<code>\searrow</code>
\downdownarrows	<code>\downdownarrows</code>	\looparrowleft	<code>\looparrowleft</code>	\swarrow	<code>\swarrow</code>
\downtoupward	<code>\downtoupward</code>	\looparrowright	<code>\looparrowright</code>	\updownarrows	<code>\updownarrows</code>
\downuparrows	<code>\downuparrows</code>	\Lsh	<code>\Lsh</code>	\uptodownarrow	<code>\uptodownarrow</code>
\drsh	<code>\drsh</code>	\nearrow	<code>\nearrow</code>	\upuparrows	<code>\upuparrows</code>

TABLE 147: `mathabx` Negated Arrows

\nleftarrow	<code>\nleftarrow</code>	\nleftrightarrow	<code>\nleftrightarrow</code>	\rightarrow	<code>\rightarrow</code>
\leftarrow	<code>\leftarrow</code>	\nleftarrow	<code>\nleftarrow</code>	\rightarrow	<code>\rightarrow</code>

TABLE 148: mathabx Harpoons

\leftharpoonup	<code>\barleftharpoonup</code>	\leftarrow	<code>\leftharpoonupup</code>	\rightleftarrows	<code>\rightleftharpoons</code>
\rightharpoonup	<code>\barrightharpoonup</code>	\Leftarrow	<code>\leftleftharpoons</code>	\rightleftharpoons	<code>\rightrightarpoons</code>
\Downarrow	<code>\downdownharpoons</code>	\leftrightarrow	<code>\leftrightharpoonup</code>	\Downarrow	<code>\updownharpoons</code>
\harpoonleft	<code>\downharpoonleft</code>	\Leftrightarrow	<code>\leftrightharpoons</code>	\Uparrow	<code>\upharpoonleft</code>
\harpoonright	<code>\downharpoonright</code>	\Rightarrow	<code>\rightbarharpoonup</code>	\Uparrow	<code>\upharpoonright</code>
\Updownarrow	<code>\downupharpoons</code>	\rightarrow	<code>\rightharpoonowdown</code>	\Uparrow	<code>\upupharpoons</code>
\Leftarrow	<code>\leftbarharpoonup</code>	\rightarrow	<code>\rightharpoonupup</code>		
\leftarrow	<code>\leftharpoonowdown</code>	\rightarrow	<code>\rightleftharpoonup</code>		

TABLE 149: MnSymbol Arrows

\curvearrowright	<code>\curvearrowdownup</code>	\longleftarrow	<code>\longleftarrow</code>	\curvearrowleft	<code>\rhookswarrow</code>
\curvearrowleft	<code>\curvearrowlefttright</code>	\Longleftarrow	<code>\Longleftarrow</code>	\uparrow	<code>\rhookuparrow</code>
\curvearrowright	<code>\curvearrownesw</code>	\longleftrightarrow	<code>\longleftarrowrightarrow</code>	\rightarrow	<code>\rightarrow</code>
\curvearrowright	<code>\curvearrownwse</code>	\Longleftrightarrow	<code>\Longleftarrowrightarrow</code>	\Rightarrow	<code>\rightarrow</code>
\curvearrowright	<code>\curvearrowrightleft</code>	\mapsto	<code>\longmapsto</code>	\rightarrow	<code>\rightarrowtail</code>
\curvearrowright	<code>\curvearrowrsenw</code>	\rightarrow	<code>\rightarrow</code>	\rightleftarrows	<code>\rightleftarrows</code>
\curvearrowright	<code>\curvearrowrswe</code>	\Rightarrow	<code>\rightarrow</code>	\rightsquigarrow	<code>\rightsquigarrow</code>
\curvearrowright	<code>\curvearrowrupdown</code>	\looparrowleft	<code>\looparrowleft</code>	\mapsto	<code>\mapsto</code>
\dashrightarrow	<code>\dasheddownarrow</code>	\looparrowright	<code>\looparrowright</code>	\rightarrow	<code>\rightarrowrightarrow</code>
\dashleftarrow	<code>\dashedleftarrow</code>	\Lsh	<code>\Lsh</code>	\rightarrow	<code>\rightarrowrightarrow</code>
\dashrightarrow	<code>\dashednearrow</code>	\nearrow	<code>\nearrow</code>	\Rightarrow	<code>\rightarrow</code>
\dashrightarrow	<code>\dashednwarrow</code>	\nearrow	<code>\nearrow</code>	\rightarrow	<code>\rightarrow</code>
\dashrightarrow	<code>\dashedrightarrow</code>	\nearrowtail	<code>\nearrowtail</code>	\searrow	<code>\searrow</code>
\dashrightarrow	<code>\dashedsearrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\dashrightarrow	<code>\dashedswarrow</code>	\nrightarrow	<code>\nrightarrow</code>	\searrowtail	<code>\searrowtail</code>
\dashrightarrow	<code>\dasheduparrow</code>	\nrightarrow	<code>\nrightarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\Downarrow</code>	\nrightarrow	<code>\nrightarrow</code>	\searrow	<code>\searrow</code>
\downarrow	<code>\downarrow</code>	\nrightarrow	<code>\nrightarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downarrowtail</code>	\nrightarrow	<code>\nrightarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downdownarrows</code>	\nrightarrow	<code>\nrightarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downlsquigarrow</code>	\nrightarrow	<code>\nrightarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downmapsto</code>	\nrightarrow	<code>\nrightarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downrsquigarrow</code>	\nrightarrowtail	<code>\nrightarrowtail</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downuparrows</code>	\nwarrow	<code>\nwarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcirclearrowdown</code>	\nwarrow	<code>\nwarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcirclearrowleft</code>	\nwarrow	<code>\nwarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcirclearrowright</code>	\nwarrow	<code>\nwarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcirclearrowup</code>	\nwarrow	<code>\nwarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcurvearrowdown</code>	\nwarrow	<code>\nwarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcurvearrowleft</code>	\nwarrow	<code>\nwarrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcurvearrowne</code>	∂	<code>\partial</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcurvearrownw</code>	∂	<code>\partial</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\lrcurvearrowright</code>	∂	<code>\partial</code>	\searrow	<code>\searrow</code>

(continued on next page)

(continued from previous page)






























































































































	<code>\lcurvearrowse</code>		<code>\partialvardrcirclerightint*</code>		<code>\swnearrows</code>
	<code>\lcurvearrowsw</code>		<code>\partialvartlcircleleftint*</code>		<code>\swrsquigarrow</code>
	<code>\lcurvearrowup</code>		<code>\partialvartlcirclerightint*</code>		<code>\swswarrows</code>
	<code>\Leftarrow</code>		<code>\partialvartrcircleleftint*</code>		<code>\twoheaddownarrow</code>
	<code>\leftarrow</code>		<code>\partialvartrcirclerightint*</code>		<code>\twoheadleftarrow</code>
	<code>\leftarrowtail</code>		<code>\rcirclearrowdown</code>		<code>\twoheadnearrow</code>
	<code>\leftleftarrows</code>		<code>\rcirclearrowleft</code>		<code>\twoheadnwarrow</code>
	<code>\leftlsquigarrow</code>		<code>\rcirclearrowright</code>		<code>\twoheadrightarrow</code>
	<code>\leftmapsto</code>		<code>\rcirclearrowup</code>		<code>\twoheadsearrow</code>
	<code>\leftrightarrow</code>		<code>\rcurvearrowdown</code>		<code>\twoheadswarrow</code>
	<code>\Leftrightarrow</code>		<code>\rcurvearrowleft</code>		<code>\twoheaduparrow</code>
	<code>\leftrightharrows</code>		<code>\rcurvearrowne</code>		<code>\uparrow</code>
	<code>\leftrsquigarrow</code>		<code>\rcurvearrownw</code>		<code>\Uparrow</code>
	<code>\hookdownarrow</code>		<code>\rcurvearrowright</code>		<code>\uparrowtail</code>
	<code>\hookleftarrow</code>		<code>\rcurvearrowse</code>		<code>\updownarrow</code>
	<code>\hooknearrow</code>		<code>\rcurvearrowsw</code>		<code>\Updownarrow</code>
	<code>\hooknwarrow</code>		<code>\rcurvearrowup</code>		<code>\updownarrows</code>
	<code>\hookrightarrow</code>		<code>\rhookdownarrow</code>		<code>\uplsquigarrow</code>
	<code>\hooksearrow</code>		<code>\rhookleftarrow</code>		<code>\upmapsto</code>
	<code>\hookswarrow</code>		<code>\rhooknearrow</code>		<code>\uprsquigarrow</code>
	<code>\hookuparrow</code>		<code>\rhooknwarrow</code>		<code>\upuparrows</code>
	<code>\lightning</code>		<code>\rhookrightarrow</code>		
	<code>\Lleftarrow</code>		<code>\rhooksearrow</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

	<code>\circlearrowleft</code>	(same as <code>\rcirclearrowup</code>)
	<code>\circlearrowright</code>	(same as <code>\lcirclearrowup</code>)
	<code>\curvearrowleft</code>	(same as <code>\rcurvearrowleft</code>)
	<code>\curvearrowright</code>	(same as <code>\lcurvearrowright</code>)
	<code>\dashleftarrow</code>	(same as <code>\dashedleftarrow</code>)
	<code>\dashrightarrow</code>	(same as <code>\dashedrightarrow</code>)
	<code>\hookleftarrow</code>	(same as <code>\rhookleftarrow</code>)
	<code>\hookrightarrow</code>	(same as <code>\lhookrightarrow</code>)
	<code>\leadsto</code>	(same as <code>\rightlsquigarrow</code>)
	<code>\leftrightsquigarrow</code>	(same as <code>\squigarrowleftright</code>)
	<code>\mapsto</code>	(same as <code>\rightmapsto</code>)
	<code>\rightsquigarrow</code>	(same as <code>\rightlsquigarrow</code>)

* The `\partialvar...int` macros are intended to be used internally by MnSymbol to produce various types of integrals.

TABLE 150: MnSymbol Negated Arrows

	<code>\ncurvearrowdownup</code>		<code>\nlhooknwarrow</code>		<code>\nrightharpoons</code>
	<code>\ncurvearrowleftright</code>		<code>\nlhookrightarrow</code>		<code>\nrightharpoons</code>
	<code>\ncurvearrowdownsw</code>		<code>\nlhooksearrow</code>		<code>\nrightrightarrow</code>
	<code>\ncurvearrowdownse</code>		<code>\nlhookuparrow</code>		<code>\nrightrsquigarrow</code>
	<code>\ncurvearrowdownsw</code>		<code>\nLleftarrow</code>		<code>\nRrightarrow</code>
	<code>\ncurvearrowdownse</code>		<code>\nnearrow</code>		<code>\nSearrow</code>
	<code>\ncurvearrowupdown</code>		<code>\nNearrow</code>		<code>\nsearrow</code>
	<code>\ndasheddownarrow</code>		<code>\nnearrowtail</code>		<code>\nsearrowtail</code>
	<code>\ndashedleftarrow</code>		<code>\nselfsquigarrow</code>		<code>\nselsquigarrow</code>
	<code>\ndashednearrow</code>		<code>\nnemapsto</code>		<code>\nsemapsto</code>
	<code>\ndashednwardown</code>		<code>\nnenarrows</code>		<code>\nsenarrows</code>
	<code>\ndashedrightarrow</code>		<code>\nnersquigarrow</code>		<code>\nsersquigarrow</code>
	<code>\ndashedsearrow</code>		<code>\nNeswarrow</code>		<code>\nsesearrows</code>
	<code>\ndashedswarrow</code>		<code>\nneswarrow</code>		<code>\nsquigarrowdownup</code>
	<code>\ndasheduparrow</code>		<code>\nneswarrows</code>		<code>\nsquigarrowleftright</code>
	<code>\ndownarrow</code>		<code>\nNwarrow</code>		<code>\nsquigarrowdownsw</code>
	<code>\ndownarrow</code>		<code>\nnwarrow</code>		<code>\nsquigarrowdownse</code>
	<code>\ndownarrowtail</code>		<code>\nnwarrowtail</code>		<code>\nsquigarrowrightleft</code>
	<code>\ndowndownarrows</code>		<code>\nnwlsquigarrow</code>		<code>\nsquigarrowdownsw</code>
	<code>\ndowndownsquigarrow</code>		<code>\nnwmapsto</code>		<code>\nsquigarrowdownse</code>
	<code>\ndownmapsto</code>		<code>\nnwnarrows</code>		<code>\nsquigarrowupdown</code>
	<code>\ndownrsquigarrow</code>		<code>\nnwrsquigarrow</code>		<code>\nswarrow</code>
	<code>\ndownuparrows</code>		<code>\nnwsearrow</code>		<code>\nswarrowtail</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\nswlsquigarrow</code>
	<code>\ndownmapsto</code>		<code>\nnwsearrow</code>		<code>\nswmapsto</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\nswsearrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\nswrsquigarrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\nswswarrows</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheaddownarrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheadleftarrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheadnearrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheadnarrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheadrightarrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheadsearrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheadswarrow</code>
	<code>\ndownupsquigarrow</code>		<code>\nnwsearrow</code>		<code>\ntwoheaduparrow</code>
	<code>\nleftarrow</code>		<code>\nrhookdownarrow</code>		<code>\nuparrow</code>
	<code>\nleftarrow</code>		<code>\nrhookleftarrow</code>		<code>\nUparrow</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nuparrowtail</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nupdownarrow</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nUpdownarrow</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nupdownarrows</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nuplsquigarrow</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nupmapsto</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nuprsquigarrow</code>
	<code>\nleftarrow</code>		<code>\nrhooknearrow</code>		<code>\nuprsquigarrow</code>

(continued on next page)

(continued from previous page)

\Leftrightarrow	<code>\nlhookleftarrow</code>	\Rightarrow	<code>\nrightarrow</code>	\Uparrow	<code>\nupuparrows</code>
\nearrow	<code>\nlhooknearrow</code>	\rightsquigarrow	<code>\nrightarrowtail</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

\circlearrowleft	<code>\ncirclearrowleft</code>	(same as <code>\nrcirclearrowup</code>)
\circlearrowright	<code>\ncirclearrowright</code>	(same as <code>\nlcirclearrowup</code>)
\curvearrowleft	<code>\ncurvearrowleft</code>	(same as <code>\nrcurvearrowleft</code>)
\curvearrowright	<code>\ncurvearrowright</code>	(same as <code>\nlcurvearrowright</code>)
\dashrightarrow	<code>\ndasharrow</code>	(same as <code>\ndashedrightarrow</code>)
\dashleftarrow	<code>\ndashleftarrow</code>	(same as <code>\ndashedleftarrow</code>)
\dashrightarrow	<code>\ndashrightarrow</code>	(same as <code>\ndashedrightarrow</code>)
\leftarrow	<code>\ngets</code>	(same as <code>\nleftarrow</code>)
\leftarrow	<code>\nhookleftarrow</code>	(same as <code>\nrhookleftarrow</code>)
\rightarrow	<code>\nhookrightarrow</code>	(same as <code>\nlhookrightarrow</code>)
\rightarrow	<code>\nleadsto</code>	(same as <code>\nrightlsquigarrow</code>)
\leftrightarrow	<code>\nleftrightsquigarrow</code>	(same as <code>\nsquigarrowleftright</code>)
\mapsto	<code>\nmapsto</code>	(same as <code>\nrightmapsto</code>)
\rightarrow	<code>\nrightsquigarrow</code>	(same as <code>\nrightlsquigarrow</code>)
\rightarrow	<code>\nto</code>	(same as <code>\nrightarrow</code>)

TABLE 151: MnSymbol Harpoons

\downarrow	<code>\downharpoonccw*</code>	\swarrow	<code>\neswharpoons</code>	\searrow	<code>\seharpooncw</code>
\downarrow	<code>\downharpooncw*</code>	\swarrow	<code>\neswharpoonsenw</code>	\searrow	<code>\senwharpoons</code>
\updownarrow	<code>\downupharpoons</code>	\swarrow	<code>\nwharpoonccw</code>	\swarrow	<code>\swharpoonccw</code>
\leftarrow	<code>\leftharpoonccw*</code>	\swarrow	<code>\nwharpooncw</code>	\swarrow	<code>\swharpooncw</code>
\leftarrow	<code>\leftharpooncw*</code>	\swarrow	<code>\nwseharpoonnesw</code>	\swarrow	<code>\swneharpoons</code>
\leftarrow	<code>\leftrightharpoondownup</code>	\swarrow	<code>\nwseharpoons</code>	\updownarrow	<code>\updownharpoonleftright</code>
\Leftrightarrow	<code>\leftrightharpoons</code>	\swarrow	<code>\nwseharpoonswne</code>	\downarrow	<code>\updownharpoonrightleft</code>
\rightarrow	<code>\leftrightharpoonupdown</code>	\rightarrow	<code>\rightharpoonccw*</code>	\updownarrow	<code>\updownharpoons</code>
\nearrow	<code>\neharpoonccw</code>	\rightarrow	<code>\rightharpooncw*</code>	\up	<code>\upharpoonccw*</code>
\nearrow	<code>\neharpooncw</code>	\Leftrightarrow	<code>\rightleftharpoons</code>	\up	<code>\upharpooncw*</code>
\nearrow	<code>\neswharpoonnwse</code>	\searrow	<code>\seharpoonccw</code>		

* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\upharpooncw` can be written as `\restriction`.)

TABLE 152: MnSymbol Negated Harpoons

‡	<code>\ndownharpoonccw*</code>	⌘	<code>\nneswharpoons</code>	⌘	<code>\nseharpooncw</code>
‡	<code>\ndownharpooncw*</code>	⌘	<code>\nneswharpoonsenw</code>	⌘	<code>\nsenwharpoons</code>
‡	<code>\ndownupharpoons</code>	⌘	<code>\nnwharpoonccw</code>	⌘	<code>\nswharpoonccw</code>
↵	<code>\nleftharpoonccw*</code>	⌘	<code>\nnwharpooncw</code>	⌘	<code>\nswharpooncw</code>
↵	<code>\nleftharpooncw*</code>	⌘	<code>\nnwseharpoonnesw</code>	⌘	<code>\nswneharpoons</code>
↵	<code>\nleftrightharpoondownup</code>	⌘	<code>\nnwseharpoons</code>	‡	<code>\nupdownharpoonleftright</code>
↵	<code>\nleftrightharpoons</code>	⌘	<code>\nnwseharpoonswne</code>	‡	<code>\nupdownharpoonrightleft</code>
↵	<code>\nleftrightharpoonupdown</code>	↵	<code>\nrightharpoonccw*</code>	‡	<code>\nupdownharpoons</code>
⌘	<code>\nneharpoonccw</code>	↵	<code>\nrightharpooncw*</code>	‡	<code>\nupharpoonccw*</code>
⌘	<code>\nneharpooncw</code>	↵	<code>\nrightharpoons</code>	‡	<code>\nupharpooncw*</code>
⌘	<code>\nneswharpoonnwse</code>	⌘	<code>\nseharpoonccw</code>		

* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\nupharpooncw` can be written as `\nrestriction`.)

TABLE 153: fdsymbol Arrows

↻	<code>\acwcirclearrowdown</code>	←	<code>\leftarrow</code>	⇒	<code>\rightrightarrows</code>
↻	<code>\acwcirclearrowleft</code>	↵	<code>\leftarrowtail</code>	↷	<code>\rightwvearrow</code>
↻	<code>\acwcirclearrowright</code>	↵	<code>\leftbkarrow</code>	⇒	<code>\Rrightarrow</code>
↻	<code>\acwcirclearrowup</code>	⇐	<code>\leftleftarrows</code>	↶	<code>\Rsh</code>
↵	<code>\acwleftarcarrow</code>	⇐	<code>\leftmapsto</code>	↷	<code>\searrow</code>
↵	<code>\acwnearcarrow</code>	⇐	<code>\Leftmapsto</code>	↷	<code>\Searrow</code>
↵	<code>\acwnwarcarrow</code>	⇐	<code>\Leftrightarrow</code>	↷	<code>\searrowtail</code>
↵	<code>\acwoverarcarrow</code>	⇐	<code>\leftrightharrow</code>	↷	<code>\sebkarrow</code>
↵	<code>\acwrightarcarrow</code>	⇐	<code>\leftrightharrows</code>	↷	<code>\senwarrows</code>
↵	<code>\acwsearcarrow</code>	↷	<code>\leftrightwvearrow</code>	↷	<code>\sesearrows</code>
↵	<code>\acwswarcarrow</code>	↷	<code>\leftwvearrow</code>	↷	<code>\Swarrow</code>
↵	<code>\acwunderarcarrow</code>	⚡	<code>\lightning</code>	↷	<code>\swarrow</code>
↵	<code>\bdleftarcarrow</code>	⇐	<code>\Lleftarrow</code>	↷	<code>\swarrowtail</code>
↵	<code>\bdnearcarrow</code>	⇐	<code>\Longleftarrow</code>	↷	<code>\swbkarrow</code>
↵	<code>\bdnwarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\swnearrows</code>
↵	<code>\bdoverarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\swswarrows</code>
↵	<code>\bdrightarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\twoheaddownarrow</code>
↵	<code>\bdsearcarrow</code>	↷	<code>\longleftarrow</code>	↷	<code>\twoheadleftarrow</code>
↵	<code>\bdswarcarrow</code>	⇐	<code>\longmapsfrom</code>	↷	<code>\twoheadnearrow</code>
↵	<code>\bdunderarcarrow</code>	⇐	<code>\longmapsfrom</code>	↷	<code>\twoheadnwarrow</code>
↻	<code>\cwcirclearrowdown</code>	⇒	<code>\Longmapsto</code>	→	<code>\twoheadrightarrow</code>
↻	<code>\cwcirclearrowleft</code>	→	<code>\longmapsto</code>	↷	<code>\twoheadsearrow</code>
↻	<code>\cwcirclearrowright</code>	→	<code>\longrightarrow</code>	↷	<code>\twoheadswarrow</code>
↻	<code>\cwcirclearrowup</code>	⇒	<code>\Longrightarrow</code>	↑	<code>\twoheaduparrow</code>
↵	<code>\cwleftarcarrow</code>	↷	<code>\longrightwvearrow</code>	↑	<code>\uparrow</code>
↵	<code>\cwnearcarrow</code>	↷	<code>\looparrowleft</code>	↑	<code>\Uparrow</code>

(continued on next page)

(continued from previous page)

\curvearrowright	<code>\cwnwarcarrow</code>	\looparrowright	<code>\looparrowright</code>	\uparrow	<code>\uparrowtail</code>
\curvearrowleft	<code>\cwoverarcarrow</code>	\Lsh	<code>\Lsh</code>	\Uparrow	<code>\upbkarrow</code>
\curvearrowright	<code>\cwrightarcarrow</code>	\nearrow	<code>\nearrow</code>	\Updownarrow	<code>\Updownarrow</code>
\curvearrowleft	<code>\cwsearcarrow</code>	\nearrow	<code>\Nearrow</code>	\updownarrow	<code>\updownarrow</code>
\curvearrowright	<code>\cswarcarrow</code>	\nearrow	<code>\nearrowtail</code>	\updownarrows	<code>\updownarrows</code>
\curvearrowleft	<code>\cwunderarcarrow</code>	\nearrow	<code>\nebkarrow</code>	\updownwavearrow	<code>\updownwavearrow</code>
\Downarrow	<code>\Ddownarrow</code>	\nearrow	<code>\nenearrows</code>	\upmapsto	<code>\upmapsto</code>
\downarrow	<code>\Downarrow</code>	\nearrow	<code>\Neswarrow</code>	\Upmapsto	<code>\Upmapsto</code>
\downarrow	<code>\downarrow</code>	\nearrow	<code>\neswarrow</code>	\upuparrows	<code>\upuparrows</code>
\downarrow	<code>\downarrowtail</code>	\nearrow	<code>\neswarrows</code>	\upwavearrow	<code>\upwavearrow</code>
\downarrow	<code>\downbkarrow</code>	\nearrow	<code>\Nwarrow</code>	\Uparrow	<code>\Uparrow</code>
\downarrow	<code>\downdownarrows</code>	\nearrow	<code>\nwarrow</code>	\vardownwavearrow	<code>\vardownwavearrow</code>
\Downarrow	<code>\Downmapsto</code>	\nearrow	<code>\nwarrowtail</code>	\varhookdownarrow	<code>\varhookdownarrow</code>
\Downarrow	<code>\downmapsto</code>	\nearrow	<code>\nwbkarrow</code>	\varhookleftarrow	<code>\varhookleftarrow</code>
\Downarrow	<code>\downuparrows</code>	\nearrow	<code>\nwnwarrows</code>	\varhooknearrow	<code>\varhooknearrow</code>
\downarrow	<code>\downwavearrow</code>	\nearrow	<code>\Nwsearrow</code>	\varhooknwarrow	<code>\varhooknwarrow</code>
\downarrow	<code>\hookdownarrow</code>	\nearrow	<code>\nwsearrow</code>	\varhookrightarrow	<code>\varhookrightarrow</code>
\leftarrow	<code>\hookleftarrow</code>	\nearrow	<code>\nwsearrows</code>	\varhooksearrow	<code>\varhooksearrow</code>
\nearrow	<code>\hooknearrow</code>	\Lsh	<code>\Rdsh</code>	\varhookswarrow	<code>\varhookswarrow</code>
\nearrow	<code>\hooknwarrow</code>	\Rightarrow	<code>\Rightarrow</code>	\varhookuparrow	<code>\varhookuparrow</code>
\rightarrow	<code>\hookrightarrow</code>	\rightarrow	<code>\rightarrow</code>	\varleftrighthwavearrow	<code>\varleftrighthwavearrow</code>
\searrow	<code>\hooksearrow</code>	\rightarrow	<code>\rightarrowtail</code>	\varleftwavearrow	<code>\varleftwavearrow</code>
\nearrow	<code>\hookswarrow</code>	\rightarrow	<code>\rightbkarrow</code>	\varrightwavearrow	<code>\varrightwavearrow</code>
\uparrow	<code>\hookuparrow</code>	\rightleftarrows	<code>\rightleftarrows</code>	\varupdownwavearrow	<code>\varupdownwavearrow</code>
\leftarrow	<code>\Ldsh</code>	\mapsto	<code>\Rightmapsto</code>	\varupwavearrow	<code>\varupwavearrow</code>
\leftarrow	<code>\Leftarrow</code>	\mapsto	<code>\rightmapsto</code>		

fdsymbol defines synonyms for most of the preceding symbols:

\circlearrowleft	<code>\acwgapcirclearrow</code>	\leftrightarrow	<code>\leftrightsquigarrow</code>	\curvearrowleft	<code>\rhooknwarrow</code>
\circlearrowright	<code>\acwopencirclearrow</code>	\leftarrow	<code>\leftrsquigarrow</code>	\rightarrow	<code>\rhookrightarrow</code>
\circlearrowleft	<code>\circlearrowleft</code>	\leftarrow	<code>\leftsquigarrow</code>	\searrow	<code>\rhooksearrow</code>
\circlearrowright	<code>\circlearrowright</code>	\curvearrowleft	<code>\leftupcurvedarrow</code>	\nearrow	<code>\rhookswarrow</code>
\curvearrowleft	<code>\curvearrowleft</code>	\downarrow	<code>\lhookdownarrow</code>	\uparrow	<code>\rhookuparrow</code>
\curvearrowright	<code>\curvearrowright</code>	\leftarrow	<code>\lhookleftarrow</code>	\curvearrowright	<code>\rightcurvedarrow</code>
\circlearrowleft	<code>\cwgapcirclearrow</code>	\nearrow	<code>\lhooknearrow</code>	\searrow	<code>\rightdowncurvedarrow</code>
\circlearrowright	<code>\cwopencirclearrow</code>	\searrow	<code>\lhooknwarrow</code>	\curvearrowright	<code>\rightlcurvearrow</code>
\rightarrow	<code>\dasharrow</code>	\rightarrow	<code>\lhookrightarrow</code>	\curvearrowleft	<code>\rightleftcurvearrow</code>
\leftarrow	<code>\dashleftarrow</code>	\searrow	<code>\lhooksearrow</code>	\leftrightarrow	<code>\rightleftsquigarrow</code>
\rightarrow	<code>\dashrightarrow</code>	\nearrow	<code>\lhookswarrow</code>	\curvearrowright	<code>\rightlsquigarrow</code>
\downarrow	<code>\downlcurvearrow</code>	\uparrow	<code>\lhookuparrow</code>	\curvearrowleft	<code>\rightrcurvearrow</code>
\curvearrowleft	<code>\downleftcurvedarrow</code>	\rightsquigarrow	<code>\longleadsto</code>	\curvearrowright	<code>\rightrsquigarrow</code>
\searrow	<code>\downlsquigarrow</code>	\rightsquigarrow	<code>\longleftsquigarrow</code>	\curvearrowright	<code>\rightsquigarrow</code>
\searrow	<code>\downrcurvearrow</code>	\rightsquigarrow	<code>\longrightsquigarrow</code>	\nearrow	<code>\rightupcurvedarrow</code>
\curvearrowright	<code>\downrightcurvedarrow</code>	\downarrow	<code>\mapsdown</code>	\curvearrowright	<code>\selcurvearrow</code>
\searrow	<code>\downrsquigarrow</code>	\Downarrow	<code>\Mapsdown</code>	\curvearrowleft	<code>\senwcurvearrow</code>
\curvearrowleft	<code>\downupcurvearrow</code>	\leftarrow	<code>\mapsfrom</code>	\searrow	<code>\sercurvearrow</code>
\searrow	<code>\downupsquigarrow</code>	\leftarrow	<code>\Mapsfrom</code>	\curvearrowleft	<code>\swlcurvearrow</code>
\nearrow	<code>\downzigzagarrow</code>	\mapsto	<code>\mapsto</code>	\curvearrowright	<code>\swnecurvearrow</code>

(continued on next page)

(continued from previous page)

\leftarrow	<code>\gets</code>	\Rightarrow	<code>\Mapsto</code>	\curvearrowright	<code>\swrcurvearrow</code>
\nearrow	<code>\hknearrow</code>	\uparrow	<code>\mapsup</code>	\rightarrow	<code>\to</code>
\rightsquigarrow	<code>\hknwarrow</code>	\Uparrow	<code>\Mapsup</code>	\curvearrowleft	<code>\updowncurvearrow</code>
\searrow	<code>\hksearrow</code>	\curvearrowright	<code>\nelcurvearrow</code>	\S	<code>\updownsquigarrow</code>
\swarrow	<code>\hkswarrow</code>	\curvearrowleft	<code>\nercurvearrow</code>	\curvearrowright	<code>\uplcurvearrow</code>
\leadsto	<code>\leadsto</code>	\curvearrowright	<code>\neswcurvearrow</code>	\curvearrowleft	<code>\upleftcurvedarrow</code>
\leftarrow	<code>\leftcurvedarrow</code>	\curvearrowleft	<code>\nwlcurvearrow</code>	\curvearrowright	<code>\uplsquigarrow</code>
\leftarrow	<code>\leftdowncurvedarrow</code>	\curvearrowleft	<code>\nwrcurvearrow</code>	\curvearrowright	<code>\uprcurvearrow</code>
\curvearrowleft	<code>\lefttlcurvearrow</code>	\curvearrowright	<code>\nwsecurvearrow</code>	\curvearrowright	<code>\uprightcurvearrow</code>
\rightsquigarrow	<code>\lefttlsquigarrow</code>	\downarrow	<code>\rhookdownarrow</code>	\S	<code>\uprsquigarrow</code>
\curvearrowright	<code>\leftrcurvearrow</code>	\leftarrow	<code>\rhookleftarrow</code>		
\curvearrowright	<code>\leftrrightcurvearrow</code>	\nearrow	<code>\rhooknearrow</code>		

TABLE 154: fdsymbol Negated Arrows

\nrightarrow	<code>\nacwcirclearrowdown</code>	\nleftarrow	<code>\nleftarrow</code>	\nrightarrow	<code>\nRrightarrow</code>
\nrightarrow	<code>\nacwcirclearrowleft</code>	\nleftarrow	<code>\nLeftarrow</code>	\nrightarrow	<code>\nsearrow</code>
\nrightarrow	<code>\nacwcirclearrowright</code>	\nleftarrow	<code>\nleftarrowtail</code>	\nrightarrow	<code>\nSearrow</code>
\nrightarrow	<code>\nacwcirclearrowup</code>	\nleftarrow	<code>\nlefttbkarrow</code>	\nrightarrow	<code>\nsearrowtail</code>
\nrightarrow	<code>\nacwleftarcarrow</code>	\nleftarrow	<code>\nleftleftarrows</code>	\nrightarrow	<code>\nsebkarrow</code>
\nrightarrow	<code>\nacwnearcarrow</code>	\nleftarrow	<code>\nleftmapsto</code>	\nrightarrow	<code>\nsenwarrows</code>
\nrightarrow	<code>\nacwnwarcarrow</code>	\nleftarrow	<code>\nLeftmapsto</code>	\nrightarrow	<code>\nsesearrows</code>
\nrightarrow	<code>\nacwoverarcarrow</code>	\nleftarrow	<code>\nleftrightarrow</code>	\nrightarrow	<code>\nswarrow</code>
\nrightarrow	<code>\nacwrightarcarrow</code>	\nleftarrow	<code>\nLeftrightarrow</code>	\nrightarrow	<code>\nSwarrow</code>
\nrightarrow	<code>\nacwsearcarrow</code>	\nleftarrow	<code>\nleftrightarrows</code>	\nrightarrow	<code>\nswarrowtail</code>
\nrightarrow	<code>\nacwswarcarrow</code>	\nleftarrow	<code>\nleftrightwavearrow</code>	\nrightarrow	<code>\nswbkarrow</code>
\nrightarrow	<code>\nacwunderarcarrow</code>	\nleftarrow	<code>\nleftwavearrow</code>	\nrightarrow	<code>\nswnearrows</code>
\nrightarrow	<code>\nbdleftarcarrow</code>	\nleftarrow	<code>\nLleftarrow</code>	\nrightarrow	<code>\nswswarrows</code>
\nrightarrow	<code>\nbdnearcarrow</code>	\nleftarrow	<code>\nlongleftarrow</code>	\nrightarrow	<code>\ntwoheaddownarrow</code>
\nrightarrow	<code>\nbdnwarcarrow</code>	\nleftarrow	<code>\nLongleftarrow</code>	\nrightarrow	<code>\ntwoheadleftarrow</code>
\nrightarrow	<code>\nbdoverarcarrow</code>	\nleftarrow	<code>\nlongleftrightarrow</code>	\nrightarrow	<code>\ntwoheadnearrow</code>
\nrightarrow	<code>\nbdrightarcarrow</code>	\nleftarrow	<code>\nLongleftrightarrow</code>	\nrightarrow	<code>\ntwoheadnwarrow</code>
\nrightarrow	<code>\nbdsearcarrow</code>	\nleftarrow	<code>\nlongleftwavearrow</code>	\nrightarrow	<code>\ntwoheadrightarrow</code>
\nrightarrow	<code>\nbdswarcarrow</code>	\nleftarrow	<code>\nlongmapsfrom</code>	\nrightarrow	<code>\ntwoheadsearrow</code>
\nrightarrow	<code>\nbdunderarcarrow</code>	\nleftarrow	<code>\nLongmapsfrom</code>	\nrightarrow	<code>\ntwoheadswarrow</code>
\nrightarrow	<code>\ncwcirclearrowdown</code>	\nrightarrow	<code>\nlongmapsto</code>	\nrightarrow	<code>\ntwoheaduparrow</code>
\nrightarrow	<code>\ncwcirclearrowleft</code>	\nrightarrow	<code>\nLongmapsto</code>	\nrightarrow	<code>\nuparrow</code>
\nrightarrow	<code>\ncwcirclearrowright</code>	\nrightarrow	<code>\nlongrightarrow</code>	\nrightarrow	<code>\nUparrow</code>
\nrightarrow	<code>\ncwcirclearrowup</code>	\nrightarrow	<code>\nLongrightarrow</code>	\nrightarrow	<code>\nuparrowtail</code>
\nrightarrow	<code>\ncwleftarcarrow</code>	\nrightarrow	<code>\nlongrightwavearrow</code>	\nrightarrow	<code>\nupbkarrow</code>
\nrightarrow	<code>\ncwnearcarrow</code>	\nrightarrow	<code>\nnearrow</code>	\nrightarrow	<code>\nupdownarrow</code>
\nrightarrow	<code>\ncwnwarcarrow</code>	\nrightarrow	<code>\nNearrow</code>	\nrightarrow	<code>\nUpdownarrow</code>
\nrightarrow	<code>\ncwoverarcarrow</code>	\nrightarrow	<code>\nnearrowtail</code>	\nrightarrow	<code>\nupdownarrows</code>

(continued on next page)

(continued from previous page)

\curvearrowright	<code>\ncwrightarcarrow</code>	\nrightarrow	<code>\nnebkarrow</code>	\Downarrow	<code>\nupdownwvewarrow</code>
\curvearrowleft	<code>\ncwsearcarrow</code>	\nrightarrow	<code>\nnenearrows</code>	\Uparrow	<code>\nupmapsto</code>
\curvearrowright	<code>\ncwswarcarrow</code>	\nrightarrow	<code>\nneswarrow</code>	\Updownarrow	<code>\nUpmapsto</code>
\curvearrowleft	<code>\ncwunderarcarrow</code>	\nrightarrow	<code>\nNeswarrow</code>	\Uparrow	<code>\nupuparrows</code>
\Downarrow	<code>\nDdownarrow</code>	\nrightarrow	<code>\nneswarrows</code>	\Downarrow	<code>\nupwvewarrow</code>
\downarrow	<code>\ndownarrow</code>	\nrightarrow	<code>\nnwarrow</code>	\Uparrow	<code>\nUuparrow</code>
\Downarrow	<code>\nDownarrow</code>	\nrightarrow	<code>\nNwarrow</code>	\Downarrow	<code>\nvardownwvewarrow</code>
\downarrowtail	<code>\ndownarrowtail</code>	\nrightarrow	<code>\nnwarrowtail</code>	\Downarrow	<code>\nvarhookdownarrow</code>
\Downarrowtail	<code>\nDownarrowtail</code>	\nrightarrow	<code>\nnwbkarrow</code>	\Leftarrow	<code>\nvarhookleftarrow</code>
\Downarrow	<code>\ndowndownarrows</code>	\nrightarrow	<code>\nnwnwarrows</code>	\rightarrow	<code>\nvarhooknearrow</code>
\Downarrow	<code>\ndownmapsto</code>	\nrightarrow	<code>\nnwsearrow</code>	\nrightarrow	<code>\nvarhooknward</code>
\Downarrow	<code>\nDownmapsto</code>	\nrightarrow	<code>\nNwsearrow</code>	\rightarrow	<code>\nvarhookrightarrow</code>
\Downarrow	<code>\ndownuparrows</code>	\nrightarrow	<code>\nnwsearrows</code>	\nrightarrow	<code>\nvarhooksearrow</code>
\Downarrow	<code>\ndownwvewarrow</code>	\rightarrow	<code>\nrightarrow</code>	\nrightarrow	<code>\nvarhookswarrow</code>
\Downarrow	<code>\nhookdownarrow</code>	\rightarrow	<code>\nrightarrow</code>	\rightarrow	<code>\nvarhookuparrow</code>
\Leftarrow	<code>\nhookleftarrow</code>	\rightarrow	<code>\nrightarrowtail</code>	\rightarrow	<code>\nvarleftrighwvewarrow</code>
\rightarrow	<code>\nhooknearrow</code>	\rightarrow	<code>\nrightarrow</code>	\rightarrow	<code>\nvarleftwvewarrow</code>
\rightarrow	<code>\nhooknward</code>	\rightarrow	<code>\nrightarrow</code>	\rightarrow	<code>\nvarrightwvewarrow</code>
\rightarrow	<code>\nhookrightarrow</code>	\rightarrow	<code>\nrightarrow</code>	\Downarrow	<code>\nvarupdownwvewarrow</code>
\rightarrow	<code>\nhooksearrow</code>	\rightarrow	<code>\nrightarrow</code>	\Downarrow	<code>\nvarupwvewarrow</code>
\rightarrow	<code>\nhookswarrow</code>	\rightarrow	<code>\nrightarrow</code>		
\rightarrow	<code>\nhookuparrow</code>	\rightarrow	<code>\nrightarrow</code>		

fdsymbol defines synonyms for most of the preceding symbols:

\curvearrowright	<code>\nacwgapcirclearrow</code>	\curvearrowleft	<code>\nleftdowncurvedarrow</code>	\rightarrow	<code>\nrightcurvedarrow</code>
\curvearrowleft	<code>\nacwopencirclearrow</code>	\curvearrowleft	<code>\nleftlcurvearrow</code>	\curvearrowleft	<code>\nrightdowncurvedarrow</code>
\curvearrowleft	<code>\ncirclearrowleft</code>	\curvearrowleft	<code>\nleftlsquigar</code>	\rightarrow	<code>\nrightlcurvearrow</code>
\curvearrowright	<code>\ncirclearrowright</code>	\curvearrowright	<code>\nleftrcurvearrow</code>	\curvearrowright	<code>\nrightleftcurvearrow</code>
\curvearrowleft	<code>\ncurvearrowleft</code>	\curvearrowright	<code>\nleftrighcurvearrow</code>	\rightarrow	<code>\nrightleftsquigar</code>
\curvearrowright	<code>\ncurvearrowright</code>	\curvearrowright	<code>\nleftrightsquigar</code>	\rightarrow	<code>\nrightlsquigar</code>
\curvearrowright	<code>\ncwgapcirclearrow</code>	\curvearrowright	<code>\nleftsquigar</code>	\curvearrowright	<code>\nrightrcurvearrow</code>
\curvearrowleft	<code>\ncwopencirclearrow</code>	\curvearrowright	<code>\nleftsquigar</code>	\rightarrow	<code>\nrightrsquigar</code>
\rightarrow	<code>\ndasharrow</code>	\nrightarrow	<code>\nleftupcurvedarrow</code>	\rightarrow	<code>\nrightsquigar</code>
\rightarrow	<code>\ndashleftarrow</code>	\rightarrow	<code>\nlongleadsto</code>	\rightarrow	<code>\nrightupcurvedarrow</code>
\rightarrow	<code>\ndashrightarrow</code>	\rightarrow	<code>\nlongleftsquigar</code>	\rightarrow	<code>\nselectcurvearrow</code>
\curvearrowleft	<code>\ndownlcurvearrow</code>	\rightarrow	<code>\nlongrightsquigar</code>	\rightarrow	<code>\nsewcurvearrow</code>
\curvearrowleft	<code>\ndownleftcurvedarrow</code>	\rightarrow	<code>\nmapsdown</code>	\rightarrow	<code>\nsercurvearrow</code>
\curvearrowleft	<code>\ndownlsquigar</code>	\rightarrow	<code>\nMapsdown</code>	\rightarrow	<code>\nswlcurvearrow</code>
\curvearrowleft	<code>\ndownrcurvearrow</code>	\rightarrow	<code>\nmapsfrom</code>	\rightarrow	<code>\nswncurvearrow</code>
\curvearrowleft	<code>\ndownrightcurvedarrow</code>	\rightarrow	<code>\nMapsfrom</code>	\rightarrow	<code>\nswrcurvearrow</code>
\curvearrowleft	<code>\ndownrsquigar</code>	\rightarrow	<code>\nmapsto</code>	\rightarrow	<code>\nto</code>
\curvearrowleft	<code>\ndownupcurvearrow</code>	\rightarrow	<code>\nMapsto</code>	\rightarrow	<code>\nupdowncurvearrow</code>
\curvearrowleft	<code>\ndownupsquigar</code>	\rightarrow	<code>\nmapsup</code>	\rightarrow	<code>\nupdownsquigar</code>
\rightarrow	<code>\ngets</code>	\rightarrow	<code>\nMapsup</code>	\rightarrow	<code>\nuplcurvearrow</code>
\rightarrow	<code>\nhknearrow</code>	\rightarrow	<code>\nnelcurvearrow</code>	\rightarrow	<code>\nupleftcurvedarrow</code>
\rightarrow	<code>\nhknward</code>	\rightarrow	<code>\nnercurvearrow</code>	\rightarrow	<code>\nuplsquigar</code>
\rightarrow	<code>\nhksearrow</code>	\rightarrow	<code>\nneswcurvearrow</code>	\rightarrow	<code>\nuprcurvearrow</code>
\rightarrow	<code>\nhkswarrow</code>	\rightarrow	<code>\nnwlccurvearrow</code>	\rightarrow	<code>\nuprightcurvearrow</code>

(continued on next page)

(continued from previous page)

\rightsquigarrow	<code>\nleadsto</code>	\curvearrowright	<code>\nnwrcurvearrow</code>	\nrightarrow	<code>\nuprsquigarrow</code>
\leftarrow	<code>\nleftcurvedarrow</code>	\curvearrowleft	<code>\nnwsecurvearrow</code>		

TABLE 155: fdsymbol Harpoons

\Downarrow	<code>\downharpoonleft</code>	\swarrow	<code>\neswharpoons</code>	\searrow	<code>\seharpoonsw</code>
\Downarrow	<code>\downharpoonright</code>	\swarrow	<code>\neswharpoonsenw</code>	\searrow	<code>\senwharpoons</code>
\Updownarrow	<code>\downupharpoons</code>	\swarrow	<code>\nwharpoonne</code>	\swarrow	<code>\swharpoonnw</code>
\leftarrow	<code>\leftharpoondown</code>	\swarrow	<code>\nwharpoonsw</code>	\swarrow	<code>\swharpoonse</code>
\leftarrow	<code>\leftharpoonup</code>	\swarrow	<code>\nwseharpoonsesw</code>	\swarrow	<code>\swneharpoons</code>
\leftarrow	<code>\leftrightharpoondownup</code>	\swarrow	<code>\nwseharpoons</code>	\updownarrow	<code>\updownharpoonleftright</code>
\rightleftarrows	<code>\leftrightharpoons</code>	\swarrow	<code>\nwseharpoonswne</code>	\downarrow	<code>\updownharpoonrightleft</code>
\rightleftarrows	<code>\leftrightharpoonupdown</code>	\rightarrow	<code>\rightharpoondown</code>	\updownarrow	<code>\updownharpoons</code>
\nearrow	<code>\neharpoonnw</code>	\rightarrow	<code>\rightharpoonup</code>	\uparrow	<code>\upharpoonleft</code>
\nearrow	<code>\neharpoonse</code>	\rightleftarrows	<code>\rightleftharpoons</code>	\uparrow	<code>\upharpoonright</code>
\nearrow	<code>\neswharpoonnwse</code>	\searrow	<code>\seharpoonne</code>		

fdsymbol defines `\restriction` as a synonym for `\upharpoonright`, `\updownharpoonsleftright` as a synonym for `\updownharpoons`, and `\downupharpoonsleftright` as a synonym for `\downupharpoons`.

TABLE 156: fdsymbol Negated Harpoons

\dagger	<code>\ndownharpoonleft</code>	$\not\swarrow$	<code>\nneswharpoons</code>	$\not\searrow$	<code>\nseharpoonsw</code>
\dagger	<code>\ndownharpoonright</code>	$\not\swarrow$	<code>\nneswharpoonsenw</code>	$\not\searrow$	<code>\nsenwharpoons</code>
$\#$	<code>\ndownupharpoons</code>	$\not\swarrow$	<code>\nnwharpoonne</code>	$\not\swarrow$	<code>\nswharpoonnw</code>
\nleftarrow	<code>\nleftharpoondown</code>	$\not\swarrow$	<code>\nnwharpoonsw</code>	$\not\swarrow$	<code>\nswharpoonse</code>
\nleftarrow	<code>\nleftharpoonup</code>	$\not\swarrow$	<code>\nnwseharpoonsesw</code>	$\not\swarrow$	<code>\nswneharpoons</code>
\nleftarrow	<code>\nleftrightharpoondownup</code>	$\not\swarrow$	<code>\nnwseharpoons</code>	\nupdownarrow	<code>\nupdownharpoonleftright</code>
\nrightleftarrows	<code>\nleftrightharpoons</code>	$\not\swarrow$	<code>\nnwseharpoonswne</code>	\nupdownarrow	<code>\nupdownharpoonrightleft</code>
\nrightleftarrows	<code>\nleftrightharpoonupdown</code>	\nrightarrow	<code>\nrightharpoondown</code>	$\#$	<code>\nupdownharpoons</code>
$\not\nearrow$	<code>\nneharpoonnw</code>	\nrightarrow	<code>\nrightharpoonup</code>	\nuparrow	<code>\nupharpoonleft</code>
$\not\nearrow$	<code>\nneharpoonse</code>	\nrightleftarrows	<code>\nrightrightleftharpoons</code>	\nuparrow	<code>\nupharpoonright</code>
$\not\nearrow$	<code>\nneswharpoonnwse</code>	$\not\searrow$	<code>\nseharpoonne</code>		

fdsymbol defines `\nrestriction` as a synonym for `\nupharpoonright`, `\ndownupharpoonsleftright` as a synonym for `\ndownupharpoons`, and `\nupdownharpoonsleftright` as a synonym for `\nupdownharpoons`.

TABLE 157: boisik Arrows

	<code>\barleftarrow</code>		<code>\Lsh</code>
	<code>\barleftarrowrightarrowbar</code>		<code>\mapsdown</code>
	<code>\barovernorthwestarrow</code>		<code>\Mapsfrom</code>
	<code>\carriagereturn</code>		<code>\mapsfrom</code>
	<code>\circlearrowleft</code>		<code>\Mapsto</code>
	<code>\circlearrowright</code>		<code>\mapsto</code>
	<code>\cupleftarrow</code>		<code>\mapsup</code>
	<code>\curlyveedownarrow</code>		<code>\Nearrow</code>
	<code>\curlyveeuparrow</code>		<code>\nearrowcorner</code>
	<code>\curlywedgedownarrow</code>		<code>\nnearrow</code>
	<code>\curlywedgeuparrow</code>		<code>\nnwarrow</code>
	<code>\curvearrowbotleft</code>		<code>\Nwarrow</code>
	<code>\curvearrowbotleftright</code>		<code>\nwarrowcorner</code>
	<code>\curvearrowbotright</code>		<code>\rightarrowbar</code>
	<code>\curvearrowleft</code>		<code>\rightarrowcircle</code>
	<code>\curvearrowleftright</code>		<code>\rightarrowtail</code>
	<code>\curvearrowright</code>		<code>\rightarrowTriangle</code>
	<code>\dlsh</code>		<code>\rightarrowtriangle</code>
	<code>\downblackarrow</code>		<code>\rightarrowblackarrow</code>
	<code>\downdasharrow</code>		<code>\rightarrowdasharrow</code>
	<code>\downdownarrows</code>		<code>\rightarrowleftarrows</code>
	<code>\downtouparrow</code>		<code>\rightarrowrightarrows</code>
	<code>\downwhitearrow</code>		<code>\rightarrowsquigarrow</code>
	<code>\downzigzagarrow</code>		<code>\rightarrowthreearrows</code>
	<code>\drsh</code>		<code>\rightarrowtoleftarrow</code>
	<code>\eqleftrightarrow</code>		<code>\rightarrowwhitearrow</code>
	<code>\hookleftarrow</code>		<code>\rightarrowwhiteroundarrow</code>
	<code>\hookrightarrow</code>		<code>\Rrightarrow</code>
	<code>\leftarrowtail</code>		<code>\Rsh</code>
	<code>\leftarrowTriangle</code>		<code>\Searrow</code>
	<code>\leftarrowtriangle</code>		<code>\ssearrow</code>
	<code>\leftblackarrow</code>		<code>\sswarrow</code>
	<code>\leftdasharrow</code>		<code>\Swarrow</code>
	<code>\leftleftarrows</code>		<code>\twoheaddownarrow</code>
	<code>\leftrightarroweq</code>		<code>\twoheadleftarrow</code>
	<code>\leftrightarrows</code>		<code>\twoheadrightarrow</code>
	<code>\leftrightarrowTriangle</code>		<code>\twoheaduparrow</code>
	<code>\leftrightarrowtriangle</code>		<code>\twoheadwhiteuparrow</code>
	<code>\leftrightblackarrow</code>		<code>\twoheadwhiteuparrowpedestal</code>
	<code>\leftrightsquigarrow</code>		<code>\upblackarrow</code>
	<code>\leftsquigarrow</code>		<code>\updasharrow</code>
	<code>\lefttorightarrow</code>		<code>\updownarrowbar</code>
	<code>\leftwhitearrow</code>		<code>\updownblackarrow</code>
	<code>\leftwhiteroundarrow</code>		<code>\updownwhitearrow</code>
	<code>\leftzigzagarrow</code>		<code>\uptodownarrow</code>
	<code>\linefeed</code>		<code>\upuparrows</code>
	<code>\Lleftarrow</code>		<code>\upwhitearrow</code>

(continued on next page)

(continued from previous page)

\looparrowleft	<code>\looparrowleft</code>	\uparrow	<code>\whitearrowupfrombar</code>
\looparrowright	<code>\looparrowright</code>	\Uparrow	<code>\whitearrowuppedestal</code>
\looparrowleft	<code>\looparrowleft</code>	\Updownarrow	<code>\whitearrowuppedestalthbar</code>
\looparrowright	<code>\looparrowright</code>	\Updownarrow	<code>\whitearrowuppedestallvbar</code>

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 158: boisik Negated Arrows

\Hdownarrow	<code>\Hdownarrow</code>	\Leftrightarrow	<code>\Leftrightarrow</code>	\Rightarrow	<code>\Rightarrow</code>
\Huparrow	<code>\Huparrow</code>	\Leftrightarrow	<code>\Leftrightarrow</code>	\Vleftarrow	<code>\Vleftarrow</code>
\Leftarrow	<code>\Leftarrow</code>	\Leftrightarrow	<code>\Leftrightarrow</code>	\Vrightarrow	<code>\Vrightarrow</code>
\leftarrow	<code>\leftarrow</code>	\rightarrow	<code>\rightarrow</code>		

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 159: boisik Harpoons

\downharpoonleft	<code>\downharpoonleft</code>	\leftrightharpoons	<code>\leftrightharpoons</code>	\upharpoonleft	<code>\upharpoonleft</code>
\downharpoonright	<code>\downharpoonright</code>	\rightarrow	<code>\rightarrow</code>	\upharpoonright	<code>\upharpoonright</code>
\leftharpoonright	<code>\leftharpoonright</code>	\rightarrow	<code>\rightarrow</code>		
\leftharpoonup	<code>\leftharpoonup</code>	\rightleftharpoons	<code>\rightleftharpoons</code>		

TABLE 160: stix Arrows

\circlearrowleft	<code>\acwcirclearrow</code>	\mapsto	<code>\longmapsto</code>
\circlearrowright	<code>\acwgapcirclearrow</code>	\Longrightarrow	<code>\Longmapsto</code>
\curvearrowleft	<code>\acwleftarcarrow</code>	\rightarrow	<code>\longrightarrow</code>
\curvearrowright	<code>\acwoverarcarrow</code>	\Rightarrow	<code>\Longrightarrow</code>
\undercurvearrowleft	<code>\acwunderarcarrow</code>	\rightsquigarrow	<code>\longrightsquigarrow</code>
\barleftarrow	<code>\barleftarrow</code>	\looparrowleft	<code>\looparrowleft</code>
$\barleftarrow\barrightarrow$	<code>\barleftarrow\barrightarrow*</code>	\looparrowright	<code>\looparrowright</code>
$\barrightarrow\bardiamond$	<code>\barrightarrow\diamond</code>	\Lsh	<code>\Lsh</code>
\baruparrow	<code>\baruparrow</code>	\mapsto	<code>\mapsdown</code>
\bsimilarleftarrow	<code>\bsimilarleftarrow</code>	\Leftarrow	<code>\Mapsfrom</code>
\bsimilarrightarrow	<code>\bsimilarrightarrow</code>	\leftarrow	<code>\mapsfrom</code>
\carriagereturn	<code>\carriagereturn*</code>	\mapsto	<code>\mapsto</code>
\ccwundercurvearrow	<code>\ccwundercurvearrow</code>	\Rightarrow	<code>\Mapsto</code>
\circlearrowleft	<code>\circlearrowleft</code>	\uparrow	<code>\mapsup</code>
\circlearrowright	<code>\circlearrowright</code>	\nearrow	<code>\Nearrow</code>

(continued on next page)

(continued from previous page)

	<code>\circleonleftarrow</code>		<code>\nearrow</code>
	<code>\circleonrightarrow</code>		<code>\neovnearrow*</code>
	<code>\curvearrowleft</code>		<code>\neovsearrow*</code>
	<code>\curvearrowleftplus</code>		<code>\neswarrow</code>
	<code>\curvearrowright</code>		<code>\narrow</code>
	<code>\curvearrowrightminus</code>		<code>\Narrow</code>
	<code>\cwcirculararrow</code>		<code>\nwovnearrow*</code>
	<code>\cwgapcirculararrow</code>		<code>\nwsearrow</code>
	<code>\cwrightarcarrow</code>		<code>\rdiagovsearrow*</code>
	<code>\cwundercurvearrow</code>		<code>\Rdsh</code>
	<code>\dbkarow</code>		<code>\Rightarrow</code>
	<code>\DDownarrow</code>		<code>\rightarrow</code>
	<code>\Downarrow</code>		<code>\rightarrowapprox</code>
	<code>\diamondleftarrow</code>		<code>\rightarrowbackapprox</code>
	<code>\diamondleftarrowbar</code>		<code>\rightarrowbar</code>
	<code>\downarrow</code>		<code>\rightarrowbsimilar</code>
	<code>\Downarrow</code>		<code>\rightarrowdiamond</code>
	<code>\downarrowbar</code>		<code>\rightarrowonoplus</code>
	<code>\downarrowbarred</code>		<code>\rightarrowplus</code>
	<code>\downdasharrow*</code>		<code>\rightarrowshortleftarrow</code>
	<code>\downdownarrows</code>		<code>\rightarrowsimilar</code>
	<code>\downrightcurvedarrow*</code>		<code>\rightarrowtail</code>
	<code>\downuparrows</code>		<code>\rightarrowtriangle</code>
	<code>\downwhitearrow*</code>		<code>\rightarrowx</code>
	<code>\downzigzagarrow</code>		<code>\rightbkarrow</code>
	<code>\draftingarrow*</code>		<code>\rightcurvedarrow</code>
	<code>\drbkarow</code>		<code>\rightdasharrow*</code>
	<code>\equalleftarrow</code>		<code>\rightdotarrow</code>
	<code>\equalrightarrow</code>		<code>\rightdowncurvedarrow</code>
	<code>\fdiagovnearrow*</code>		<code>\rightleftarrows</code>
	<code>\hknearrow</code>		<code>\rightrightarrows</code>
	<code>\hknwarrow</code>		<code>\rightsquigarrow</code>
	<code>\hksearrow</code>		<code>\rightthreearrows</code>
	<code>\hkswarrow</code>		<code>\rightwavearrow</code>
	<code>\hookleftarrow</code>		<code>\rightwhitearrow*</code>
	<code>\hookrightarrow</code>		<code>\RRightarrow</code>
	<code>\Ldsh</code>		<code>\Rrightarrow</code>
	<code>\leftarrow</code>		<code>\Rsh</code>
	<code>\Leftarrow</code>		<code>\searrow</code>
	<code>\leftarrowapprox</code>		<code>\Searrow</code>
	<code>\leftarrowbackapprox</code>		<code>\seovnearrow*</code>
	<code>\leftarrowbsimilar</code>		<code>\shortrightarrowleftarrow</code>
	<code>\leftarrowonoplus</code>		<code>\similarleftarrow</code>
	<code>\leftarrowplus</code>		<code>\similarrightarrow</code>
	<code>\leftarrowshortrightarrow</code>		<code>\swarrow</code>
	<code>\leftarrowsimilar</code>		<code>\Swarrow</code>
	<code>\leftarrowtail</code>		<code>\toea</code>
	<code>\leftarrowtriangle</code>		<code>\tona</code>
	<code>\leftarrowx</code>		<code>\tosa</code>

(continued on next page)

(continued from previous page)

\leftarrow	<code>\leftbkarrow</code>	\boxtimes	<code>\towa</code>
\curvearrowleft	<code>\leftcurvedarrow</code>	\Downarrow	<code>\twoheaddownarrow</code>
\dashleftarrow	<code>\leftdasharrow*</code>	\leftarrow	<code>\twoheadleftarrow</code>
\leftleftarrows	<code>\leftdbkarrow</code>	\leftarrow	<code>\twoheadleftarrowtail</code>
\leftarrow	<code>\leftdotarrow</code>	\leftarrow	<code>\twoheadleftdbkarrow</code>
\curvearrowright	<code>\leftdowncurvedarrow</code>	\leftarrow	<code>\twoheadmapsfrom</code>
\leftleftarrows	<code>\leftleftarrows</code>	\mapsto	<code>\twoheadmapsto</code>
\Leftrightarrow	<code>\Leftrightarrow</code>	\rightarrow	<code>\twoheadrightarrow</code>
\rightarrow	<code>\leftrightharrow</code>	\rightarrow	<code>\twoheadrightarrowtail</code>
\circlearrowleft	<code>\leftrightharrowcircle</code>	\Uparrow	<code>\twoheaduparrow</code>
\Leftrightarrow	<code>\leftrightharrows</code>	\Updownarrow	<code>\twoheaduparrowcircle</code>
\blacktriangleright	<code>\leftrightharrowtriangle</code>	\uparrow	<code>\uparrow</code>
\rightsquigarrow	<code>\leftrightsquigarrow</code>	\Uparrow	<code>\Uparrow</code>
\rightsquigarrow	<code>\leftsquigarrow</code>	\uparrow	<code>\uparrowbarred</code>
\rightarrow	<code>\leftthreearrows</code>	\dashrightarrow	<code>\updasharrow*</code>
\rightarrow	<code>\leftwvearrow</code>	\Updownarrow	<code>\Updownarrow</code>
\rightarrow	<code>\leftwhitearrow*</code>	\updownarrow	<code>\updownarrow</code>
\rightarrow	<code>\linefeed*</code>	\updownarrow	<code>\updownarrowbar*</code>
\Leftarrow	<code>\LLeftarrow</code>	\Updownarrow	<code>\updownarrows</code>
\Leftarrow	<code>\Lleftarrow</code>	\curvearrowright	<code>\uprightcurvearrow*</code>
\rightarrow	<code>\longleftarrow</code>	\Uparrow	<code>\upuparrows</code>
\Leftarrow	<code>\Longleftarrow</code>	\uparrow	<code>\upwhitearrow*</code>
\Leftrightarrow	<code>\Longleftrightharrow</code>	\Uparrow	<code>\UUparrow</code>
\rightarrow	<code>\longleftrightharrow</code>	\Uparrow	<code>\Uuparrow</code>
\rightsquigarrow	<code>\longleftsquigarrow</code>	\hookrightarrow	<code>\varcarriagereturn*</code>
\Leftarrow	<code>\Longmapsfrom</code>	\uparrow	<code>\whitearrowupfrombar*</code>
\rightarrow	<code>\longmapsfrom</code>		

* Defined as an ordinary character, not as a binary relation.

stix defines `\acwopencirclearrow` as a synonym for `\circlearrowleft`, `\cwopencirclearrow` as a synonym for `\circlearrowright`, `\leadsto` as a synonym for `\rightsquigarrow`, `\dashleftarrow` as a synonym for `\leftdbkarrow`, and `\dashrightarrow` and `\dasharrow` as synonyms for `\dbkarrow`.

TABLE 161: stix Negated Arrows

‡	<code>\nHdownarrow*</code>	↔	<code>\nvLeftrightarrow</code>
‡	<code>\nHuparrow*</code>	↔	<code>\nVrightarrow</code>
↔	<code>\nleftarrow†</code>	↔	<code>\nvrightarrow</code>
↔	<code>\nLeftarrow</code>	↔	<code>\nvrightarrow</code>
↔	<code>\nleftrightarrow</code>	↔	<code>\nVrightarrowtail</code>
↔	<code>\nLeftrightarrow</code>	↔	<code>\nvrightarrowtail</code>
↔	<code>\nrightarrow</code>	↔	<code>\nVtwoheadleftarrow</code>
↔	<code>\nrightarrow</code>	↔	<code>\nVtwoheadleftarrow</code>
↔	<code>\nvleftarrow</code>	↔	<code>\nVtwoheadleftarrowtail</code>
↔	<code>\nvLeftarrow</code>	↔	<code>\nVtwoheadleftarrowtail</code>
↔	<code>\nVleftarrow</code>	↔	<code>\nVtwoheadrightarrow</code>
↔	<code>\nVleftarrowtail</code>	↔	<code>\nVtwoheadrightarrow</code>
↔	<code>\nvleftarrowtail</code>	↔	<code>\nVtwoheadrightarrowtail</code>
↔	<code>\nvleftrightarrow</code>	↔	<code>\nVtwoheadrightarrowtail</code>
↔	<code>\nVleftrightarrow</code>		

* Defined as an ordinary character, not as a binary relation.

† stix defines `\ngets` as a synonym for `\nleftarrow`.

TABLE 162: stix Harpoons

↵	<code>\bardownharpoonleft</code>	↔	<code>\leftrightharpoons</code>
↵	<code>\bardownharpoonright</code>	↔	<code>\leftrightharpoonsdown</code>
↵	<code>\barleftharpoonupdown</code>	↔	<code>\leftrightharpoonsup</code>
↵	<code>\barleftharpoonup</code>	↔	<code>\leftrightharpoonupdown</code>
↵	<code>\barriightharpoonupdown</code>	↔	<code>\leftrightharpoonupup</code>
↵	<code>\barriightharpoonup</code>	↔	<code>\rightharpoonupdown</code>
↵	<code>\barupharpoonleft</code>	↔	<code>\rightharpoonupdownbar</code>
↵	<code>\barupharpoonright</code>	↔	<code>\rightharpoonsupdown</code>
↔	<code>\dashleftharpoonupdown</code>	↔	<code>\rightharpoonup</code>
↔	<code>\dashrightharpoonupdown</code>	↔	<code>\rightharpoonupbar</code>
↓	<code>\downharpoonleft</code>	↔	<code>\rightharpoonupdash</code>
↓	<code>\downharpoonleftbar</code>	↔	<code>\rightleftharpoons</code>
↓	<code>\downharpoonright</code>	↔	<code>\rightleftharpoonsdown</code>
↓	<code>\downharpoonrightbar</code>	↔	<code>\rightleftharpoonsup</code>
↕	<code>\downharpoonsleftright</code>	↕	<code>\updownharpoonleftleft</code>
↕	<code>\downupharpoonsleftright</code>	↕	<code>\updownharpoonleftright</code>
↵	<code>\leftharpoonupdown</code>	↕	<code>\updownharpoonrightleft</code>
↵	<code>\leftharpoonupdownbar</code>	↕	<code>\updownharpoonrightright</code>
↔	<code>\leftharpoonsupdown</code>	↕	<code>\updownharpoonsleftright</code>
↵	<code>\leftharpoonup</code>	↕	<code>\upharpoonleft</code>
↵	<code>\leftharpoonupbar</code>	↕	<code>\upharpoonleftbar</code>
↔	<code>\leftharpoonupdash</code>	↕	<code>\upharpoonright*</code>

(continued on next page)

(continued from previous page)

\rightrightarrows `\leftrightharpoondowndown` \upharpoonright `\upharpoonrightbar`
 \leftrightharpoons `\leftrightharpoondownup` \Uparrow `\upharpoonsleft`

* stix defines `\restriction` as a synonym for `\upharpoonright`.

TABLE 163: harpoon Extensible Harpoons

\overleftarrow{abc}	<code>\overlefttharp{abc}</code>	\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\overleftarrow{abc}	<code>\overlefttharpdown{abc}</code>	\overleftarrow{abc}	<code>\underrightharp{abc}</code>
\overleftarrow{abc}	<code>\overlefttharpdown{abc}</code>	\overleftarrow{abc}	<code>\underlefttharp{abc}</code>	\overleftarrow{abc}	<code>\underrightharpdown{abc}</code>		
\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\overleftarrow{abc}	<code>\underlefttharpdown{abc}</code>				

All of the harpoon symbols are implemented using the `graphics` package (specifically, `graphics`'s `\resizebox` command). Consequently, only T_EX backends that support graphical transformations (e.g., *not* Xdvi) can properly display these symbols.

TABLE 164: chemarrow Arrows

\rightarrow `\chemarrow`


TABLE 165: fge Arrows

\Rightarrow `\fgerightarrow` \Uparrow `\fgeuparrow`

TABLE 166: old-arrows Arrows

\downarrow	<code>\downarrow</code>	\longleftrightarrow	<code>\longlefttrightarrow</code>	\nwarrow	<code>\nwarrow</code>
\hookleftarrow	<code>\hookleftarrow</code>	\longleftarrow	<code>\longmapsfrom*</code>	\rightarrow	<code>\rightarrow</code>
\hookrightarrow	<code>\hookrightarrow</code>	\mapsto	<code>\longmapsto</code>	\searrow	<code>\searrow</code>
\leftarrow	<code>\leftarrow</code>	\longrightarrow	<code>\longrightarrow</code>	\swarrow	<code>\swarrow</code>
\leftrightarrow	<code>\leftrightarrow</code>	\mapsto	<code>\mapsfrom*</code>	\uparrow	<code>\uparrow</code>
\longhookrightarrow	<code>\longhookrightarrow</code>	\mapsto	<code>\mapsto</code>	\updownarrow	<code>\updownarrow</code>
\longleftarrow	<code>\longleftarrow</code>	\nearrow	<code>\nearrow</code>		

The arrows provided by `old-arrows` represent Donald Knuth’s pre-1992 Computer Modern glyphs, which feature smaller arrowheads. Contrast the following:



In addition to the arrows shown above, `old-arrows` also reduces the arrowhead size for \mathcal{AMS} ’s `\overleftarrow`, `\overrightarrow`, `\overleftrightharrow`, `\underleftarrow`, `\underrightarrow`, `\underleftrightharrow`, `\xleftarrow`, `\xrightarrow`, `\varinjlim`, and `\varprojlim` symbols (Table 240 on page 112, Table 256 on page 116, and Table 182 on page 96) and `mathtools`’s `\xleftrightharrow`, `\xhookleftarrow`, `\xhookrightarrow`, and `\xmapsto` symbols (Table 257 on page 116).

With the new package option, `old-arrows` prefixes all of the above with “`var`” (i.e., `\vardownarrow`, `\varhookleftarrow`, etc.) so both old and new glyphs can be used in the same document. See the `old-arrows` documentation for more information.

* Requires `stmaryrd`.

TABLE 167: old-arrows Harpoons

\longleftarrow	<code>\longlefttharpoondown</code>	\longrightarrow	<code>\longrightharpoondown</code>
\longleftarrow	<code>\longlefttharpoonup</code>	\longrightarrow	<code>\longrightharpoonup</code>

Unlike the symbols shown in Table 166, the new package option does not define a `\var...` version of the symbols in this table. Also unlike the symbols shown in Table 166, the harpoon arrowheads in this table are not reduced in size (i.e., relative to the size of those shown in Table 139 on page 75).

TABLE 168: esrelation Restrictions

\downarrow	<code>\restrictbarb</code>	\downarrow	<code>\restrictmallet</code>	\downarrow	<code>\restrictwand</code>
\uparrow	<code>\restrictbarbup</code>	\uparrow	<code>\restrictmalletup</code>	\uparrow	<code>\restrictwandup</code>

TABLE 169: MnSymbol Spoons

↓	<code>\downfilledspoon</code>	↙	<code>\nnespoon</code>	↘	<code>\nwfilledspoon</code>
⊙	<code>\downspoon</code>	↘	<code>\nnwfilledspoon</code>	↘	<code>\nwspoon</code>
←	<code>\leftfilledspoon</code>	↘	<code>\nnwspoon</code>	→	<code>\rightfilledspoon</code>
○	<code>\leftspoon</code>	↗	<code>\nrighfilledspoon</code>	○	<code>\rightspoon*</code>
↓	<code>\ndownfilledspoon</code>	↗	<code>\nrighspoon*</code>	↘	<code>\seffilledspoon</code>
⊙	<code>\ndownspoon</code>	↘	<code>\nseffilledspoon</code>	↘	<code>\sespoon</code>
↙	<code>\neffilledspoon</code>	↘	<code>\nsespoon</code>	↙	<code>\swfilledspoon</code>
○	<code>\nespoon</code>	↘	<code>\nswfilledspoon</code>	↙	<code>\swspoon</code>
←	<code>\nleftfilledspoon</code>	↘	<code>\nswspoon</code>	↑	<code>\upfilledspoon</code>
○	<code>\nleftspoon</code>	↑	<code>\nupfilledspoon</code>	↑	<code>\upspoon</code>
↙	<code>\neffilledspoon</code>	↑	<code>\nupspoon</code>		

* MnSymbol defines `\multimap` as a synonym for `\rightspoon` and `\nmultimap` as a synonym for `\nrighspoon`.

TABLE 170: MnSymbol Pitchforks

ψ	<code>\downpitchfork</code>	↘	<code>\nnwpitchfork</code>	⇒	<code>\rightpitchfork</code>
←	<code>\leftpitchfork</code>	⇒	<code>\nrighpitchfork</code>	↘	<code>\sepitchfork</code>
ψ	<code>\ndownpitchfork</code>	↘	<code>\nsepitchfork</code>	↘	<code>\swpitchfork</code>
↙	<code>\nepitchfork</code>	↘	<code>\nswpitchfork</code>	↑	<code>\uppitchfork</code>
←	<code>\nleftpitchfork</code>	↑	<code>\nuppitchfork</code>		
↙	<code>\nepitchfork</code>	↘	<code>\nwpitchfork</code>		

* MnSymbol defines `\pitchfork` as a synonym for `\uppitchfork` and `\npitchfork` as a synonym for `\nuppitchfork`.

TABLE 171: MnSymbol Smiles and Frowns

⋞	<code>\doublefrown</code>	⚡	<code>\nsmileeq</code>	⋈	<code>\smileeq</code>
⋟	<code>\doublefrownEQ</code>	⚡⋈	<code>\nsmileeqfrown</code>	⋈⋈	<code>\smileeqfrown</code>
⋉	<code>\doublesmile</code>	⚡	<code>\nsmilefrown</code>	⋈	<code>\smilefrown</code>
⋊	<code>\doublesmileeq</code>	⚡⋈	<code>\nsmilefrownEQ</code>	⋈⋈	<code>\smilefrownEQ</code>
⋍	<code>\eqfrown</code>	⚡	<code>\nsqdoublefrown</code>	⋞	<code>\sqdoublefrown</code>
⋎	<code>\eqsmile</code>	⚡⋈	<code>\nsqdoublefrownEQ</code>	⋞⋈	<code>\sqdoublefrownEQ</code>
⋏	<code>\frown</code>	⚡	<code>\nsqdoublesmile</code>	⋈	<code>\sqdoublesmile</code>
⋐	<code>\frownEQ</code>	⚡⋈	<code>\nsqdoublesmileEQ</code>	⋈⋈	<code>\sqdoublesmileEQ</code>
⋑	<code>\frownEQsmile</code>	⚡	<code>\nsqeqfrown</code>	⋍	<code>\sqeqfrown</code>
⋒	<code>\frownsmile</code>	⚡	<code>\nsqeqsmile</code>	⋎	<code>\sqeqsmile</code>
⋓	<code>\frownsmileeq</code>	⚡	<code>\nsqfrown</code>	⋏	<code>\sqfrown</code>
⋔	<code>\ndoublefrown</code>	⚡	<code>\nsqfrownEQ</code>	⋐	<code>\sqfrownEQ</code>
⋕	<code>\ndoublefrownEQ</code>	⚡⋈	<code>\nsqfrownEQsmile</code>	⋑	<code>\sqfrownEQsmile</code>
⋖	<code>\ndoublesmile</code>	⚡	<code>\nsqfrownsmile</code>	⋒	<code>\sqfrownsmile</code>
⋗	<code>\ndoublesmileeq</code>	⚡	<code>\nsqsmile</code>	⋓	<code>\sqsmile</code>
⋘	<code>\neqfrown</code>	⚡	<code>\nsqsmileeq</code>	⋔	<code>\sqsmileeq</code>
⋙	<code>\neqsmile</code>	⚡⋈	<code>\nsqsmileeqfrown</code>	⋔⋈	<code>\sqsmileeqfrown</code>
⋚	<code>\nfrown</code>	⚡	<code>\nsqsmilefrown</code>	⋕	<code>\sqsmilefrown</code>
⋛	<code>\nfrownEQ</code>	⚡⋈	<code>\nsqtriplefrown</code>	⋖	<code>\sqtriplefrown</code>
⋜	<code>\nfrownEQsmile</code>	⚡⋈	<code>\nsqtripleSMILE</code>	⋗	<code>\sqtripleSMILE</code>
⋝	<code>\nfrownsmile</code>	⚡⋈	<code>\ntriplefrown</code>	⋘	<code>\triplefrown</code>
⋞	<code>\nfrownsmileeq</code>	⚡⋈	<code>\ntripleSMILE</code>	⋘⋈	<code>\tripleSMILE</code>
⋟	<code>\nsmile</code>	⋈	<code>\smile</code>		

* MnSymbol defines `\smallsmile` as a synonym for `\smile`, `\smallfrown` as a synonym for `\frown`, `\asymp` as a synonym for `\smilefrown`, and `\nasymp` as a synonym for `\nsmilefrown`.

TABLE 172: fdsymbol Spoons

⬢	<code>\blackwhitespoon</code>	⬣	<code>\downblackspoon</code>	⬤	<code>\upblackspoon</code>
⬣	<code>\downblackspoon</code>	⬥	<code>\downspoon</code>	⬦	<code>\upspoon</code>
⬤	<code>\downspoon</code>	⬧	<code>\leftblackspoon</code>	⬨	<code>\whiteblackspoon</code>
⬥	<code>\leftblackspoon</code>	⬩	<code>\leftrightblackspoon</code>	⬪	<code>\rightblackspoon</code>
⬦	<code>\leftrightblackspoon</code>	⬫	<code>\leftrightspoon</code>	⬬	<code>\rightspoon</code>
⬧	<code>\leftrightspoon</code>	⬭	<code>\leftspoon</code>	⬮	<code>\upblackspoon</code>
⬨	<code>\leftspoon</code>	⬯	<code>\rightblackspoon</code>	⬰	<code>\upspoon</code>
⬩	<code>\nblackwhitespoon</code>	⬱	<code>\rightspoon</code>	⬲	<code>\whiteblackspoon</code>

fdsymbol defines synonyms for many of the preceding symbols:

⬮	<code>\circmid</code>	⬰	<code>\multimapinv</code>	⬱	<code>\nmultimap</code>
⬯	<code>\dualmap</code>	⬲	<code>\ncircmid</code>	⬳	<code>\nmultimapinv</code>
⬰	<code>\imageof</code>	⬴	<code>\ndualmap</code>	⬵	<code>\norigof</code>
⬱	<code>\midcir</code>	⬶	<code>\nimageof</code>	⬷	<code>\origof</code>
⬲	<code>\multimap</code>	⬸	<code>\nmidcir</code>		

TABLE 173: fdsymbol Pitchforks

Ψ	<code>\downpitchfork</code>	\nleftpitchfork	<code>\nleftpitchfork</code>	\nrightpitchfork	<code>\rightpitchfork</code>
\leftpitchfork	<code>\leftpitchfork</code>	\nrightpitchfork	<code>\nrightpitchfork</code>	\uppitchfork	<code>\uppitchfork</code>
\ndownpitchfork	<code>\ndownpitchfork</code>	\nuppitchfork	<code>\nuppitchfork</code>		

fdsymbol defines `\npitchfork` as a synonym for `\nuppitchfork` and `\pitchfork` as a synonym for `\uppitchfork`.

TABLE 174: fdsymbol Smiles and Frowns

\frown	<code>\frown</code>	\nfrown	<code>\nfrown</code>	\nsmilefrown	<code>\nsmilefrown</code>
\frown	<code>\frown</code>	\nfrown	<code>\nfrown</code>	\smile	<code>\smile</code>
\frown	<code>\frown</code>	\nsmile	<code>\nsmile</code>	\smile	<code>\smile</code>
\frown	<code>\frown</code>	\nsmile	<code>\nsmile</code>	\smile	<code>\smile</code>

fdsymbol defines `\arceq` as a synonym for `\frown`, `\asymp` as a synonym for `\smilefrown`, `\closure` as a synonym for `\frown`, `\arceq` as a synonym for `\nfrown`, `\nasymp` as a synonym for `\nsmilefrown`, `\nclosure` as a synonym for `\nfrown`, `\smallfrown` as a synonym for `\frown`, and `\smallsmile` as a synonym for `\smile`.

TABLE 175: ulsy Contradiction Symbols

\blitza	<code>\blitza</code>	\blitzb	<code>\blitzb</code>	\blitzc	<code>\blitzc</code>	\blitzd	<code>\blitzd</code>	\blitze	<code>\blitze</code>
-----------	----------------------	-----------	----------------------	-----------	----------------------	-----------	----------------------	-----------	----------------------

TABLE 176: Extension Characters

\relbar	<code>\relbar</code>	\Relbar	<code>\Relbar</code>
-----------	----------------------	-----------	----------------------

TABLE 177: stmaryrd Extension Characters

\Arrownot	<code>\Arrownot</code>	\Mapsfromchar	<code>\Mapsfromchar</code>	\Mapstochar	<code>\Mapstochar</code>
\arrownot	<code>\arrownot</code>	\mapsfromchar	<code>\mapsfromchar</code>		

TABLE 178: txfonts/pxfonts Extension Characters

\Mappedfromchar	<code>\Mappedfromchar</code>	\Mmappedfromchar	<code>\Mmappedfromchar</code>	\Mmapstochar	<code>\Mmapstochar</code>
\mappedfromchar	<code>\mappedfromchar</code>	\mmappedfromchar	<code>\mmappedfromchar</code>	\mmapstochar	<code>\mmapstochar</code>

TABLE 179: mathabx Extension Characters

\mapsfromchar	<code>\mapsfromchar</code>	\mapstochar	<code>\mapstochar</code>
\Mapsfromchar	<code>\Mapsfromchar</code>	\Mapstochar	<code>\Mapstochar</code>

TABLE 180: stix Extension Characters

<code>\lhook</code>	<code>-</code>	<code>\relbar</code>	<code>\equiv</code>	<code>\RRelbar</code>
<code>\mapsfromchar</code>	<code>=</code>	<code>\Relbar</code>	<code>\equiv</code>	<code>\Rrelbar</code>
<code>\mapstochar</code>	<code>\succ</code>	<code>\rhook</code>		

TABLE 181: Log-like Symbols

<code>\arccos</code>	<code>\cos</code>	<code>\csc</code>	<code>\exp</code>	<code>\ker</code>	<code>\limsup</code>	<code>\min</code>	<code>\sinh</code>
<code>\arcsin</code>	<code>\cosh</code>	<code>\deg</code>	<code>\gcd</code>	<code>\lg</code>	<code>\ln</code>	<code>\Pr</code>	<code>\sup</code>
<code>\arctan</code>	<code>\cot</code>	<code>\det</code>	<code>\hom</code>	<code>\lim</code>	<code>\log</code>	<code>\sec</code>	<code>\tan</code>
<code>\arg</code>	<code>\coth</code>	<code>\dim</code>	<code>\inf</code>	<code>\liminf</code>	<code>\max</code>	<code>\sin</code>	<code>\tanh</code>

Calling the above “symbols” may be a bit misleading.³ Each log-like symbol merely produces the eponymous textual equivalent, but with proper surrounding spacing. See Section 10.4 for more information about log-like symbols. As `\bmod` and `\pmod` are arguably not symbols we refer the reader to the Short Math Guide for L^AT_EX [Dow00] for samples.

TABLE 182: $\mathcal{A}\mathcal{M}\mathcal{S}$ Log-like Symbols

<code>injlim</code>	<code>\injlim</code>	\varinjlim	<code>\varinjlim</code>	$\overline{\lim}$	<code>\varlimsup</code>
<code>projlim</code>	<code>\projlim</code>	\varprojlim	<code>\varprojlim</code>	\varprojlim	<code>\varprojlim</code>

Load the `amsmath` package to get these symbols. See Section 10.4 for some additional comments regarding log-like symbols. As `\mod` and `\pmod` are arguably not symbols we refer the reader to the Short Math Guide for L^AT_EX [Dow00] for samples.

TABLE 183: G_{PL}A_{2e} Number Sets

<code>\mathbb{C}</code>	<code>\Complex</code>	<code>\mathbb{Z}</code>	<code>\Integer</code>	<code>\mathbb{N}</code>	<code>\Natural</code>	<code>\mathbb{Q}</code>	<code>\Rational</code>	<code>\mathbb{R}</code>	<code>\Real</code>
<code>\mathbb{C}</code>	<code>\COMPLEX</code>	<code>\mathbb{Z}</code>	<code>\INTEGER</code>	<code>\mathbb{N}</code>	<code>\NATURAL</code>	<code>\mathbb{Q}</code>	<code>\RATIONAL</code>	<code>\mathbb{R}</code>	<code>\REAL</code>

³Michael J. Downes prefers the more general term, “atomic math objects”.

TABLE 184: Greek Letters

α	<code>\alpha</code>	θ	<code>\theta</code>	o	<code>o</code>	τ	<code>\tau</code>
β	<code>\beta</code>	ϑ	<code>\vartheta</code>	π	<code>\pi</code>	υ	<code>\upsilon</code>
γ	<code>\gamma</code>	ι	<code>\iota</code>	ϖ	<code>\varpi</code>	ϕ	<code>\phi</code>
δ	<code>\delta</code>	κ	<code>\kappa</code>	ρ	<code>\rho</code>	φ	<code>\varphi</code>
ϵ	<code>\epsilon</code>	λ	<code>\lambda</code>	ϱ	<code>\varrho</code>	χ	<code>\chi</code>
ε	<code>\varepsilon</code>	μ	<code>\mu</code>	σ	<code>\sigma</code>	ψ	<code>\psi</code>
ζ	<code>\zeta</code>	ν	<code>\nu</code>	ς	<code>\varsigma</code>	ω	<code>\omega</code>
η	<code>\eta</code>	ξ	<code>\xi</code>				
Γ	<code>\Gamma</code>	Λ	<code>\Lambda</code>	Σ	<code>\Sigma</code>	Ψ	<code>\Psi</code>
Δ	<code>\Delta</code>	Ξ	<code>\Xi</code>	Υ	<code>\Upsilon</code>	Ω	<code>\Omega</code>
Θ	<code>\Theta</code>	Π	<code>\Pi</code>	Φ	<code>\Phi</code>		

The remaining Greek majuscules can be produced with ordinary Latin letters. The symbol “M”, for instance, is used for both an uppercase “m” and an uppercase “ μ ”. To make available commands for *all* of the Greek majuscules, either use the `mathspec` package, which requires $X_{\text{L}}^{\text{L}}\text{TeX}$, or copy `mathspec.sty`’s Greek-letter definitions to your document’s preamble:

```

\DeclareMathSymbol{\Alpha}{\mathalpha}{operators}{"41}
\DeclareMathSymbol{\Beta}{\mathalpha}{operators}{"42}
\DeclareMathSymbol{\Epsilon}{\mathalpha}{operators}{"45}
\DeclareMathSymbol{\Zeta}{\mathalpha}{operators}{"5A}
\DeclareMathSymbol{\Eta}{\mathalpha}{operators}{"48}
\DeclareMathSymbol{\Iota}{\mathalpha}{operators}{"49}
\DeclareMathSymbol{\Kappa}{\mathalpha}{operators}{"4B}
\DeclareMathSymbol{\Mu}{\mathalpha}{operators}{"4D}
\DeclareMathSymbol{\Nu}{\mathalpha}{operators}{"4E}
\DeclareMathSymbol{\Omicron}{\mathalpha}{operators}{"4F}
\DeclareMathSymbol{\Rho}{\mathalpha}{operators}{"50}
\DeclareMathSymbol{\Tau}{\mathalpha}{operators}{"54}
\DeclareMathSymbol{\Chi}{\mathalpha}{operators}{"58}
\DeclareMathSymbol{\omicron}{\mathord}{letters}{"6F}

```

See Section 10.5 for examples of how to produce bold Greek letters.

The symbols in this table are intended to be used in mathematical typesetting. Greek body text can be typeset using the `babel` package’s `greek` (or `polutoniko-greek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 185: \mathcal{AMS} Greek Letters

F	<code>\digamma</code>	\varkappa	<code>\varkappa</code>
-----	-----------------------	-------------	------------------------

TABLE 186: txfonts/pxfonts Upright Greek Letters

α	<code>\alphaup</code>	θ	<code>\thetaaup</code>	π	<code>\piup</code>	ϕ	<code>\phiiup</code>
β	<code>\betaaup</code>	ϑ	<code>\varthetaaup</code>	ϖ	<code>\varpiup</code>	φ	<code>\varphiiup</code>
γ	<code>\gammaaup</code>	ι	<code>\iotaaup</code>	ρ	<code>\rhoup</code>	χ	<code>\chiup</code>
δ	<code>\deltaaup</code>	κ	<code>\kappaaup</code>	ϱ	<code>\varrhoup</code>	ψ	<code>\psiup</code>
ϵ	<code>\epsilonup</code>	λ	<code>\lambdaaup</code>	σ	<code>\sigmaup</code>	ω	<code>\omegaup</code>
ε	<code>\varepsilonup</code>	μ	<code>\muup</code>	ς	<code>\varsigmaup</code>		
ζ	<code>\zetaaup</code>	ν	<code>\nuup</code>	τ	<code>\tauaup</code>		
η	<code>\etaaup</code>	ξ	<code>\xiup</code>	υ	<code>\upsilonup</code>		

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 187: upgreek Upright Greek Letters

α	<code>\upalpha</code>	θ	<code>\uptheta</code>	π	<code>\uppi</code>	ϕ	<code>\upphi</code>
β	<code>\upbeta</code>	ϑ	<code>\upvartheta</code>	ϖ	<code>\upvarpi</code>	φ	<code>\upvarphi</code>
γ	<code>\upgamma</code>	ι	<code>\upiota</code>	ρ	<code>\uprho</code>	χ	<code>\upchi</code>
δ	<code>\updelta</code>	κ	<code>\upkappa</code>	ϱ	<code>\upvarrho</code>	ψ	<code>\uppsi</code>
ϵ	<code>\upepsilon</code>	λ	<code>\uplambda</code>	σ	<code>\upsigma</code>	ω	<code>\upomega</code>
ε	<code>\upvarepsilon</code>	μ	<code>\upmu</code>	ς	<code>\upvarsigma</code>		
ζ	<code>\upzeta</code>	ν	<code>\upnu</code>	τ	<code>\uptau</code>		
η	<code>\upeta</code>	ξ	<code>\upxi</code>	υ	<code>\upupsilon</code>		
Γ	<code>\Upgamma</code>	Λ	<code>\Uplambda</code>	Σ	<code>\Upsilonigma</code>	Ψ	<code>\Uppsi</code>
Δ	<code>\Updelta</code>	Ξ	<code>\Upxi</code>	Υ	<code>\Upupsilon</code>	Ω	<code>\Upomega</code>
Θ	<code>\Uptheta</code>	Π	<code>\Uppi</code>	Φ	<code>\Upphi</code>		

`upgreek` utilizes upright Greek characters from either Euler Roman (depicted above) or the PostScript Symbol font. As a result, the glyphs may appear slightly different from the above. Contrast, for example, “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Euler) with “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Symbol). Also note that the `\var... forms do not always produce a distinct glyph.`

Unlike `textgreek` (Table 6 on page 16), `upgreek` works in math mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 188: fourier Variant Greek Letters

π	<code>\pi</code>	ρ	<code>\rho</code>
ϖ	<code>\varpi</code>	ϱ	<code>\varrho</code>
ϖ	<code>\varvarpi</code>	ϱ	<code>\varvarrho</code>

TABLE 189: txfonts/pxfonts Variant Latin Letters

g `\varg` v `\varv` w `\varw` y `\vary`

Pass the `varg` option to `txfonts/pxfonts` to replace g , v , w , and y with g , v , w , and y in every mathematical expression in your document.

TABLE 190: boisik Variant Greek Letters

β `\varbeta` κ `\varkappa` ϖ `\varpi` ς `\varsigma`
 ε `\varepsilon` φ `\varphi` ϱ `\varrho` ϑ `\vartheta`

TABLE 191: boisik Variant Latin Letters

g `\varg`

TABLE 192: stix Variant Greek Letters

ε `\varepsilon` φ `\varphi` ϱ `\varrho` ϑ `\vartheta`
 κ `\kappa` ϖ `\varpi` ς `\varsigma`

TABLE 193: stix Transformed Greek Letters

ε `\backepsilon` ι `\turnediota`
 \varnothing `\mho` ε `\upbackepsilon`

TABLE 194: \mathcal{AMS} Hebrew Letters

\beth `\beth` \gimel `\gimel` \daleth `\daleth`

\aleph (\aleph) appears in Table 294 on page 124.

TABLE 195: MnSymbol Hebrew Letters

\aleph `\aleph` \beth `\beth` \gimel `\gimel` \daleth `\daleth`

TABLE 196: fdsymbol Hebrew Letters

\aleph `\aleph` \beth `\beth` \gimel `\gimel` \daleth `\daleth`

TABLE 197: boisk Hebrew Letters

\beth	\beth	\gimel	\daleth
---------	---------	----------	-----------

TABLE 198: stix Hebrew Letters

\aleph	\beth	\gimel	\daleth
----------	---------	----------	-----------

TABLE 199: Letter-like Symbols

\perp	\forall	\imath	\ni	\top
ℓ	\hbar	\in	∂	\wp
\exists	\Im	j	\Re	

TABLE 200: \mathcal{AMS} Letter-like Symbols

\mathbb{k}	\mathbb{C}	\hbar
\textcircled{R}	\textcircled{I}	\textcircled{N}
\textcircled{S}	\textcircled{D}	\textcircled{F}

TABLE 201: txfonts/pxfonts Letter-like Symbols

\mathfrak{c}	\mathfrak{f}	\notin	$\not\in$
----------------	----------------	----------	-----------

* It's generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 202: mathabx Letter-like Symbols

$\bar{\in}$	\in	$\not\top$	\notin
\complement	\nexists	\owns	\varnothing
\exists	$\not\bot$	\ownsbar	
\textcircled{I}	\notin	∂	
\textcircled{D}	$\not\owns$	$\partial\text{/}$	

TABLE 203: MnSymbol Letter-like Symbols

\perp	\in	$\not\owns$	\top
\exists	\nexists	\owns	\wp
\forall	\notin	\wp	

* MnSymbol provides synonyms $\not\in$ for \notin , \ni for \owns , and \intercal for \top .

TABLE 204: fdsymbol Letter-like Symbols

\perp	<code>\bot</code>	\forall	<code>\forall</code>	\in	<code>\in</code>	\ni	<code>\owns</code>
\complement	<code>\complement</code>	\Game	<code>\Game</code>	\nexists	<code>\nexists</code>	\top	<code>\top</code>
\exists	<code>\exists</code>	\hbar	<code>\hbar</code>	\notin	<code>\notin</code>	\wp	<code>\wp</code>
\Finv	<code>\Finv</code>	\hslash	<code>\hslash</code>	\nexists	<code>\nexists</code>		

`fdsymbol` provides synonyms `\notin` for `\nin`, `\ni` for `\owns`, and `\nni` for `\nowns`.

TABLE 205: boisik Letter-like Symbols

\Bbbk	<code>\Bbbk</code>	\Game	<code>\Game</code>	\imath	<code>\imath</code>	\nexists	<code>\nexists</code>
\complement	<code>\complement</code>	\hbar	<code>\hbar</code>	\intercal	<code>\intercal</code>	\wp	<code>\wp</code>
\Finv	<code>\Finv</code>	\hslash	<code>\hslash</code>	\jmath	<code>\jmath</code>		

TABLE 206: stix Letter-like Symbols

\AA	<code>\Angstrom</code>	\mathcal{E}	<code>\Eulerconst</code>	\imath	<code>\imath</code>	\top	<code>\top</code>
\mathbb{k}	<code>\Bbbk</code>	\exists	<code>\exists</code>	\intercal	<code>\intercal</code>	\topbot	<code>\topbot</code>
\perp	<code>\bot</code>	\Finv	<code>\Finv</code>	\jmath	<code>\jmath</code>	\wp	<code>\wp</code>
$\text{\textcircled{R}}$	<code>\circledR</code>	\forall	<code>\forall</code>	$\mathit{\$}$	<code>\mathdollar</code>	Υ	<code>\Yup</code>
$\text{\textcircled{S}}$	<code>\circledS</code>	\Game	<code>\Game</code>	$\mathit{\P}$	<code>\mathparagraph</code>	\mathbb{Z}	<code>\Zbar</code>
\complement	<code>\complement</code>	\hbar	<code>\hbar</code>	$\mathit{\pounds}$	<code>\mathsterling</code>		
\digamma	<code>\digamma</code>	\hslash	<code>\hslash</code>	\nexists	<code>\nexists</code>		
ℓ	<code>\ell</code>	\Im	<code>\Im</code>	\Re	<code>\Re</code>		

TABLE 207: trfsigns Letter-like Symbols

e	<code>\e</code>	j	<code>\im</code>
-----	-----------------	-----	------------------

TABLE 208: mathdesign Letter-like Symbols

\in	<code>\in</code>	\ni	<code>\owns</code>
\notin	<code>\notin</code>	\in	<code>\smallin</code>
\notin	<code>\notsmallin</code>	\ni	<code>\smallowns</code>
\notin	<code>\notsmallowns</code>		

The `mathdesign` package additionally provides versions of each of the letter-like symbols shown in Table 200 on the previous page.

TABLE 209: fge Letter-like Symbols

\forall	<code>\fgeA</code>	\wp	<code>\fgeeszett</code>	\mathfrak{B}	<code>\fgeleftB</code>	\mathfrak{U}	<code>\fgeU</code>
$\dot{\exists}$	<code>\fgeC</code>	\mathcal{H}	<code>\fgeF</code>	\mathcal{O}	<code>\fgeleftC</code>		
\wp	<code>\fged</code>	\mathfrak{J}	<code>\fgef</code>	\mathfrak{B}	<code>\fgerightB</code>		
$\dot{\exists}$	<code>\fgee</code>	\wp	<code>\fgeIb*</code>	f	<code>\fges</code>		

* The `fge` package defines `\fgeeta`, `\fgeN`, and `\fgeoverU` as synonyms for `\fgeIb`.

TABLE 210: fourier Letter-like Symbols

∂	<code>\partial</code>	ϑ	<code>\varpartialdiff</code>
------------	-----------------------	-------------	------------------------------

TABLE 211: cml Letter-like Symbols

\perp	<code>\Bot</code>	\lrcorner	<code>\simbot</code>
---------	-------------------	-------------	----------------------

TABLE 212: \mathcal{AMS} Delimiters

\lrcorner	<code>\ulcorner</code>	\urcorner	<code>\urcorner</code>
\llcorner	<code>\llcorner</code>	\lrcorner	<code>\lrcorner</code>

TABLE 213: stmaryrd Delimiters

$\{$	<code>\Lbag</code>	$\}$	<code>\Rbag</code>	$\{$	<code>\lbag</code>	$\}$	<code>\rbag</code>
\lceil	<code>\llceil</code>	\rceil	<code>\rrceil</code>	\lfloor	<code>\llfloor</code>	\rfloor	<code>\rrfloor</code>
$($	<code>\llparenthesis</code>	$)$	<code>\rrparenthesis</code>				

TABLE 214: mathabx Delimiters

\lrcorner	<code>\lcorners</code>	\urcorner	<code>\rcorners</code>
\lrcorner	<code>\ulcorner</code>	\urcorner	<code>\urcorner</code>
\llcorner	<code>\llcorner</code>	\lrcorner	<code>\lrcorner</code>

TABLE 215: boisik Delimiters

\lrcorner	<code>\ulcorner</code>	\urcorner	<code>\urcorner</code>
\llcorner	<code>\llcorner</code>	\lrcorner	<code>\lrcorner</code>

TABLE 216: stix Delimiters

\langle	<code>\langedot</code>	\rangle	<code>\rangedot</code>	\llcorner	<code>\llangle</code>	\lrcorner	<code>\rrangle</code>
\int	<code>\lbag</code>	\int	<code>\rbag</code>	\llcorner	<code>\llcorner</code>	\lrcorner	<code>\lrcorner</code>
\lbrack	<code>\lblkbrbrak</code>	\rbrack	<code>\rblkbrbrak</code>	\llcorner	<code>\llparenthesis</code>	\lrcorner	<code>\rrparenthesis</code>
\lbrack	<code>\lbracklltick</code>	\rbrack	<code>\rbrackurtick</code>	\llcorner	<code>\lparenltr</code>	\lrcorner	<code>\Rparenless</code>
\lbrack	<code>\lbrackubar</code>	\rbrack	<code>\rbrackubar</code>	\llcorner	<code>\lparenless</code>	\lrcorner	<code>\rparenltr</code>
\lbrack	<code>\lbrackultick</code>	\rbrack	<code>\rbracklrtick</code>	\llcorner	<code>\lvzigzag</code>	\lrcorner	<code>\rvzigzag</code>
\lbrack	<code>\Lbrbrak</code>	\rbrack	<code>\Rbrbrak</code>	\llcorner	<code>\Lvzigzag</code>	\lrcorner	<code>\Rvzigzag</code>
\langle	<code>\lcurvyangle</code>	\rangle	<code>\rcurvyangle</code>	\llcorner	<code>\ulcorner</code>	\lrcorner	<code>\urcorner</code>

TABLE 217: nath Delimiters

\llcorner	<code>\niv</code>	\lrcorner	<code>\vin</code>
-------------	-------------------	-------------	-------------------

TABLE 218: Variable-sized Delimiters

\downarrow	\Downarrow	<code>\downarrow</code>	<code>\Downarrow</code>	$[$	$[$	$[$	$]$	$]$	$]$
\langle	\rangle	<code>\langle</code>	<code>\rangle</code>	$ $	$ $	$ $	$\ $	$\ $	<code>\ </code>
\lceil	\rceil	<code>\lceil</code>	<code>\rceil</code>	\uparrow	\uparrow	<code>\uparrow</code>	\Uparrow	\Uparrow	<code>\Uparrow</code>
\lfloor	\rfloor	<code>\lfloor</code>	<code>\rfloor</code>	\updownarrow	\updownarrow	<code>\updownarrow</code>	\Updownarrow	\Updownarrow	<code>\Updownarrow</code>
$($	$)$	<code>(</code>	<code>)</code>	$\{$	$\{$	<code>\{</code>	$\}$	$\}$	<code>\}</code>
$/$	\backslash	<code>/</code>	<code>\backslash</code>						

When used with `\left` and `\right`, these symbols expand to the height of the enclosed math expression. Note that `\vert` is a synonym for `|`, and `\Vert` is a synonym for `\|`.

ϵ -TeX provides a `\middle` analogue to `\left` and `\right`. `\middle` can be used, for example, to make an internal “`|`” expand to the height of the surrounding `\left` and `\right` symbols. (This capability is commonly needed when typesetting adjacent bras and kets in Dirac notation: “ $\langle\phi|\psi\rangle$ ”). A similar effect can be achieved in conventional L^AT_EX using the `braket` package.

TABLE 219: Large, Variable-sized Delimiters

\int	\int	<code>\lmoustache</code>	$\}$	$\}$	<code>\rmoustache</code>	$($	$($	<code>\lgroup</code>	$)$	$)$	<code>\rgroup</code>
$ $	$ $	<code>\arrowvert</code>	$\ $	$\ $	<code>\Arrowvert</code>	$ $	$ $	<code>\bracevert</code>			

These symbols *must* be used with `\left` and `\right`. The `mathabx` package, however, redefines `\lgroup` and `\rgroup` so that those symbols can work without `\left` and `\right`.

TABLE 220: \mathcal{AMS} Variable-sized Delimiters

$ $	$ $	<code>\lvert</code>	$ $	$ $	<code>\rvert</code>
$\ $	$\ $	<code>\lVert</code>	$\ $	$\ $	<code>\rVert</code>

According to the `amsmath` documentation [AMS99], the preceding symbols are intended to be used as delimiters (e.g., as in “ $|z|$ ”) while the `\vert` and `\Vert` symbols (Table 218 on the previous page) are intended to be used as operators (e.g., as in “ $p|q$ ”).

TABLE 221: `stmaryrd` Variable-sized Delimiters

\llbracket	\llbracket	<code>\llbracket</code>	\rrbracket	\rrbracket	<code>\rrbracket</code>
--------------	--------------	-------------------------	--------------	--------------	-------------------------

TABLE 222: `mathabx` Variable-sized Delimiters

\llbracket	\llbracket	<code>\ldbrack</code>	\rrbracket	\rrbracket	<code>\rdbrack</code>
\lrcorner	\lrcorner	<code>\lfilet</code>	\rfilet	\rfilet	<code>\rfilet</code>
$ $	$ $	<code>\thickvert</code>	$\ $	$\ $	<code>\vvvert</code>

TABLE 223: MnSymbol Variable-sized Delimiters

\parallel	\parallel	<code>\Arrowvert</code>	{	{	<code>\lbrace</code>]	<code>\rceil</code>
		<code>\arrowvert</code>	[[<code>\lceil</code>]]	<code>\rfloor</code>
\	\	<code>\backslash</code>	[[<code>\lfloor</code>))	<code>\rgroup</code>
		<code>\bracevert</code>	((<code>\lgroup</code>	\)	<code>\rmoustache</code>
[[[«	«	<code>\llangle</code>	»	»	<code>\rrangle</code>
]]]	⌞	⌞	<code>\llcorner</code>	⌠	⌠	<code>\rsem</code>
((())	<code>\lmoustache</code>	}}	}}	<code>\rWavy</code>
)))	⌞	⌞	<code>\lrcorner</code>	}	}	<code>\rwavy</code>
/	/	/	⌠	⌠	<code>\lsem</code>	⌞	⌞	<code>\ulcorner</code>
<	<	<	}	}	<code>\lwavey</code>	⌞	⌞	<code>\ullcorner</code>
>	>	>	}}	}}	<code>\lWavy</code>	⌞	⌞	<code>\ulrcorner</code>
			}	}	<code>\rangle</code>	⌞	⌞	<code>\urcorner</code>
<	<	<code>\langle</code>	}	}	<code>\ranglebar</code>			<code>\ </code>
<	<	<code>\langlebar</code>	}	}	<code>\rbrace</code>			

`\vert` is a synonym for `|`. `\Vert` is a synonym for `\|`. `\mid` and `\mvert` produce the same symbol as `\vert` but designated as math relations instead of ordinals. `\divides` produces the same symbol as `\vert` but designated as a binary operator instead of an ordinal. `\parallel` and `\mVert` produce the same symbol as `\Vert` but designated as math relations instead of ordinals.

TABLE 224: fdsymbol Variable-sized Delimiters

\	\backslash	<code>\backslashslash</code>	,	\lrcorner))	<code>\rparen</code>
↓	\downarrow	<code>\downarrow</code>		\lvert			<code>\rvert</code>
⇓	\Downarrow	<code>\Downarrow</code>		\lVert			<code>\rVert</code>
⟨⟨	\llcorner	<code>\lAngle</code>		\lVvert			<code>\rVvert</code>
<	\langle	<code>\langle</code>	/	\mathslash	⌈	⌈	<code>\ulcorner</code>
⟨	$\langle\cdot$	<code>\langledot</code>	>	\rangle	⌊	⌊	<code>\ullcorner</code>
{	$\{$	<code>\lbrace</code>	⟩⟩	\rAngle	⌋	⌋	<code>\ulrcorner</code>
[\lbrack	<code>\lbrack</code>	>	$\rangle\cdot$	↑	↑	<code>\uparrow</code>
⌈	\lceil	<code>\lBrack</code>	}	\rbrace	⇧	⇧	<code>\Uparrow</code>
⌊	\lfloor	<code>\lceil</code>	⌈	\rBrack	⇩	⇩	<code>\updownarrow</code>
⌊	\lfloor	<code>\lfloor</code>	⌋	\rbrack	⇕	⇕	<code>\Updownarrow</code>
[\lgroup	<code>\lgroup</code>]	\rceil	⌌	⌌	<code>\urcorner</code>
⌌	\llcorner	<code>\llcorner</code>	⌋	\rfloor			<code>\vert</code>
⌋	\lrmoustache	<code>\lrmoustache</code>	⌋	\rgroup			<code>\Vert</code>

(continued on next page)

(continued from previous page)

((\lparen) \rparen [] \rmoustache ||| ||| \Vvert

fdsymbol defines “(” as a synonym for \lparen, “)” as a synonym for \rparen, “[” as a synonym for \lbrack, “]” as a synonym for \rbrack, “{” as a synonym for \lbrace, “}” as a synonym for \rbrace, “/” as a synonym for \mathslash, “|” as a synonym for \vert, “\|” as a synonym for \Vert, \lsem as a synonym for \lBrack, and \rsem as a synonym for \rBrack.

TABLE 225: stix Variable-sized Delimiters

"		\Arrowvert	«	⟨⟨	\lAngle]]	\rceil
,		\arrowvert	{	{	\lbrace]]	\rfloor
\	\	\backslash	{	{	\lBrace) (\rgroup
⇓	⇓	\Ddownarrow			\lBrack	\ \	\rmoustache
⇓	⇓	\DDownarrow	((\lbrbrak))	\rParen
↓	↓	\downarrow	[[\lceil	↑ ↑	\uparrow
⇓	⇓	\Downarrow	[[\lfloor	↑↑	\Uparrow
[[[()	\lgroup	⇕	\Updownarrow
]]]	∫	∫	\lmoustache	⇕	\updownarrow

(continued from previous page)

(((((<code>\lParen</code>	\Uparrow	\Uparrow	<code>\Uparrow</code>
)))))	<code>\rAngle</code>	\Uparrow	\Uparrow	<code>\Uparrow</code>
/	/	/	/	/	<code>\rangle</code>	\parallel	\parallel	<code>\Vert</code>
<	<	<	<	<	<code>\rbrace</code>			<code>\vert</code>
>	>	>	>	>	<code>\rbrace</code>			<code>\Vvert</code>
					<code>\rBrack</code>			
<	<	<code>\langle</code>	>	>	<code>\rangle</code>			<code>\rangle</code>

TABLE 226: mathdesign Variable-sized Delimiters

$\left\langle$	<code>\leftwave</code>	$\right\rangle$	<code>\rightwave</code>
$\left\langle$	<code>\lefttevaw</code>	$\right\rangle$	<code>\righttevaw</code>

The definitions of these symbols include a preceding `\left` or `\right`. It is therefore an error to specify `\left` or `\right` explicitly. The internal, “primitive” versions of these symbols are called `\lwave`, `\rwave`, `\levaw`, and `\revaw`.

TABLE 227: `nath` Variable-sized Delimiters (Double)

$\langle\langle$	<code>\lAngle</code>	$\rangle\rangle$	<code>\rAngle</code>
\llbracket	<code>\lBrack</code>	\rrbracket	<code>\rBrack</code>
\lceil	<code>\lCeil</code>	\rceil	<code>\rCeil</code>
\lfloor	<code>\lFloor</code>	\rfloor	<code>\rFloor</code>
\lVert	<code>\lVert*</code>	\rVert	<code>\rVert*</code>

* `nath` redefines all of the above to include implicit `\left` and `\right` commands. Hence, separate `\lVert` and `\rVert` commands are needed to disambiguate whether “|” is a left or right delimiter.

All of the symbols in Table 227 can also be expressed using the `\double` macro. See the `nath` documentation for examples and additional information.

TABLE 228: `nath` Variable-sized Delimiters (Triple)

$\langle\langle\langle$	<code>\triple<</code>	$\rangle\rangle\rangle$	<code>\triple></code>
\lllbracket	<code>\triple[</code>	\rrrbracket	<code>\triple]</code>
\lllVert	<code>\triple *</code>	\rrrVert	<code>\triple *</code>

* Similar to `\lVert` and `\rVert` in Table 227, `\ltriple` and `\rtriple` must be used instead of `\triple` to disambiguate whether “|” is a left or right delimiter.

Note that `\triple`—and the corresponding `\double`—is actually a macro that takes a delimiter as an argument.

TABLE 229: `fourier` Variable-sized Delimiters

\lllbracket	<code>\llbracket</code>	\rrrbracket	<code>\rrbracket</code>
\lllVert	<code>\VERT</code>		

TABLE 230: textcomp Text-mode Delimiters

\langle	<code>\textlangle</code>	\rangle	<code>\textrangle</code>
\llbracket	<code>\textlbrackdbl</code>	\rrbracket	<code>\textrbrackdbl</code>
$\{$	<code>\textlquill</code>	$\}$	<code>\textrquill</code>

TABLE 231: metre Text-mode Delimiters

$\}$	<code>\alad</code>	$\}$	<code>\Alad</code>	\dagger	<code>\crux</code>	\dagger	<code>\Crux</code>
$\{$	<code>\alas</code>	$\{$	<code>\Alas</code>	$\]$	<code>\quadrat</code>	$\]$	<code>\Quadrat</code>
\rangle	<code>\angud</code>	\rangle	<code>\Angud</code>	\llbracket	<code>\quadras</code>	\llbracket	<code>\Quadras</code>
\langle	<code>\angus</code>	\langle	<code>\Angus</code>				

TABLE 232: Math-mode Accents

\acute{a}	<code>\acute{a}</code>	\check{a}	<code>\check{a}</code>	\grave{a}	<code>\grave{a}</code>	\tilde{a}	<code>\tilde{a}</code>
\bar{a}	<code>\bar{a}</code> *	\ddot{a}	<code>\ddot{a}</code>	\hat{a}	<code>\hat{a}</code>	\vec{a}	<code>\vec{a}</code>
\breve{a}	<code>\breve{a}</code>	\dot{a}	<code>\dot{a}</code>	\mathring{a}	<code>\mathring{a}</code>		

Note also the existence of `\imath` and `\jmath`, which produce dotless versions of “*i*” and “*j*”. (See Table 294 on page 124.) These are useful when the accent is supposed to replace the dot. For example, “`\hat{\imath}`” produces a correct “ \hat{i} ”, while “`\hat{i}`” would yield the rather odd-looking “ $\hat{\dot{i}}$ ”.

* The `\overline` command (Table 240 on page 112) produces a wider accent than `\bar`: “ \overline{A} ” vs. “ \bar{A} ”. However, unlike adjacent `\bars`, adjacent `\overlines` run together, which is often not desired: “ \overline{AB} ” vs. “ $\overline{\bar{A}\bar{B}}$ ”. If wider bars than `\bar` are needed, the following code from Enrico Gregorio can be used to add the requisite inter-symbol spacing [Gre09]:

```
\newcommand{\closure}[2][3]{%
  \mkern#1mu\overline{\mkern-#1mu#2}}
```

With that definition, “`\closure{A}\closure{B}`” produces “ $\overline{\bar{A}\bar{B}}$ ”, with a visible gap between the two accents. The optional argument can be used to fine-tune the spacing.

TABLE 233: \mathcal{AMS} Math-mode Accents

\ddot{a}	<code>\dddot{a}</code>	\ddot{a}	<code>\dddot{a}</code>
------------	------------------------	------------	------------------------

These accents are also provided by the `mathabx` and `accents` packages and are redefined by the `mathdots` package if the `amsmath` and `amssymb` packages have previously been loaded. All of the variations except for the original \mathcal{AMS} ones tighten the space between the dots (from \ddot{a} to \ddot{a}). The `mathabx` and `mathdots` versions also function properly within subscripts and superscripts ($x^{\ddot{a}}$ instead of $x^{\ddot{a}}$).

TABLE 234: MnSymbol Math-mode Accents

 \vec{a} `\vec{a}`

TABLE 235: fdsymbol Math-mode Accents

\overline{a}	<code>\middlebar{a}</code>	\cancel{a}	<code>\strokethrough{a}</code>
$\overline{\! }a$	<code>\middleslash{a}</code>	\vec{a}	<code>\vec{a}</code>

`\middlebar` and `\middleslash` are applied here to “a” for consistency with the rest of the document, but they generally look better when applied to taller lowercase characters.

TABLE 236: boisik Math-mode Accents

 \vec{a} `\vec{a}`

TABLE 237: stix Math-mode Accents

\acute{a}	<code>\acute{a}</code>	\hat{a}	<code>\hat{a}</code>
\overline{a}	<code>\annuity{a}</code>	\overleftarrow{a}	<code>\leftarrowaccent{a}</code>
$\ast a$	<code>\asteraccent{a}</code>	$\overleftarrow{\! }a$	<code>\leftharpoonaccent{a}</code>
\bar{a}	<code>\bar{a}</code>	\overleftrightarrow{a}	<code>\leftrightarrowaccent{a}</code>
\breve{a}	<code>\breve{a}</code>	\mathring{a}	<code>\mathring{a}</code>
\candra{a}	<code>\candra{a}</code>	\comatopright{a}	<code>\ocommatopright{a}</code>
\check{a}	<code>\check{a}</code>	\oturnedcomma{a}	<code>\oturnedcomma{a}</code>
$\ddot{\! }a$	<code>\ddddot{a}</code>	$\overset{\! }{a}$	<code>\ovhook{a}</code>
\ddot{a}	<code>\ddot{a}</code>	\overrightarrow{a}	<code>\rightharpoonaccent{a}</code>
\ddot{a}	<code>\ddot{a}</code>	\tilde{a}	<code>\tilde{a}</code>
\dot{a}	<code>\dot{a}</code>	\vec{a}	<code>\vec{a}</code>
\droang{a}	<code>\droang{a}</code>	\overwidebridgeabove{a}	<code>\widebridgeabove{a}</code>
\grave{a}	<code>\grave{a}</code>		

TABLE 238: fge Math-mode Accents

 \mathring{A} `\spirituslenis{A}` \mathring{a} `\spirituslenis{a}`*

* When `fge` is passed the `crescent` option, `\spirituslenis` instead uses a crescent accent as in “ \mathring{a} ”.

TABLE 239: yhmath Math-mode Accents

 $\overset{\circ}{a}$ `\ring{a}`

This symbol is largely obsolete, as standard L^AT_EX 2_ε has supported `\mathring` (Table 232 on page 110) since June 1998 [L^AT98].

TABLE 240: Extensible Accents

\widetilde{abc}	<code>\widetilde{abc}</code> *	\widehat{abc}	<code>\widehat{abc}</code> *
\overleftarrow{abc}	<code>\overleftarrow{abc}</code> †	\overrightarrow{abc}	<code>\overrightarrow{abc}</code> †
\overline{abc}	<code>\overline{abc}</code>	\underline{abc}	<code>\underline{abc}</code>
\overbrace{abc}	<code>\overbrace{abc}</code>	\underbrace{abc}	<code>\underbrace{abc}</code>
\sqrt{abc}	<code>\sqrt{abc}</code> ‡		

As demonstrated in a 1997 TUGboat article about typesetting long-division problems [Gib97], an extensible long-division sign (“ \overline{abc} ”) can be faked by putting a “`\big`” in a `tabular` environment with an `\hline` or `\cline` in the preceding row. The article also presents a piece of code (uploaded to CTAN as `longdiv.tex`) that automatically solves and typesets—by putting an `\overline` atop “`\big`” and the desired text—long-division problems. More recently, the STIX fonts include a true long-division sign. See `\longdivision` in Table 246 for a sample of this symbol. See also the `polynom` package, which automatically solves and typesets polynomial-division problems in a similar manner.

* These symbols are made more extensible by the `MnSymbol` package (Table 244 on the following page). and even more extensible by the `yhmath` package (Table 242 on the following page).

† If you’re looking for an extensible *diagonal* line or arrow to be used for canceling or reducing mathematical subexpressions (e.g., “ $x \cancel{+} x$ ” or “ $3 \cancel{+} 2^5$ ”) then consider using the `cancel` package.

‡ With an optional argument, `\sqrt` typesets *n*th roots. For example, “`\sqrt[3]{abc}`” produces “ $\sqrt[3]{abc}$ ” and “`\sqrt[n]{abc}`” produces “ $\sqrt[n]{abc}$ ”.

TABLE 241: overrightarrow Extensible Accents

 \overrightarrow{abc} `\Overrightarrow{abc}`

TABLE 242: yhm_{math} Extensible Accents

\widehat{abc}	<code>\widehat{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\wideparen{abc}	<code>\wideparen{abc}</code>	$\widehat{\triangle}abc$	<code>\widehat{\triangle}abc</code>
$\overset{\circ}{abc}$	<code>\widering{abc}</code>		

TABLE 243: $\mathcal{A}\mathcal{M}\mathcal{S}$ Extensible Accents

\overleftrightarrow{abc}	<code>\overleftrightarrow{abc}</code>	\overleftarrow{abc}	<code>\overleftarrow{abc}</code>
\overleftarrow{abc}	<code>\overleftarrow{abc}</code>	\overrightarrow{abc}	<code>\overrightarrow{abc}</code>

TABLE 244: MnSymbol Extensible Accents

\overbrace{abc}	<code>\overbrace{abc}</code>	\undergroup{abc}	<code>\undergroup{abc}</code>
\overgroup{abc}	<code>\overgroup{abc}</code>	\underline{abc}	<code>\underline{abc}</code>
\overleftharpoonup{abc}	<code>\overleftharpoonup{abc}</code>	\widehat{abc}	<code>\widehat{abc}</code>
\overline{abc}	<code>\overline{abc}</code>	\wideparen{abc}	<code>\wideparen{abc}</code>
\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>		

TABLE 245: fdsymbol Extensible Accents

\overbrace{abc}	<code>\overbrace{abc}</code>	\undergroup{abc}	<code>\undergroup{abc}</code>
\overgroup{abc}	<code>\overgroup{abc}</code>	\underline{abc}	<code>\underline{abc}</code>
\overleftharpoonup{abc}	<code>\overleftharpoonup{abc}</code>	\widehat{abc}	<code>\widehat{abc}</code>
\overline{abc}	<code>\overline{abc}</code>	\wideparen{abc}	<code>\wideparen{abc}</code>
\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>		

TABLE 246: stix Extensible Accents

\overline{abc}	<code>\longdivision{abc}</code>	\underline{abc}	<code>\underbracket{abc}</code>
\overbrace{abc}	<code>\overbrace{abc}</code>	\underlineleftarrow{abc}	<code>\underleftarrow{abc}</code>
\overbracket{abc}	<code>\overbracket{abc}</code>	$\underlineleftharpoonup{abc}$	<code>\underleftharpoonup{abc}</code>
\overleftarrow{abc}	<code>\overleftarrow{abc}</code>	$\underlineleftarrowrightarrow{abc}$	<code>\underleftarrowrightarrow{abc}</code>
\overleftharpoonup{abc}	<code>\overleftharpoonup{abc}</code>	\underparen{abc}	<code>\underparen{abc}</code>
$\overleftarrowrightarrow{abc}$	<code>\overleftarrowrightarrow{abc}</code>	\underrightarrow{abc}	<code>\underrightarrow{abc}</code>
\overparen{abc}	<code>\overparen{abc}</code>	\underightharpoonup{abc}	<code>\underightharpoonup{abc}</code>
\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\widetilde{abc}	<code>\widecheck{abc}</code>
$\overrightarrowharpoonup{abc}$	<code>\overrightarrowharpoonup{abc}</code>	\widehat{abc}	<code>\widehat{abc}</code>
\sqrt{abc}	<code>\sqrt{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>		

TABLE 247: mathtools Extensible Accents

\widehat{abc}	<code>\overbrace{abc}</code>	\underbrace{abc}	<code>\underbrace{abc}</code>
\overbracket{abc}	<code>\overbracket{abc}</code> *	\underbracket{abc}	<code>\underbracket{abc}</code> *

* `\overbracket` and `\underbracket` accept optional arguments that specify the bracket height and thickness. See the `mathtools` documentation for more information.

TABLE 248: mathabx Extensible Accents

\overbrace{abc}	<code>\overbrace{abc}</code>	\widebar{abc}	<code>\widebar{abc}</code>
\overgroup{abc}	<code>\overgroup{abc}</code>	\widetilde{abc}	<code>\widecheck{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>	\wideparen{abc}	<code>\wideparen{abc}</code>
\undergroup{abc}	<code>\undergroup{abc}</code>	\widetilde{abc}	<code>\widering{abc}</code>
\widearrow{abc}	<code>\widearrow{abc}</code>		

The braces shown for `\overbrace` and `\underbrace` appear in their minimum size. They can expand arbitrarily wide, however.

TABLE 249: fourier Extensible Accents

\widehat{abc}	<code>\widearc{abc}</code>	\widehat{abc}	<code>\wideparen{abc}</code>
$\widehat{\rightarrow}abc$	<code>\wide0arc{abc}</code>	$\widehat{\circ}abc$	<code>\widering{abc}</code>

TABLE 250: esvect Extensible Accents

\overrightarrow{abc}	<code>\vv{abc}</code> with package option a
\overrightarrow{abc}	<code>\vv{abc}</code> with package option b
\overrightarrow{abc}	<code>\vv{abc}</code> with package option c
\overrightarrow{abc}	<code>\vv{abc}</code> with package option d
\overrightarrow{abc}	<code>\vv{abc}</code> with package option e
\overrightarrow{abc}	<code>\vv{abc}</code> with package option f
\overrightarrow{abc}	<code>\vv{abc}</code> with package option g
\overrightarrow{abc}	<code>\vv{abc}</code> with package option h

`esvect` also defines a `\vv*` macro which is used to typeset arrows over vector variables with subscripts. See the `esvect` documentation for more information.

TABLE 251: abrases Extensible Accents

\overbrace{abc}	<code>\aoverbrace{abc}</code>	\underbrace{abc}	<code>\aunderbrace{abc}</code>
-------------------	-------------------------------	--------------------	--------------------------------

`\aoverbrace` and `\aunderbrace` accept optional arguments that provide a great deal of control over the braces' appearance. For example, these commands can produce braces with asymmetric endpoints, braces that span lines, dashed braces, and multicolored braces. See the `abrases` documentation for more information.

TABLE 252: undertilde Extensible Accents

$\underset{\sim}{abc}$	<code>\utilde{abc}</code>
------------------------	---------------------------

Because `\utilde` is based on `\widetilde` it is also made more extensible by the `yhmath` package (Table 242 on page 113).

TABLE 253: ushort Extensible Accents

$$\underline{\underline{abc}} \quad \backslash\text{ushortdw}\{abc\} \quad \underline{abc} \quad \backslash\text{ushortw}\{abc\}$$

`\ushortw` and `\ushortdw` are intended to be used with multi-character arguments (“words”) while `\ushortand` and `\ushortd` are intended to be used with single-character arguments.

The underlines produced by the `ushort` commands are shorter than those produced by the `\underline` command. Consider the output from the expression “`\ushort{x}\ushort{y}\underline{x}\underline{y}`”, which looks like “ $\underline{\underline{xyxy}}$ ”.

TABLE 254: mdwmath Extensible Accents

$$\sqrt{abc} \quad \backslash\text{sqrt*}\{abc\}$$

TABLE 255: actuarialangle Extensible Accents

$$\overline{abc} \quad \backslash\text{actuarialangle}\{abc\}$$

The `actuarialangle` package additionally defines `\angl` as `\actuarialangle` with a small amount of extra space to the right of the accented expression under the $\overline{\quad}$, `\angln` as `\angl{n}`, and `\anglr` as `\angl{r}`.

TABLE 256: \mathcal{AMS} Extensible Arrows
$$\overleftarrow{abc} \quad \backslash\text{xleftarrow}\{abc\} \quad \overrightarrow{abc} \quad \backslash\text{xrightarrow}\{abc\}$$

TABLE 257: mathtools Extensible Arrows

$$\begin{array}{ll} \overleftarrow{\overleftarrow{abc}} & \backslash\text{xhookleftarrow}\{abc\} & \overleftrightarrow{abc} & \backslash\text{xleftrightharpoons}\{abc\} \\ \overrightarrow{\overrightarrow{abc}} & \backslash\text{xhookrightarrow}\{abc\} & \overmapsto{abc} & \backslash\text{xmapsto}\{abc\} \\ \overleftarrow{\overleftarrow{\overleftarrow{abc}}} & \backslash\text{xLeftarrow}\{abc\} & \overrightarrow{\overrightarrow{\overrightarrow{abc}}} & \backslash\text{xRrightarrow}\{abc\} \\ \overleftarrow{\overleftarrow{\overrightarrow{abc}}} & \backslash\text{xleftharpoondown}\{abc\} & \overrightarrow{\overrightarrow{\overleftarrow{abc}}} & \backslash\text{xrightharpoondown}\{abc\} \\ \overrightarrow{\overrightarrow{\overleftarrow{abc}}} & \backslash\text{xleftharpoonup}\{abc\} & \overleftarrow{\overleftarrow{\overrightarrow{abc}}} & \backslash\text{xrightharpoonup}\{abc\} \\ \overleftarrow{\overleftarrow{\overrightarrow{\overrightarrow{abc}}}} & \backslash\text{xleftrightharpoonup}\{abc\} & \overrightarrow{\overrightarrow{\overleftarrow{\overleftarrow{abc}}}} & \backslash\text{xrightleftharpoons}\{abc\} \\ \overleftrightarrow{\overleftrightarrow{\overleftrightarrow{abc}}} & \backslash\text{xLeftrightarrow}\{abc\} & & \end{array}$$

TABLE 258: chemarr Extensible Arrows

$$\overleftarrow{\overleftarrow{\overleftarrow{abc}}} \quad \backslash\text{xrightleftharpoons}\{abc\}$$

TABLE 259: chemarrow Extensible Arrows

\xleftarrow{abc}	<code>\autoleftarrow{abc}{def}</code>	\xrightarrow{abc}	<code>\autorightarrow{abc}{def}</code>
\xleftrightarrow{abc}	<code>\autoleftrightharpoons{abc}{def}</code>	\xleftrightarrow{abc}	<code>\autorightleftharpoons{abc}{def}</code>

In addition to the symbols shown above, `chemarrow` also provides `\larrowfill`, `\rarrowfill`, `\leftrightharpoonsfill`, and `\rightleftharpoonsfill` macros. Each of these takes a length argument and produces an arrow of the specified length.

TABLE 260: extarrows Extensible Arrows

\xleftrightarrow{abc}	<code>\xLeftrightarrow{abc}</code>	\xleftrightarrow{abc}	<code>\xLongleftarrow{abc}</code>
\xleftrightarrow{abc}	<code>\xletrightarrow{abc}</code>	\xleftrightarrow{abc}	<code>\xlongleftarrow{abc}</code>
\xlongequal{abc}	<code>\xlongequal{abc}</code>	\xrightarrow{abc}	<code>\xLongrightarrow{abc}</code>
\xlongleftarrow{abc}	<code>\xlongleftarrow{abc}</code>	\xrightarrow{abc}	<code>\xlongrightarrow{abc}</code>
\xlongleftarrow{abc}	<code>\xlongleftarrow{abc}</code>		

TABLE 261: extpfeil Extensible Arrows

\xlongequal{abc}	<code>\xlongequal{abc}</code>	\xleftarrow{abc}	<code>\xtwoheadleftarrow{abc}</code>
\xmapsto{abc}	<code>\xmapsto{abc}</code>	\xrightarrow{abc}	<code>\xtwoheadrightarrow{abc}</code>
\xleftrightarrow{abc}	<code>\xtofrom{abc}</code>		

The `extpfeil` package also provides a `\newextarrow` command to help you define your own extensible arrow symbols. See the `extpfeil` documentation for more information.

TABLE 262: DotArrow Extensible Arrows

\xrightarrow{a}	<code>\dotarrow{a}</code>
-------------------	---------------------------

The `DotArrow` package provides mechanisms for lengthening the arrow, adjusting the distance between the arrow and its symbol, and altering the arrowhead. See the `DotArrow` documentation for more information.

TABLE 263: halloweenmath Extensible Arrows

\overleftarrow{abc}	<code>\overscriptleftarrow{abc}</code>	\underline{abc}	<code>\underscriptleftarrow{abc}</code>
\overleftrightarrow{abc}	<code>\overscriptleftrightarrow{abc}</code>	$\underline{\overleftrightarrow{abc}}$	<code>\underscriptleftrightarrow{abc}</code>
\overrightarrow{abc}	<code>\overscriptrightarrow{abc}</code>	$\underline{\overrightarrow{abc}}$	<code>\underscriptrightarrow{abc}</code>

These commands always typeset the arrow in script (small) style, hence the “script” in their names. Contrast the size of the arrowheads in the following examples:

$$\overrightarrow{abc} \quad \text{vs.} \quad \overscript\overrightarrow{abc}$$

`\overrightarrow{abc}` `\overscript\overrightarrow{abc}`

TABLE 264: trfsigns Extensible Transform Symbols

\overline{abc}	<code>\dft{abc}</code>	\overline{abc}	<code>\DFT{abc}</code>
------------------	------------------------	------------------	------------------------

TABLE 265: esrelation Extensible Relations

\overleftarrow{abc}	<code>\relationleftproject{abc}</code>	\overrightarrow{abc}	<code>\relationrightproject{abc}</code>
\underline{abc}	<code>\relationlifting{abc}</code>		

TABLE 266: halloweenmath Extensible Witches

\overleftarrow{abc}	<code>\overleftwitchonbroom{abc}</code>	\overrightarrow{abc}	<code>\overrightwitchonbroom{abc}</code>
\overleftarrow{abc}	<code>\overleftwitchonbroom*{abc}</code>	\overrightarrow{abc}	<code>\overrightwitchonbroom*{abc}</code>
\underline{abc}	<code>\underleftwitchonbroom{abc}</code>	\underline{abc}	<code>\underrightwitchonbroom{abc}</code>
\underline{abc}	<code>\underleftwitchonbroom*{abc}</code>	\underline{abc}	<code>\underrightwitchonbroom*{abc}</code>
\overleftarrow{abc}	<code>\xleftwitchonbroom{abc}</code>	\overrightarrow{abc}	<code>\xrightwitchonbroom{abc}</code>
\overleftarrow{abc}	<code>\xleftwitchonbroom*{abc}</code>	\overrightarrow{abc}	<code>\xrightwitchonbroom*{abc}</code>

TABLE 267: halloweenmath Extensible Ghosts

\overleftarrow{abc}	<code>\overleftswishingghost{abc}</code>	\overrightarrow{abc}	<code>\overrightswishingghost{abc}</code>
\underline{abc}	<code>\underleftswishingghost{abc}</code>	\underline{abc}	<code>\underrightswishingghost{abc}</code>
\overleftarrow{abc}	<code>\xleftswishingghost{abc}</code>	\overrightarrow{abc}	<code>\xrightswishingghost{abc}</code>

TABLE 268: `holtpolt` Non-commutative Division Symbols

$\left. \frac{abc}{def} \right $	<code>\holter{abc}{def}</code>	$\left \frac{abc}{def} \right.$	<code>\polter{abc}{def}</code>
----------------------------------	--------------------------------	----------------------------------	--------------------------------

TABLE 269: Dots

·	<code>\cdotp</code>	:	<code>\colon*</code>	.	<code>\ldotp</code>	⋮	<code>\vdots†</code>
...	<code>\cdots</code>	⋯	<code>\ddots†</code>	...	<code>\ldots</code>		

* While “:” is valid in math mode, `\colon` uses different surrounding spacing. See Section 10.4 and the Short Math Guide for L^AT_EX [Dow00] for more information on math-mode spacing.

† The `mathdots` package redefines `\ddots` and `\vdots` (Table 275) to make them scale properly with font size. (They normally scale horizontally but not vertically.) `\fixedddots` and `\fixedvdots` provide the original, fixed-height functionality of L^AT_EX 2_ε's `\ddots` and `\vdots` macros.

TABLE 270: *AMS* Dots

∴	<code>\because*</code>	⋯	<code>\dotsi</code>	∴	<code>\therefore*</code>
⋯	<code>\dotsb</code>	⋯	<code>\dotsm</code>		
...	<code>\dotsc</code>	...	<code>\dotso</code>		

* `\because` and `\therefore` are defined as binary relations and therefore also appear in Table 89 on page 52.

The *AMS* `\dots_` symbols are named according to their intended usage: `\dotsb` between pairs of binary operators/relations, `\dotsc` between pairs of commas, `\dotsi` between pairs of integrals, `\dotsm` between pairs of multiplication signs, and `\dotso` between other symbol pairs.

TABLE 271: `wasysym` Dots

∴	<code>\wasytherefore</code>
---	-----------------------------

TABLE 272: MnSymbol Dots

\cdot	<code>\cdot</code>	\cdots	<code>\hdotdot</code>	\therefore	<code>\udots</code>
\ddots	<code>\ddotdotdot</code>	\dots	<code>\hdots</code>	\uptherefore	<code>\uptherefore</code>
\ddots	<code>\ddots</code>	\leftthreetimes	<code>\leftthreetimes</code>	\vdotdot	<code>\vdotdot</code>
\diamonddot	<code>\diamonddots</code>	\rightthreetimes	<code>\rightthreetimes</code>	\vdots	<code>\vdots</code>
\downtherefore	<code>\downtherefore</code>	\squaredots	<code>\squaredots</code>		
\fivedots	<code>\fivedots</code>	\udotdot	<code>\udotdot</code>		

MnSymbol defines `\therefore` as `\uptherefore` and `\because` as `\downtherefore`. Furthermore, `\cdotp` and `\colop` produce the same glyphs as `\cdot` and `\vdotdot` respectively but serve as T_EX math punctuation (class 6 symbols) instead of T_EX binary operators (class 2).

All of the above except `\hdots` and `\vdots` are defined as binary operators and therefore also appear in Table 56 on page 33.

TABLE 273: fdsymbol Dots

\cdot	<code>\cdot</code>	\dots	<code>\hdots</code>	\therefore	<code>\udots</code>
\ddots	<code>\ddotdotdot</code>	\leftthreetimes	<code>\leftthreetimes</code>	\uptherefore	<code>\uptherefore</code>
\ddots	<code>\ddots</code>	\rightthreetimes	<code>\rightthreetimes</code>	\vdotdot	<code>\vdotdot</code>
\downtherefore	<code>\downtherefore</code>	\squaredots	<code>\squaredots</code>		
\hdotdot	<code>\hdotdot</code>	\udotdot	<code>\udotdot</code>		

fdsymbol defines `\adots` as a synonym for `\udots`; `\because` as a synonym for `\downtherefore`; `\cdotp` as a synonym for `\cdot`; `\cdots` as a synonym for `\hdots`; `\Colon` as a synonym for `\squaredots`; `\colon`, `\mathcolon`, and `\mathratio` as synonyms for `\vdotdot`; and `\therefore` as a synonym for `\uptherefore`. (Some of these serve different mathematical roles, such as relations versus binary operators.)

TABLE 274: stix Dots

\therefore	<code>\adots</code>	\dots	<code>\cdots</code>	\vdots	<code>\fourvdots</code>
\because	<code>\because</code>	\Colon	<code>\Colon</code>	\ldotp	<code>\ldotp</code>
\cdot	<code>\cdot</code>	\ddots	<code>\ddots</code>	\mathellipsis	<code>\mathellipsis</code>
\cdot	<code>\cdotp</code>	\enleadertwodots	<code>\enleadertwodots</code>	\therefore	<code>\therefore</code>

stix defines `\centerdot` as a synonym for `\cdotp` and `\dotsb` and `\dotsm` as synonyms for `\cdots`.

TABLE 275: mathdots Dots

\ddots	<code>\ddots</code>	\iddots	<code>\iddots</code>	\vdots	<code>\vdots</code>
----------	---------------------	-----------	----------------------	----------	---------------------

Unlike the default definitions of the above (Table 269), `mathdots`'s commands are designed to scale properly with the surrounding font size.

TABLE 276: yhmath Dots

\ddots `\adots`

TABLE 277: teubner Dots

\vdots `\:` $\dot{\vdots}$ `\;` $\ddot{\vdots}$ `\?` :: `\antilabe`

TABLE 278: begriff Begriffsschrift Symbols

\vdash `\BGassert` \dashv `\BGcontent` \neg `\BGnot`
 $\left[\begin{array}{l} b \\ a \end{array} \right.$ `\BGconditional{a}{b}` $\underbrace{\quad}_a$ `\BGquant{a}`

The `begriff` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `begriff` documentation for more information.

TABLE 279: frege Begriffsschrift Symbols

\vdash	<code>\Facontent</code>	\vdash	<code>\Fanncontent</code>	\neg	<code>\Fncontent</code>
\vdash	<code>\Fancontent</code>	\neg	<code>\Fcontent</code>	\neg	<code>\Fnncontent</code>
\vdash	<code>\Fannquant{a}</code>	\vdash	<code>\Faquant{a}</code>	\neg	<code>\Fnquant{a}</code>
\vdash	<code>\Fannquantn{a}</code>	\vdash	<code>\Faquantn{a}</code>	\neg	<code>\Fnquantn{a}</code>
\vdash	<code>\Fannquantnn{a}</code>	\vdash	<code>\Faquantnn{a}</code>	\neg	<code>\Fnquantnn{a}</code>
\vdash	<code>\Fanquant{a}</code>	\neg	<code>\Fnnquant{a}</code>	\neg	<code>\Fquantn{a}</code>
\vdash	<code>\Fanquantn{a}</code>	\neg	<code>\Fnnquantn{a}</code>	\neg	<code>\Fquantnn{a}</code>
\vdash	<code>\Fanquantnn{a}</code>	\neg	<code>\Fnnquantnn{a}</code>		

The `frege` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `frege` documentation for more information.

TABLE 280: mathcomp Math Symbols

$^{\circ}\text{C}$ `\tccentigrade` Ω `\tcohm` ‰ `\tcperthousand`
 μ `\tcmu` ‰‰ `\tcpertenthousand`

TABLE 281: marvosym Math Symbols

\angle	<code>\AngleSign</code>	\geq	<code>\LargerOrEqual</code>	\times	<code>\MVMultiplication</code>
\Rightarrow	<code>\Conclusion</code>	\leq	<code>\LessOrEqual</code>	.	<code>\MVPeriod</code>
\equiv	<code>\Congruent</code>	\cdot	<code>\MultiplicationDot</code>	$+$	<code>\MVPlus</code>
\cong	<code>\Corresponds</code>	,	<code>\MVComma</code>	\rightarrow	<code>\MVRightArrow</code>
\div	<code>\Divides</code>	$/$	<code>\MVDivision</code>)	<code>\MVRightBracket</code>
\nmid	<code>\DividesNot</code>	(<code>\MVLeftBracket</code>	\neq	<code>\NotCongruent</code>
\Leftrightarrow	<code>\Equivalence</code>	-	<code>\MVMinus</code>		

TABLE 282: marvosym Digits

0	<code>\MVZero</code>	2	<code>\MVTwo</code>	4	<code>\MVFour</code>	6	<code>\MVSix</code>	8	<code>\MVEight</code>
1	<code>\MVOne</code>	3	<code>\MVThree</code>	5	<code>\MVFive</code>	7	<code>\MVSeven</code>	9	<code>\MVNine</code>

TABLE 283: fge Digits

0	<code>\fgestruckzero</code>	1	<code>\fgestruckone</code>
---	-----------------------------	---	----------------------------

TABLE 284: dozenal Base-12 Digits

ζ	<code>\x</code>	ξ	<code>\e</code>
---------	-----------------	-------	-----------------

TABLE 285: mathabx Mayan Digits

$\textcircled{0}$	<code>\maya{0}</code>	:	<code>\maya{2}</code>	:	<code>\maya{4}</code>
\cdot	<code>\maya{1}</code>	:	<code>\maya{3}</code>	:	<code>\maya{5}</code>

TABLE 286: stix Infinities

$\textcircled{\infty}$	<code>\acidfree</code>	∞	<code>\infty</code>	$\textcircled{\infty}$	<code>\tieinfty</code>
∞	<code>\iinfin</code>	ϕ	<code>\nvinfty</code>		

TABLE 287: stix Primes

'	<code>\prime</code>	\	<code>\backprime</code>
''	<code>\dprime</code>	''	<code>\backdprime</code>
'''	<code>\trprime</code>	'''	<code>\backtrprime</code>
''''	<code>\qprime</code>		

TABLE 288: stix Empty Sets

\emptyset	<code>\emptysetset</code>	$\bar{\emptyset}$	<code>\emptysetsetobar</code>	\emptyset	<code>\varnothing</code>
\emptyset	<code>\emptysetsetoarr</code>	\emptyset	<code>\emptysetsetocirc</code>		
\emptyset	<code>\emptysetsetoarrl</code>	\emptyset	<code>\revemptysetset</code>		

TABLE 289: \mathcal{AMS} Angles

\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\sphericalangle</code>
-------------------	---------------------	-------------------	-----------------------------	-------------------	------------------------------

TABLE 290: MnSymbol Angles

\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\sphericalangle</code>
-------------------	---------------------	-------------------	-----------------------------	-------------------	------------------------------

TABLE 291: fdsymbol Angles

\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\revangle</code>	\sphericalangle	<code>\sphericalangle</code>
\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\revmeasuredangle</code>	\sphericalangle	<code>\sphericalangledown</code>
\sphericalangle	<code>\measuredrightangle</code>	\sphericalangle	<code>\rightangle</code>	\sphericalangle	<code>\sphericalangleleft</code>
\sphericalangle	<code>\measuredrightangledot</code>	\sphericalangle	<code>\rightanglesquare</code>	\sphericalangle	<code>\sphericalangleup</code>

fdsymbol defines `\measuredangleleft` as a synonym for `\revmeasuredangle`; `\revsphericalangle` and `\gtlpar` as synonyms for `\sphericalangleleft`; `\rightanglesqr` as a synonym for `\rightanglesquare`; and `\rightangledot` as a synonym for `\measuredrightangledot`.

TABLE 292: boisik Angles

\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\rightangle</code>	\sphericalangle	<code>\sphericalangle</code>
\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\rightangledot</code>		
\sphericalangle	<code>\measuredrightangle</code>	\sphericalangle	<code>\rightanglesqr</code>		

TABLE 293: stix Angles

\sphericalangle	<code>\angdnr</code>	\sphericalangle	<code>\measanglerutone</code>	\sphericalangle	<code>\rightangledot</code>
\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\measangleultonw</code>	\sphericalangle	<code>\rightanglesqr</code>
\sphericalangle	<code>\angles</code>	\sphericalangle	<code>\measangleurtone</code>	\sphericalangle	<code>\sphericalangle</code>
\sphericalangle	<code>\angleubar</code>	\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\sphericalangleup</code>
\sphericalangle	<code>\gtlpar</code>	\sphericalangle	<code>\measuredangleleft</code>	\sphericalangle	<code>\threeangle</code>
\sphericalangle	<code>\measangledtosw</code>	\sphericalangle	<code>\measuredrightangle</code>	\sphericalangle	<code>\turnangle</code>
\sphericalangle	<code>\measangledrtose</code>	\sphericalangle	<code>\rangledownzigzagarrow</code>	\sphericalangle	<code>\wideangledown</code>
\sphericalangle	<code>\measangleldtosw</code>	\sphericalangle	<code>\revangle</code>	\sphericalangle	<code>\wideangleup</code>
\sphericalangle	<code>\measanglelutonw</code>	\sphericalangle	<code>\revangleubar</code>		
\sphericalangle	<code>\measanglerdtose</code>	\sphericalangle	<code>\rightangle</code>		

TABLE 294: Miscellaneous L^AT_EX 2_ε Math Symbols

\aleph	<code>\aleph</code>	\square	<code>\Box*</code> [†]	∇	<code>\nabla</code>	\triangle	<code>\triangle</code>
\emptyset	<code>\emptyset</code> [‡]	\diamond	<code>\Diamond*</code>	\neg	<code>\neg</code>		
\angle	<code>\angle</code>	∞	<code>\infty</code>	$'$	<code>\prime</code>		
\backslash	<code>\backslash</code>	\mho	<code>\mho*</code>	\surd	<code>\surd</code>		

* Not predefined in L^AT_EX 2_ε. Use one of the packages `latexsym`, `amsmath`, `amssymb`, `txfonts`, `pxfonts`, or `wasysym`. Note, however, that `amsmath` and `amssymb` define `\Diamond` to produce the same glyph as `\lozenge` (“ \diamond ”); the other packages produce a squarer `\Diamond` as depicted above.

† To use `\Box`—or any other symbol—as an end-of-proof (Q.E.D.) marker, consider using the `ntheorem` package, which properly juxtaposes a symbol with the end of the proof text.

‡ Many people prefer the look of $\mathcal{A}\mathcal{M}\mathcal{S}$'s `\varnothing` (“ \emptyset ”, Table 295) to that of L^AT_EX's `\emptyset`.

TABLE 295: Miscellaneous $\mathcal{A}\mathcal{M}\mathcal{S}$ Math Symbols

\backprime	<code>\backprime</code>	\blacktriangledown	<code>\blacktriangledown</code>	\mho	<code>\mho</code>
\bigstar	<code>\bigstar</code>	\diagdown	<code>\diagdown</code>	\square	<code>\square</code>
\blacklozenge	<code>\blacklozenge</code>	\diagup	<code>\diagup</code>	\triangledown	<code>\triangledown</code>
\blacksquare	<code>\blacksquare</code>	\eth	<code>\eth</code>	\varnothing	<code>\varnothing</code>
\blacktriangle	<code>\blacktriangle</code>	\lozenge	<code>\lozenge</code>	\vartriangle	<code>\vartriangle</code>

TABLE 296: Miscellaneous `wasysym` Math Symbols

\square	<code>\Box</code>	\diamond	<code>\Diamond</code>	\mho	<code>\mho*</code>	\varangle	<code>\varangle</code>
-----------	-------------------	------------	-----------------------	--------	--------------------	-------------	------------------------

* `wasysym` also defines an `\agem0` symbol, which is the same glyph as `\mho` but is intended for use in text mode.

TABLE 297: Miscellaneous `txfonts`/`pxfonts` Math Symbols

\blacklozenge	<code>\Diamondblack</code>	λ	<code>\lambdabar</code>
\diamond	<code>\Diamonddot</code>	λ	<code>\lambdaslash</code>

TABLE 298: Miscellaneous `mathabx` Math Symbols

\circ	<code>\degree</code>	\ulcorner	<code>\fourth</code>	\sphericalangle	<code>\measuredangle</code>	\parallel	<code>\second</code>
\diagdown	<code>\diagdown</code>	$\#$	<code>\hash</code>	\pitchfork	<code>\pitchfork</code>	\varangle	<code>\sphericalangle</code>
\diagup	<code>\diagup</code>	∞	<code>\infty</code>	\propto	<code>\propto</code>	\equiv	<code>\third</code>
\oslash	<code>\diameter</code>	\times	<code>\leftthreetimes</code>	\ltimes	<code>\rightthreetimes</code>	$\#$	<code>\varhash</code>

TABLE 299: Miscellaneous MnSymbol Math Symbols

\neg	<code>\backneg</code>	\emptyset	<code>\diameter</code>	\neg	<code>\invneg</code>	\neg	<code>\neg</code>
\backprime	<code>\backprime</code>	∞	<code>\infty</code>	✖	<code>\maltese</code>	\prime	<code>\prime</code>
\checkmark	<code>\checkmark</code>	\neg	<code>\invbackneg</code>	∇	<code>\nabla</code>	f	<code>\smallint</code>

MnSymbol defines `\emptyset` and `\varnothing` as synonyms for `\diameter`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\minushookup` as a synonym for `\invneg`; `\hookdownminus` as a synonym for `\backneg`; and, `\hookupminus` as a synonym for `\invbackneg`.

TABLE 300: Miscellaneous Internal MnSymbol Math Symbols

\dots	<code>\partialvardint</code>	\dots	<code>\partialvartint</code>
\smile	<code>\partialvardlanddownint</code>	\smile	<code>\partialvartlanddownint</code>
\frown	<code>\partialvardlandupint</code>	\frown	<code>\partialvartlandupint</code>
\odot	<code>\partialvardlcircleleftint</code>	\odot	<code>\partialvartlcircleleftint</code>
\oslash	<code>\partialvardlclircclerightint</code>	\oslash	<code>\partialvartlclircclerightint</code>
\bigcirc	<code>\partialvardoint</code>	\bigcirc	<code>\partialvartoint</code>
\circ	<code>\partialvardoint</code>	\circ	<code>\partialvartoint</code>
\odot	<code>\partialvardrcircleleftint</code>	\odot	<code>\partialvartrcircleleftint</code>
\oslash	<code>\partialvardrcircclerightint</code>	\oslash	<code>\partialvartrcircclerightint</code>
—	<code>\partialvardstrokedint</code>	—	<code>\partialvartstrokedint</code>
Σ	<code>\partialvardsumint</code>	Σ	<code>\partialvartsumint</code>

These symbols are intended to be used internally by MnSymbol to construct the integrals appearing in Table 80 on page 46 but can nevertheless be used in isolation.

TABLE 301: Miscellaneous fdsymbol Math Symbols

\neg	<code>\backneg</code>	∞	<code>\infty</code>	\prime	<code>\prime</code>
\backprime	<code>\backprime</code>	\neg	<code>\invneg</code>	\emptyset	<code>\reemptyset</code>
\checkmark	<code>\checkmark</code>	✖	<code>\maltese</code>	∇	<code>\sector</code>
\emptyset	<code>\emptyset</code>	\neg	<code>\neg</code>	f	<code>\smallint</code>

fdsymbol defines `\hookdownminus` as a synonym for `\backneg`; `\invneg` and `\invnot` as synonyms for `\backneg`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\turnedbackneg` as a synonym for `\intprodr`; `\turnedneg` as a synonym for `\intprod`; and `\diameter` and `\varnothing` as synonyms for `\emptyset`.

TABLE 302: Miscellaneous boisik Math Symbols

ϵ	<code>\backepsilon</code>	+	<code>\hermitmatrix</code>	$\not\perp$	<code>\notbot</code>
\backprime	<code>\backprime</code>	∞	<code>\iinfin</code>	$\not\top$	<code>\nottop</code>
\checkmark	<code>\checkmark</code>	\neg	<code>\invnot</code>	r	<code>\riota</code>
\square	<code>\dalambert</code>	λ	<code>\lambdabar</code>	\sim	<code>\sinewave</code>
\diagdown	<code>\diagdown</code>	λ	<code>\lambdaslash</code>	\emptyset	<code>\varnothing</code>
\diagup	<code>\diagup</code>	✖	<code>\maltese</code>		

TABLE 303: Miscellaneous stix Math Symbols

\sim	<code>\accurrent</code>	\dagger	<code>\hermitmatrix</code>	\P	<code>\PropertyLine</code>
\backslash	<code>\backslashslash</code>	\cdot	<code>\hyphenbullet</code>	\blacksquare	<code>\QED</code>
\equiv	<code>\bbrktbrk</code>	\rightsquigarrow	<code>\hzigzag</code>	$??$	<code>\Question</code>
\perp	<code>\bigbot</code>	Δ	<code>\increment</code>	\times	<code>\rdiagovfdiag</code>
\equiv	<code>\biginterleave</code>	\blacksquare	<code>\inversebullet</code>	\bowtie	<code>\rightouterjoin</code>
\top	<code>\bigtop</code>	\neg	<code>\invnot</code>	\lrcorner	<code>\sansLmirrored</code>
\blacksmiley	<code>\blacksmiley</code>	\Join	<code>\Join</code>	\lrcorner	<code>\sansLturned</code>
\lrcorner	<code>\bracevert</code>	\square	<code>\laplac</code>	\sim	<code>\sinewave</code>
\wedge	<code>\caretinsert</code>	\bowtie	<code>\leftouterjoin</code>	—	<code>\strns</code>
\checkmark	<code>\checkmark</code>	\lrcorner	<code>\llarc</code>	⊕	<code>\thermod</code>
\blacktriangleright	<code>\conictaper</code>	\smile	<code>\lrarc</code>	⊔	<code>\topcir</code>
⚠	<code>\danger</code>	⦿	<code>\maltese</code>	⌞	<code>\turnednot</code>
\diagdown	<code>\diagdown</code>	\S	<code>\mathsection</code>	⌋	<code>\ubrbrak</code>
\diagup	<code>\diagup</code>	$_$	<code>\mathvisiblespace</code>	⌒	<code>\ularc</code>
\emptyset	<code>\diameter</code>	∇	<code>\nabla</code>	⌒	<code>\urarc</code>
$*$	<code>\dingasterisk</code>	\neg	<code>\neg*</code>	⌘	<code>\viewdata</code>
⌘	<code>\elinters</code>	⌋	<code>\obrbrak</code>	⋮	<code>\vzigzag</code>
⊘	<code>\eth</code>	⌞	<code>\perps</code>	¥	<code>\yen</code>
$!!$	<code>\Exclam</code>	⌘	<code>\postalmark</code>	;	<code>\zcmp</code>
\times	<code>\fdiagovrdiag</code>	⌒	<code>\proflines</code>	⋯	<code>\zpipe</code>
\bowtie	<code>\fullouterjoin</code>	Δ	<code>\profsurf</code>	⌞	<code>\zproject</code>

* stix defines `\lnot` as a synonym for `\neg`.

TABLE 304: Miscellaneous textcomp Text-mode Math Symbols

$^\circ$	<code>\textdegree*</code>	$\frac{1}{2}$	<code>\textonehalf†</code>	$\frac{3}{4}$	<code>\textthreequarters†</code>
\div	<code>\textdiv</code>	$\frac{1}{4}$	<code>\textonequarter†</code>	3	<code>\textthreesuperior</code>
$/$	<code>\textfractionsolidus</code>	1	<code>\textonesuperior</code>	\times	<code>\texttimes</code>
\neg	<code>\textlnot</code>	\pm	<code>\textpm</code>	2	<code>\texttwosuperior</code>
$-$	<code>\textminus</code>	$\sqrt{\quad}$	<code>\textsurd</code>		

* If you prefer a larger degree symbol you might consider defining one as `\ensuremath{\text{“°”}}`.

† `nicefrac` (part of the `units` package) or the newer `xfrac` package can be used to construct vulgar fractions like “1/2”, “1/4”, “3/4”, and even “c/o”.

TABLE 305: Miscellaneous fge Math Symbols

\backslash	<code>\fgebackslash</code>	\frown	<code>\fgecap</code>	\smile	<code>\fgecupacute</code>	\sphericalangle	<code>\fgelangle</code>
\perp	<code>\fgebaracute</code>	\frown	<code>\fgecapbar</code>	\sphericalangle	<code>\fgecupbar</code>	\lrcorner	<code>\fgeupbracket</code>
\approx	<code>\fgebarcap</code>	\smile	<code>\fgecup</code>	∞	<code>\fgeinfty</code>		

TABLE 306: Miscellaneous mathdesign Math Symbols

L `\rightangle`

TABLE 307: Math Alphabets

Font sample	Generating command	Required package
ABCdef123	<code>\mathrm{ABCdef123}</code>	<i>none</i>
<i>ABCdef123</i>	<code>\mathit{ABCdef123}</code>	<i>none</i>
<i>ABCdef123</i>	<code>\mathnormal{ABCdef123}</code>	<i>none</i>
<i>ABC</i>	<code>\mathcal{ABC}</code>	<i>none</i>
<i>ABC</i>	<code>\mathscr{ABC}</code>	mathrsfs
	<i>or</i> <code>\mathcal{ABC}</code>	calrsfs
<i>ABC</i>	<code>\mathcal{ABC}</code>	euscript with the <code>mathcal</code> option
	<i>or</i> <code>\mathscr{ABC}</code>	euscript with the <code>mathscr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	rsfs
	<i>or</i> <code>\mathscr{ABC}</code>	rsfs with the <code>scr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	urwchancal*
	<i>or</i> <code>\mathscr{ABC}</code>	urwchancal* with the <code>mathscr</code> option
ABC	<code>\mathbb{ABC}</code>	amsfonts, [§] amssymb, txfonts, or pxfonts
ABC	<code>\varmathbb{ABC}</code>	txfonts or pxfonts
ABCdef123	<code>\mathbb{ABCdef123}</code>	bbold or mathbbol [†]
ABCdef123	<code>\mathbb{ABCdef123}</code>	mbboard [†]
ABCdef12	<code>\mathbbm{ABCdef12}</code>	bbm
ABCdef12	<code>\mathbbmss{ABCdef12}</code>	bbm
ABCdef12	<code>\mathbbmtt{ABCdef12}</code>	bbm
ABC1	<code>\mathds{ABC1}</code>	dsfont
ABC1	<code>\mathds{ABC1}</code>	dsfont with the <code>sans</code> option
ABC	<code>\symA\symB\symC</code>	china2e [‡]
$\frac{ABC}{def123}$	<code>\mathfrak{ABCdef123}</code>	eufrak
$\frac{ABC}{def123}$	<code>\textfrak{ABCdef123}</code>	yfonts [¶]
$\frac{ABC}{def123}$	<code>\textswab{ABCdef123}</code>	yfonts [¶]
$\frac{ABC}{def123}$	<code>\textgoth{ABCdef123}</code>	yfonts [¶]

* `urwchancal` redefines `\mathcal` or `\mathscr` to use Zapf Chancery as the calligraphic or script font. However, like all `\mathcal` and `\mathscr` commands shown in Table 307, these support only uppercase letters. An alternative is to put “`\DeclareMathAlphabet{\mathpzc}{OT1}{pzc}{m}{it}`” in your document’s preamble to make `\mathpzc` typeset a wider set of characters in Zapf Chancery. Unfortunately, with this technique accents, superscripts, and subscripts don’t align as well as they do with `urwchancal`.

As a similar trick, you can typeset the Calligra font’s script “*z*” (or other calligraphic symbols) in math mode by loading the `calligra` package and putting “`\DeclareMathAlphabet{\mathcalligra}{T1}{calligra}{m}{n}`” in your document’s preamble to make `\mathcalligra` typeset its argument in the Calligra font. You may also want to specify “`\DeclareFontShape{T1}{calligra}{m}{n}{<->s*[2.2]callig15}{}`” to set Calligra at 2.2 times its design size for a better blend with typical body fonts.

† The `mathbbol` package defines some additional blackboard bold characters: parentheses, square brackets, angle brackets, and—if the `bbgreek` option is passed to `mathbbol`—Greek letters. For instance, “ $\langle[\alpha\beta\gamma]\rangle$ ” is produced by “`\mathbb{\Langle\lbrack\lparen\bbalpha\bbbeta\bbgamma\Rparen\rbrack\Rangle}`”.

`mboard` extends the blackboard bold symbol set significantly further. It supports not only the Greek alphabet—including “Greek-like” symbols such as `\bbnabla` (“ ∇ ”)—but also *all* punctuation marks, various currency symbols such as `\bbdollar` (“\$”) and `\bbeuro` (“€”), and the Hebrew alphabet (e.g., “`\bbfinalnun\bbiyod\bbqof\bbpe`” → “פיון”).

‡ The `\sym...` commands provided by the `GPA2e` package are actually text-mode commands. They are included in Table 307 because they resemble the blackboard-bold symbols that appear in the rest of the table. In addition to the 26 letters of the English alphabet, `GPA2e` provides three unlauded blackboard-bold letters: `\symAE` (“ \AA ”), `\symOE` (“ \O ”), and `\symUE` (“ \U ”). Note that `GPA2e` does provide math-mode commands for the most common number-set symbols. These are presented in Table 183 on page 96.

¶ As their `\text...` names imply, the fonts provided by the `yfonts` package are actually text fonts. They are included in Table 307 because they are frequently used in a mathematical context.

§ An older (i.e., prior to 1991) version of the `AMS`’s fonts rendered \mathbb{C} , \mathbb{N} , \mathbb{R} , \mathbb{S} , and \mathbb{Z} as \mathbb{C} , \mathbb{N} , \mathbb{R} , \mathbb{S} , and \mathbb{Z} . As some people prefer the older glyphs—much to the `AMS`’s surprise—and because those glyphs fail to build under modern versions of METAFONT, Berthold Horn uploaded PostScript fonts for the older blackboard-bold glyphs to CTAN, to the `fonts/msym10` directory. As of this writing, however, there are no $\text{\LaTeX} 2_{\epsilon}$ packages for utilizing the now-obsolete glyphs.

4 Science and technology symbols

This section lists symbols that are employed in various branches of science and engineering.









TABLE 308: gensymb Symbols Defined to Work in Both Math and Text Mode

°C	<code>\celsius</code>	μ	<code>\micro</code>	‰	<code>\perthousand</code>
°	<code>\degree</code>	Ω	<code>\ohm</code>		

TABLE 309: wasysym Electrical and Physical Symbols



~	<code>\AC</code>	≈	<code>\VHF</code>	~~~~~	<code>\photon</code>	≈	<code>\HF</code>	⊗	<code>\gluon</code>
---	------------------	---	-------------------	-------	----------------------	---	------------------	---	---------------------

TABLE 310: ifsym Pulse Diagram Symbols

	<code>\FallingEdge</code>		<code>\LongPulseLow</code>		<code>\PulseLow</code>		<code>\ShortPulseHigh</code>
	<code>\LongPulseHigh</code>		<code>\PulseHigh</code>		<code>\RaisingEdge</code>		<code>\ShortPulseLow</code>

In addition, within `\textifsym{...}`, the following codes are valid:

<code>_ l</code>	<code>- m</code>	<code>ˉ h</code>	<code>ˉ d</code>	<code>< <</code>	<code>> ></code>
<code>_ L</code>	<code>- M</code>	<code>ˉ H</code>	<code>ˉ D</code>	<code>< <<</code>	<code>> >></code>

This enables one to write “`\textifsym{mm<DDD>mm}`” to get “” or “`\textifsym{L|H|L|H|L}`” to get “”. See also the `timing` package, which provides a wide variety of pulse-diagram symbols within an environment designed specifically for typesetting pulse diagrams.

Finally, `\textifsym` supports the display of segmented digits, as would appear on an LCD: “`\textifsym{-123.456}`” produces “- 123,456”. “`\textifsym{b}`” outputs a blank with the same width as an “8”.

TABLE 311: ar Aspect Ratio Symbol

\mathcal{R}	<code>\AR</code>
---------------	------------------

TABLE 312: textcomp Text-mode Science and Engineering Symbols

°C	<code>\textcelsius</code>	℧	<code>\textmho</code>	μ	<code>\textmu</code>	Ω	<code>\textohm</code>
----	---------------------------	---	-----------------------	---	----------------------	---	-----------------------

TABLE 313: steinmetz Extensible Phasor Symbol

$\langle abc \rangle$ `\phase{abc}`

The `\phase` command uses the `pict2e` package to draw a horizontally and vertically scalable Steinmetz phasor symbol. Consequently, `\phase` works only with those \TeX backends supported by `pict2e`. See the `pict2e` documentation for more information.

TABLE 314: emf Electromotive Force Symbols

\mathcal{E} `\emf` with package option `boondox` (default)
 \mathcal{E} `\emf` with package option `cal`*
 \mathcal{E} `\emf` with package option `calligra`
 \mathcal{E} `\emf` with package option `chorus`
 \mathcal{E} `\emf` with package option `cmr`
 \mathcal{E} `\emf` with package option `fourier`
 \mathcal{E} `\emf` with package option `frursive`
 \mathcal{E} `\emf` with package option `miami`
 \mathcal{E} `\emf` with package option `rsfs`

* With the `cal` package option, `\emf` uses `\mathcalcal`. Hence, the depiction of “E” depends on the currently loaded math font.

TABLE 315: wasysym Astronomical Symbols

$\text{\textcircled{\small{♁}}}$	<code>\mercury</code>	$\text{\textcircled{\small{♁}}}$	<code>\earth</code>	$\text{\textcircled{\small{♃}}}$	<code>\jupiter</code>	$\text{\textcircled{\small{♅}}}$	<code>\uranus</code>	$\text{\textcircled{\small{♇}}}$	<code>\pluto</code>
$\text{\textcircled{\small{♀}}}$	<code>\venus</code>	$\text{\textcircled{\small{♂}}}$	<code>\mars</code>	$\text{\textcircled{\small{♄}}}$	<code>\saturn</code>	$\text{\textcircled{\small{♆}}}$	<code>\neptune</code>		
$\text{\textcircled{\small{☉}}}$	<code>\astrosun</code>	$\text{\textcircled{\small{☾}}}$	<code>\fullmoon</code>	$\text{\textcircled{\small{☾}}}$	<code>\leftmoon</code>	$\text{\textcircled{\small{☉}}}$	<code>\newmoon</code>	$\text{\textcircled{\small{☾}}}$	<code>\rightmoon</code>
$\text{\textcircled{\small{♈}}}$	<code>\aries</code>	$\text{\textcircled{\small{♋}}}$	<code>\cancer</code>	$\text{\textcircled{\small{♌}}}$	<code>\libra</code>	$\text{\textcircled{\small{♍}}}$	<code>\aquarius</code>		
$\text{\textcircled{\small{♉}}}$	<code>\taurus</code>	$\text{\textcircled{\small{♌}}}$	<code>\leo</code>	$\text{\textcircled{\small{♍}}}$	<code>\scorpio</code>	$\text{\textcircled{\small{♎}}}$	<code>\capricornus</code>		
$\text{\textcircled{\small{♊}}}$	<code>\gemini</code>	$\text{\textcircled{\small{♍}}}$	<code>\virgo</code>	$\text{\textcircled{\small{♎}}}$	<code>\sagittarius</code>	$\text{\textcircled{\small{♏}}}$	<code>\pisces</code>		
$\text{\textcircled{\small{♈}}}$	<code>\ascnode</code>	$\text{\textcircled{\small{♋}}}$	<code>\descnode</code>	$\text{\textcircled{\small{♌}}}$	<code>\conjunction</code>	$\text{\textcircled{\small{♍}}}$	<code>\opposition</code>	$\text{\textcircled{\small{♎}}}$	<code>\vernal</code>

TABLE 316: marvosym Astronomical Symbols

♿	<code>\Mercury</code>	♁	<code>\Earth</code>	♃	<code>\Jupiter</code>	♅	<code>\Uranus</code>	♇	<code>\Pluto</code>
♀	<code>\Venus</code>	♂	<code>\Mars</code>	♄	<code>\Saturn</code>	♆	<code>\Neptune</code>		
☾	<code>\Moon</code>	☼	<code>\Sun</code>						
♈	<code>\Aries</code>	♋	<code>\Cancer</code>	♎	<code>\Libra</code>	♏	<code>\Capricorn</code>		
♉	<code>\Taurus</code>	♌	<code>\Leo</code>	♍	<code>\Scorpio</code>	♊	<code>\Aquarius</code>		
♊	<code>\Gemini</code>	♍	<code>\Virgo</code>	♐	<code>\Sagittarius</code>	♑	<code>\Pisces</code>		

Note that `\Aries... \Pisces` can also be specified with `\Zodiac{1}... \Zodiac{12}`.

TABLE 317: fontawesome Astronomical Symbols

♂	<code>\faMars</code>	☾	<code>\faMoon0</code>	♀	<code>\faVenus</code>
♿	<code>\faMercury</code>	☼	<code>\faSun0</code>		

TABLE 318: mathabx Astronomical Symbols

♿	<code>\Mercury</code>	♁	<code>\Earth</code>	♃	<code>\Jupiter</code>	♅	<code>\Uranus</code>	♇	<code>\Pluto</code>
♀	<code>\Venus</code>	♂	<code>\Mars</code>	♄	<code>\Saturn</code>	♆	<code>\Neptune</code>	♁	<code>\varEarth</code>
☾	<code>\fullmoon</code>	☾	<code>\leftmoon</code>	☾	<code>\newmoon</code>	☾	<code>\rightmoon</code>	☼	<code>\Sun</code>
♈	<code>\Aries</code>	♉	<code>\Taurus</code>	♊	<code>\Gemini</code>				

`mathabx` also defines `\girl` as an alias for `\Venus`, `\boy` as an alias for `\Mars`, and `\Moon` as an alias for `\leftmoon`.

TABLE 319: stix Astronomical Symbols

☼	<code>\astrosun</code>	☾	<code>\leftmoon</code>	☾	<code>\rightmoon</code>	☼	<code>\sun</code>
---	------------------------	---	------------------------	---	-------------------------	---	-------------------

TABLE 320: starfont Astronomical Symbols

☿	\Mercury	♂	\Mars	♅	\Uranus	♁	\varTerra
♀	\Venus	♃	\Jupiter	♆	\Neptune	♁	\varUranus
♁	\Terra	♄	\Saturn	♇	\Pluto	♇	\varPluto
☉	\Sun	☾	\Moon	☾	\varMoon		
♄	\Cupido	♁	\Zeus	♃	\Apollon	♁	\Vulkanus
♇	\Hades	♁	\Kronos	♁	\Admetos	♁	\Poseidon
♁	\Lilith	♁	\NorthNode	♁	\SouthNode		
♁	\Amor	♁	\Eros	♁	\Juno	♁	\Sappho
♁	\Ceres	♁	\Hidalgo	♁	\Pallas	♁	\Vesta
♁	\Chiron	♁	\Hygiea	♁	\Psyche		
♁	\Fortune						
♈	\Aries	♌	\Leo	♐	\Sagittarius	♏	\varCapricorn
♉	\Taurus	♍	\Virgo	♑	\Capricorn		
♊	\Gemini	♎	\Libra	♒	\Aquarius		
♋	\Cancer	♏	\Scorpio	♓	\Pisces		
♋	\Conjunction	♋	\Square	♋	\Semisextile		
♋	\Opposition	♋	\Sextile	♋	\Semisquare		
♋	\Trine	♋	\Quincunx	♋	\Sesquiquadrate		
♋ ^{asc}	\ASC	♋ ^{ep}	\EastPoint	♋ ^{mc}	\MC		
♋ ^{dsc}	\DSC	♋ ^{ic}	\IC	♋ ^v	\Vertex		
♋ ^d	\Direct	♋ ^r	\Retrograde	♋ ^s	\Station		
♋	\Air	♋	\Earth	♋	\Fire	♋	\Water
♋ ⁿ	\Natal	♋	\Pentagram	♋ ^{rad}	\Radix		

TABLE 321: wasysym APL Symbols

☐	\APLbox	☐	\APLin	*	\APLstar
☐	\APLcomment	☐	\APLleftarrowbox	△	\APLup
▽	\APLdown	⊗	\APLlog	☐	\APLuparrowbox
☐	\APLdownarrowbox	-	\APLminus	↖	\notbackslash
☐	\APLinput	☐	\APLrightarrowbox	≠	\notslash
∘	\APLcirc{a}	⊘	\APLnot{a}	⊥	\APLvert{a}

TABLE 322: stix APL Symbols

	<code>\APLboxquestion</code>	∇	<code>\APLnotbackslash</code>
	<code>\APLboxupcaret</code>	\neq	<code>\APLnotslash</code>

TABLE 323: apl APL Symbols

	<code>\AB</code>	∞	<code>\DD</code>	∇	<code>\GD</code>	†	<code>\LK</code>	∇	<code>\PD</code>	↑	<code>\UA</code>	\underline{G}	<code>\ZG</code>	\underline{Q}	<code>\ZQ</code>
α	<code>\AM</code>	⊥	<code>\DE</code>	≥	<code>\GE</code>	○	<code>\LO</code>	∏	<code>\QQ</code>	—	<code>\US</code>	\underline{H}	<code>\ZH</code>	\underline{R}	<code>\ZR</code>
\	<code>\BL</code>	∇	<code>\DL</code>	→	<code>\GO</code>	∩	<code>\LU</code>	}	<code>\RB</code>	U	<code>\UU</code>	\underline{I}	<code>\ZI</code>	\underline{S}	<code>\ZS</code>
□	<code>\BX</code>	◇	<code>\DM</code>	Δ	<code>\GU</code>	≠	<code>\NE</code>	†	<code>\RK</code>	⊥	<code>\XQ</code>	\underline{J}	<code>\ZJ</code>	\underline{T}	<code>\ZT</code>
\	<code>\CB</code>	⊞	<code>\DQ</code>	±	<code>\IB</code>	—	<code>\NG</code>	ρ	<code>\RO</code>	\underline{A}	<code>\ZA</code>	\underline{K}	<code>\ZK</code>	\underline{U}	<code>\ZU</code>
⌈	<code>\CE</code>	∩	<code>\DU</code>	~	<code>\IO</code>	★	<code>\NN</code>	∩	<code>\RU</code>	\underline{B}	<code>\ZB</code>	\underline{L}	<code>\ZL</code>	\underline{V}	<code>\ZV</code>
⊇	<code>\CO</code>	τ	<code>\EN</code>	{	<code>\LB</code>	∇	<code>\NR</code>	φ	<code>\RV</code>	\underline{C}	<code>\ZC</code>	\underline{M}	<code>\ZM</code>	\underline{W}	<code>\ZW</code>
○	<code>\CR</code>	∈	<code>\EP</code>	Δ	<code>\LD</code>	~	<code>\NT</code>	◦	<code>\SO</code>	\underline{D}	<code>\ZD</code>	\underline{N}	<code>\ZN</code>	\underline{X}	<code>\ZX</code>
/	<code>\CS</code>	⊥	<code>\FL</code>	≤	<code>\LE</code>	ω	<code>\OM</code>	SS	<code>\SS</code>	\underline{E}	<code>\ZE</code>	\underline{O}	<code>\ZO</code>	\underline{Y}	<code>\ZY</code>
↓	<code>\DA</code>	∇	<code>\FM</code>	⊕	<code>\LG</code>	v	<code>\OR</code>	∅	<code>\TR</code>	\underline{F}	<code>\ZF</code>	\underline{P}	<code>\ZP</code>	\underline{Z}	<code>\ZZ</code>

TABLE 324: marvosym Computer Hardware Symbols

	<code>\ComputerMouse</code>		<code>\ParallelPort</code>		<code>\SerialInterface</code>
	<code>\Keyboard</code>		<code>\Printer</code>		<code>\SerialPort</code>

TABLE 325: keystroke Computer Keys

	<code>\Alt</code>		<code>\Enter*</code>		<code>\PrtSc*</code>
	<code>\AltGr</code>		<code>\Esc*</code>		<code>\RArrow</code>
	<code>\Break*</code>		<code>\Home*</code>		<code>\Return</code>
	<code>\BSpace[†]</code>		<code>\Ins*</code>		<code>\Scroll*</code>
	<code>\Ctrl*</code>		<code>\LArrow</code>		<code>\Shift*</code>
	<code>\DArrow</code>		<code>\NumLock</code>		<code>\Spacebar</code>
	<code>\Del*</code>		<code>\PgDown*</code>		<code>\Tab[†]</code>
	<code>\End*</code>		<code>\PgUp*</code>		<code>\UArrow</code>

* Changes based on the language option passed to the `keystroke` package. For example, the `german` option makes `\Del` produce “” instead of “”.

[†] These symbols utilize the `rotating` package and therefore display improperly in most DVI viewers.


























The `\keystroke` command draws a key with an arbitrary label. For example, “`\keystroke{F7}`” produces “”.

TABLE 326: ascii Control Characters (CP437)

☉	\SOH	■	\BS	*	\SI	—	\SYN	↔	\GS
●	\STX	○	\HT	▶	\DLE	‡	\ETB	▲	\RS
♥	\ETX	◼	\LF	◀	\DCa	↑	\CAN	—	\US
♦	\EOT	♂	\VT	‡	\DCb	↓	\EM		
♣	\ENQ	♀	\FF	!!	\DCc	→	\SUB		
♠	\ACK	⊙	\CR	‡	\DCd	←	\ESC		
•	\BEL	◦	\SO	§	\NAK	⌞	\FS		
△	\DEL	␣	\NBSP	␣	\NUL	‡	\splitvert		

Code Page 437 (CP437), which was first utilized by the original IBM PC, uses the symbols \SOH through \US to depict ASCII characters 1–31 and \DEL to depict ASCII character 127. The \NUL symbol, not part of CP437, represents ASCII character 0. \NBSP, also not part of CP437, represents a nonbreaking space. \splitvert is merely the “|” character drawn as it was on the IBM PC.

TABLE 327: logic Logic Gates

	\ANDd		\BUFu		\NANDl		\ORd
	\ANDl		\Buswidth		\NANDr		\ORl
	\ANDr		\INVd		\NANDu		\ORr
	\ANDu		\INVl		\NORd		\ORu
	\BUFd		\INVr		\NORl		
	\BUF1		\INVu		\NORr		
	\BUFr		\NANDd		\NORu		

The `logic` package implements the digital logic-gate symbols specified by the U.S. Department of Defense’s MIL-STD-806 standard. Note that on CTAN, the package is *called* `logic`, but the package is *loaded* using `\usepackage{milstd}`. (There was already a—completely unrelated—`milstd` package on CTAN at the time of `logic`’s release.) Consequently, package details are listed under `milstd` in Table 532 and Table 533 on page 247.

TABLE 328: marvosym Communication Symbols


































	<code>\Email</code>		<code>\fax</code>		<code>\Faxmachine</code>		<code>\Lightning</code>		<code>\Pickup</code>
	<code>\EmailCT</code>		<code>\FAX</code>		<code>\Letter</code>		<code>\Mobilefone</code>		<code>\Telefon</code>

TABLE 329: marvosym Engineering Symbols

	<code>\Beam</code>		<code>\Force</code>		<code>\Octosteel</code>		<code>\RoundedTsteel</code>
	<code>\Bearing</code>		<code>\Hexasteel</code>		<code>\Rectpipe</code>		<code>\Squarepipe</code>
	<code>\Circpipe</code>		<code>\Lefttorque</code>		<code>\Rectsteel</code>		<code>\Squaresteel</code>
	<code>\Circsteel</code>		<code>\Lineload</code>		<code>\Righttorque</code>		<code>\Tsteel</code>
	<code>\Fixedbearing</code>		<code>\Loosebearing</code>		<code>\RoundedLsteel*</code>		<code>\TTsteel</code>
	<code>\Flatsteel</code>		<code>\Lsteel</code>		<code>\RoundedTsteel*</code>		

* `\RoundedLsteel` and `\RoundedTsteel` seem to be swapped, at least in the 2000/05/01 version of marvosym.

TABLE 330: wasysym Biological Symbols



 `\female`  `\male`

TABLE 331: stix Biological Symbols





 `\female`  `\male`
 `\Hermaphrodite`  `\neuter`

TABLE 332: marvosym Biological Symbols























	<code>\FEMALE</code>		<code>\FemaleMale</code>		<code>\Male</code>		<code>\Neutral</code>
	<code>\Female</code>		<code>\Hermaphrodite</code>		<code>\MALE</code>		
	<code>\FemaleFemale</code>		<code>\HERMAPHRODITE</code>		<code>\MaleMale</code>		

TABLE 333: fontawesome Biological Symbols








































	<code>\faGenderless</code>		<code>\faMarsStrokeH</code>		<code>\faTransgenderAlt</code>
	<code>\faMars</code>		<code>\faMarsStrokeV</code>		<code>\faVenus</code>
	<code>\faMarsDouble</code>		<code>\faNeuter</code>		<code>\faVenusDouble</code>
	<code>\faMarsStroke</code>		<code>\faTransgender</code>		<code>\faVenusMars</code>

fontawesome defines `\faIntersex` as a synonym for `\faTransgender`

TABLE 334: marvosym Safety-related Symbols

	<code>\Biohazard</code>		<code>\CEsign</code>		<code>\Explosionsafe</code>		<code>\Radioactivity</code>
	<code>\BSEfree</code>		<code>\Estatically</code>		<code>\Laserbeam</code>		<code>\Stopsign</code>

















































TABLE 335: feyn Feynman Diagram Symbols

	<code>\bigbosonloop</code>		<code>\hfermion</code>		<code>\smallbosonloopV</code>		
	<code>\bigbosonloopA</code>		<code>\shfermion</code>		<code>\wfermion</code>		
	<code>\bigbosonloopV</code>		<code>\smallbosonloop</code>		<code>\whfermion</code>		
	<code>\gvcropped</code>		<code>\smallbosonloopA</code>				
	<code>\feyn{a}</code>		<code>\feyn{fu}</code>		<code>\feyn{glS}</code>		<code>\feyn{hs}</code>
	<code>\feyn{c}</code>		<code>\feyn{fv}</code>		<code>\feyn{glu}</code>		<code>\feyn{hu}</code>
	<code>\feyn{f}</code>		<code>\feyn{g}</code>		<code>\feyn{gu}</code>		<code>\feyn{m}</code>
	<code>\feyn{fd}</code>		<code>\feyn{g1}</code>		<code>\feyn{gv}</code>		<code>\feyn{ms}</code>
	<code>\feyn{fl}</code>		<code>\feyn{gd}</code>		<code>\feyn{gvs}</code>		<code>\feyn{p}</code>
	<code>\feyn{flS}</code>		<code>\feyn{gl}</code>		<code>\feyn{h}</code>		<code>\feyn{P}</code>
	<code>\feyn{fs}</code>		<code>\feyn{glB}</code>		<code>\feyn{hd}</code>		<code>\feyn{x}</code>

All other arguments to the `\feyn` command produce a “ \mathcal{Q} ” symbol.

The feyn package provides various commands for composing the preceding symbols into complete Feynman diagrams. See the feyn documentation for examples and additional information.

TABLE 336: svrsymbols Physics Ideograms

	<code>\adsorbate</code>		<code>\experimentalsym</code>		<code>\protein</code>
	<code>\adsorbent</code>		<code>\externalsym</code>		<code>\proton</code>
	<code>\antimuon</code>		<code>\fermiDistrib</code>		<code>\quadrupole</code>
	<code>\antineutrino</code>		<code>\fermion</code>		<code>\quark</code>
	<code>\antineutron</code>		<code>\Gluon</code>		<code>\quarkb</code>
	<code>\antiproton</code>		<code>\graphene</code>		<code>\quarkc</code>
	<code>\antiquark</code>		<code>\graviton</code>		<code>\quarkd</code>
	<code>\antiquarkb</code>		<code>\hbond</code>		<code>\quarks</code>
	<code>\antiquarkc</code>		<code>\Higgsboson</code>		<code>\quarkt</code>
	<code>\antiquarkd</code>		<code>\hole</code>		<code>\quarku</code>
	<code>\antiquarks</code>		<code>\interaction</code>		<code>\reference</code>
	<code>\antiquarkt</code>		<code>\internalsym</code>		<code>\resistivity</code>
	<code>\antiquarku</code>		<code>\ion</code>		<code>\rhomesonminus</code>
	<code>\anyon</code>		<code>\ionicbond</code>		<code>\rhomesonnull</code>
	<code>\assumption</code>		<code>\Jpsimeson</code>		<code>\rhomesonplus</code>
	<code>\atom</code>		<code>\Kaonminus</code>		<code>\solid</code>

(continued on next page)

(continued from previous page)

★	\bigassumption	K^0	\Kaonnull	↻	\spin
★	\Bigassumption	K^+	\Kaonplus	⚡	\spindown
★	\biggassumption	\leftrightarrow	\magnon	⚡	\spinup
B^-	\Bmesonminus	\mathcal{M}	\maxwellDistrib	Φ	\surface
B^0	\Bmesonnull	\mathcal{M}	\metalbond	\mathbb{W}	\svrexample
B^+	\Bmesonplus	\mathcal{M}	\method	f	\svrphoton
—	\bond	μ^-	\muon	t	\tachyon
\mathcal{B}	\boseDistrib	ν	\neutrino	τ^-	\tauleptonminus
\mathcal{B}	\boson	n^0	\neutron	τ^+	\tauleptonplus
\otimes	\conductivity	\mathcal{N}	\nucleus	T^-	\Tmesonminus
\ominus	\covbond	\leftrightarrow	\orbit	T^0	\Tmesonnull
p	\dipole	ϕ	\phimeson	T^+	\Tmesonplus
D^-	\Dmesonminus	ϕ^0	\phimesonnull	\llcorner	\triplecovbond
D^0	\Dmesonnull	\mathcal{F}	\phonon	Υ	\Upsilonmeson
D^+	\Dmesonplus	π^-	\pionminus	\mathfrak{f}	\varphoton
\llcorner	\doublecovbond	π^0	\pionnull	\bullet	\water
e^-	\electron	π^+	\pionplus	W	\Wbosc
\mathbb{E}	\errorsym	$\sim e^-$	\plasmon	W^-	\Wboscminus
η	\etameson	\mathcal{P}	\polariton	W^+	\Wboscplus
η'	\etamesonprime	$\sim \mathcal{F}$	\polaron	Z	\Zbosc
$\sim h^+$	\exciton	e^+	\positron		

5 Dingbats

Dingbats are symbols such as stars, arrows, and geometric shapes. They are commonly used as bullets in itemized lists or, more generally, as a means to draw attention to the text that follows.

The `pifont` dingbat package warrants special mention. Among other capabilities, `pifont` provides a \LaTeX interface to the Zapf Dingbats font (one of the standard 35 PostScript fonts). However, rather than name each of the dingbats individually, `pifont` merely provides a single `\ding` command, which outputs the character that lies at a given position in the font. The consequence is that the `pifont` symbols can't be listed by name in this document's index, so be mindful of that fact when searching for a particular symbol.

TABLE 337: `bbding` Arrows






	<code>\ArrowBoldDownRight</code>		<code>\ArrowBoldRightShort</code>		<code>\ArrowBoldUpRight</code>
	<code>\ArrowBoldRightCircled</code>		<code>\ArrowBoldRightStrobe</code>		

TABLE 338: `pifont` Arrows











































	<code>\ding{212}</code>		<code>\ding{221}</code>		<code>\ding{230}</code>		<code>\ding{239}</code>		<code>\ding{249}</code>
	<code>\ding{213}</code>		<code>\ding{222}</code>		<code>\ding{231}</code>		<code>\ding{241}</code>		<code>\ding{250}</code>
	<code>\ding{214}</code>		<code>\ding{223}</code>		<code>\ding{232}</code>		<code>\ding{242}</code>		<code>\ding{251}</code>
	<code>\ding{215}</code>		<code>\ding{224}</code>		<code>\ding{233}</code>		<code>\ding{243}</code>		<code>\ding{252}</code>
	<code>\ding{216}</code>		<code>\ding{225}</code>		<code>\ding{234}</code>		<code>\ding{244}</code>		<code>\ding{253}</code>
	<code>\ding{217}</code>		<code>\ding{226}</code>		<code>\ding{235}</code>		<code>\ding{245}</code>		<code>\ding{254}</code>
	<code>\ding{218}</code>		<code>\ding{227}</code>		<code>\ding{236}</code>		<code>\ding{246}</code>		
	<code>\ding{219}</code>		<code>\ding{228}</code>		<code>\ding{237}</code>		<code>\ding{247}</code>		
	<code>\ding{220}</code>		<code>\ding{229}</code>		<code>\ding{238}</code>		<code>\ding{248}</code>		

TABLE 339: adfsymbols Arrows

	<code>\adfarrowe1</code>		<code>\adfarrowne1</code>		<code>\adfarrows1</code>		<code>\adfarrowsw1</code>
	<code>\adfarrowe2</code>		<code>\adfarrowne2</code>		<code>\adfarrows2</code>		<code>\adfarrowsw2</code>
	<code>\adfarrowe3</code>		<code>\adfarrowne3</code>		<code>\adfarrows3</code>		<code>\adfarrowsw3</code>
	<code>\adfarrowe4</code>		<code>\adfarrowne4</code>		<code>\adfarrows4</code>		<code>\adfarrowsw4</code>
	<code>\adfarrowe5</code>		<code>\adfarrowne5</code>		<code>\adfarrows5</code>		<code>\adfarrowsw5</code>
	<code>\adfarrowe6</code>		<code>\adfarrowne6</code>		<code>\adfarrows6</code>		<code>\adfarrowsw6</code>
	<code>\adfarrown1</code>		<code>\adfarrownw1</code>		<code>\adfarrowse1</code>		<code>\adfarrownw1</code>
	<code>\adfarrown2</code>		<code>\adfarrownw2</code>		<code>\adfarrowse2</code>		<code>\adfarrownw2</code>
	<code>\adfarrown3</code>		<code>\adfarrownw3</code>		<code>\adfarrowse3</code>		<code>\adfarrownw3</code>
	<code>\adfarrown4</code>		<code>\adfarrownw4</code>		<code>\adfarrowse4</code>		<code>\adfarrownw4</code>
	<code>\adfarrown5</code>		<code>\adfarrownw5</code>		<code>\adfarrowse5</code>		<code>\adfarrownw5</code>
	<code>\adfarrown6</code>		<code>\adfarrownw6</code>		<code>\adfarrowse6</code>		<code>\adfarrownw6</code>
	<code>\adfhalfarrowleft</code>		<code>\adfhalfarrowright</code>		<code>\adfhalfarrowleftsolid</code>		<code>\adfhalfarrowrightsolid</code>

Technically, the digit at the end of each `\adfarrow<dir><digit>` command is a macro argument, not part of the command name.

The preceding symbols can also be produced by passing a number or a style/direction pair to the `\adfarrow` command. For example, both `\adfarrow{19}` and `\adfarrow[comic]{east}` produce “”. See the `adfsymbols` documentation for more information.

TABLE 340: adorn Arrows

	<code>\adfhalfleftarrow</code>		<code>\adfhalfrightarrowhead</code>
	<code>\adfhalfleftarrowhead</code>		<code>\adleftarrowhead</code>
	<code>\adfhalfrightarrow</code>		<code>\adrightrightarrowhead</code>

TABLE 341: arev Arrows

	<code>\arrowbullet</code>
--	---------------------------

TABLE 342: fontawesome Arrows

	<code>\faArrowCircleDown</code>		<code>\faArrowDown</code>		<code>\faLongArrowDown</code>
	<code>\faArrowCircleLeft</code>		<code>\faArrowLeft</code>		<code>\faLongArrowLeft</code>
	<code>\faArrowCircleODown</code>		<code>\faArrowRight</code>		<code>\faLongArrowRight</code>
	<code>\faArrowCircleOLeft</code>		<code>\faArrows</code>		<code>\faLongArrowUp</code>
	<code>\faArrowCircleORight</code>		<code>\faArrowsAlt</code>		<code>\faRepeat</code>
	<code>\faArrowCircleUp</code>		<code>\faArrowsH</code>		<code>\faUndo</code>
	<code>\faArrowCircleRight</code>		<code>\faArrowsV</code>		
	<code>\faArrowCircleUp</code>		<code>\faArrowUp</code>		

fontawesome defines `\faRotateLeft` as a synonym for `\faUndo` and `\faRotateRight` as a synonym for `\faRepeat`.

TABLE 343: fontawesome Chevrons









	<code>\faChevronCircleDown</code>		<code>\faChevronCircleUp</code>		<code>\faChevronRight</code>
	<code>\faChevronCircleLeft</code>		<code>\faChevronDown</code>		<code>\faChevronUp</code>
	<code>\faChevronCircleRight</code>		<code>\faChevronLeft</code>		

TABLE 344: marvosym Scissors






	<code>\CutLeft</code>		<code>\CuttingLine</code>		<code>\RightScissors</code>
	<code>\CutRight</code>		<code>\LeftScissors</code>		

TABLE 345: bbding Scissors









	<code>\ScissorHollowLeft</code>		<code>\ScissorLeftBrokenTop</code>
	<code>\ScissorHollowRight</code>		<code>\ScissorRight</code>
	<code>\ScissorLeft</code>		<code>\ScissorRightBrokenBottom</code>
	<code>\ScissorLeftBrokenBottom</code>		<code>\ScissorRightBrokenTop</code>

TABLE 346: pifont Scissors

	<code>\ding{33}</code>		<code>\ding{34}</code>		<code>\ding{35}</code>		<code>\ding{36}</code>
--	------------------------	--	------------------------	--	------------------------	--	------------------------

TABLE 347: dingbat Pencils



	<code>\largepencil</code>		<code>\smallpencil</code>
---	---------------------------	---	---------------------------

TABLE 348: arev Pencils

	<code>\pencil</code>
---	----------------------

TABLE 349: fontawesome Pencils




	<code>\faPencil</code>		<code>\faPencilSquare</code>		<code>\faPencilSquare0</code>
---	------------------------	---	------------------------------	---	-------------------------------

TABLE 350: bbding Pencils and Nibs











	<code>\NibLeft</code>		<code>\PencilLeft</code>		<code>\PencilRightDown</code>
	<code>\NibRight</code>		<code>\PencilLeftDown</code>		<code>\PencilRightUp</code>
	<code>\NibSolidLeft</code>		<code>\PencilLeftUp</code>		
	<code>\NibSolidRight</code>		<code>\PencilRight</code>		

TABLE 351: pifont Pencils and Nibs






 `\ding{46}`  `\ding{47}`  `\ding{48}`  `\ding{49}`  `\ding{50}`

TABLE 352: dingbat Fists








 <code>\leftpointright</code>	 <code>\rightpointleft</code>	 <code>\rightpointright</code>
 <code>\leftthumbsdown</code>	 <code>\rightthumbsdown</code>	
 <code>\leftthumbsup</code>	 <code>\rightthumbsup</code>	

TABLE 353: bbding Fists










 <code>\HandCuffLeft</code>	 <code>\HandCuffRightUp</code>	 <code>\HandPencilLeft</code>
 <code>\HandCuffLeftUp</code>	 <code>\HandLeft</code>	 <code>\HandRight</code>
 <code>\HandCuffRight</code>	 <code>\HandLeftUp</code>	 <code>\HandRightUp</code>

TABLE 354: pifont Fists





 `\ding{42}`  `\ding{43}`  `\ding{44}`  `\ding{45}`

TABLE 355: fourier Fists

 `\lefthand`  `\righthand`

TABLE 356: arev Fists

















 `\pointright`

TABLE 357: fontawesome Fists

 <code>\faHandLizard0</code>	 <code>\faHandPaper0</code>	 <code>\faHandSpock0</code>
 <code>\faHandODown</code>	 <code>\faHandPeace0</code>	 <code>\faThumbsDown</code>
 <code>\faHandOLeft</code>	 <code>\faHandPointer0</code>	 <code>\faThumbsODown</code>
 <code>\faHandORight</code>	 <code>\faHandRock0</code>	 <code>\faThumbsOUp</code>
 <code>\faHandOUp</code>	 <code>\faHandScissors0</code>	 <code>\faThumbsUp</code>

fontawesome defines `\faHandGrab0` as a synonym for `\faHandRock0` and `\faHandStop0` as a synonym for `\faHandPaper0`.

TABLE 358: bbding Crosses and Plusses

†	<code>\Cross</code>	†	<code>\CrossOpenShadow</code>	+	<code>\PlusOutline</code>
†	<code>\CrossBoldOutline</code>	†	<code>\CrossOutline</code>	+	<code>\PlusThinCenterOpen</code>
†	<code>\CrossClowerTips</code>	+	<code>\Plus</code>		
†	<code>\CrossMaltese</code>	+	<code>\PlusCenterOpen</code>		

TABLE 359: pifont Crosses and Plusses

+	<code>\ding{57}</code>	+	<code>\ding{59}</code>	†	<code>\ding{61}</code>	†	<code>\ding{63}</code>
+	<code>\ding{58}</code>	+	<code>\ding{60}</code>	†	<code>\ding{62}</code>	†	<code>\ding{64}</code>

TABLE 360: adfsymbols Crosses and Plusses

*	<code>\adfbullet{4}</code>	*	<code>\adfbullet{6}</code>	*	<code>\adfbullet{8}</code>	*	<code>\adfbullet{10}</code>
*	<code>\adfbullet{5}</code>	*	<code>\adfbullet{7}</code>	*	<code>\adfbullet{9}</code>		

TABLE 361: arev Crosses

†	<code>\eastcross</code>	†	<code>\westcross</code>
---	-------------------------	---	-------------------------

TABLE 362: bbding Xs and Check Marks

✓	<code>\Checkmark</code>	✗	<code>\XSolid</code>	✗	<code>\XSolidBrush</code>
✓	<code>\CheckmarkBold</code>	✗	<code>\XSolidBold</code>		

TABLE 363: pifont Xs and Check Marks

✓	<code>\ding{51}</code>	✗	<code>\ding{53}</code>	✗	<code>\ding{55}</code>
✓	<code>\ding{52}</code>	✗	<code>\ding{54}</code>	✗	<code>\ding{56}</code>

TABLE 364: wasysym Xs and Check Marks

☑	<code>\CheckedBox</code>	□	<code>\Square</code>	☒	<code>\XBox</code>
---	--------------------------	---	----------------------	---	--------------------

TABLE 365: marvosym Xs and Check Marks

☑	<code>\Checkedbox</code>	☒	<code>\CrossedBox*</code>	□	<code>\HollowBox</code>
---	--------------------------	---	---------------------------	---	-------------------------

* marvosym defines `\Crossedbox` as a synonym for `\CrossedBox`.

TABLE 366: arev Xs and Check Marks

✓ \ballotcheck ✗ \ballotx

TABLE 367: fontawesome Xs and Check Marks

✓	\faCheck	☑	\faCheckSquare	⊗	\faTimesCircle
⊙	\faCheckCircle	☑	\faCheckSquareO	⊗	\faTimesCircleO
⊙	\faCheckCircleO	✕	\faTimes*		

* fontawesome defines both \faClose and \faRemove as synonyms for \faTimes.

TABLE 368: pifont Circled Numerals

①	\ding{172}	①	\ding{182}	①	\ding{192}	①	\ding{202}
②	\ding{173}	②	\ding{183}	②	\ding{193}	②	\ding{203}
③	\ding{174}	③	\ding{184}	③	\ding{194}	③	\ding{204}
④	\ding{175}	④	\ding{185}	④	\ding{195}	④	\ding{205}
⑤	\ding{176}	⑤	\ding{186}	⑤	\ding{196}	⑤	\ding{206}
⑥	\ding{177}	⑥	\ding{187}	⑥	\ding{197}	⑥	\ding{207}
⑦	\ding{178}	⑦	\ding{188}	⑦	\ding{198}	⑦	\ding{208}
⑧	\ding{179}	⑧	\ding{189}	⑧	\ding{199}	⑧	\ding{209}
⑨	\ding{180}	⑨	\ding{190}	⑨	\ding{200}	⑨	\ding{210}
⑩	\ding{181}	⑩	\ding{191}	⑩	\ding{201}	⑩	\ding{211}

pifont (part of the psnfss package) provides a `dingautolist` environment which resembles `enumerate` but uses circled numbers as bullets.⁴ See the psnfss documentation for more information.

TABLE 369: wasysym Stars

☆ \davidstar ✱ \hexstar ✱ \varhexstar

⁴In fact, `dingautolist` can use any set of consecutive Zapf Dingbats symbols.

TABLE 370: bbding Stars, Flowers, and Similar Shapes

















































	<code>\Asterisk</code>		<code>\FiveFlowerPetal</code>		<code>\JackStar</code>
	<code>\AsteriskBold</code>		<code>\FiveStar</code>		<code>\JackStarBold</code>
	<code>\AsteriskCenterOpen</code>		<code>\FiveStarCenterOpen</code>		<code>\SixFlowerAlternate</code>
	<code>\AsteriskRoundedEnds</code>		<code>\FiveStarConvex</code>		<code>\SixFlowerAltPetal</code>
	<code>\AsteriskThin</code>		<code>\FiveStarLines</code>		<code>\SixFlowerOpenCenter</code>
	<code>\AsteriskThinCenterOpen</code>		<code>\FiveStarOpen</code>		<code>\SixFlowerPetalDotted</code>
	<code>\DavidStar</code>		<code>\FiveStarOpenCircled</code>		<code>\SixFlowerPetalRemoved</code>
	<code>\DavidStarSolid</code>		<code>\FiveStarOpenDotted</code>		<code>\SixFlowerRemovedOpenPetal</code>
	<code>\EightAsterisk</code>		<code>\FiveStarOutline</code>		<code>\SixStar</code>
	<code>\EightFlowerPetal</code>		<code>\FiveStarOutlineHeavy</code>		<code>\SixteenStarLight</code>
	<code>\EightFlowerPetalRemoved</code>		<code>\FiveStarShadow</code>		<code>\Snowflake</code>
	<code>\EightStar</code>		<code>\FourAsterisk</code>		<code>\SnowflakeChevron</code>
	<code>\EightStarBold</code>		<code>\FourCloverOpen</code>		<code>\SnowflakeChevronBold</code>
	<code>\EightStarConvex</code>		<code>\FourCloverSolid</code>		<code>\Sparkle</code>
	<code>\EightStarTaper</code>		<code>\FourStar</code>		<code>\SparkleBold</code>
	<code>\FiveFlowerOpen</code>		<code>\FourStarOpen</code>		<code>\TwelveStar</code>

TABLE 371: pifont Stars, Flowers, and Similar Shapes












































	<code>\ding{65}</code>		<code>\ding{74}</code>		<code>\ding{83}</code>		<code>\ding{92}</code>		<code>\ding{101}</code>
	<code>\ding{66}</code>		<code>\ding{75}</code>		<code>\ding{84}</code>		<code>\ding{93}</code>		<code>\ding{102}</code>
	<code>\ding{67}</code>		<code>\ding{76}</code>		<code>\ding{85}</code>		<code>\ding{94}</code>		<code>\ding{103}</code>
	<code>\ding{68}</code>		<code>\ding{77}</code>		<code>\ding{86}</code>		<code>\ding{95}</code>		<code>\ding{104}</code>
	<code>\ding{69}</code>		<code>\ding{78}</code>		<code>\ding{87}</code>		<code>\ding{96}</code>		<code>\ding{105}</code>
	<code>\ding{70}</code>		<code>\ding{79}</code>		<code>\ding{88}</code>		<code>\ding{97}</code>		<code>\ding{106}</code>
	<code>\ding{71}</code>		<code>\ding{80}</code>		<code>\ding{89}</code>		<code>\ding{98}</code>		<code>\ding{107}</code>
	<code>\ding{72}</code>		<code>\ding{81}</code>		<code>\ding{90}</code>		<code>\ding{99}</code>		
	<code>\ding{73}</code>		<code>\ding{82}</code>		<code>\ding{91}</code>		<code>\ding{100}</code>		

TABLE 372: adfsymbols Stars, Flowers, and Similar Shapes




















	<code>\adfbullet{1}</code>		<code>\adfbullet{13}</code>		<code>\adfbullet{18}</code>		<code>\adfbullet{23}</code>
	<code>\adfbullet{2}</code>		<code>\adfbullet{14}</code>		<code>\adfbullet{19}</code>		<code>\adfbullet{24}</code>
	<code>\adfbullet{3}</code>		<code>\adfbullet{15}</code>		<code>\adfbullet{20}</code>		<code>\adfbullet{25}</code>
	<code>\adfbullet{11}</code>		<code>\adfbullet{16}</code>		<code>\adfbullet{21}</code>		<code>\adfbullet{26}</code>
	<code>\adfbullet{12}</code>		<code>\adfbullet{17}</code>		<code>\adfbullet{22}</code>		

TABLE 373: adorn Stars











	<code>\adfast{1}</code>		<code>\adfast{3}</code>		<code>\adfast{5}</code>		<code>\adfast{7}</code>		<code>\adfast{9}</code>
	<code>\adfast{2}</code>		<code>\adfast{4}</code>		<code>\adfast{6}</code>		<code>\adfast{8}</code>		<code>\adfast{10}</code>

TABLE 374: fontawesome Stars

★ `\faStar` ☆ `\faStarHalf` ☆ `\faStarHalf0` ☆ `\faStar0`

fontawesome defines both `\faStarHalfEmpty` and `\faStarHalfFull` as synonyms for `\faStarHalf0`.

TABLE 375: fourier Fleurons and Flowers


















	<code>\aldine</code>		<code>\decoone</code>		<code>\floweroneright</code>
	<code>\aldineleft</code>		<code>\decosix</code>		<code>\leafleft</code>
	<code>\aldineright</code>		<code>\decothreeleft</code>		<code>\leafNE</code>
	<code>\aldinesmall</code>		<code>\decothreeright</code>		<code>\leafright</code>
	<code>\decofourleft</code>		<code>\decotwo</code>		<code>\starredbullet</code>
	<code>\decofourright</code>		<code>\floweroneleft</code>		

TABLE 376: adorn Fleurons and Flowers































	<code>\adfdownhalfleafleft</code>		<code>\adfdownhalfleafright</code>
	<code>\adfdownleafleft</code>		<code>\adfdownleafright</code>
	<code>\adfflatdownhalfleafleft</code>		<code>\adfflatdownhalfleafright</code>
	<code>\adfflatdownoutlineleafleft</code>		<code>\adfflatdownoutlineleafright</code>
	<code>\adfflatleafleft</code>		<code>\adfflatleafright</code>
	<code>\adfflatleafoutlineleft</code>		<code>\adfflatleafoutlineright</code>
	<code>\adfflatleafsolidleft</code>		<code>\adfflatleafsolidright</code>
	<code>\adfflowerleft</code>		<code>\adfflowerright</code>
	<code>\adfhalfleafleft</code>		<code>\adfhalfleafright</code>
	<code>\adfhangingleafleft</code>		<code>\adfhangingleafright</code>
	<code>\adfleafleft</code>		<code>\adfleafright</code>
	<code>\adfoutlineleafleft</code>		<code>\adfoutlineleafright</code>
	<code>\adfsmallhangingleafleft</code>		<code>\adfsmallhangingleafright</code>
	<code>\adfsmallleafleft</code>		<code>\adfsmallleafright</code>
	<code>\adfsolidleafleft</code>		<code>\adfsolidleafright</code>

TABLE 377: wasysym Geometric Shapes

○ <code>\Circle</code>	◐ <code>\LEFTcircle</code>	◯ <code>\octagon</code>	◑ <code>\RIGHTcircle</code>
● <code>\CIRCLE</code>	◓ <code>\LEFTCIRCLE</code>	◕ <code>\pentagon</code>	◔ <code>\RIGHTCIRCLE</code>
◊ <code>\hexagon</code>	◑ <code>\Leftcircle</code>	◒ <code>\Rightcircle</code>	◕ <code>\varhexagon</code>

TABLE 378: MnSymbol Geometric Shapes

★	<code>\filledlargestar</code>	◇	<code>\largelozenge</code>	◇	<code>\medlozenge</code>
◆	<code>\filledlozenge</code>	☆	<code>\largepentagram</code>	☆	<code>\medstarofdavid</code>
◆	<code>\filledmedlozenge</code>	□	<code>\largesquare</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	☆	<code>\largestar</code>		
◇	<code>\largediamond</code>	☆	<code>\largestarofdavid</code>		

MnSymbol defines `\bigcirc` as a synonym for `\largecircle`; `\bigstar` as a synonym for `\filledlargestar`; `\lozenge` as a synonym for `\medlozenge`; and, `\blacklozenge` as a synonym for `\filledmedlozenge`.

TABLE 379: fdsymbol Geometric Shapes

●	<code>\largeblackcircle</code>	▽	<code>\largetriangleup</code>	◇	<code>\medlozenge</code>
■	<code>\largeblacksquare</code>	△	<code>\largetriangleup</code>	◆	<code>\smallblacklozenge</code>
★	<code>\largeblackstar</code>	☆	<code>\largewhitestar</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	◇	<code>\lozengeminus</code>	☆	<code>\starofdavid</code>
□	<code>\largesquare</code>	◆	<code>\medblacklozenge</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

○	<code>\bigcirc</code>	■	<code>\lgblksquare</code>	◇	<code>\mdlgwhtlozenge</code>
★	<code>\bigstar</code>	○	<code>\lgwhtcircle</code>	◇	<code>\mdwhtlozenge</code>
▽	<code>\bigtriangledown</code>	□	<code>\lgwhtsquare</code>	◆	<code>\smbklozenge</code>
△	<code>\bigtriangleup</code>	◇	<code>\lozenge</code>	◇	<code>\smwhtlozenge</code>
◆	<code>\blacklozenge</code>	◆	<code>\mdblklozenge</code>		
●	<code>\lgblkcircle</code>	◆	<code>\mdlgbklozenge</code>		

TABLE 380: boisik Geometric Shapes

★	<code>\bigstar</code>	◇	<code>\diamond</code>	▽	<code>\triangledown</code>
◆	<code>\blacklozenge</code>	◇	<code>\lozenge</code>	◁	<code>\triangleleft</code>
■	<code>\blacksquare</code>	◇	<code>\lozengedot</code>	▷	<code>\triangleright</code>
▲	<code>\blacktriangle</code>	□	<code>\square</code>	◁	<code>\varlrrtriangle</code>
▼	<code>\blacktriangledown</code>	*	<code>\star</code>		

TABLE 381: stix Geometric Shapes

	<code>\acwopencirclearrow</code>		<code>\downtriangleleftblack</code>		<code>\smalltriangleleft</code>
	<code>\barovernorthwestarrow</code>		<code>\downtrianglerightblack</code>		<code>\smalltriangleright</code>
	<code>\benzenr</code>		<code>\enclosecircle</code>		<code>\smbldiamond</code>
	<code>\bigblacktriangledown</code>		<code>\enclosediamond</code>		<code>\smbloklozenge</code>
	<code>\bigblacktriangleup</code>		<code>\enclosesquare</code>		<code>\smbllksquare</code>
	<code>\bigstar</code>		<code>\enclosetriangle</code>		<code>\smwhitestar</code>
	<code>\bigtriangledown</code>		<code>\errbarblackcircle</code>		<code>\smwhtcircle</code>
	<code>\bigtriangleleft</code>		<code>\errbarblackdiamond</code>		<code>\smwhtdiamond</code>
	<code>\bigtriangleup</code>		<code>\errbarblacksquare</code>		<code>\smwhtlozenge</code>
	<code>\bigwhitestar</code>		<code>\errbarcircle</code>		<code>\smwhtsquare</code>
	<code>\blackcircledownarrow</code>		<code>\errbardiamond</code>		<code>\sqlozenge</code>
	<code>\blackcircledrightdot</code>		<code>\errbarsquare</code>		<code>\squarebotblack</code>
	<code>\blackcircledtwodots</code>		<code>\fisheye</code>		<code>\squarecrossfill</code>
	<code>\blackcircleulquadwhite</code>		<code>\fltns</code>		<code>\squarehfill</code>
	<code>\blackdiamonddownarrow</code>		<code>\hexagon</code>		<code>\squarehvfill</code>
	<code>\blackinwhitediamond</code>		<code>\hexagonblack</code>		<code>\squareleftblack</code>
	<code>\blackinwhitesquare</code>		<code>\house</code>		<code>\squarellblack</code>
	<code>\blacklefthalfcircle</code>		<code>\hrectangle</code>		<code>\squarellquad</code>
	<code>\blacklozenge</code>		<code>\hrectangleblack</code>		<code>\squarelrblack</code>
	<code>\blackpointerleft</code>		<code>\inversewhitecircle</code>		<code>\squarelrquad</code>
	<code>\blackpointerright</code>		<code>\invwhitelowerhalfcircle</code>		<code>\squareneswfill</code>
	<code>\blackrighthalfcircle</code>		<code>\invwhiteupperhalfcircle</code>		<code>\squarenwsefill</code>
	<code>\blacktriangle</code>		<code>\lgblkcircle</code>		<code>\squarerightblack</code>
	<code>\blacktriangledown</code>		<code>\lgblksquare</code>		<code>\squaretopblack</code>
	<code>\blacktriangleleft</code>		<code>\lgwhtcircle</code>		<code>\squareulblack</code>
	<code>\blacktriangleright</code>		<code>\lgwhtsquare</code>		<code>\squareulquad</code>
	<code>\blkhorzoval</code>		<code>\llblacktriangle</code>		<code>\squareurblack</code>
	<code>\blkvertoval</code>		<code>\lltriangle</code>		<code>\squareurquad</code>
	<code>\botsemicircle</code>		<code>\lrblacktriangle</code>		<code>\squarevfill</code>
	<code>\boxonbox</code>		<code>\lrtriangle</code>		<code>\squoval</code>
	<code>\bullseye</code>		<code>\mdblkcircle</code>		<code>\topsemicircle</code>
	<code>\circ</code>		<code>\mdblkdiamond</code>		<code>\trapezium</code>
	<code>\circlebottomhalfblack</code>		<code>\mdblklozenge</code>		<code>\trianglecdot</code>
	<code>\circledbullet</code>		<code>\mdblksquare</code>		<code>\triangledown</code>
	<code>\circledownarrow</code>		<code>\mdlgblkcircle</code>		<code>\triangleleftblack</code>
	<code>\circledrightdot</code>		<code>\mdlgblkdiamond</code>		<code>\triangleodot</code>
	<code>\circledstar</code>		<code>\mdlgblksquare</code>		<code>\trianglerightblack</code>
	<code>\circledtwodots</code>		<code>\mdlgwhtdiamond</code>		<code>\triangles</code>
	<code>\circledwhitebullet</code>		<code>\mdlgwhtlozenge</code>		<code>\triangleubar</code>
	<code>\circlelefthalfblack</code>		<code>\mdlgwhtsquare</code>		<code>\ulblacktriangle</code>
	<code>\circlellquad</code>		<code>\mdsmbkcircle</code>		<code>\ultriangle</code>
	<code>\circlelrquad</code>		<code>\mdsmbksquare</code>		<code>\uparrowoncircle</code>
	<code>\circlelighthalfblack</code>		<code>\mdsmwhtcircle</code>		<code>\urblacktriangle</code>
	<code>\circletophalfblack</code>		<code>\mdsmwhtsquare</code>		<code>\urtriangle</code>
	<code>\circleulquad</code>		<code>\mdwhtcircle</code>		<code>\varhexagon</code>
	<code>\circleurquad</code>		<code>\mdwhtdiamond</code>		<code>\varhexagonblack</code>
	<code>\circleurquadblack</code>		<code>\mdwhtlozenge</code>		<code>\varhexagonlronds</code>

(continued on next page)

(continued from previous page)

	<code>\circleftvertfill</code>		<code>\mdwhtsquare</code>		<code>\varlrtriangle</code>
	<code>\cirE</code>		<code>\medblackstar</code>		<code>\varstar</code>
	<code>\cirscir</code>		<code>\medwhitestar</code>		<code>\vrectangle</code>
	<code>\cwopencirclearrow</code>		<code>\parallelogram</code>		<code>\vrectangleblack</code>
	<code>\diamondbotblack</code>		<code>\parallelogramblack</code>		<code>\vysmblksquare</code>
	<code>\diamondcdot</code>		<code>\pentagon</code>		<code>\vysmwhtsquare</code>
	<code>\diamondleftblack</code>		<code>\pentagonblack</code>		<code>\whiteinwhitetriangle</code>
	<code>\diamondrightblack</code>		<code>\rightpentagon</code>		<code>\whitepointerleft</code>
	<code>\diamondtopblack</code>		<code>\rightpentagonblack</code>		<code>\whitepointerright</code>
	<code>\dottedcircle</code>		<code>\smallblacktriangleleft</code>		<code>\wthorzoval</code>
	<code>\dottedsquare</code>		<code>\smallblacktriangleright</code>		<code>\whtvtoval</code>

stix defines `\diamond` as a synonym for `\smwhtdiamond`, `\blacksquare` as a synonym for `\mdlgblksquare`, `\square` and `\Box` as synonyms for `\mdlgwhtsquare`, `\triangle` and `\varbigtriangleup` as synonyms for `\bigtriangleup`, `\rhd` as a synonym for `\vartriangleright`, `\varbigtriangledown` as a synonym for `\bigtriangledown`, `\lhd` as a synonym for `\vartriangleleft`, `\Diamond` and `\lozenge` as synonyms for `\mglgwhtlozenge`, `\bigcirc` as a synonym for `\mglgwhtcircle`, `\circ` as a synonym for `\smwhtcircle`. and `\mdlgblklozenge` as a synonym for `\blacklozenge`.

TABLE 382: ifsym Geometric Shapes

	<code>\BigCircle</code>		<code>\FilledBigTriangleRight</code>		<code>\SmallCircle</code>
	<code>\BigCross</code>		<code>\FilledBigTriangleUp</code>		<code>\SmallCross</code>
	<code>\BigDiamondshape</code>		<code>\FilledCircle</code>		<code>\SmallDiamondshape</code>
	<code>\BigHBar</code>		<code>\FilledDiamondShadowA</code>		<code>\SmallHBar</code>
	<code>\BigLowerDiamond</code>		<code>\FilledDiamondShadowC</code>		<code>\SmallLowerDiamond</code>
	<code>\BigRightDiamond</code>		<code>\FilledDiamondshape</code>		<code>\SmallRightDiamond</code>
	<code>\BigSquare</code>		<code>\FilledSmallCircle</code>		<code>\SmallSquare</code>
	<code>\BigTriangleDown</code>		<code>\FilledSmallDiamondshape</code>		<code>\SmallTriangleDown</code>
	<code>\BigTriangleLeft</code>		<code>\FilledSmallSquare</code>		<code>\SmallTriangleLeft</code>
	<code>\BigTriangleRight</code>		<code>\FilledSmallTriangleDown</code>		<code>\SmallTriangleRight</code>
	<code>\BigTriangleUp</code>		<code>\FilledSmallTriangleLeft</code>		<code>\SmallTriangleUp</code>
	<code>\BigVBar</code>		<code>\FilledSmallTriangleRight</code>		<code>\SmallVBar</code>
	<code>\Circle</code>		<code>\FilledSmallTriangleUp</code>		<code>\SpinDown</code>
	<code>\Cross</code>		<code>\FilledSquare</code>		<code>\SpinUp</code>
	<code>\DiamondShadowA</code>		<code>\FilledSquareShadowA</code>		<code>\Square</code>
	<code>\DiamondShadowB</code>		<code>\FilledSquareShadowC</code>		<code>\SquareShadowA</code>
	<code>\DiamondShadowC</code>		<code>\FilledTriangleDown</code>		<code>\SquareShadowB</code>
	<code>\Diamondshape</code>		<code>\FilledTriangleLeft</code>		<code>\SquareShadowC</code>
	<code>\FilledBigCircle</code>		<code>\FilledTriangleRight</code>		<code>\TriangleDown</code>

(continued on next page)

(continued from previous page)

◆	<code>\FilledBigDiamondshape</code>	▲	<code>\FilledTriangleUp</code>	◁	<code>\TriangleLeft</code>
■	<code>\FilledBigSquare</code>	—	<code>\HBar</code>	▷	<code>\TriangleRight</code>
▼	<code>\FilledBigTriangleDown</code>	◇	<code>\LowerDiamond</code>	△	<code>\TriangleUp</code>
◀	<code>\FilledBigTriangleLeft</code>	◊	<code>\RightDiamond</code>		<code>\VBar</code>

The ifsym documentation points out that one can use `\rlap` to combine some of the above into useful, new symbols. For example, `\BigCircle` and `\FilledSmallCircle` combine to give “●”. Likewise, `\Square` and `\Cross` combine to give “⊠”. See Section 10.3 for more information about constructing new symbols out of existing symbols.

TABLE 383: bbding Geometric Shapes

○	<code>\CircleShadow</code>	▭	<code>\Rectangle</code>	◻	<code>\SquareShadowTopLeft</code>
●	<code>\CircleSolid</code>	▮	<code>\RectangleBold</code>	◻	<code>\SquareShadowTopRight</code>
◆	<code>\DiamondSolid</code>		<code>\RectangleThin</code>	■	<code>\SquareSolid</code>
◊	<code>\Ellipse</code>	□	<code>\Square</code>	▼	<code>\TriangleDown</code>
◊	<code>\EllipseShadow</code>	◻	<code>\SquareCastShadowBottomRight</code>	▲	<code>\TriangleUp</code>
●	<code>\EllipseSolid</code>	◻	<code>\SquareCastShadowTopLeft</code>		
◐	<code>\HalfCircleLeft</code>	◻	<code>\SquareCastShadowTopRight</code>		
◑	<code>\HalfCircleRight</code>	◻	<code>\SquareShadowBottomRight</code>		

TABLE 384: pifont Geometric Shapes

●	<code>\ding{108}</code>	◻	<code>\ding{111}</code>	◻	<code>\ding{114}</code>	◆	<code>\ding{117}</code>	▭	<code>\ding{121}</code>
○	<code>\ding{109}</code>	◻	<code>\ding{112}</code>	▲	<code>\ding{115}</code>	◑	<code>\ding{119}</code>	▮	<code>\ding{122}</code>
■	<code>\ding{110}</code>	◻	<code>\ding{113}</code>	▼	<code>\ding{116}</code>		<code>\ding{120}</code>		

TABLE 385: universa Geometric Shapes

●	<code>\baucircle</code>	■	<code>\bausquare</code>	▲	<code>\bautriangle</code>
---	-------------------------	---	-------------------------	---	---------------------------

TABLE 386: adfsymbols Geometric Shapes

•	<code>\adfbullet{27}</code>	▶	<code>\adfbullet{32}</code>	•	<code>\adfbullet{43}</code>	✦	<code>\adfbullet{48}</code>
•	<code>\adfbullet{28}</code>	▲	<code>\adfbullet{33}</code>	•	<code>\adfbullet{44}</code>	✦	<code>\adfbullet{49}</code>
▪	<code>\adfbullet{29}</code>	▼	<code>\adfbullet{34}</code>	◦	<code>\adfbullet{45}</code>	✦	<code>\adfbullet{50}</code>
◆	<code>\adfbullet{30}</code>	•	<code>\adfbullet{41}</code>	▪	<code>\adfbullet{46}</code>	◊	<code>\adfbullet{51}</code>
◀	<code>\adfbullet{31}</code>	•	<code>\adfbullet{42}</code>	▪	<code>\adfbullet{47}</code>	◦	<code>\adfbullet{52}</code>

TABLE 387: fontawesome Geometric Shapes

● `\faCircle` ○ `\faCircle0Notch` ⊙ `\faDotCircle0` □ `\faSquare0`
 ○ `\faCircle0` ○ `\faCircleThin` ■ `\faSquare`

TABLE 388: L^AT_EX_{2 ϵ} Playing-Card Suits

♣ `\clubsuit` ◇ `\diamondsuit` ♥ `\heartsuit` ♠ `\spadesuit`

TABLE 389: txfonts/pxfonts Playing-Card Suits

♣ `\varclubsuit` ♦ `\vardiamondsuit` ♥ `\varheartsuit` ♠ `\varspadesuit`

TABLE 390: MnSymbol Playing-Card Suits

♣ `\clubsuit` ◇ `\diamondsuit` ♥ `\heartsuit` ♠ `\spadesuit`

TABLE 391: fdsymbol Playing-Card Suits

♣ `\clubsuit` ♥ `\heartsuit` ♦ `\vardiamondsuit`
 ◇ `\diamondsuit` ♠ `\spadesuit` ♥ `\varheartsuit`

TABLE 392: boisik Playing-Card Suits

♣ `\clubsuit` ◇ `\diamondsuit` ♥ `\heartsuit` ♠ `\spadesuit`

TABLE 393: stix Playing-Card Suits

♣ `\clubsuit` ♥ `\heartsuit` ♣ `\varclubsuit` ♥ `\varheartsuit`
 ◇ `\diamondsuit` ♠ `\spadesuit` ♦ `\vardiamondsuit` ♠ `\varspadesuit`

TABLE 394: arev Playing-Card Suits

♣ `\varclub` ♦ `\vardiamond` ♥ `\varheart` ♠ `\varspade`

TABLE 395: adorn Flourishes























	<code>\adfclosedflourishleft</code>		<code>\adfclosedflourishright</code>
	<code>\adfdoubleflourishleft</code>		<code>\adfdoubleflourishright</code>
	<code>\adfdoublesharpflourishleft</code>		<code>\adfdoublesharpflourishright</code>
	<code>\adfflourishleft</code>		<code>\adfflourishright</code>
	<code>\adfflourishlefthdouble</code>		<code>\adfflourishrightdouble</code>
	<code>\adfopenflourishleft</code>		<code>\adfopenflourishright</code>
	<code>\adfsharpflourishleft</code>		<code>\adfsharpflourishright</code>
	<code>\adsickleflourishleft</code>		<code>\adsickleflourishright</code>
	<code>\adfsingleflourishleft</code>		<code>\adfsingleflourishright</code>
	<code>\adftripleflourishleft</code>		<code>\adftripleflourishright</code>
	<code>\adfwavesleft</code>		<code>\adfwavesright</code>

TABLE 396: Miscellaneous dingbat Dingbats










	<code>\anchor</code>		<code>\eye</code>		<code>\Sborder</code>
	<code>\carriagereturn</code>		<code>\filledsquarewithdots</code>		<code>\squarewithdots</code>
	<code>\checkmark</code>		<code>\satellitedish</code>		<code>\Zborder</code>

TABLE 397: Miscellaneous bbding Dingbats

	<code>\Envelope</code>		<code>\Peace</code>		<code>\PhoneHandset</code>		<code>\SunshineOpenCircled</code>
	<code>\OrnamentDiamondSolid</code>		<code>\Phone</code>		<code>\Plane</code>		<code>\Tape</code>

TABLE 398: Miscellaneous pifont Dingbats




















	<code>\ding{37}</code>		<code>\ding{40}</code>		<code>\ding{164}</code>		<code>\ding{167}</code>		<code>\ding{171}</code>
	<code>\ding{38}</code>		<code>\ding{41}</code>		<code>\ding{165}</code>		<code>\ding{168}</code>		<code>\ding{169}</code>
	<code>\ding{39}</code>		<code>\ding{118}</code>		<code>\ding{166}</code>		<code>\ding{170}</code>		

TABLE 399: Miscellaneous adorn Dingbats

	<code>\adfbullet</code>		<code>\adfdiamond</code>		<code>\adfgee</code>		<code>\adfS</code>		<code>\adfsquare</code>
---	-------------------------	---	--------------------------	---	----------------------	--	--------------------	---	-------------------------

6 Ancient languages

This section presents letters and ideograms from various ancient scripts. Some of these symbols may also be useful in other typesetting contexts because of their pictorial nature.

TABLE 400: phaistos Symbols from the Phaistos Disk
















































































	<code>\PHarrow</code>		<code>\PHeagle</code>		<code>\PHplumedHead</code>
	<code>\PHbee</code>		<code>\PHflute</code>		<code>\PHram</code>
	<code>\PHbeehive</code>		<code>\PHgauntlet</code>		<code>\PHrosette</code>
	<code>\PHboomerang</code>		<code>\PHgrater</code>		<code>\PHsaw</code>
	<code>\PHbow</code>		<code>\PHhelmet</code>		<code>\PHshield</code>
	<code>\PHbullLeg</code>		<code>\PHhide</code>		<code>\PHship</code>
	<code>\PHcaptive</code>		<code>\PHhorn</code>		<code>\PHsling</code>
	<code>\PHcarpentryPlane</code>		<code>\PHlid</code>		<code>\PHsmallAxe</code>
	<code>\PHcat</code>		<code>\PHlily</code>		<code>\PHstrainer</code>
	<code>\PHchild</code>		<code>\PHmanacles</code>		<code>\PHtattooedHead</code>
	<code>\PHclub</code>		<code>\PHmattock</code>		<code>\PHtiara</code>
	<code>\PHcolumn</code>		<code>\PHoxBack</code>		<code>\PHtunny</code>
	<code>\PHcomb</code>		<code>\PHpapyrus</code>		<code>\PHvine</code>
	<code>\PHdolium</code>		<code>\PHpedestrian</code>		<code>\PHwavyBand</code>
	<code>\PHdove</code>		<code>\PHplaneTree</code>		<code>\PHwoman</code>

TABLE 401: protosem Proto-Semitic Characters

	<code>\Aaleph</code>		<code>\AAhe</code>		<code>\Akaph</code>		<code>\Asamekh</code>		<code>\Aresh</code>
	<code>\AAaleph</code>		<code>\Azayin</code>		<code>\AAkaph</code>		<code>\Ape</code>		<code>\Ashin</code>
	<code>\Abeth</code>		<code>\Avav</code>		<code>\Alamed</code>		<code>\AApe</code>		<code>\Ahelmet</code>
	<code>\AAbeth</code>		<code>\Aheth</code>		<code>\AAlamed</code>		<code>\Asade</code>		<code>\AAhelmet</code>
	<code>\Agimel</code>		<code>\AAheth</code>		<code>\Amem</code>		<code>\AAsade</code>		<code>\Atav</code>
	<code>\Adaleth</code>		<code>\Ateth</code>		<code>\Anun</code>		<code>\Aqoph</code>		
	<code>\AAdaleth</code>		<code>\Ayod</code>		<code>\Aayin</code>		<code>\AAqoph</code>		
	<code>\Ahe</code>		<code>\AAyod</code>		<code>\AAayin</code>		<code>\Aresh</code>		

The `protosem` package defines abbreviated control sequences for each of the above. In addition, single-letter shortcuts can be used within the argument to the `\textproto` command (e.g., “`\textproto{Pakyn}`” produces “אכפמנש”). See the `protosem` documentation for more information.

TABLE 402: hieroglf Hieroglyphics

	<code>\HA</code>		<code>\HI</code>		<code>\Hn</code>		<code>\HT</code>
	<code>\Ha</code>		<code>\Hi</code>		<code>\HO</code>		<code>\Ht</code>
	<code>\HB</code>		<code>\Hibl</code>		<code>\Ho</code>		<code>\Htongue</code>
	<code>\Hb</code>		<code>\Hibp</code>		<code>\Hp</code>		<code>\HU</code>
	<code>\Hc</code>		<code>\Hibs</code>		<code>\HP</code>		<code>\Hu</code>
	<code>\HC</code>		<code>\Hibw</code>		<code>\Hplural</code>		<code>\HV</code>
	<code>\HD</code>		<code>\HJ</code>		<code>\Hplus</code>		<code>\Hv</code>
	<code>\Hd</code>		<code>\Hj</code>		<code>\HQ</code>		<code>\Hvbar</code>
	<code>\Hdual</code>		<code>\Hk</code>		<code>\Hq</code>		<code>\Hw</code>
	<code>\He</code>		<code>\HK</code>		<code>\Hquery</code>		<code>\HW</code>
	<code>\HE</code>		<code>\HL</code>		<code>\HR</code>		<code>\HX</code>
	<code>\Hf</code>		<code>\HL</code>		<code>\Hr</code>		<code>\Hx</code>
	<code>\HF</code>		<code>\Hm</code>		<code>\Hs</code>		<code>\HY</code>
	<code>\HG</code>		<code>\HM</code>		<code>\HS</code>		<code>\Hy</code>
	<code>\Hg</code>		<code>\Hman</code>		<code>\Hscribe</code>		<code>\Hz</code>
	<code>\Hh</code>		<code>\Hms</code>		<code>\Hslash</code>		<code>\HZ</code>
	<code>\HH</code>		<code>\HN</code>		<code>\Hsv</code>		
	<code>\Hone</code>		<code>\Hhundred</code>		<code>\HXthousand</code>		<code>\Hmillion</code>
	<code>\Hten</code>		<code>\Hthousand</code>		<code>\HCthousand</code>		

The hieroglf package defines alternate control sequences and single-letter shortcuts for each of the above which can be used within the argument to the `\textpmhg` command (e.g., “`\textpmhg{Pakin}`” produces “”). See the hieroglf documentation for more information.

TABLE 403: linearA Linear A Script

	<code>\LinearAI</code>		<code>\LinearAXCIX</code>		<code>\LinearACXCVII</code>		<code>\LinearACCXCV</code>
	<code>\LinearAII</code>		<code>\LinearAC</code>		<code>\LinearACXCVIII</code>		<code>\LinearACCXCVI</code>
	<code>\LinearAIII</code>		<code>\LinearACI</code>		<code>\LinearACXCIX</code>		<code>\LinearACCXCVII</code>
	<code>\LinearAIV</code>		<code>\LinearACII</code>		<code>\LinearACC</code>		<code>\LinearACCXCVIII</code>
	<code>\LinearAV</code>		<code>\LinearACIII</code>		<code>\LinearACCI</code>		<code>\LinearACCXCIX</code>
	<code>\LinearAVI</code>		<code>\LinearACIV</code>		<code>\LinearACCII</code>		<code>\LinearACCC</code>
	<code>\LinearAVII</code>		<code>\LinearACV</code>		<code>\LinearACCIII</code>		<code>\LinearACCCI</code>
	<code>\LinearAVIII</code>		<code>\LinearACVI</code>		<code>\LinearACCIV</code>		<code>\LinearACCCII</code>
	<code>\LinearAIX</code>		<code>\LinearACVII</code>		<code>\LinearACCV</code>		<code>\LinearACCCIII</code>

(continued on next page)

(continued from previous page)

H	\LinearAX	𠄎	\LinearACVIII	𠄎	\LinearACCVI	𠄎	\LinearACCCIV
⊕	\LinearAXI	𠄎	\LinearACIX	𠄎	\LinearACCVII	𠄎	\LinearACCCV
𠄎	\LinearAXII	𠄎	\LinearACX	𠄎	\LinearACCVIII	𠄎	\LinearACCCVI
𠄎	\LinearAXIII	𠄎	\LinearACXI	𠄎	\LinearACCIX	𠄎	\LinearACCCVII
𠄎	\LinearAXIV	𠄎	\LinearACXII	𠄎	\LinearACCX	𠄎	\LinearACCCVIII
∧	\LinearAXV	𠄎	\LinearACXIII	𠄎	\LinearACCXI	𠄎	\LinearACCCIX
𠄎	\LinearAXVI	𠄎	\LinearACXIV	𠄎	\LinearACCXII	𠄎	\LinearACCCX
⊙	\LinearAXVII	⊙	\LinearACXV	𠄎	\LinearACCXIII	𠄎	\LinearACCCXI
𠄎	\LinearAXVIII	𠄎	\LinearACXVI	𠄎	\LinearACCXIV	𠄎	\LinearACCCXII
𠄎	\LinearAXIX	𠄎	\LinearACXVII	𠄎	\LinearACCXV	𠄎	\LinearACCCXIII
𠄎	\LinearAXX	𠄎	\LinearACXVIII	𠄎	\LinearACCXVI	𠄎	\LinearACCCXIV
∆	\LinearAXXI	𠄎	\LinearACXIX	𠄎	\LinearACCXVII	𠄎	\LinearACCCXV
目	\LinearAXXII	𠄎	\LinearACXX	𠄎	\LinearACCXVIII	𠄎	\LinearACCCXVI
𠄎	\LinearAXXIII	𠄎	\LinearACXXI	𠄎	\LinearACCXIX	𠄎	\LinearACCCXVII
𠄎	\LinearAXXIV	𠄎	\LinearACXXII	𠄎	\LinearACCXX	𠄎	\LinearACCCXVIII
𠄎	\LinearAXXV	𠄎	\LinearACXXIII	𠄎	\LinearACCXXI	𠄎	\LinearACCCXIX
𠄎	\LinearAXXVI	𠄎	\LinearACXXIV	𠄎	\LinearACCXXII	𠄎	\LinearACCCXX
𠄎	\LinearAXXVII	𠄎	\LinearACXXV	𠄎	\LinearACCXXIII	𠄎	\LinearACCCXXI
𠄎	\LinearAXXVIII	𠄎	\LinearACXXVI	𠄎	\LinearACCXXIV	𠄎	\LinearACCCXXII
∂	\LinearAXXIX	𠄎	\LinearACXXVII	𠄎	\LinearACCXXV	𠄎	\LinearACCCXXIII
𠄎	\LinearAXXX	𠄎	\LinearACXXVIII	𠄎	\LinearACCXXVI	𠄎	\LinearACCCXXIV
𠄎	\LinearAXXXI	𠄎	\LinearACXXIX	𠄎	\LinearACCXXVII	𠄎	\LinearACCCXXV
𠄎	\LinearAXXXII	𠄎	\LinearACXXX	𠄎	\LinearACCXXVIII	𠄎	\LinearACCCXXVI
𠄎	\LinearAXXXIII	𠄎	\LinearACXXXI	𠄎	\LinearACCXXIX	𠄎	\LinearACCCXXVII
𠄎	\LinearAXXXIV	𠄎	\LinearACXXXII	𠄎	\LinearACCXXX	𠄎	\LinearACCCXXVIII
∂	\LinearAXXXV	𠄎	\LinearACXXXIII	𠄎	\LinearACCXXXI	𠄎	\LinearACCCXXIX
𠄎	\LinearAXXXVI	𠄎	\LinearACXXXIV	𠄎	\LinearACCXXXII	𠄎	\LinearACCCXXX
𠄎	\LinearAXXXVII	𠄎	\LinearACXXXV	𠄎	\LinearACCXXXIII	𠄎	\LinearACCCXXXI
𠄎	\LinearAXXXVIII	𠄎	\LinearACXXXVI	𠄎	\LinearACCXXXIV	𠄎	\LinearACCCXXXII
𠄎	\LinearAXXXIX	𠄎	\LinearACXXXVII	𠄎	\LinearACCXXXV	𠄎	\LinearACCCXXXIII
𠄎	\LinearAXL	𠄎	\LinearACXXXVIII	𠄎	\LinearACCXXXVI	𠄎	\LinearACCCXXXIV
𠄎	\LinearAXLI	𠄎	\LinearACXXXIX	𠄎	\LinearACCXXXVII	𠄎	\LinearACCCXXXV
𠄎	\LinearAXLII	𠄎	\LinearACXL	𠄎	\LinearACCXXXVIII	𠄎	\LinearACCCXXXVI
𠄎	\LinearAXLIII	𠄎	\LinearACXLI	𠄎	\LinearACCXXXIX	𠄎	\LinearACCCXXXVII
𠄎	\LinearAXLIV	𠄎	\LinearACXLII	𠄎	\LinearACCXL	𠄎	\LinearACCCXXXVIII
𠄎	\LinearAXLV	𠄎	\LinearACXLIII	𠄎	\LinearACCXLI	𠄎	\LinearACCCXXXIX
𠄎	\LinearAXLVI	𠄎	\LinearACXLIV	𠄎	\LinearACCXLII	𠄎	\LinearACCCXL
𠄎	\LinearAXLVII	→	\LinearACXLV	𠄎	\LinearACCXLIII	𠄎	\LinearACCCXLI
𠄎	\LinearAXLVIII	𠄎	\LinearACXLVI	𠄎	\LinearACCXLIV	𠄎	\LinearACCCXLII
𠄎	\LinearAXLIX	𠄎	\LinearACXLVII	𠄎	\LinearACCXLV	𠄎	\LinearACCCXLIII
𠄎	\LinearAL	𠄎	\LinearACXLVIII	𠄎	\LinearACCXLVI	𠄎	\LinearACCCXLIV
𠄎	\LinearALI	𠄎	\LinearACXLIX	𠄎	\LinearACCXLVII	𠄎	\LinearACCCXLV
𠄎	\LinearALII	𠄎	\LinearACL	𠄎	\LinearACCXLVIII	𠄎	\LinearACCCXLVI
𠄎	\LinearALIII	𠄎	\LinearACLI	𠄎	\LinearACCXLIX	𠄎	\LinearACCCXLVII
𠄎	\LinearALIV	𠄎	\LinearACLII	𠄎	\LinearACCL	𠄎	\LinearACCCXLVIII
𠄎	\LinearALV	𠄎	\LinearACLIII	𠄎	\LinearACCLI	𠄎	\LinearACCCXLIX
𠄎	\LinearALVI	𠄎	\LinearACLIV	𠄎	\LinearACCLII	𠄎	\LinearACCCXL
𠄎	\LinearALVII	𠄎	\LinearACLV	𠄎	\LinearACCLIII	𠄎	\LinearACCCCLI
𠄎	\LinearALVIII	𠄎	\LinearACLVI	𠄎	\LinearACCLIV	𠄎	\LinearACCCCLII

(continued on next page)

(continued from previous page)

𐌱	\LinearALIX	𐌲	\LinearACLVII	𐌳	\LinearACCLV	𐌴	\LinearACCLIII
𐌲	\LinearALX	𐌳	\LinearACLVIII	𐌴	\LinearACCLVI	𐌵	\LinearACCLIV
𐌳	\LinearALXI	𐌴	\LinearACLIX	𐌵	\LinearACCLVII	𐌶	\LinearACCLV
𐌴	\LinearALXII	𐌵	\LinearACLX	𐌶	\LinearACCLVIII	𐌷	\LinearACCLVI
𐌵	\LinearALXIII	𐌶	\LinearACLXI	𐌷	\LinearACCLIX	𐌸	\LinearACCLVII
𐌶	\LinearALXIV	𐌷	\LinearACLXII	𐌸	\LinearACCLX	𐌹	\LinearACCLVIII
𐌷	\LinearALXV	𐌸	\LinearACLXIII	𐌹	\LinearACCLXI	𐌺	\LinearACCLIX
𐌸	\LinearALXVI	𐌹	\LinearACLXIV	𐌻	\LinearACCLXII	𐌻	\LinearACCLX
𐌹	\LinearALXVII	𐌺	\LinearACLXV	𐌼	\LinearACCLXIII	𐌽	\LinearACCLXI
𐌺	\LinearALXVIII	𐌻	\LinearACLXVI	𐌽	\LinearACCLXIV	𐌾	\LinearACCLXII
𐌻	\LinearALXIX	𐌼	\LinearACLXVII	𐌾	\LinearACCLXV	𐌿	\LinearACCLXIII
𐌼	\LinearALXX	𐌽	\LinearACLXVIII	𐌿	\LinearACCLXVI	𐍀	\LinearACCLXIV
𐌽	\LinearALXXI	𐌾	\LinearACLXIX	𐍀	\LinearACCLXVII	𐍁	\LinearACCLXV
𐌾	\LinearALXXII	𐌿	\LinearACLXX	𐍁	\LinearACCLXVIII	𐍂	\LinearACCLXVI
𐌿	\LinearALXXIII	𐍀	\LinearACLXXI	𐍂	\LinearACCLXIX	𐍃	\LinearACCLXVII
𐍀	\LinearALXXIV	𐍁	\LinearACLXXII	𐍃	\LinearACCLXX	𐍄	\LinearACCLXVIII
𐍁	\LinearALXXV	𐍂	\LinearACLXXIII	𐍄	\LinearACCLXXI	𐍅	\LinearACCLXIX
𐍂	\LinearALXXVI	𐍃	\LinearACLXXIV	𐍅	\LinearACCLXXII	𐍆	\LinearACCLXX
𐍃	\LinearALXXVII	𐍄	\LinearACLXXV	𐍆	\LinearACCLXXIII	𐍇	\LinearACCLXXI
𐍄	\LinearALXXVIII	𐍅	\LinearACLXXVI	𐍇	\LinearACCLXXIV	𐍈	\LinearACCLXXII
𐍅	\LinearALXXIX	𐍆	\LinearACLXXVII	𐍈	\LinearACCLXXV	𐍉	\LinearACCLXXIII
𐍆	\LinearALXXX	𐍇	\LinearACLXXVIII	𐍉	\LinearACCLXXVI	𐍊	\LinearACCLXXIV
𐍇	\LinearALXXXI	𐍈	\LinearACLXXIX	𐍊	\LinearACCLXXVII	𐍋	\LinearACCLXXV
𐍈	\LinearALXXXII	𐍉	\LinearACLXXX	𐍋	\LinearACCLXXVIII	𐍌	\LinearACCLXXVI
𐍉	\LinearALXXXIII	𐍊	\LinearACLXXXI	𐍌	\LinearACCLXXIX	𐍍	\LinearACCLXXVII
𐍊	\LinearALXXXIV	𐍋	\LinearACLXXXII	𐍍	\LinearACCLXXX	𐍎	\LinearACCLXXVIII
𐍋	\LinearALXXXV	𐍌	\LinearACLXXXIII	𐍎	\LinearACCLXXXI	𐍏	\LinearACCLXXIX
𐍌	\LinearALXXXVI	𐍍	\LinearACLXXXIV	𐍏	\LinearACCLXXXII	𐍐	\LinearACCLXXX
𐍍	\LinearALXXXVII	𐍎	\LinearACLXXXV	𐍐	\LinearACCLXXXIII	𐍑	\LinearACCLXXXI
𐍎	\LinearALXXXVIII	𐍏	\LinearACLXXXVI	𐍑	\LinearACCLXXXIV	𐍒	\LinearACCLXXXII
𐍏	\LinearALXXXIX	𐍐	\LinearACLXXXVII	𐍒	\LinearACCLXXXV	𐍓	\LinearACCLXXXIII
𐍐	\LinearALXXXX	𐍑	\LinearACLXXXVIII	𐍓	\LinearACCLXXXVI	𐍔	\LinearACCLXXXIV
𐍑	\LinearAXCI	𐍒	\LinearACLXXXIX	𐍔	\LinearACCLXXXVII	𐍕	\LinearACCLXXXV
𐍒	\LinearAXCII	𐍓	\LinearACLXXXX	𐍕	\LinearACCLXXXVIII	𐍖	\LinearACCLXXXVI
𐍓	\LinearAXCIII	𐍔	\LinearACXCI	𐍖	\LinearACCLXXXIX	𐍗	\LinearACCLXXXVII
𐍔	\LinearAXCIV	𐍕	\LinearACXCII	𐍗	\LinearACCLXXXX	𐍘	\LinearACCLXXXVIII
𐍕	\LinearAXCV	𐍖	\LinearACXCIII	𐍘	\LinearACXCII	𐍙	\LinearACCLXXXIX
𐍖	\LinearAXCVI	𐍗	\LinearACXCIV	𐍙	\LinearACXCIII		
𐍗	\LinearAXCVII	𐍘	\LinearACXCV	𐍚	\LinearACXCIV		
𐍘	\LinearAXCVIII	𐍙	\LinearACXCVI	𐍛	\LinearACXCIV		

TABLE 404: linearb Linear B Basic and Optional Letters

	<code>\Ba</code>		<code>\Bja</code>		<code>\Bmu</code>		<code>\Bpte</code>		<code>\Broii</code>		<code>\Bto</code>
	<code>\Baii</code>		<code>\Bje</code>		<code>\Bna</code>		<code>\Bpu</code>		<code>\Bru</code>		<code>\Btu</code>
	<code>\Baiii</code>		<code>\Bjo</code>		<code>\Bne</code>		<code>\Bpuii</code>		<code>\Bsa</code>		<code>\Btwo</code>
	<code>\Bau</code>		<code>\Bju</code>		<code>\Bni</code>		<code>\Bqa</code>		<code>\Bse</code>		<code>\Bu</code>
	<code>\Bda</code>		<code>\Bka</code>		<code>\Bno</code>		<code>\Bqe</code>		<code>\Bsi</code>		<code>\Bwa</code>
	<code>\Bde</code>		<code>\Bke</code>		<code>\Bnu</code>		<code>\Bqi</code>		<code>\Bso</code>		<code>\Bwe</code>
	<code>\Bdi</code>		<code>\Bki</code>		<code>\Bnwa</code>		<code>\Bqo</code>		<code>\Bsu</code>		<code>\Bwi</code>
	<code>\Bdo</code>		<code>\Bko</code>		<code>\Bo</code>		<code>\Bra</code>		<code>\Bswa</code>		<code>\Bwo</code>
	<code>\Bdu</code>		<code>\Bku</code>		<code>\Bpa</code>		<code>\Braii</code>		<code>\Bswi</code>		<code>\Bza</code>
	<code>\Bdwe</code>		<code>\Bma</code>		<code>\Bpaiii</code>		<code>\Braiii</code>		<code>\Bta</code>		<code>\Bze</code>
	<code>\Bdwo</code>		<code>\Bme</code>		<code>\Bpe</code>		<code>\Bre</code>		<code>\Btaii</code>		<code>\Bzo</code>
	<code>\Be</code>		<code>\Bmi</code>		<code>\Bpi</code>		<code>\Bri</code>		<code>\Bte</code>		
	<code>\Bi</code>		<code>\Bmo</code>		<code>\Bpo</code>		<code>\Bro</code>		<code>\Bti</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textlinb{\Bpa\Bki\Bna}`” and “`\textlinb{pcn}`” produce “ $\text{𐀀} \text{𐀁} \text{𐀂}$ ”, for example. See the linearb documentation for more information.

TABLE 405: linearb Linear B Numerals

<code>\BNi</code>		<code>\BNvii</code>		<code>\BNx1</code>		<code>\BNc</code>		<code>\BNdcc</code>	
<code>\BNii</code>		<code>\BNviii</code>		<code>\BN1</code>		<code>\BNcc</code>		<code>\BNdccc</code>	
<code>\BNiii</code>		<code>\BNix</code>		<code>\BN1x</code>		<code>\BNccc</code>		<code>\BNcm</code>	
<code>\BNiv</code>		<code>\BNx</code>		<code>\BN1xx</code>		<code>\BNcd</code>		<code>\BNm</code>	
<code>\BNv</code>		<code>\BNxx</code>		<code>\BN1xxx</code>		<code>\BNd</code>			
<code>\BNvi</code>		<code>\BNxxx</code>		<code>\BNxc</code>		<code>\BNdc</code>			







































These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 406: linearb Linear B Weights and Measures

	<code>\BPtalent</code>		<code>\BPvolb</code>		<code>\BPvolcf</code>		<code>\BPwtb</code>		<code>\BPwtd</code>
	<code>\BPvola</code>		<code>\BPvolcd</code>		<code>\BPwta</code>		<code>\BPwtc</code>		














These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 407: linearb Linear B Ideograms

	<code>\BPamphora</code>		<code>\BPchassis</code>		<code>\BPman</code>		<code>\BPwheat</code>
	<code>\BParrow</code>		<code>\BPcloth</code>		<code>\BPnanny</code>		<code>\BPwheel</code>
	<code>\BPbarley</code>		<code>\BPcow</code>		<code>\BPolive</code>		<code>\BPwine</code>
	<code>\BPbilly</code>		<code>\BPcup</code>		<code>\BPox</code>		<code>\BPwineeiih</code>
	<code>\BPboar</code>		<code>\BPewe</code>		<code>\BPpig</code>		<code>\BPwineeiiih</code>
	<code>\BPbronze</code>		<code>\BPfoal</code>		<code>\BPram</code>		<code>\BPwineeivh</code>
	<code>\BPbull</code>		<code>\BPgoat</code>		<code>\BPsheep</code>		<code>\BPwoman</code>
	<code>\BPcauldroni</code>		<code>\BPgoblet</code>		<code>\BPsow</code>		<code>\BPwool</code>
	<code>\BPcauldronii</code>		<code>\BPgold</code>		<code>\BPspear</code>		
	<code>\BPchariot</code>		<code>\BPhorse</code>		<code>\BPsword</code>		



























































These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 408: linearb Unidentified Linear B Symbols

	<code>\BUi</code>		<code>\BUiv</code>		<code>\BUvii</code>		<code>\BUx</code>		<code>\Btwe</code>
	<code>\BUii</code>		<code>\BUv</code>		<code>\BUviii</code>		<code>\BUxi</code>		
	<code>\BUiii</code>		<code>\BUvi</code>		<code>\BUix</code>		<code>\BUxii</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 409: cypriot Cypriot Letters

	<code>\Ca</code>		<code>\Cku</code>		<code>\Cmu</code>		<code>\Cpo</code>		<code>\Cso</code>		<code>\Cwi</code>
	<code>\Ce</code>		<code>\Cla</code>		<code>\Cna</code>		<code>\Cpu</code>		<code>\Csu</code>		<code>\Cwo</code>
	<code>\Cga</code>		<code>\Cle</code>		<code>\Cne</code>		<code>\Cra</code>		<code>\Cta</code>		<code>\Cxa</code>
	<code>\Ci</code>		<code>\Cli</code>		<code>\Cni</code>		<code>\Cre</code>		<code>\Cte</code>		<code>\Cxe</code>
	<code>\Cja</code>		<code>\Clo</code>		<code>\Cno</code>		<code>\Cri</code>		<code>\Cti</code>		<code>\Cya</code>
	<code>\Cjo</code>		<code>\Clu</code>		<code>\Cnu</code>		<code>\Cro</code>		<code>\Cto</code>		<code>\Cyo</code>
	<code>\Cka</code>		<code>\Cma</code>		<code>\Co</code>		<code>\Cru</code>		<code>\Ctu</code>		<code>\Cza</code>
	<code>\Cke</code>		<code>\Cme</code>		<code>\Cpa</code>		<code>\Csa</code>		<code>\Cu</code>		<code>\Czo</code>
	<code>\Cki</code>		<code>\Cmi</code>		<code>\Cpe</code>		<code>\Cse</code>		<code>\Cwa</code>		
	<code>\Cko</code>		<code>\Cmo</code>		<code>\Cpi</code>		<code>\Csi</code>		<code>\Cwe</code>		

These symbols must appear either within the argument to `\textcypr` or following the `\cyprfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textcypr{\Cpa\Cki\Cna}`” and “`\textcypr{pcn}`” produce “ $\text{†}\hat{\text{I}}\text{†}$ ”, for example. See the cypriot documentation for more information.

TABLE 410: sarabian South Arabian Letters

◦	<code>\SAa</code>	𐩇	<code>\SAz</code>	𐩈	<code>\SAm</code>	𐩉	<code>\SAsd</code>	𐩊	<code>\SAdb</code>
𐩋	<code>\SAb</code>	𐩌	<code>\SAhd</code>	𐩍	<code>\SAn</code>	𐩎	<code>\SAq</code>	𐩏	<code>\SAtb</code>
𐩐	<code>\SAg</code>	𐩑	<code>\SATd</code>	𐩒	<code>\SAs</code>	𐩓	<code>\SAr</code>	𐩔	<code>\SAga</code>
𐩕	<code>\SAd</code>	𐩖	<code>\SAy</code>	𐩗	<code>\SAf</code>	𐩘	<code>\SAsv</code>	𐩙	<code>\SAzd</code>
𐩚	<code>\SAh</code>	𐩛	<code>\SAk</code>	𐩜	<code>\SAlq</code>	𐩝	<code>\SAt</code>	𐩞	<code>\SAsa</code>
𐩟	<code>\SAw</code>	𐩠	<code>\SAl</code>	𐩡	<code>\SAo</code>	𐩢	<code>\SAhu</code>	𐩣	<code>\SAdd</code>

These symbols must appear either within the argument to `\textsarab` or following the `\sarabfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textsarab{\SAb\Sak\SAn}`” and “`\textsarab{bkn}`” produce “𐩋𐩌𐩍”, for example. See the sarabian documentation for more information.

TABLE 411: teubner Archaic Greek Letters and Greek Numerals

Ϟ	<code>\Coppa[†]</code>	Ϛ	<code>\Digamma*</code>	ϛ	<code>\sampi*</code>	Ϝ	<code>\varstigma</code>
ϙ	<code>\coppa[†]</code>	ϛ	<code>\koppa*</code>	Ϟ	<code>\Stigma</code>		
Ϛ	<code>\digamma*[‡]</code>	ϛ	<code>\Sampi</code>	Ϝ	<code>\stigma*</code>		

* Technically, these symbols do not require `teubner`; it is sufficient to load the `babel` package with the `greek` option (upon which `teubner` depends)—but use `\qoppa` for `\koppa` and `\ddigamma` for `\digamma`.

† For compatibility with other naming conventions `teubner` defines `\Koppa` as a synonym for `\Coppa` and `\varcoppa` as a synonym for `\coppa`.

‡ If both `teubner` and `amssymb` are loaded, `teubner`’s `\digamma` replaces `amssymb`’s `\digamma`, regardless of package-loading order.

TABLE 412: boisk Archaic Greek Letters and Greek Numerals

F	<code>\Digamma</code>	ρ	<code>\qoppa</code>	ς	<code>\stigma</code>	ϖ	<code>\varsampi</code>
f	<code>\digamma</code>	ρ	<code>\Qoppa</code>	ζ	<code>\Stigma</code>		
η	<code>\heta</code>	ϱ	<code>\Sampi</code>	ε	<code>\vardigamma</code>		
H	<code>\Heta</code>	ρ	<code>\sampi</code>	ϖ	<code>\Varsampi</code>		

TABLE 413: epiolmec Epi-Olmec Script

	\EOafter		\EOMiddle		\EOStarWarrior
	\EOandThen		\EOmonster		\EOstep
	\EOAppear		\EOMountain		\EOSu
	\EOBeardMask		\EOMuu		\EOsu
	\EOBedeck		\EOna		\EOsun
	\EOBlood		\EOne		\EOSuu
	\EObrace		\EOni		\EOSuu
	\EObuilding		\EOnow		\Eota
	\EOBundle		\EOnu		\Eote
	\EOChop		\EOnuu		\EOthrone
	\EOChronI		\EOofficerI		\Eoti
	\EOCloth		\EOofficerII		\EOtime
	\EODealWith		\EOofficerIII		\EOTime
	\EODeer		\EOofficerIV		\EOTitle
	\EOeat		\EOpa		\EOTitleII
	\EOflint		\EOpak		\EOTitleIV
	\EOflower		\EOPatron		\Eoto
	\EOFold		\EOPatronII		\Eotu
	\EOGod		\EOpe		\Eotuki
	\EOGoUp		\EOpenis		\EOTukpa
	\EOgovernor		\EOpi		\EOTurtle
	\EOGuise		\EOPierce		\Eotuu
	\EOHallow		\EOPlant		\Eotza
	\EOja		\EOPlay		\Eotze
	\EOjaguar		\EOpo		\Eotzetze
	\EOje		\EOpriest		\Eotzi
	\EOji		\EOPrince		\Eotzu
	\EOJI		\EOpu		\Eotzuu

(continued on next page)

(continued from previous page)

	\EOjo		\EOpuu		\EOundef
	\EOju		\EOpuuk		\EOvarBeardMask
	\EOkak		\EORain		\EOvarja
	\EOke		\EOSa		\EOvarji
	\EOki		\EOSa		\EOvarki
	\EOkij		\EOSacrifice		\EOvarkuu
	\EOKing		\EOSaw		\EOvarni
	\EOknottedCloth		\EOScorpius		\EOvarpa
	\EOknottedClothStraps		\EOset		\EOvarSi
	\EOko		\EOSi		\EOvarsi
	\EOku		\EOSi		\EOvartzza
	\EOkuu		\EOSing		\EOvarwuu
	\EOLetBlood		\EOSini		\EOvarYear
	\EOLoinCloth		\EOSkin		\EOwa
	\EOLongLipII		\EOSky		\EOwe
	\EOLord		\EOSkyAnimal		\EOwi
	\EOLose		\EOSkyPillar		\EOwo
	\EOma		\EOSnake		\EOwuu
	\EOMacaw		\EOSo		\EOya
	\EOMacawI		\EOSpan		\EOyaj
	\EOme		\EOSprinkle		\EOye
	\EOMexNew		\EOstar		\EOYear
	\EOMi		\EOstarWarrior		\EOyuu

TABLE 414: epiolmec Epi-Olmec Numerals

	\EOzero		\EOvi		\EOxii		\EOxviii
	\EOi		\EOvii		\EOxiii		\EOxix
	\EOii		\EOviii		\EOxiv		\EOxx
	\EOiii		\EOix		\EOxv		
	\EOiv		\EOx		\EOxvi		
	\EOv		\EOxi		\EOxvii		

TABLE 415: allrunes Runes

þ	\a	ƿ	E	ᚿ	\ING	ᚱ	m	ʀ	R	⋈	\sthree
*	\A	ƿ	F	ᚿ	\ing	†	n	⋈	\RR	†	T
ƿ	a	ƿ	f	ᚿ	\Ing	ᚱ	\NG	ᚱ	\s	↑	t
ᚱ	A	X	g	ᚿ	\j	ᚱ	\ng	⋈	s	ᚱ	\textsection
ᚱ	b	ᚱ	\h	ᚿ	j	ᚱ	o	⋈	S	ᚱ	\th
ᚱ	B	N	H	ᚱ	J	ᚱ	\p	⋈	\seight	ᚱ	U
ᚱ	\d	H	h	ᚱ	\k	ᚱ	p	⋈	\sfive	ᚱ	u
ᚱ	D	ᚱ	\i	ᚱ	\K	ᚱ	P	⋈	\sfour	ᚱ	w
ᚱ	d		i	<	k	ᚱ	\R	⋈	\sseven		
ᚱ	e	ᚱ	I	ᚱ	l	ᚱ	r	⋈	\ssix		

The symbols in this table should appear within the argument to `\textarc` (for common Germanic runes), `\textara` (for Anglo-Frisian runes), `\textarn` (for normal runes), `\textart` (for short-twig runes), `\textarl` (for staveless runes), `\textarm` (for medieval runes), or within a scope that sets, respectively, `\arcfamily`, `\arafamily`, `\arnfamily`, `\artfamily`, `\arlfamily`, or `\armfamily`. Each family presents slightly different glyphs and/or slightly different subsets of the available runes. (The table presents the common Germanic runes.) See the `allrunes` documentation for more information.

TABLE 416: allrunes Rune Separators

	\bar	:	\doubleeye	+	\plus	:	\tripleddot
*	\cross	‡	\doubleplus	⋮	\quaddot	⋮	\tripleeye
·	\dot	⌘	\doublestar	⋄	\quadeye	‡	\tripleplus
‡	\doublebar	·	\eye	*	\star		
⌘	\doublecross	⋮	\pentdot	‡	\triplebar		
:	\doubledot	*	\penteye	⌘	\triplecross		

See the usage comment under Table 415.

7 Musical symbols

The following symbols are used to typeset musical notation. The *lilyglyphs* package provides a large subset of the symbols in this section. Note, however, that *lilyglyphs* depends upon the *fontspec* package, OpenType (*.otf*) fonts, and some PDF graphics and therefore works only with Lua \LaTeX or Xe \LaTeX .

TABLE 417: $\LaTeX 2_{\epsilon}$ Musical Symbols

\flat `\flat` \natural `\natural` \sharp `\sharp`

TABLE 418: *textcomp* Musical Symbols

musicalnote `\textmusicalnote`

TABLE 419: *wasysym* Musical Symbols

eighthnote `\eighthnote` halfnote `\halfnote` twonotes `\twonotes` fullnote `\fullnote` quarternote `\quarternote`

TABLE 420: *MnSymbol* Musical Symbols

\flat `\flat` \natural `\natural` \sharp `\sharp`

TABLE 421: *fdsymbol* Musical Symbols

\flat `\flat` \natural `\natural` \sharp `\sharp`

TABLE 422: *boisik* Musical Symbols

\flat `\flat` \natural `\natural` \sharp `\sharp`























































TABLE 423: *stix* Musical Symbols

eighthnote `\eighthnote` \natural `\natural` \sharp `\sharp`
 \flat `\flat` quarternote `\quarternote` twonotes `\twonotes`

TABLE 424: *arev* Musical Symbols





quarternote `\quarternote` eighthnote `\eighthnote` sixteenthnote `\sixteenthnote`

TABLE 425: MusiX_{TEX} Musical Symbols

	<code>\allabreve</code>		<code>\lsf</code>		<code>\shake</code>
	<code>\altoclef</code>		<code>\lsfz</code>		<code>\Shake</code>
	<code>\backturn</code>		<code>\maxima</code>		<code>\Shakel</code>
	<code>\bassclef</code>		<code>\meterplus</code>		<code>\Shakene</code>
	<code>\caesura</code>		<code>\mordent</code>		<code>\Shakenw</code>
	<code>\coda</code>		<code>\Mordent</code>		<code>\Shakesw</code>
	<code>\Coda</code>		<code>\PAUSE</code>		<code>\smallaltoclef</code>
	<code>\Dep</code>		<code>\PAuse</code>		<code>\smallbassclef</code>
	<code>\doublethumb</code>		<code>\pause</code>		<code>\smalltrebleclef</code>
	<code>\downbow</code>		<code>\Ped</code>		<code>\sPed</code>
	<code>\ds</code>		<code>\qp</code>		<code>\trebleclef</code>
	<code>\duevolte</code>		<code>\qqs</code>		<code>\trill</code>
	<code>\fermatadown</code>		<code>\qs</code>		<code>\turn</code>
	<code>\fermataup</code>		<code>\reverseallabreve</code>		<code>\upbow</code>
	<code>\flageolett</code>		<code>\reverseC</code>		<code>\usf</code>
	<code>\hpause</code>		<code>\sDep</code>		<code>\usfz</code>
	<code>\hs</code>		<code>\Segno</code>		<code>\wq</code>
	<code>\longa</code>		<code>\segno</code>		<code>\wqq</code>




























All of these symbols are intended to be used in the context of typesetting musical scores. See the MusiX_{TEX} documentation for more information.

TABLE 426: MusiX_{TEX} Alternative Clefs

	<code>\drumclef</code>		<code>\gregorianFclef</code>
	<code>\gregorianCclef</code>		<code>\oldGclef</code>






In addition to MusiX_{TEX}, `\drumclef` requires the `musixper` package; `\oldGclef` requires the `musixlit` package; and both `\gregorianCclef` and `\gregorianFclef` require the `musixgre` package. Together with MusiX_{TEX}, these packages provide a complete system for typesetting percussion notation (`musixper`), liturgical music (`musixlit`), and Gregorian chants (`musixgre`, including the staves and all of the necessary neumes. See the MusiX_{TEX} documentation for more information.

TABLE 427: harmony Musical Symbols

	<code>\AAcht</code>		<code>\DDohne</code>		<code>\Halb</code>		<code>\SechBR</code>		<code>> \VM</code>
	<code>\Acht</code>		<code>\Dohne</code>		<code>\HaPa</code>		<code>\SechBr</code>		<code>\Zwdr</code>
	<code>\AchtBL</code>		<code>\Ds</code>		<code>\Pu</code>		<code>\SePa</code>		<code>\ZwPa</code>
	<code>\AchtBR</code>		<code>\DS</code>		<code>\Sech</code>		<code>< \UB</code>		
	<code>\AcPa</code>		<code>\Ganz</code>		<code>\SechBL</code>		<code>\Vier</code>		
	<code>\DD</code>		<code>\GaPa</code>		<code>\SechBl</code>		<code>\ViPa</code>		

The MusiX_{TEX} package must be installed to use harmony.

TABLE 428: harmony Musical Accents

































	<code>\Ferli{A}\Ferli{a}</code> *		<code>\Ohne{A}\Ohne{a}</code> *
	<code>\Fermi{A}\Fermi{a}</code>		<code>\Umd{A}\Umd{a}</code> *
	<code>\Kr{A}\Kr{a}</code>		

* These symbols take an optional argument which shifts the accent either horizontally or vertically (depending on the command) by the given distance.

In addition to the accents shown above, `\HH` is a special accent command that accepts five period-separated characters and typesets them such that “`\HH.X.a.b.c.d.`” produces “ X_a^b ”. All arguments except the first can be omitted: “`\HH.X. . . .`” produces “ X ”. `\Takt` takes two arguments and composes them into a musical time signature. For example, “`\Takt{12}{8}`” produces “ $\frac{12}{8}$ ”. As two special cases, “`\Takt{c}{0}`” produces “ \mathbf{C} ” and “`\Takt{c}{1}`” produces “ \mathbf{C} ”.

The MusiX_{TEX} package must be installed to use harmony.

TABLE 429: *lily^gly^{ps}* Single Notes

	<code>\eighthNote</code>		<code>\quarterNoteDottedDown</code>
	<code>\eighthNoteDotted</code>		<code>\quarterNoteDown</code>
	<code>\eighthNoteDottedDouble</code>		<code>\sixteenthNote</code>
	<code>\eighthNoteDottedDoubleDown</code>		<code>\sixteenthNoteDotted</code>
	<code>\eighthNoteDottedDown</code>		<code>\sixteenthNoteDottedDouble</code>
	<code>\eighthNoteDown</code>		<code>\sixteenthNoteDottedDoubleDown</code>
	<code>\halfNote</code>		<code>\sixteenthNoteDottedDown</code>
	<code>\halfNoteDotted</code>		<code>\sixteenthNoteDown</code>
	<code>\halfNoteDottedDouble</code>		<code>\thirtysecondNote</code>
	<code>\halfNoteDottedDoubleDown</code>		<code>\thirtysecondNoteDotted</code>
	<code>\halfNoteDottedDown</code>		<code>\thirtysecondNoteDottedDouble</code>
	<code>\halfNoteDown</code>		<code>\thirtysecondNoteDottedDoubleDown</code>
	<code>\quarterNote</code>		<code>\thirtysecondNoteDottedDown</code>
	<code>\quarterNoteDotted</code>		<code>\thirtysecondNoteDown</code>
	<code>\quarterNoteDottedDouble</code>		<code>\wholeNote</code>
	<code>\quarterNoteDottedDoubleDown</code>		<code>\wholeNoteDotted</code>

lily^gly^{ps} defines synonyms for all of the preceding symbols:




































	<code>\crotchet</code>		<code>\minimDottedDown</code>
	<code>\crotchetDotted</code>		<code>\minimDown</code>
	<code>\crotchetDottedDouble</code>		<code>\quaver</code>
	<code>\crotchetDottedDoubleDown</code>		<code>\quaverDotted</code>
	<code>\crotchetDottedDown</code>		<code>\quaverDottedDouble</code>
	<code>\crotchetDown</code>		<code>\quaverDottedDoubleDown</code>
	<code>\demisemi quaver</code>		<code>\quaverDottedDown</code>
	<code>\demisemi quaverDotted</code>		<code>\quaverDown</code>
	<code>\demisemi quaverDottedDouble</code>		<code>\semibreve</code>
	<code>\demisemi quaverDottedDoubleDown</code>		<code>\semibreveDotted</code>
	<code>\demisemi quaverDottedDown</code>		<code>\semiquaver</code>
	<code>\demisemi quaverDown</code>		<code>\semiquaverDotted</code>
	<code>\minim</code>		<code>\semiquaverDottedDouble</code>
	<code>\minimDotted</code>		<code>\semiquaverDottedDoubleDown</code>
	<code>\minimDottedDouble</code>		<code>\semiquaverDottedDown</code>
	<code>\minimDottedDoubleDown</code>		<code>\semiquaverDown</code>

TABLE 430: *lily ℓ yp \flat s* Beamed Notes

	<code>\twoBeamedQuavers</code>		<code>\threeBeamedQuaversII</code>
	<code>\threeBeamedQuavers</code>		<code>\threeBeamedQuaversIII</code>
	<code>\threeBeamedQuaversI</code>		

TABLE 431: *lily ℓ yp \flat s* Clefs

	<code>\clefC</code>		<code>\clefF</code>		<code>\clefG</code>
---	---------------------	---	---------------------	---	---------------------

Each of these symbols provides a smaller, “inline” form (`\clefCInline`, `\clefFInline`, and `\clefGInline`, respectively) intended for use within a paragraph. See the *lily ℓ yp \flat s* documentation for more information.

TABLE 432: *lily ℓ yp \flat s* Time Signatures

	<code>\lilyTimeC</code>		<code>\lilyTimeCHalf</code>
---	-------------------------	---	-----------------------------

lily ℓ yp \flat s also provides a `\lilyTimeSignature` command that lets a user typeset single and compound time signatures by specifying a numerator and a denominator. See the *lily ℓ yp \flat s* documentation for more information.

TABLE 433: *lily ℓ yp \flat s* Accidentals


















\times	<code>\doublesharp</code>		<code>\sharpArrowdown</code>
\flat	<code>\flat</code>		<code>\sharpArrowup</code>
$\flat\flat$	<code>\flatflat</code>		<code>\sharpSlashslashslashStem</code>
\natural	<code>\natural</code>		<code>\sharpSlashslashslashStemstem</code>
\sharp	<code>\sharp</code>		<code>\sharpSlashslashStem</code>
	<code>\sharpArrowboth</code>		<code>\sharpSlashslashStemstemstem</code>

TABLE 434: *lilyglyphs* Rests

	<code>\crotchetRest</code>		<code>\quaverRestDotted</code>
	<code>\crotchetRestDotted</code>		<code>\semiquaverRest</code>
	<code>\halfNoteRest</code>		<code>\semiquaverRestDotted</code>
	<code>\halfNoteRestDotted</code>		<code>\wholeNoteRest</code>
	<code>\quaverRest</code>		<code>\wholeNoteRestDotted</code>

Multiply dotted rests can be produced with the `\lilyPrintMoreDots` command. See the *lilyglyphs* documentation for more information.

TABLE 435: *lilyglyphs* Dynamics Letters

<i>f</i>	<code>\lilyDynamics{f}</code>	<i>r</i>	<code>\lilyDynamics{r}</code>
<i>p</i>	<code>\lilyDynamics{p}</code>	<i>s</i>	<code>\lilyDynamics{s}</code>
<i>m</i>	<code>\lilyDynamics{m}</code>	<i>z</i>	<code>\lilyDynamics{z}</code>
<i>rf</i>	<code>\lilyRF</code>	<i>rfz</i>	<code>\lilyRFZ</code>

These letters and the digits 0–9 are the only alphanumerics defined by *lilyglyphs*'s underlying Emmentaler fonts.

TABLE 436: *lilyglyphs* Dynamics Symbols

	<code>\crescHairpin</code>		<code>\decrescHairpin</code>
---	----------------------------	---	------------------------------

TABLE 437: *lilyglyphs* Articulations











	<code>\lilyAccent</code>		<code>\marcato</code>		<code>\staccatissimo</code>
	<code>\lilyEspressivo</code>		<code>\marcatoDown</code>		<code>\tenuto</code>
	<code>\lilyStaccato</code>		<code>\portato</code>		
	<code>\lilyThumb</code>		<code>\portatoDown</code>		

TABLE 438: *lilyglyphs* Scripts


	<code>\fermata</code>
---	-----------------------

TABLE 439: *lilyglyphs* Accordion Notation








	<code>\accordionBayanBass</code>		<code>\accordionOldEE</code>		<code>\accordionStdBass</code>
	<code>\accordionDiscant</code>		<code>\accordionPull</code>		
	<code>\accordionFreeBass</code>		<code>\accordionPush</code>		

TABLE 440: *lilyglyphs* Named Time Signatures

♄	<code>\lilyGlyph{timesig.C22}</code>	ϕ	<code>\lilyGlyph{timesig.mensural98}</code>
♅	<code>\lilyGlyph{timesig.C44}</code>	♃	<code>\lilyGlyph{timesig.neomensural22}</code>
♆	<code>\lilyGlyph{timesig.mensural22}</code>	♄	<code>\lilyGlyph{timesig.neomensural24}</code>
♇	<code>\lilyGlyph{timesig.mensural24}</code>	♅	<code>\lilyGlyph{timesig.neomensural32}</code>
♈	<code>\lilyGlyph{timesig.mensural32}</code>	♆	<code>\lilyGlyph{timesig.neomensural34}</code>
♉	<code>\lilyGlyph{timesig.mensural34}</code>	♇	<code>\lilyGlyph{timesig.neomensural44}</code>
♊	<code>\lilyGlyph{timesig.mensural44}</code>	♈	<code>\lilyGlyph{timesig.neomensural48}</code>
♋	<code>\lilyGlyph{timesig.mensural48}</code>	♉	<code>\lilyGlyph{timesig.neomensural64}</code>
♌	<code>\lilyGlyph{timesig.mensural64}</code>	♊	<code>\lilyGlyph{timesig.neomensural68}</code>
♍	<code>\lilyGlyph{timesig.mensural68}</code>	♋	<code>\lilyGlyph{timesig.neomensural68alt}</code>
♎	<code>\lilyGlyph{timesig.mensural68alt}</code>	♌	<code>\lilyGlyph{timesig.neomensural94}</code>
♏	<code>\lilyGlyph{timesig.mensural94}</code>	♍	<code>\lilyGlyph{timesig.neomensural98}</code>

lilyglyphs defines shorter names for a few of these symbols. See Table 432.

TABLE 441: *lilyglyphs* Named Scripts

⤴	<code>\lilyGlyph{scripts.arpeggio}</code>	♯	<code>\lilyGlyph{scripts.prallmordent}</code>
↗	<code>\lilyGlyph{scripts.arpeggio.arrow.1}</code>	♯	<code>\lilyGlyph{scripts.prallprall}</code>
↘	<code>\lilyGlyph{scripts.arpeggio.arrow.M1}</code>	♯	<code>\lilyGlyph{scripts.prallup}</code>
.	<code>\lilyGlyph{scripts.augmentum}</code>	,	<code>\lilyGlyph{scripts.rcomma}</code>
§	<code>\lilyGlyph{scripts.barline.kievan}</code>	∞	<code>\lilyGlyph{scripts.reverseturn}</code>
//	<code>\lilyGlyph{scripts.caesura.curved}</code>	/	<code>\lilyGlyph{scripts.rvarcomma}</code>
//	<code>\lilyGlyph{scripts.caesura.straight}</code>	‰	<code>\lilyGlyph{scripts.segno}</code>
.	<code>\lilyGlyph{scripts.circulus}</code>	>	<code>\lilyGlyph{scripts.sforzato}</code>
⊕	<code>\lilyGlyph{scripts.coda}</code>	◊	<code>\lilyGlyph{scripts.snappizzicato}</code>
.	<code>\lilyGlyph{scripts.daccentus}</code>	.	<code>\lilyGlyph{scripts.staccato}</code>
☺	<code>\lilyGlyph{scripts.dfermata}</code>	+	<code>\lilyGlyph{scripts.stopped}</code>
⏏	<code>\lilyGlyph{scripts.dlongfermata}</code>	-	<code>\lilyGlyph{scripts.tenuto}</code>
v	<code>\lilyGlyph{scripts.dmarcato}</code>	◊	<code>\lilyGlyph{scripts.thumb}</code>
⏏	<code>\lilyGlyph{scripts.downbow}</code>	✓	<code>\lilyGlyph{scripts.tickmark}</code>
♯	<code>\lilyGlyph{scripts.downmordent}</code>	♯	<code>\lilyGlyph{scripts.trilelement}</code>
♯	<code>\lilyGlyph{scripts.downprall}</code>	♯	<code>\lilyGlyph{scripts.trill}</code>
n	<code>\lilyGlyph{scripts.dpedalheel}</code>	~	<code>\lilyGlyph{scripts.trill_element}</code>
^	<code>\lilyGlyph{scripts.dpedaltoe}</code>	∞	<code>\lilyGlyph{scripts.turn}</code>
τ	<code>\lilyGlyph{scripts.dportato}</code>	.	<code>\lilyGlyph{scripts.uaccentus}</code>
.	<code>\lilyGlyph{scripts.dsemicirculus}</code>	☺	<code>\lilyGlyph{scripts.ufermata}</code>
V	<code>\lilyGlyph{scripts.dshortfermata}</code>	⏏	<code>\lilyGlyph{scripts.ulongfermata}</code>
§	<code>\lilyGlyph{scripts.dsignumcongruentiae}</code>	^	<code>\lilyGlyph{scripts.umarcato}</code>
,	<code>\lilyGlyph{scripts.dstaccatissimo}</code>	V	<code>\lilyGlyph{scripts.upbow}</code>
⏏	<code>\lilyGlyph{scripts.dverylongfermata}</code>	u	<code>\lilyGlyph{scripts.upedalheel}</code>
<>	<code>\lilyGlyph{scripts.espr}</code>	v	<code>\lilyGlyph{scripts.upedaltoe}</code>

(continued on next page)

(continued from previous page)

◦	<code>\lilyGlyph{scripts.flageolet}</code>	♯	<code>\lilyGlyph{scripts.upmordent}</code>
♯	<code>\lilyGlyph{scripts.halfopen}</code>	˘	<code>\lilyGlyph{scripts.uportato}</code>
♠	<code>\lilyGlyph{scripts.halfopenvertical}</code>	♯	<code>\lilyGlyph{scripts.upprall}</code>
.	<code>\lilyGlyph{scripts.ictus}</code>	˘	<code>\lilyGlyph{scripts.usemicirculus}</code>
˘	<code>\lilyGlyph{scripts.lcomma}</code>	Λ	<code>\lilyGlyph{scripts.ushortfermata}</code>
⋈	<code>\lilyGlyph{scripts.lineprall}</code>	⌘	<code>\lilyGlyph{scripts.usignumcongruentiae}</code>
/	<code>\lilyGlyph{scripts.lvarcomma}</code>	,	<code>\lilyGlyph{scripts.ustaccatissimo}</code>
♯	<code>\lilyGlyph{scripts.mordent}</code>	⏏	<code>\lilyGlyph{scripts.uverylongfermata}</code>
◦	<code>\lilyGlyph{scripts.open}</code>	♯	<code>\lilyGlyph{scripts.varcoda}</code>
		⋈	<code>\lilyGlyph{scripts.varsegno}</code>
⋈	<code>\lilyGlyph{scripts.prall}</code>		
♯	<code>\lilyGlyph{scripts.pralldown}</code>		


`lilyglyphs` defines `\fermata` as a shorter name for “” than `\lilyGlyph{scripts.ufermata}`. See Table 438.

TABLE 442: `lilyglyphs` Named Rests

—	<code>\lilyGlyph{rests.0}</code>	⋈	<code>\lilyGlyph{rests.4mensural}</code>
.	<code>\lilyGlyph{rests.0mensural}</code>	⋈	<code>\lilyGlyph{rests.4neomensural}</code>
.	<code>\lilyGlyph{rests.0neomensural}</code>	⋈	<code>\lilyGlyph{rests.5}</code>
—	<code>\lilyGlyph{rests.0o}</code>	⋈	<code>\lilyGlyph{rests.6}</code>
—	<code>\lilyGlyph{rests.1}</code>	⋈	<code>\lilyGlyph{rests.7}</code>
.	<code>\lilyGlyph{rests.1mensural}</code>	■	<code>\lilyGlyph{rests.M1}</code>
.	<code>\lilyGlyph{rests.1neomensural}</code>	,	<code>\lilyGlyph{rests.M1mensural}</code>
—	<code>\lilyGlyph{rests.1o}</code>	,	<code>\lilyGlyph{rests.M1neomensural}</code>
⋈	<code>\lilyGlyph{rests.2}</code>	⋈	<code>\lilyGlyph{rests.M1o}</code>
˘	<code>\lilyGlyph{rests.2classical}</code>		<code>\lilyGlyph{rests.M2}</code>
˘	<code>\lilyGlyph{rests.2mensural}</code>		<code>\lilyGlyph{rests.M2mensural}</code>
˘	<code>\lilyGlyph{rests.2neomensural}</code>		<code>\lilyGlyph{rests.M2neomensural}</code>
⋈	<code>\lilyGlyph{rests.3}</code>		<code>\lilyGlyph{rests.M3}</code>
˘	<code>\lilyGlyph{rests.3mensural}</code>		<code>\lilyGlyph{rests.M3mensural}</code>
˘	<code>\lilyGlyph{rests.3neomensural}</code>		<code>\lilyGlyph{rests.M3neomensural}</code>
⋈	<code>\lilyGlyph{rests.4}</code>		

`lilyglyphs` defines shorter names for a few of these symbols. See Table 434.

TABLE 443: `lilyglyphs` Named Pedals

♯	<code>\lilyGlyph{pedal.*}</code>	-	<code>\lilyGlyph{pedal.M}</code>
.	<code>\lilyGlyph{pedal..}</code>	⌘	<code>\lilyGlyph{pedal.P}</code>
⋈	<code>\lilyGlyph{pedal.d}</code>	⋈	<code>\lilyGlyph{pedal.Ped}</code>
e	<code>\lilyGlyph{pedal.e}</code>		



















































TABLE 444: *lilyglyphs* Named Flags

⌋	<code>\lilyGlyph{flags.d3}</code>	⌋	<code>\lilyGlyph{flags.mensuralu03}</code>
⌋	<code>\lilyGlyph{flags.d4}</code>	⌋	<code>\lilyGlyph{flags.mensuralu04}</code>
⌋	<code>\lilyGlyph{flags.d5}</code>	⌋	<code>\lilyGlyph{flags.mensuralu05}</code>
⌋	<code>\lilyGlyph{flags.d6}</code>	⌋	<code>\lilyGlyph{flags.mensuralu06}</code>
⌋	<code>\lilyGlyph{flags.d7}</code>	⌋	<code>\lilyGlyph{flags.mensuralu13}</code>
⌋	<code>\lilyGlyph{flags.dgrace}</code>	⌋	<code>\lilyGlyph{flags.mensuralu14}</code>
⌋	<code>\lilyGlyph{flags.mensurald03}</code>	⌋	<code>\lilyGlyph{flags.mensuralu15}</code>
⌋	<code>\lilyGlyph{flags.mensurald04}</code>	⌋	<code>\lilyGlyph{flags.mensuralu16}</code>
⌋	<code>\lilyGlyph{flags.mensurald05}</code>	⌋	<code>\lilyGlyph{flags.mensuralu23}</code>
⌋	<code>\lilyGlyph{flags.mensurald06}</code>	⌋	<code>\lilyGlyph{flags.mensuralu24}</code>
⌋	<code>\lilyGlyph{flags.mensurald13}</code>	⌋	<code>\lilyGlyph{flags.mensuralu25}</code>
⌋	<code>\lilyGlyph{flags.mensurald14}</code>	⌋	<code>\lilyGlyph{flags.mensuralu26}</code>
⌋	<code>\lilyGlyph{flags.mensurald15}</code>	⌋	<code>\lilyGlyph{flags.u3}</code>
⌋	<code>\lilyGlyph{flags.mensurald16}</code>	⌋	<code>\lilyGlyph{flags.u4}</code>
⌋	<code>\lilyGlyph{flags.mensurald23}</code>	⌋	<code>\lilyGlyph{flags.u5}</code>
⌋	<code>\lilyGlyph{flags.mensurald24}</code>	⌋	<code>\lilyGlyph{flags.u6}</code>
⌋	<code>\lilyGlyph{flags.mensurald25}</code>	⌋	<code>\lilyGlyph{flags.u7}</code>
⌋	<code>\lilyGlyph{flags.mensurald26}</code>	⌋	<code>\lilyGlyph{flags.ugrace}</code>

TABLE 445: *lilyglyphs* Named Custodes

⌘	<code>\lilyGlyph{custodes.hufnagel.d0}</code>	⌘	<code>\lilyGlyph{custodes.mensural.d0}</code>
⌘	<code>\lilyGlyph{custodes.hufnagel.d1}</code>	⌘	<code>\lilyGlyph{custodes.mensural.d1}</code>
⌘	<code>\lilyGlyph{custodes.hufnagel.d2}</code>	⌘	<code>\lilyGlyph{custodes.mensural.d2}</code>
⌘	<code>\lilyGlyph{custodes.hufnagel.u0}</code>	⌘	<code>\lilyGlyph{custodes.mensural.u0}</code>
⌘	<code>\lilyGlyph{custodes.hufnagel.u1}</code>	⌘	<code>\lilyGlyph{custodes.mensural.u1}</code>
⌘	<code>\lilyGlyph{custodes.hufnagel.u2}</code>	⌘	<code>\lilyGlyph{custodes.mensural.u2}</code>
⌘	<code>\lilyGlyph{custodes.medicaea.d0}</code>	⌘	<code>\lilyGlyph{custodes.vaticana.d0}</code>
⌘	<code>\lilyGlyph{custodes.medicaea.d1}</code>	⌘	<code>\lilyGlyph{custodes.vaticana.d1}</code>
⌘	<code>\lilyGlyph{custodes.medicaea.d2}</code>	⌘	<code>\lilyGlyph{custodes.vaticana.d2}</code>
⌘	<code>\lilyGlyph{custodes.medicaea.u0}</code>	⌘	<code>\lilyGlyph{custodes.vaticana.u0}</code>
⌘	<code>\lilyGlyph{custodes.medicaea.u1}</code>	⌘	<code>\lilyGlyph{custodes.vaticana.u1}</code>
⌘	<code>\lilyGlyph{custodes.medicaea.u2}</code>	⌘	<code>\lilyGlyph{custodes.vaticana.u2}</code>

TABLE 446: *lilyglyphs* Named Clefs

	<code>\lilyGlyph{clefs.blackmensural.c}</code>		<code>\lilyGlyph{clefs.mensural.g_change}</code>
	<code>\lilyGlyph{clefs.blackmensural.c_change}</code>		<code>\lilyGlyph{clefs.neomensural.c}</code>
	<code>\lilyGlyph{clefs.C}</code>		<code>\lilyGlyph{clefs.neomensural.c_change}</code>
	<code>\lilyGlyph{clefs.C_change}</code>		<code>\lilyGlyph{clefs.percussion}</code>
	<code>\lilyGlyph{clefs.F}</code>		<code>\lilyGlyph{clefs.percussion_change}</code>
	<code>\lilyGlyph{clefs.F_change}</code>		<code>\lilyGlyph{clefs.petrucci.c1}</code>
	<code>\lilyGlyph{clefs.G}</code>		<code>\lilyGlyph{clefs.petrucci.c1_change}</code>
	<code>\lilyGlyph{clefs.G_change}</code>		<code>\lilyGlyph{clefs.petrucci.c2}</code>
	<code>\lilyGlyph{clefs.hufnagel.do}</code>		<code>\lilyGlyph{clefs.petrucci.c2_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c3}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c3_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.c4}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c4_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c5}</code>
	<code>\lilyGlyph{clefs.kievan.do}</code>		<code>\lilyGlyph{clefs.petrucci.c5_change}</code>
	<code>\lilyGlyph{clefs.kievan.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.f}</code>
	<code>\lilyGlyph{clefs.medicaea.do}</code>		<code>\lilyGlyph{clefs.petrucci.f_change}</code>
	<code>\lilyGlyph{clefs.medicaea.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.g}</code>
	<code>\lilyGlyph{clefs.medicaea.fa}</code>		<code>\lilyGlyph{clefs.petrucci.g_change}</code>
	<code>\lilyGlyph{clefs.medicaea.fa_change}</code>		<code>\lilyGlyph{clefs.tab}</code>
	<code>\lilyGlyph{clefs.mensural.c}</code>		<code>\lilyGlyph{clefs.tab_change}</code>
	<code>\lilyGlyph{clefs.mensural.c_change}</code>		<code>\lilyGlyph{clefs.vaticana.do}</code>
	<code>\lilyGlyph{clefs.mensural.f}</code>		<code>\lilyGlyph{clefs.vaticana.do_change}</code>
	<code>\lilyGlyph{clefs.mensural.f_change}</code>		<code>\lilyGlyph{clefs.vaticana.fa}</code>
	<code>\lilyGlyph{clefs.mensural.g}</code>		<code>\lilyGlyph{clefs.vaticana.fa_change}</code>

lilyglyphs defines shorter names for a few of these symbols. See Table 431.

TABLE 447: *lilyglyphs* Named Noteheads

◦	<code>\lilyGlyph{noteheads.d0doFunk}</code>
◡	<code>\lilyGlyph{noteheads.d0fa}</code>
◢	<code>\lilyGlyph{noteheads.d0faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d0faThin}</code>
◊	<code>\lilyGlyph{noteheads.d0miFunk}</code>
◀	<code>\lilyGlyph{noteheads.d0reFunk}</code>
◁	<code>\lilyGlyph{noteheads.d0tiFunk}</code>
▲	<code>\lilyGlyph{noteheads.d1do}</code>
◦	<code>\lilyGlyph{noteheads.d1doFunk}</code>
◢	<code>\lilyGlyph{noteheads.d1doThin}</code>
◣	<code>\lilyGlyph{noteheads.d1doWalker}</code>
◡	<code>\lilyGlyph{noteheads.d1fa}</code>
◢	<code>\lilyGlyph{noteheads.d1faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1faThin}</code>
◢	<code>\lilyGlyph{noteheads.d1faWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1miFunk}</code>
◦	<code>\lilyGlyph{noteheads.d1re}</code>
◀	<code>\lilyGlyph{noteheads.d1reFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1reThin}</code>
◣	<code>\lilyGlyph{noteheads.d1reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1ti}</code>
◁	<code>\lilyGlyph{noteheads.d1tiFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d1tiWalker}</code>
◢	<code>\lilyGlyph{noteheads.d1triangle}</code>
▲	<code>\lilyGlyph{noteheads.d2do}</code>
●	<code>\lilyGlyph{noteheads.d2doFunk}</code>
▲	<code>\lilyGlyph{noteheads.d2doThin}</code>
■	<code>\lilyGlyph{noteheads.d2doWalker}</code>
◢	<code>\lilyGlyph{noteheads.d2fa}</code>
◢	<code>\lilyGlyph{noteheads.d2faFunk}</code>
◢	<code>\lilyGlyph{noteheads.d2faThin}</code>
◢	<code>\lilyGlyph{noteheads.d2faWalker}</code>
⌈	<code>\lilyGlyph{noteheads.d2kievan}</code>
●	<code>\lilyGlyph{noteheads.d2re}</code>
◀	<code>\lilyGlyph{noteheads.d2reFunk}</code>
●	<code>\lilyGlyph{noteheads.d2reThin}</code>
◀	<code>\lilyGlyph{noteheads.d2reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d2ti}</code>
◀	<code>\lilyGlyph{noteheads.d2tiFunk}</code>
◊	<code>\lilyGlyph{noteheads.d2tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d2tiWalker}</code>
◢	<code>\lilyGlyph{noteheads.d2triangle}</code>
⌈	<code>\lilyGlyph{noteheads.d3kievan}</code>
⌈	<code>\lilyGlyph{noteheads.dM2}</code>
⌈	<code>\lilyGlyph{noteheads.dM2blackmensural}</code>

(continued on next page)

(continued from previous page)

♩ \lilyGlyph{noteheads.dM2mensural}
♩ \lilyGlyph{noteheads.dM2neomensural}
♩ \lilyGlyph{noteheads.dM2semimensural}
♩ \lilyGlyph{noteheads.dM3blackmensural}
♩ \lilyGlyph{noteheads.dM3mensural}
♩ \lilyGlyph{noteheads.dM3neomensural}
♩ \lilyGlyph{noteheads.dM3semimensural}
♩ \lilyGlyph{noteheads.drM2mensural}
♩ \lilyGlyph{noteheads.drM2neomensural}
♩ \lilyGlyph{noteheads.drM2semimensural}
♩ \lilyGlyph{noteheads.drM3mensural}
♩ \lilyGlyph{noteheads.drM3neomensural}
♩ \lilyGlyph{noteheads.drM3semimensural}
○ \lilyGlyph{noteheads.s0}
◊ \lilyGlyph{noteheads.s0blackmensural}
◊ \lilyGlyph{noteheads.s0blackpetrucci}
⊗ \lilyGlyph{noteheads.s0cross}
◊ \lilyGlyph{noteheads.s0diamond}
▲ \lilyGlyph{noteheads.s0do}
▲ \lilyGlyph{noteheads.s0doThin}
▴ \lilyGlyph{noteheads.s0doWalker}
▾ \lilyGlyph{noteheads.s0faWalker}
◊ \lilyGlyph{noteheads.s0harmonic}
⬠ \lilyGlyph{noteheads.s0kievan}
◻ \lilyGlyph{noteheads.s0la}
◻ \lilyGlyph{noteheads.s0laFunk}
◻ \lilyGlyph{noteheads.s0laThin}
◻ \lilyGlyph{noteheads.s0laWalker}
◊ \lilyGlyph{noteheads.s0mensural}
◊ \lilyGlyph{noteheads.s0mi}
◊ \lilyGlyph{noteheads.s0miMirror}
◊ \lilyGlyph{noteheads.s0miThin}
◊ \lilyGlyph{noteheads.s0miWalker}
◊ \lilyGlyph{noteheads.s0neomensural}
◊ \lilyGlyph{noteheads.s0petrucci}
◊ \lilyGlyph{noteheads.s0re}
◊ \lilyGlyph{noteheads.s0reThin}
◊ \lilyGlyph{noteheads.s0reWalker}
∕ \lilyGlyph{noteheads.s0slash}
◊ \lilyGlyph{noteheads.s0sol}
◊ \lilyGlyph{noteheads.s0solFunk}
◊ \lilyGlyph{noteheads.s0ti}
◊ \lilyGlyph{noteheads.s0tiThin}
◊ \lilyGlyph{noteheads.s0tiWalker}
▴ \lilyGlyph{noteheads.s0triangle}
◊ \lilyGlyph{noteheads.s1}
◊ \lilyGlyph{noteheads.s1blackpetrucci}
⊗ \lilyGlyph{noteheads.s1cross}

(continued on next page)

(continued from previous page)

♠ \lilyGlyph{noteheads.s1diamond}
† \lilyGlyph{noteheads.s1kievan}
▣ \lilyGlyph{noteheads.s1la}
◻ \lilyGlyph{noteheads.s1laFunk}
◻ \lilyGlyph{noteheads.s1laThin}
◻ \lilyGlyph{noteheads.s1laWalker}
◊ \lilyGlyph{noteheads.s1mensural}
◊ \lilyGlyph{noteheads.s1mi}
◊ \lilyGlyph{noteheads.s1miMirror}
◊ \lilyGlyph{noteheads.s1miThin}
◊ \lilyGlyph{noteheads.s1miWalker}
◊ \lilyGlyph{noteheads.s1neomensural}
◊ \lilyGlyph{noteheads.s1petrucci}
// \lilyGlyph{noteheads.s1slash}
♭ \lilyGlyph{noteheads.s1sol}
♭ \lilyGlyph{noteheads.s1solFunk}
● \lilyGlyph{noteheads.s2}
◆ \lilyGlyph{noteheads.s2blackpetrucci}
× \lilyGlyph{noteheads.s2cross}
♠ \lilyGlyph{noteheads.s2diamond}
◆ \lilyGlyph{noteheads.s2harmonic}
■ \lilyGlyph{noteheads.s2la}
■ \lilyGlyph{noteheads.s2laFunk}
■ \lilyGlyph{noteheads.s2laThin}
■ \lilyGlyph{noteheads.s2laWalker}
⋅ \lilyGlyph{noteheads.s2mensural}
◊ \lilyGlyph{noteheads.s2mi}
◊ \lilyGlyph{noteheads.s2miFunk}
◊ \lilyGlyph{noteheads.s2miMirror}
◊ \lilyGlyph{noteheads.s2miThin}
◊ \lilyGlyph{noteheads.s2miWalker}
◊ \lilyGlyph{noteheads.s2neomensural}
◊ \lilyGlyph{noteheads.s2petrucci}
/ \lilyGlyph{noteheads.s2slash}
♭ \lilyGlyph{noteheads.s2sol}
♭ \lilyGlyph{noteheads.s2solFunk}
⊗ \lilyGlyph{noteheads.s2xcircle}
♣ \lilyGlyph{noteheads.shufnagel.lpes}
♣ \lilyGlyph{noteheads.shufnagel.punctum}
† \lilyGlyph{noteheads.shufnagel.virga}
♣ \lilyGlyph{noteheads.sM1}
♣ \lilyGlyph{noteheads.sM1blackmensural}
♣ \lilyGlyph{noteheads.sM1double}
♣ \lilyGlyph{noteheads.sM1kievan}
♣ \lilyGlyph{noteheads.sM1mensural}
♣ \lilyGlyph{noteheads.sM1neomensural}
♣ \lilyGlyph{noteheads.sM1semimensural}
♣ \lilyGlyph{noteheads.sM2blackligmensural}
♣ \lilyGlyph{noteheads.sM2kievan}

(continued on next page)

(continued from previous page)

⌌ \lilyGlyph{noteheads.sm2ligmensural}
⌌ \lilyGlyph{noteheads.sm2semiligmensural}
⌌ \lilyGlyph{noteheads.sm3blackligmensural}
⌌ \lilyGlyph{noteheads.sm3ligmensural}
⌌ \lilyGlyph{noteheads.sm3semiligmensural}
◊ \lilyGlyph{noteheads.smedicaea.inclinatum}
▪ \lilyGlyph{noteheads.smedicaea.punctum}
┌ \lilyGlyph{noteheads.smedicaea.rvirga}
└ \lilyGlyph{noteheads.smedicaea.virga}
└ \lilyGlyph{noteheads.sr1kievan}
⌌ \lilyGlyph{noteheads.srM1mensural}
⌌ \lilyGlyph{noteheads.srM1neomensural}
⌌ \lilyGlyph{noteheads.srM1semimensural}
⌌ \lilyGlyph{noteheads.srM2ligmensural}
⌌ \lilyGlyph{noteheads.srM2semiligmensural}
⌌ \lilyGlyph{noteheads.srM3ligmensural}
⌌ \lilyGlyph{noteheads.srM3semiligmensural}
· \lilyGlyph{noteheads.ssolesmes.auct.asc}
· \lilyGlyph{noteheads.ssolesmes.auct.desc}
· \lilyGlyph{noteheads.ssolesmes.incl.auctum}
· \lilyGlyph{noteheads.ssolesmes.incl.parvum}
· \lilyGlyph{noteheads.ssolesmes.oriscus}
· \lilyGlyph{noteheads.ssolesmes.stropha}
· \lilyGlyph{noteheads.ssolesmes.stropha.aucta}
└ \lilyGlyph{noteheads.svaticana.cephalicus}
· \lilyGlyph{noteheads.svaticana.epiphonus}
· \lilyGlyph{noteheads.svaticana.inclinatum}
▪ \lilyGlyph{noteheads.svaticana.inner.cephalicus}
▪ \lilyGlyph{noteheads.svaticana.linea.punctum}
◻ \lilyGlyph{noteheads.svaticana.linea.punctum.cavum}
▪ \lilyGlyph{noteheads.svaticana.lpes}
· \lilyGlyph{noteheads.svaticana.plica}
▪ \lilyGlyph{noteheads.svaticana.punctum}
◻ \lilyGlyph{noteheads.svaticana.punctum.cavum}
· \lilyGlyph{noteheads.svaticana.quilisma}
· \lilyGlyph{noteheads.svaticana.reverse.plica}
· \lilyGlyph{noteheads.svaticana.reverse.vplica}
▪ \lilyGlyph{noteheads.svaticana.upes}
· \lilyGlyph{noteheads.svaticana.vepiphonus}
▪ \lilyGlyph{noteheads.svaticana.vlpes}
· \lilyGlyph{noteheads.svaticana.vplica}
▪ \lilyGlyph{noteheads.svaticana.vupes}
◊ \lilyGlyph{noteheads.u0doFunk}
◊ \lilyGlyph{noteheads.u0fa}
◊ \lilyGlyph{noteheads.u0faFunk}
◊ \lilyGlyph{noteheads.u0faThin}
◊ \lilyGlyph{noteheads.u0miFunk}
◊ \lilyGlyph{noteheads.u0reFunk}
◊ \lilyGlyph{noteheads.u0tiFunk}

(continued on next page)

(continued from previous page)

▲ \lilyGlyph{noteheads.u1do}
▷ \lilyGlyph{noteheads.u1doFunk}
△ \lilyGlyph{noteheads.u1doThin}
◁ \lilyGlyph{noteheads.u1doWalker}
∇ \lilyGlyph{noteheads.u1fa}
∇ \lilyGlyph{noteheads.u1faFunk}
∇ \lilyGlyph{noteheads.u1faThin}
∇ \lilyGlyph{noteheads.u1faWalker}
◊ \lilyGlyph{noteheads.u1miFunk}
◊ \lilyGlyph{noteheads.u1re}
▽ \lilyGlyph{noteheads.u1reFunk}
◊ \lilyGlyph{noteheads.u1reThin}
▷ \lilyGlyph{noteheads.u1reWalker}
◊ \lilyGlyph{noteheads.u1ti}
◊ \lilyGlyph{noteheads.u1tiFunk}
◊ \lilyGlyph{noteheads.u1tiThin}
▽ \lilyGlyph{noteheads.u1tiWalker}
▽ \lilyGlyph{noteheads.u1triangle}
▲ \lilyGlyph{noteheads.u2do}
▷ \lilyGlyph{noteheads.u2doFunk}
▲ \lilyGlyph{noteheads.u2doThin}
▷ \lilyGlyph{noteheads.u2doWalker}
∇ \lilyGlyph{noteheads.u2fa}
∇ \lilyGlyph{noteheads.u2faFunk}
∇ \lilyGlyph{noteheads.u2faThin}
∇ \lilyGlyph{noteheads.u2faWalker}
┌ \lilyGlyph{noteheads.u2kievan}
● \lilyGlyph{noteheads.u2re}
▽ \lilyGlyph{noteheads.u2reFunk}
● \lilyGlyph{noteheads.u2reThin}
▷ \lilyGlyph{noteheads.u2reWalker}
◊ \lilyGlyph{noteheads.u2ti}
▷ \lilyGlyph{noteheads.u2tiFunk}
◊ \lilyGlyph{noteheads.u2tiThin}
▽ \lilyGlyph{noteheads.u2tiWalker}
▽ \lilyGlyph{noteheads.u2triangle}
└ \lilyGlyph{noteheads.u3kievan}
┌ \lilyGlyph{noteheads.uM2}
┌ \lilyGlyph{noteheads.uM2blackmensural}
┌ \lilyGlyph{noteheads.uM2mensural}
┌ \lilyGlyph{noteheads.uM2neomensural}
┌ \lilyGlyph{noteheads.uM2semimensural}
┌ \lilyGlyph{noteheads.uM3blackmensural}
┌ \lilyGlyph{noteheads.uM3mensural}
┌ \lilyGlyph{noteheads.uM3neomensural}
┌ \lilyGlyph{noteheads.uM3semimensural}
┌ \lilyGlyph{noteheads.urM2mensural}

(continued on next page)

(continued from previous page)

	<code>\lilyGlyph{noteheads.urM2neomensural}</code>
	<code>\lilyGlyph{noteheads.urM2semimensural}</code>
	<code>\lilyGlyph{noteheads.urM3mensural}</code>
	<code>\lilyGlyph{noteheads.urM3neomensural}</code>
	<code>\lilyGlyph{noteheads.urM3semimensural}</code>

TABLE 448: *lilyglyphs* Named Accordion Symbols

	<code>\lilyGlyph{accordion.bayanbass}</code>		<code>\lilyGlyph{accordion.oldEE}</code>
	<code>\lilyGlyph{accordion.discant}</code>		<code>\lilyGlyph{accordion.pull}</code>
	<code>\lilyGlyph{accordion.dot}</code>		<code>\lilyGlyph{accordion.push}</code>
	<code>\lilyGlyph{accordion.freebass}</code>		<code>\lilyGlyph{accordion.stdbass}</code>

lilyglyphs defines shorter names for all of these symbols except `\lilyGlyph{accordion.dot}`. See Table 439.

TABLE 449: *lilyglyphs* Named Accidentals

	<code>\lilyGlyph{accidentals.doublsharp}</code>
	<code>\lilyGlyph{accidentals.flat}</code>
	<code>\lilyGlyph{accidentals.flat.arrowboth}</code>
	<code>\lilyGlyph{accidentals.flat.arrowdown}</code>
	<code>\lilyGlyph{accidentals.flat.arrowup}</code>
	<code>\lilyGlyph{accidentals.flat.slash}</code>
	<code>\lilyGlyph{accidentals.flat.slashslash}</code>
	<code>\lilyGlyph{accidentals.flatflat}</code>
	<code>\lilyGlyph{accidentals.flatflat.slash}</code>
	<code>\lilyGlyph{accidentals.hufnagelM1}</code>
	<code>\lilyGlyph{accidentals.kievan1}</code>
	<code>\lilyGlyph{accidentals.kievanM1}</code>
	<code>\lilyGlyph{accidentals.leftparen}</code>
	<code>\lilyGlyph{accidentals.medicaeaM1}</code>
	<code>\lilyGlyph{accidentals.mensural1}</code>
	<code>\lilyGlyph{accidentals.mensuralM1}</code>
	<code>\lilyGlyph{accidentals.mirroredflat}</code>
	<code>\lilyGlyph{accidentals.mirroredflat.backslash}</code>

(continued on next page)

(continued from previous page)

```

ϕ \lilyGlyph{accidentals.mirroredflat.flat}
♮ \lilyGlyph{accidentals.natural}
↕ \lilyGlyph{accidentals.natural.arrowboth}
↕ \lilyGlyph{accidentals.natural.arrowdown}
↕ \lilyGlyph{accidentals.natural.arrowup}
) \lilyGlyph{accidentals.rightparen}
# \lilyGlyph{accidentals.sharp}
↕ \lilyGlyph{accidentals.sharp.arrowboth}
↕ \lilyGlyph{accidentals.sharp.arrowdown}
↕ \lilyGlyph{accidentals.sharp.arrowup}
# \lilyGlyph{accidentals.sharp slasheslash.stem}
## \lilyGlyph{accidentals.sharp slasheslash.stemstemstem}
# \lilyGlyph{accidentals.sharp slasheslashslash.stem}
# \lilyGlyph{accidentals.sharp slasheslashslash.stemstem}
# \lilyGlyph{accidentals.vaticana0}
s \lilyGlyph{accidentals.vaticanaM1}

```

`lilylypbs` defines shorter names for a few of these symbols. See Table 433.

TABLE 450: `lilylypbs` Named Arrowheads

```

▶ \lilyGlyph{arrowheads.close.01}    > \lilyGlyph{arrowheads.open.01}
◀ \lilyGlyph{arrowheads.close.0M1}  < \lilyGlyph{arrowheads.open.0M1}
▲ \lilyGlyph{arrowheads.close.11}    ^ \lilyGlyph{arrowheads.open.11}
▼ \lilyGlyph{arrowheads.close.1M1}  v \lilyGlyph{arrowheads.open.1M1}

```

TABLE 451: `lilylypbs` Named Alphanumerics and Punctuation

0	<code>\lilyGlyph{zero}</code>	4	<code>\lilyGlyph{four}</code>	8	<code>\lilyGlyph{eight}</code>
1	<code>\lilyGlyph{one}</code>	5	<code>\lilyGlyph{five}</code>	9	<code>\lilyGlyph{nine}</code>
2	<code>\lilyGlyph{two}</code>	6	<code>\lilyGlyph{six}</code>		
3	<code>\lilyGlyph{three}</code>	7	<code>\lilyGlyph{seven}</code>		
<i>f</i>	<code>\lilyGlyph{f}</code>	<i>p</i>	<code>\lilyGlyph{p}</code>	<i>s</i>	<code>\lilyGlyph{s}</code>
<i>m</i>	<code>\lilyGlyph{m}</code>	<i>r</i>	<code>\lilyGlyph{r}</code>	<i>z</i>	<code>\lilyGlyph{z}</code>
,	<code>\lilyGlyph{comma}</code>	.	<code>\lilyGlyph{period}</code>		
-	<code>\lilyGlyph{hyphen}</code>	+	<code>\lilyGlyph{plus}</code>		

See Table 435 for an alternative way to typeset dynamics letters. `lilylypbs` additionally provides a `\lilyText` command that can be useful for typesetting groups of the preceding symbols. See the `lilylypbs` documentation for more information.

TABLE 452: Miscellaneous *lilyglyphs* Named Musical Symbols

\backslash	<code>\lilyGlyph{brackettips.down}</code>	.	<code>\lilyGlyph{dots.dotvaticana}</code>
\swarrow	<code>\lilyGlyph{brackettips.up}</code>	\smile	<code>\lilyGlyph{ties.lyric.default}</code>
.	<code>\lilyGlyph{dots.dot}</code>	\smile	<code>\lilyGlyph{ties.lyric.short}</code>
.	<code>\lilyGlyph{dots.dotkievan}</code>		

8 Other symbols

The following are all the symbols that didn't fit neatly or unambiguously into any of the previous sections. (Do weather symbols belong under "Science and technology"? Should dice be considered "mathematics"?) While some of the tables contain clearly related groups of symbols (e.g., symbols related to various board games), others represent motley assortments of whatever the font designer felt like drawing.

TABLE 453: textcomp Genealogical Symbols


*	<code>\textborn</code>	∅	<code>\textdivorced</code>	∞	<code>\textmarried</code>
†	<code>\textdied</code>		<code>\textleaf</code>		

TABLE 454: wasysym General Symbols




















	<code>\ataribox</code>		<code>\clock</code>		<code>\LEFTarrow</code>		<code>\RIGHTarrow</code>
	<code>\bell</code>	\emptyset	<code>\diameter</code>		<code>\leftturn</code>		<code>\rightturn</code>
	<code>\blacksmiley</code>		<code>\DOWNarrow</code>		<code>\lightning</code>		<code>\smiley</code>
	<code>\Bowtie</code>		<code>\frownie</code>		<code>\phone</code>		<code>\sun</code>
	<code>\brokenvert</code>		<code>\invdiameter</code>		<code>\pointer</code>		<code>\UParrow</code>
	<code>\checked</code>		<code>\kreuz</code>		<code>\recorder</code>		<code>\wasylzenge</code>

TABLE 455: manfnt Dangerous Bend Symbols

	<code>\dbend</code>		<code>\lhdbend</code>		<code>\reversedvideobend</code>
---	---------------------	---	-----------------------	---	---------------------------------

Note that these symbols descend far beneath the baseline. `manfnt` also defines non-descending versions, which it calls, correspondingly, `\textdbend`, `\textlhdbend`, and `\textreversedvideobend`.

TABLE 456: Miscellaneous manfnt Symbols























	<code>\manboldkidney</code>		<code>\manpenkidney</code>
	<code>\manconcentriccircles</code>		<code>\manquadrifolium</code>
	<code>\manconcentricdiamond</code>		<code>\manquartercircle</code>
	<code>\mancone</code>		<code>\manrotatedquadrifolium</code>
	<code>\mancube</code>		<code>\manrotatedquartercircle</code>
	<code>\manerrarrow</code>		<code>\manstar</code>
	<code>\manfilledquartercircle</code>		<code>\mantiltppennib</code>
	<code>\manhpennib</code>		<code>\mantriangledown</code>
	<code>\manimpossiblecube</code>		<code>\mantriangleright</code>
	<code>\mankidney</code>		<code>\mantriangleup</code>
	<code>\manlhpenkidney</code>		<code>\manvpennib</code>

TABLE 457: marvosym Media Control Symbols

▶	\Forward	▼	\MoveDown	◀◀	\RewindToIndex	▲	\ToTop
▶▶	\ForwardToEnd	▲	\MoveUp	◀	\RewindToStart		
▶▶▶	\ForwardToIndex	◀	\Rewind	▼	\ToBottom		

TABLE 458: marvosym Laundry Symbols

	\AtForty		\Handwash		\ShortNinetyFive
	\AtNinetyFive		\IroningI		\ShortSixty
	\AtSixty		\IroningII		\ShortThirty
△	\Bleech		\IroningIII		\SpecialForty
Ⓐ	\CleaningA	⊗	\NoBleech	◻	\Tumbler
Ⓕ	\CleaningF	⊗	\NoChemicalCleaning		\WashCotton
Ⓖ	\CleaningFF		\NoIroning		\WashSynthetics
Ⓖ	\CleaningP		\NoTumbler		\WashWool
Ⓖ	\CleaningPP		\ShortFifty		
	\Dontwash		\ShortForty		

TABLE 459: marvosym Information Symbols

	\Bicycle	♂	\Gentsroom	☞	\PointingHand
	\ClockLogo	🏭	\Industry	♿	\Wheelchair
	\Coffeecup	ℹ	\Info	☞	\WritingHand
⚽	\Football	♀	\Ladiesroom		

TABLE 460: Other marvosym Symbols

†	\Ankh	🌸	\Bouquet	♥	\Heart	☮	\PeaceDove
	\Bat	☩	\Celtcross	♂	\ManFace	☺	\Smiley
BO	\BOLogo	⊗	\CircledA	⚠	\MineSign	♀	\WomanFace
	\BOLogoL	†	\Cross	♁	\Mundus	☯	\Yinyang
BO	\BOLogoP	☹	\Frowny	@	\MVAt		

TABLE 461: Miscellaneous universa Symbols






















	\bauforms		\bauhead
--	-----------	--	----------


TABLE 462: Miscellaneous fourier Symbols

💣	\bomb	☹	\grimace	☞	\textthing*	⌘	\textxswup*
⚠	\danger	⊖	\noway	⌘	\textxswdown*		

* fourier defines math-mode synonyms for a few of the preceding symbols: \thething (“☞”), \xswsup (“⌘”), and \xswdown (“⌘”).

TABLE 463: ifsym Weather Symbols

	<code>\Cloud</code>		<code>\Hail</code>		<code>\Sleet</code>		<code>\WeakRain</code>
	<code>\FilledCloud</code>		<code>\HalfSun</code>		<code>\Snow</code>		<code>\WeakRainCloud</code>
	<code>\FilledRainCloud</code>		<code>\Lightning</code>		<code>\SnowCloud</code>		<code>\FilledSnowCloud</code>
	<code>\FilledSunCloud</code>		<code>\NoSun</code>		<code>\Sun</code>		
	<code>\FilledWeakRainCloud</code>		<code>\Rain</code>		<code>\SunCloud</code>		
	<code>\Fog</code>		<code>\RainCloud</code>		<code>\ThinFog</code>		

In addition, `\Thermo{0}.. \Thermo{6}` produce thermometers that are between 0/6 and 6/6 full of mercury: 


Similarly, `\wind{<sun>}{<angle>}{<strength>}` will draw wind symbols with a given amount of sun (0–4), a given angle (in degrees), and a given strength in km/h (0–100). For example, `\wind{0}{0}{0}` produces “

TABLE 464: ifsym Alpine Symbols

























	<code>\SummitSign</code>		<code>\Summit</code>		<code>\SurveySign</code>		<code>\HalfFilledHut</code>
	<code>\StoneMan</code>		<code>\Mountain</code>		<code>\Joch</code>		<code>\VarSummit</code>
	<code>\Hut</code>		<code>\IceMountain</code>		<code>\Flag</code>		
	<code>\FilledHut</code>		<code>\VarMountain</code>		<code>\VarFlag</code>		
	<code>\Village</code>		<code>\VarIceMountain</code>		<code>\Tent</code>		

TABLE 465: ifsym Clocks

	<code>\Interval</code>		<code>\StopWatchStart</code>		<code>\VarClock</code>		<code>\Wecker</code>
	<code>\StopWatchEnd</code>		<code>\Taschenuhr</code>		<code>\VarTaschenuhr</code>		


ifsym also exports a `\showclock` macro. `\showclock{<hours>}{<minutes>}` outputs a clock displaying the corresponding time. For instance, “`\showclock{5}{40}`” produces “

TABLE 466: Other ifsym Symbols





























	<code>\FilledSectioningDiamond</code>		<code>\Letter</code>		<code>\Radiation</code>
	<code>\Fire</code>		<code>\PaperLandscape</code>		<code>\SectioningDiamond</code>
	<code>\Irritant</code>		<code>\PaperPortrait</code>		<code>\Telephone</code>
	<code>\Cube{1}</code>		<code>\Cube{3}</code>		<code>\Cube{5}</code>
	<code>\Cube{2}</code>		<code>\Cube{4}</code>		<code>\Cube{6}</code>
	<code>\StrokeOne</code>		<code>\StrokeThree</code>		<code>\StrokeFive</code>
	<code>\StrokeTwo</code>		<code>\StrokeFour</code>		

TABLE 467: clock Clocks

<code>\ClockStyle</code>	<code>\ClockFramefalse</code>	<code>\ClockFrametrue</code>
0		
1		
2		
3		

The clock package provides a `\clock` command to typeset an arbitrary time on an analog clock (and `\clocktime` to typeset the document's build time). For example, the clocks in the above table were produced with `\clock{15}{41}`. Clock symbols are composed from a font of clock-face fragments using one of four values for `\ClockStyle` and either `\ClockFramefalse` or `\ClockFrametrue` as illustrated above. See the clock documentation for more information.

TABLE 468: epsdice Dice













 <code>\epsdice{1}</code>	 <code>\epsdice{3}</code>	 <code>\epsdice{5}</code>
 <code>\epsdice{2}</code>	 <code>\epsdice{4}</code>	 <code>\epsdice{6}</code>

TABLE 469: hhcount Dice

 <code>\fcdice{1}</code>	 <code>\fcdice{3}</code>	 <code>\fcdice{5}</code>
 <code>\fcdice{2}</code>	 <code>\fcdice{4}</code>	 <code>\fcdice{6}</code>


The `\fcdice` command accepts values larger than 6. For example, “`\fcdice{47}`” produces “”.

TABLE 470: stix Dice







 <code>\dicei</code>	 <code>\diceiii</code>	 <code>\dicev</code>
 <code>\diceii</code>	 <code>\diceiv</code>	 <code>\dicevi</code>

TABLE 471: `bullcntr` Tally Markers

<code>\bullcntr{1}</code>		<code>\bullcntr{4}</code>		<code>\bullcntr{7}</code>	
<code>\bullcntr{2}</code>		<code>\bullcntr{5}</code>		<code>\bullcntr{8}</code>	
<code>\bullcntr{3}</code>		<code>\bullcntr{6}</code>		<code>\bullcntr{9}</code>	

The notation for `\bullcntr` used in the above bears explanation. `\bullcntr` does not take a number as its argument but rather a \LaTeX counter, whose value it uses to typeset a tally marker. “`\bullcntr{3}`”, for example, means to invoke `\bullcntr` with a counter whose value is 3. (`\bullcntr` usage is therefore akin to that of \LaTeX ’s `\fnsymbol`.) The intention is to use `\bullcntr` indirectly via the `bullenum` package’s `bullenum` environment, which is a variation on the `enumerate` environment that uses `\bullcntr` to typeset the labels.

To typeset individual tally markers, one can define a helper command:

```
\newcounter{bull}
\newcommand{\showbullcntr}[1]{%
  \setcounter{bull}{#1}%
  \bullcntr{bull}%
}
```

`bullcntr`’s package options `smallctrbull`, `largectrbull`, and `heartctrbull` and corresponding commands `\smallctrbull`, `\largectrbull`, and `\heartctrbull` control the formatting of each tally marker:

	small	large	heart
<code>\bullcntr{5}</code>			

The default is `smartctrbull` (`\smartctrbull`), which maps counter values 1–5 to large pips and 6–9 to small pips. It is also possible to use arbitrary symbols for `\bullcntr`’s pips. See the `bullcntr` documentation for more information.

TABLE 472: `hhcount` Tally Markers

<code>\fcscore{1}</code>		<code>\fcscore{3}</code>		<code>\fcscore{5}</code>	
<code>\fcscore{2}</code>		<code>\fcscore{4}</code>			

The `\fcscore` command accepts values larger than 5. For example, “`\fcscore{47}`” produces “`### ### ### ### ### ### ### ### ###`”.

TABLE 473: `dozenal` Tally Markers

<code>\tally{1}</code>		<code>\tally{3}</code>		<code>\tally{5}</code>	
<code>\tally{2}</code>		<code>\tally{4}</code>		<code>\tally{6}</code>	

TABLE 474: skull Symbols


 \skull
































TABLE 475: Non-Mathematical mathabx Symbols

‡ \rip

TABLE 476: skak Chess Informator Symbols











$\bar{+}$	\bbetter	\circ	\doublepawns	$\circ\circ$	\seppawns
$-+$	\bdecisive	\perp	\ending	$O-O$	\shortcastling
\cup	\betteris	$=$	\equal	\oplus	\timelimit
\boxplus	\bishoppair	\leftrightarrow	\file	∞	\unclear
$\bar{+}$	\bupperhand	\gg	\kside	$\circ\circ$	\unitedpawns
\times	\capturesymbol	$O-O-O$	\longcastling	R	\various
O	\castlingchar	\times	\markera	\pm	\wbetter
$-$	\castlinghyphen	O	\markerb	$+-$	\wdecisive
\boxplus	\centre	$\#$	\mate	\times	\weakpt
$+$	\checkssymbol	$>$	\morepawns	\perp	\with
RR	\chesscomment	\circ	\moreroom	\rightarrow	\withattack
\parallel	\chessetc	N	\novelty	\triangle	\withidea
$-$	\chesssee	\square	\onlymove	\uparrow	\withinit
∞	\compensation	\blacksquare	\opposbishops	\perp	\without
\leftrightarrow	\counterplay	\circ	\passedpawn	\pm	\wupperhand
\circ	\devadvantage	\ll	\qside	\odot	\zugzwang
\nearrow	\diagonal	\blacksquare	\samebishops		

TABLE 477: skak Chess Pieces and Chessboard Squares

	<code>\BlackBishopOnBlack</code>		<code>\BlackRookOnBlack</code>		<code>\WhiteKingOnBlack</code>
	<code>\BlackBishopOnWhite</code>		<code>\BlackRookOnWhite</code>		<code>\WhiteKingOnWhite</code>
	<code>\BlackEmptySquare</code>		<code>\symbishop</code>		<code>\WhiteKnightOnBlack</code>
	<code>\BlackKingOnBlack</code>		<code>\symking</code>		<code>\WhiteKnightOnWhite</code>
	<code>\BlackKingOnWhite</code>		<code>\symknight</code>		<code>\WhitePawnOnBlack</code>
	<code>\BlackKnightOnBlack</code>		<code>\sympawn</code>		<code>\WhitePawnOnWhite</code>
	<code>\BlackKnightOnWhite</code>		<code>\symqueen</code>		<code>\WhiteQueenOnBlack</code>
	<code>\BlackPawnOnBlack</code>		<code>\symrook</code>		<code>\WhiteQueenOnWhite</code>
	<code>\BlackPawnOnWhite</code>		<code>\WhiteBishopOnBlack</code>		<code>\WhiteRookOnBlack</code>
	<code>\BlackQueenOnBlack</code>		<code>\WhiteBishopOnWhite</code>		<code>\WhiteRookOnWhite</code>
	<code>\BlackQueenOnWhite</code>		<code>\WhiteEmptySquare</code>		

The skak package also provides commands for drawing complete chessboards. See the skak documentation for more information.













TABLE 478: igo Go Symbols













	<code>\blackstone[\igocircle]</code>		<code>\whitestone[\igocircle]</code>
	<code>\blackstone[\igocross]</code>		<code>\whitestone[\igocross]</code>
	<code>\blackstone[\igonone]</code>		<code>\whitestone[\igonone]</code>
	<code>\blackstone[\igosquare]</code>		<code>\whitestone[\igosquare]</code>
	<code>\blackstone[\igotriangle]</code>		<code>\whitestone[\igotriangle]</code>

In addition to the symbols shown above, igo's `\blackstone` and `\whitestone` commands accept numbers from 1 to 99 and display them circled as **①**, **②**, **③**, ..., **⑨⑨** and **①**, **②**, **③**, ..., **⑨⑨**, respectively.

The igo package is intended to typeset complete Go boards (goban). See the igo documentation for more information.


























































TABLE 479: go Go Symbols

	<code>\botborder</code>		<code>\lftbotcorner</code>		<code>\rttopcorner</code>
	<code>\empty</code>		<code>\lfttopcorner</code>		<code>\square</code>
	<code>\hoshi</code>		<code>\rtborder</code>		<code>\topborder</code>
	<code>\lftborder</code>		<code>\rtbotcorner</code>		<code>\triangle</code>

In addition to the board fragments and stones shown above, `go`'s `\black` and `\white` commands accept numbers from 1 to 253 and display them circled as , , , ...,  and , , , ..., , respectively. `\black` and `\white` additionally accept `\square` and `\triangle` as arguments, producing  and  for `\black` and  and  for `\white`.

The `go` package is intended to typeset complete Go boards (goban). See the `go` documentation for more information.

TABLE 480: metre Metrical Symbols

	<code>\a</code>		<code>\bBm</code>		<code>\cc</code>		<code>\Mbb</code>		<code>\Pppp</code>		<code>\t</code>
	<code>\B</code>		<code>\bbm</code>		<code>\Ccc</code>		<code>\mbbx</code>		<code>\pppp</code>		<code>\tsbm</code>
	<code>\b</code>		<code>\BBm</code>		<code>\m</code>		<code>\oo</code>		<code>\Ppppp</code>		<code>\tsmb</code>
	<code>\Bb</code>		<code>\bbmb</code>		<code>\M</code>		<code>\p</code>		<code>\ppppp</code>		<code>\tsmm</code>
	<code>\BB</code>		<code>\bbmx</code>		<code>\ma</code>		<code>\pm</code>		<code>\ps</code>		<code>\vppm</code>
	<code>\bb</code>		<code>\bm</code>		<code>\Mb</code>		<code>\pp</code>		<code>\pxp</code>		<code>\vpppm</code>
	<code>\bB</code>		<code>\Bm</code>		<code>\mb</code>		<code>\Pp</code>		<code>\Pxp</code>		<code>\x</code>
	<code>\bba</code>		<code>\c</code>		<code>\mBb</code>		<code>\ppm</code>		<code>\R</code>		
	<code>\bbb</code>		<code>\C</code>		<code>\mbB</code>		<code>\ppp</code>		<code>\r</code>		
	<code>\BBm</code>		<code>\Cc</code>		<code>\mbb</code>		<code>\Ppp</code>		<code>\T</code>		

The preceding symbols are valid only within the argument to the `metre` command.

TABLE 481: metre Small and Large Metrical Symbols



























	<code>\anaclasis</code>		<code>\Anaclasis</code>
	<code>\antidiple</code>		<code>\Antidiple</code>
	<code>\antidiple*</code>		<code>\Antidiple*</code>
	<code>\antisigma</code>		<code>\Antisigma</code>
	<code>\asteriscus</code>		<code>\Asteriscus</code>
	<code>\catalexis</code>		<code>\Catalexis</code>
	<code>\diple</code>		<code>\Diple</code>
	<code>\diple*</code>		<code>\Diple*</code>
	<code>\obelus</code>		<code>\Obelus</code>
	<code>\obelus*</code>		<code>\Obelus*</code>
	<code>\respondens</code>		<code>\Respondens</code>
	<code>\terminus</code>		<code>\Terminus</code>
	<code>\terminus*</code>		<code>\Terminus*</code>

TABLE 482: teubner Metrical Symbols








∞	<code>\aeolicbii</code>	∩	<code>\barbrevis</code>	+	<code>\ipercatal</code>
∞∞	<code>\aeolicbiii</code>	∪	<code>\bbrevis</code>	—	<code>\longa</code>
∞∞∞	<code>\aeolicbiv</code>	∩	<code>\brevis</code>	∩	<code>\ubarbbrevis</code>
×	<code>\anceps</code>	^	<code>\catal</code>	∩	<code>\ubarbrevis</code>
⌘	<code>\ancepsdbrevis</code>	∩	<code>\corona</code>	∩	<code>\ubarsbrevis</code>
⌘	<code>\banceps</code>	∩	<code>\coronainv</code>	∩	<code>\ubrevislonga</code>
∩	<code>\barbbrevis</code>	H	<code>\hiatus</code>		

The `teubner` package provides a `\newmetrics` command that helps users combine the preceding symbols as well as other `teubner` symbols. For example, the predefined `\pentam` symbol uses `\newmetrics` to juxtapose six `\longas`, two `\barbbrevises`, four `\brevises`, and a `\dBar` into “`—∩—∩—||—∩—∩—`”. See the `teubner` documentation for more information.

TABLE 483: dictsym Dictionary Symbols

✈	<code>\dsaeronautical</code>	†	<code>\dscommercial</code>	⚕	<code>\dsmedical</code>
🌾	<code>\dsagricultural</code>	🏰	<code>\ds heraldical</code>	✈	<code>\dsmilitary</code>
🏠	<code>\dsarchitectural</code>	⚖	<code>\dsjuridical</code>	🚂	<code>\dsrailways</code>
🌿	<code>\dsbiological</code>	📖	<code>\dsliterary</code>	⊕	<code>\dstechnical</code>
⚗	<code>\dschemical</code>	℘	<code>\ds mathematical</code>		

TABLE 484: simpsons Characters from *The Simpsons*

	<code>\Bart</code>		<code>\Homer</code>		<code>\Maggie</code>		<code>\SNPP</code>
	<code>\Burns</code>		<code>\Lisa</code>		<code>\Marge</code>		

The location of the characters’ pupils can be controlled with the `\Goofy` command. See *A METAFONT of ‘Simpsons’ characters* [Che97] for more information. Also, each of the above can be prefixed with `\Left` to make the character face left instead of right:







































TABLE 485: pmboxdraw Box-Drawing Symbols

	<code>\textblock</code>	\vrule	<code>\textSFli</code>	$\vrule\vrule$	<code>\textSFxli</code>	$\vrule\vrule\vrule$	<code>\textSFxxiii</code>
	<code>\textdkshade</code>	\vrule	<code>\textSFlii</code>	$\vrule\vrule$	<code>\textSFxlii</code>	$\vrule\vrule\vrule$	<code>\textSFxxiv</code>
	<code>\textdnblock</code>	$\vrule\vrule$	<code>\textSFliii</code>	$=$	<code>\textSFxliii</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxxv</code>
	<code>\textlfblock</code>	$\vrule\vrule\vrule$	<code>\textSFliv</code>	$\vrule\vrule\vrule$	<code>\textSFxliv</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxxvi</code>
	<code>\textltshade</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFv</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxlix</code>	$\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxxvii</code>
	<code>\textrtblock</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFvi</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxlv</code>	$\vrule\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxxviii</code>
\lrcorner	<code>\textSFi</code>	\perp	<code>\textSFvii</code>	$\vrule\vrule\vrule$	<code>\textSFxlvii</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxxxix</code>
\llcorner	<code>\textSFii</code>	\vdash	<code>\textSFviii</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxlviii</code>	$\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxxxvi</code>
\lrcorner	<code>\textSFiii</code>	$-$	<code>\textSFx</code>	$\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxlvi</code>	$\vrule\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxxxvii</code>
\lrcorner	<code>\textSFiv</code>	$ $	<code>\textSFxi</code>	$\vrule\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxx</code>	$\vrule\vrule\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxxxviii</code>
\vdash	<code>\textSFix</code>	\vdash	<code>\textSFxix</code>	$\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxxi</code>		<code>\textshade</code>
\vrule	<code>\textSF1</code>	$\vrule\vrule$	<code>\textSFxl</code>	$\vrule\vrule\vrule\vrule\vrule$	<code>\textSFxxii</code>		<code>\textupblock</code>

Code Page 437 (CP437), which was first utilized by the original IBM PC, contains the set of box-drawing symbols (sides, corners, and intersections of single- and double-ruled boxes) shown above in character positions 176–223. These symbols also appear in the Unicode Box Drawing and Block Element tables.










































The `pmboxdraw` package draws the CP437 box-drawing symbols using \TeX rules (specifically, `\vrule`) instead of with a font and thereby provides the ability to alter both rule width and the separation between rules. See the `pmboxdraw` documentation for more information.

TABLE 486: staves Magical Staves

	<code>\staveI</code>		<code>\staveXXIV</code>		<code>\staveXLVII</code>
	<code>\staveII</code>		<code>\staveXXV</code>		<code>\staveXLVIII</code>
	<code>\staveIII</code>		<code>\staveXXVI</code>		<code>\staveXLIX</code>
	<code>\staveIV</code>		<code>\staveXXVII</code>		<code>\staveL</code>
	<code>\staveV</code>		<code>\staveXXVIII</code>		<code>\staveLI</code>
	<code>\staveVI</code>		<code>\staveXXIX</code>		<code>\staveLII</code>
	<code>\staveVII</code>		<code>\staveXXX</code>		<code>\staveLIII</code>
	<code>\staveVIII</code>		<code>\staveXXXI</code>		<code>\staveLIV</code>
	<code>\staveIX</code>		<code>\staveXXXII</code>		<code>\staveLV</code>

(continued on next page)

(continued from previous page)

	<code>\staveX</code>		<code>\staveXXXIII</code>		<code>\staveLVI</code>
	<code>\staveXI</code>		<code>\staveXXXIV</code>		<code>\staveLVII</code>
	<code>\staveXII</code>		<code>\staveXXXV</code>		<code>\staveLVIII</code>
	<code>\staveXIII</code>		<code>\staveXXXVI</code>		<code>\staveLIX</code>
	<code>\staveXIV</code>		<code>\staveXXXVII</code>		<code>\staveLX</code>
	<code>\staveXV</code>		<code>\staveXXXVIII</code>		<code>\staveLXI</code>
	<code>\staveXVI</code>		<code>\staveXXXIX</code>		<code>\staveLXII</code>
	<code>\staveXVII</code>		<code>\staveXL</code>		<code>\staveLXIII</code>
	<code>\staveXVIII</code>		<code>\staveXLI</code>		<code>\staveLXIV</code>
	<code>\staveXIX</code>		<code>\staveXLII</code>		<code>\staveLXV</code>
	<code>\staveXX</code>		<code>\staveXLIII</code>		<code>\staveLXVI</code>
	<code>\staveXXI</code>		<code>\staveXLIV</code>		<code>\staveLXVII</code>
	<code>\staveXXII</code>		<code>\staveXLV</code>		<code>\staveLXVIII</code>
	<code>\staveXXIII</code>		<code>\staveXLVI</code>		


The meanings of these symbols are described on the Web site for the Museum of Icelandic Sorcery and Witchcraft at http://www.galdrasynning.is/index.php?option=com_content&task=category§ionid=5&id=18&Itemid=60 (TinyURL: <http://tinyurl.com/25979m>). For example, `\staveL` (“”) is intended to ward off ghosts and evil spirits.

TABLE 487: pigpen Cipher Symbols



























	<code>{\pigpenfont A}</code>		<code>{\pigpenfont J}</code>		<code>{\pigpenfont S}</code>
	<code>{\pigpenfont B}</code>		<code>{\pigpenfont K}</code>		<code>{\pigpenfont T}</code>
	<code>{\pigpenfont C}</code>		<code>{\pigpenfont L}</code>		<code>{\pigpenfont U}</code>
	<code>{\pigpenfont D}</code>		<code>{\pigpenfont M}</code>		<code>{\pigpenfont V}</code>
	<code>{\pigpenfont E}</code>		<code>{\pigpenfont N}</code>		<code>{\pigpenfont W}</code>
	<code>{\pigpenfont F}</code>		<code>{\pigpenfont O}</code>		<code>{\pigpenfont X}</code>
	<code>{\pigpenfont G}</code>		<code>{\pigpenfont P}</code>		<code>{\pigpenfont Y}</code>
	<code>{\pigpenfont H}</code>		<code>{\pigpenfont Q}</code>		<code>{\pigpenfont Z}</code>
	<code>{\pigpenfont I}</code>		<code>{\pigpenfont R}</code>		

TABLE 488: GijŲ2e Phases of the Moon

	<code>\MoonPha{1}</code>		<code>\MoonPha{2}</code>		<code>\MoonPha{3}</code>		<code>\MoonPha{4}</code>
---	--------------------------	---	--------------------------	---	--------------------------	---	--------------------------

TABLE 489: \TeX Recycling Symbols


 `\Greenpoint`

TABLE 490: marvosym Recycling Symbols






 `\PackingWaste`  `\Recycling`

TABLE 491: recycle Recycling Symbols

 `\recycle`  `\Recycle`

 `\RECYCLE`

The METAFONT code that implements the recycling symbols shown above is, in the words of its author, “awful code [that] doesn’t even put the logo in a box (properly)”. Expect to receive “Inconsistent equation (off by $\langle number \rangle$)” errors from METAFONT. Fortunately, if you tell METAFONT to proceed past those errors (e.g., by pressing Enter after each one or by specifying “-interaction=nonstopmode” on the METAFONT command line) it should produce a valid font.

The commands listed above should be used within a group (e.g., “ $\{\backslash recycle\}$ ”) because they exhibit the side effect of *changing* the font to the recycle font.

TABLE 492: Other \TeX Symbols





























 `\Info`  `\Request`
 `\Postbox`  `\Telephone`

TABLE 493: soyombo Soyombo Symbols

	<code>\Soyombo</code>		<code>\sA*</code>		<code>\sO*</code>
---	-----------------------	---	-------------------	---	-------------------

* These symbols require that the Soyombo font be active (“`{\soyombo ... }`”).

TABLE 494: knitting Knitting Symbols

\wedge	<code>\textknit{!}</code>	\rightarrow	<code>\textknit{[}</code>		<code>\textknit{Q}</code>
	<code>\textknit{"}</code>	\leftarrow	<code>\textknit{]}</code>		<code>\textknit{q}</code>
\backslash	<code>\textknit{(}</code>	\uparrow	<code>\textknit{A}</code>	\nearrow	<code>\textknit{R}</code>
$/$	<code>\textknit{)}</code>	\uparrow	<code>\textknit{a}</code>	\nwarrow	<code>\textknit{r}</code>
$*$	<code>\textknit{*}</code>		<code>\textknit{B}</code>	\leftarrow	<code>\textknit{S}</code>
$ $	<code>\textknit{-}</code>		<code>\textknit{b}</code>	\rightarrow	<code>\textknit{s}</code>
	<code>\textknit{2}</code>	∇	<code>\textknit{E}</code>		<code>\textknit{T}</code>
	<code>\textknit{3}</code>		<code>\textknit{F}</code>		<code>\textknit{t}</code>
λ	<code>\textknit{4}</code>	\frown	<code>\textknit{f}</code>		<code>\textknit{U}</code>
\sphericalangle	<code>\textknit{5}</code>	\uparrow	<code>\textknit{H}</code>	\sphericalangle	<code>\textknit{u}</code>
∇	<code>\textknit{6}</code>	\downarrow	<code>\textknit{h}</code>		<code>\textknit{V}</code>
\sphericalangle	<code>\textknit{7}</code>		<code>\textknit{I}</code>	∇	<code>\textknit{v}</code>
\sphericalangle	<code>\textknit{8}</code>		<code>\textknit{i}</code>		<code>\textknit{W}</code>
	<code>\textknit{9}</code>		<code>\textknit{J}</code>	∇	<code>\textknit{w}</code>
	<code>\textknit{:}</code>	\nwarrow	<code>\textknit{j}</code>		<code>\textknit{X}</code>
	<code>\textknit{;}</code>	\nearrow	<code>\textknit{L}</code>		<code>\textknit{x}</code>
∇	<code>\textknit{<}</code>	λ	<code>\textknit{l}</code>	∇	<code>\textknit{Y}</code>
$-$	<code>\textknit{=}</code>		<code>\textknit{M}</code>	\sphericalangle	<code>\textknit{y}</code>
\nearrow	<code>\textknit{>}</code>	m	<code>\textknit{m}</code>		<code>\textknit{Z}</code>
\bullet	<code>\textknit{@}</code>	\circ	<code>\textknit{O}</code>		<code>\textknit{z}</code>

The knitting package is intended to typeset complete knitting charts. See the knitting documentation for more information.


Some symbols behave differently when used as part of a sequence. For example, contrast `\textknit{1}` (“ \uparrow ”), `\textknit{11}` (“ $\uparrow\uparrow$ ”), and `\textknit{111}` (“ $\uparrow\uparrow\uparrow$ ”). Similarly, contrast `\textknit{"}` (“ \curvearrowright ”) and `\textknit{"}` (“ \curvearrowleft ”). Again, see the knitting documentation for more information.

TABLE 495: CountriesOfEurope Country Maps

	<code>\Albania</code>		<code>\Latvia</code>
	<code>\Andorra</code>		<code>\Liechtenstein</code>
	<code>\Austria</code>		<code>\Lithuania</code>
	<code>\Belarus</code>		<code>\Luxembourg</code>
	<code>\Belgium</code>		<code>\Macedonia</code>
	<code>\Bosnia</code>		<code>\Malta</code>
	<code>\Bulgaria</code>		<code>\Moldova</code>
	<code>\Croatia</code>		<code>\Montenegro</code>
	<code>\Czechia</code>		<code>\Netherlands</code>
	<code>\Denmark</code>		<code>\Norway</code>
	<code>\Estonia</code>		<code>\Poland</code>
	<code>\Finland</code>		<code>\Portugal</code>
	<code>\France</code>		<code>\Romania</code>

(continued on next page)

(continued from previous page)



The preceding commands work only when the `CountriesOfEurope` font family is active. For convenience, the package defines a `\CountriesOfEuropeFamily` command that switches to that font family.


By default, countries are drawn in the current font size. Hence, `{\CountriesOfEuropeFamily\France}` draws a nearly unrecognizable “”. For clarity of presentation, Table 495 scales each glyph to 72 pt. via an explicit `\fontsize{72}{72}`. An alternative is to specify the scaled package option to scale all country glyphs by a given factor of the font size.

TABLE 496: Miscellaneous arev Symbols















	<code>\anchor</code>		<code>\invsmileface</code>		<code>\skull</code>		<code>\warning</code>
	<code>\biohazard</code>		<code>\radiation</code>		<code>\smileface</code>		<code>\yinyang</code>
	<code>\heavyqleft</code>		<code>\recycle</code>		<code>\steaming</code>		
	<code>\heavyqright</code>		<code>\sadface</code>		<code>\swords</code>		

TABLE 497: cookingsymbols Cooking Symbols




























	<code>\Bottomheat</code>		<code>\Fork</code>		<code>\Knife</code>		<code>\Topbottomheat</code>
	<code>\Dish</code>		<code>\Gasstove</code>		<code>\Oven</code>		<code>\Topheat</code>
	<code>\Fanoven</code>		<code>\Gloves</code>		<code>\Spoon</code>		

TABLE 498: tikzsymbols Cooking Symbols

	<code>\bakingplate</code>		<code>\cooker</code>		<code>\oven</code>		<code>\rollingpin</code>
	<code>\blender</code>		<code>\eggbeater</code>		<code>\pan</code>		<code>\sieve</code>
	<code>\bottle</code>		<code>\fryingpan</code>		<code>\peeler</code>		<code>\squeezer</code>
	<code>\bowl</code>		<code>\grater</code>		<code>\pot</code>		<code>\trident</code>

tikzsymbols defines German-language aliases for each of the above: `\Backblech` for `\bakingplate`, `\Bratpfanne` for `\fryingpan`, `\Dreizack` for `\trident`, `\Flasche` for `\bottle`, `\Herd` for `\cooker`, `\Kochtopf` for `\pot`, `\Nudelholz` for `\rollingpin`, `\Ofen` for `\oven`, `\Pfanne` for `\pan`, `\Purierstab` for `\blender`, `\Reibe` for `\grater`, `\Saftpresse` for `\squeezer`, `\Schaler` for `\peeler`, `\Schneebeesen` for `\eggbeater`, `\Schussel` for `\bowl`, and `\Sieb` for `\sieve`.









All tikzsymbols symbols are implemented with TikZ graphics, not with a font.

TABLE 499: tikzsymbols Emoticons

	<code>\Annoey</code>		<code>\Neutrey</code>		<code>\rWalley</code>		<code>\Vomey</code>
	<code>\Cat</code>		<code>\NiceReapey</code>		<code>\Sadey</code>		<code>\Walley</code>
	<code>\Cooley</code>		<code>\Ninja</code>		<code>\Sey</code>		<code>\Winkey</code>
	<code>\Innocey</code>		<code>\Nursey</code>		<code>\Smiley</code>		<code>\WInnocey</code>
	<code>\Laughy</code>		<code>\oldWinkey</code>		<code>\Tongey</code>		<code>\Xey</code>






All tikzsymbols symbols are implemented with TikZ graphics, not with a font. Hence, symbols like `\Ninja` can include color. In fact, most of the commands shown above accept one or more color arguments for further customization. See the tikzsymbols documentation for more information.

TABLE 500: tikzsymbols 3D Emoticons

	<code>\dAnnoey</code>		<code>\dNinja</code>		<code>\dSmiley</code>		<code>\dXey</code>
	<code>\dCooley</code>		<code>\dNursey</code>		<code>\dTongey</code>		<code>\olddWinkey</code>
	<code>\dInnocey</code>		<code>\drWalley</code>		<code>\dVomey</code>		
	<code>\dLaughey</code>		<code>\dSadey</code>		<code>\dWalley</code>		
	<code>\dNeutrey</code>		<code>\dSey</code>		<code>\dWinkey</code>		










All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. Hence, all of the symbols shown above can include color. In fact, each command in Table 500 accepts one or more color arguments for further customization. See the `tikzsymbols` documentation for more information.

TABLE 501: tikzsymbols Trees

	<code>\Autumtree</code>		<code>\Summertree</code>		<code>\WorstTree</code>
	<code>\Springtree</code>		<code>\Wintertree</code>		


All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. Hence, all of the symbols shown above can include color. `tikzsymbols` additionally defines a `\BasicTree` command that supports customization of trunk and leaf colors. See the `tikzsymbols` documentation for more information.

TABLE 502: Miscellaneous tikzsymbols Symbols

	<code>\Bed</code>		<code>\Chair</code>		<code>\Fire</code>		<code>\Snowman</code>		<code>\Tribar</code>
	<code>\Candle</code>		<code>\Coffeecup</code>		<code>\Moai</code>		<code>\Strichmaxerl</code>		

All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. `\Tribar` supports customization of the fill color for each bar. `\Strichmaxerl` supports customization of the angles at which the stick figure's arms and legs are drawn. See the `tikzsymbols` documentation for more information.

TABLE 503: Miscellaneous bclogo Symbols

	<code>\bcattention</code>		<code>\bcetoile</code>		<code>\bcpanchant</code>
	<code>\bcbombe</code>		<code>\bcfemme</code>		<code>\bcpeaceandlove</code>
	<code>\bcbook</code>		<code>\bcfeujaune</code>		<code>\bcpluie</code>

(continued on next page)

(continued from previous page)

	<code>\bccalendrier</code>		<code>\bcfeurouge</code>		<code>\bcplume</code>
	<code>\bccle</code>		<code>\bcfeutricolore</code>		<code>\bcpoisson</code>
	<code>\bcclefa</code>		<code>\bcfeuvert</code>		<code>\bcquestion</code>
	<code>\bcclesol</code>		<code>\bcfleur</code>		<code>\bcrecyclage</code>
	<code>\bccoeur</code>		<code>\bchomme</code>		<code>\bcrosevents</code>
	<code>\bccrayon</code>		<code>\bchorloge</code>		<code>\bcsmbh</code>
	<code>\bccube</code>		<code>\bcicosaedre</code>		<code>\bcsmmh</code>
	<code>\bcdallemagne</code>		<code>\bcinfo</code>		<code>\bcsoleil</code>
	<code>\bcdanger</code>		<code>\bcinterdit</code>		<code>\bcspadesuit</code>
	<code>\bcdautriche</code>		<code>\bclampe</code>		<code>\bcstop</code>
	<code>\bcdbelgique</code>		<code>\bcloupe</code>		<code>\bctakecare</code>
	<code>\bcdbulgarie</code>		<code>\bcneige</code>		<code>\bctetraedre</code>
	<code>\bcdfrance</code>		<code>\bcnote</code>		<code>\bctrefle</code>
	<code>\bcditalie</code>		<code>\bcnucleaire</code>		<code>\bctrombone</code>
	<code>\bcdluxembourg</code>		<code>\bcocetaedre</code>		<code>\bcvaletcoeur</code>
	<code>\bcdodecaedre</code>		<code>\bcoeil</code>		<code>\bcvelo</code>
	<code>\bcdpaysbas</code>		<code>\bcorne</code>		<code>\bcyin</code>
	<code>\bcdz</code>		<code>\bcours</code>		
	<code>\bceclaircie</code>		<code>\bcoutil</code>		

All `bclogo` symbols are implemented with `TikZ` (or alternatively, `PSTricks`) graphics, not with a font. This is how the symbols shown above can include color.

TABLE 504: fontawesome Web-Related Icons

	<code>\fa500px</code>		<code>\faFemale</code>		<code>\faPlane</code>
	<code>\faAdjust</code>		<code>\faFighterJet</code>		<code>\faPlay</code>
	<code>\faAdn</code>		<code>\faFile</code>		<code>\faPlayCircle</code>
	<code>\faAlignCenter</code>		<code>\faFileArchive0</code>		<code>\faPlayCircle0</code>
	<code>\faAlignJustify</code>		<code>\faFileAudio0</code>		<code>\faPlug</code>
	<code>\faAlignLeft</code>		<code>\faFileCode0</code>		<code>\faPlus</code>
	<code>\faAlignRight</code>		<code>\faFileExcel0</code>		<code>\faPlusCircle</code>
	<code>\faAmazon</code>		<code>\faFileImage0</code>		<code>\faPlusSquare</code>
	<code>\faAmbulance</code>		<code>\faFile0</code>		<code>\faPlusSquare0</code>
	<code>\faAnchor</code>		<code>\faFilePdf0</code>		<code>\faPowerOff</code>
	<code>\faAndroid</code>		<code>\faFilePowerpoint0</code>		<code>\faPrint</code>
	<code>\faAngellist</code>		<code>\faFiles0</code>		<code>\faPuzzlePiece</code>
	<code>\faAngleDoubleDown</code>		<code>\faFileText</code>		<code>\faQq</code>
	<code>\faAngleDoubleLeft</code>		<code>\faFileText0</code>		<code>\faQrcode</code>
	<code>\faAngleDoubleRight</code>		<code>\faFileVideo0</code>		<code>\faQuestion</code>
	<code>\faAngleDoubleUp</code>		<code>\faFileWord0</code>		<code>\faQuestionCircle</code>
	<code>\faAngleDown</code>		<code>\faFilm</code>		<code>\faQuoteLeft</code>
	<code>\faAngleLeft</code>		<code>\faFilter</code>		<code>\faQuoteRight</code>
	<code>\faAngleRight</code>		<code>\faFire</code>		<code>\faRandom</code>
	<code>\faAngleUp</code>		<code>\faFireExtinguisher</code>		<code>\faRebel</code>
	<code>\faApple</code>		<code>\faFirefox</code>		<code>\faRecycle</code>
	<code>\faArchive</code>		<code>\faFlag</code>		<code>\faReddit</code>
	<code>\faAreaChart</code>		<code>\faFlagChecked</code>		<code>\faRedditSquare</code>
	<code>\faAsterisk</code>		<code>\faFlag0</code>		<code>\faRefresh</code>
	<code>\faAt</code>		<code>\faFlask</code>		<code>\faRenren</code>
	<code>\faBackward</code>		<code>\faFlickr</code>		<code>\faReply</code>
	<code>\faBalanceScale</code>		<code>\faFloppy0</code>		<code>\faReplyAll</code>
	<code>\faBan</code>		<code>\faFolder</code>		<code>\faRetweet</code>
	<code>\faBarChart</code>		<code>\faFolder0</code>		<code>\faRoad</code>
	<code>\faBarcode</code>		<code>\faFolderOpen</code>		<code>\faRocket</code>
	<code>\faBars</code>		<code>\faFolderOpen0</code>		<code>\faRss</code>
	<code>\faBatteryEmpty</code>		<code>\faFont</code>		<code>\faRssSquare</code>
	<code>\faBatteryFull</code>		<code>\faFonticons</code>		<code>\faSafari</code>
	<code>\faBatteryHalf</code>		<code>\faForumbee</code>		<code>\faScissors</code>
	<code>\faBatteryQuarter</code>		<code>\faForward</code>		<code>\faSearch</code>
	<code>\faBatteryThreeQuarters</code>		<code>\faFoursquare</code>		<code>\faSearchMinus</code>
	<code>\faBed</code>		<code>\faFrown0</code>		<code>\faSearchPlus</code>
	<code>\faBeer</code>		<code>\faFutbol0</code>		<code>\faSellsy</code>
	<code>\faBehance</code>		<code>\faGamepad</code>		<code>\faServer</code>
	<code>\faBehanceSquare</code>		<code>\faGavel</code>		<code>\faShare</code>
	<code>\faBell</code>		<code>\faGetPocket</code>		<code>\faShareAlt</code>
	<code>\faBell0</code>		<code>\faGg</code>		<code>\faShareAltSquare</code>
	<code>\faBellSlash</code>		<code>\faGgCircle</code>		<code>\faShareSquare</code>
	<code>\faBellSlash0</code>		<code>\faGift</code>		<code>\faShareSquare0</code>
	<code>\faBicycle</code>		<code>\faGit</code>		<code>\faShield</code>
	<code>\faBinoculars</code>		<code>\faGithub</code>		<code>\faShip</code>
	<code>\faBirthdayCake</code>		<code>\faGithubAlt</code>		<code>\faShirtsinbulk</code>

(continued on next page)

(continued from previous page)

	\faBitbucket		\faGithubSquare		\faShoppingCart
	\faBitbucketSquare		\faGitSquare		\faSignal
	\faBlackTie		\faGlass		\faSignIn
	\faBold		\faGlobe		\faSignOut
	\faBolt		\faGoogle		\faSimplybuilt
	\faBomb		\faGooglePlus		\faSitemap
	\faBook		\faGooglePlusSquare		\faSkyatlas
	\faBookmark		\faGoogleWallet		\faSkype
	\faBookmark0		\faGraduationCap		\faSlack
	\faBriefcase		\faGratipay		\faSliders
	\faBug		\faHackerNews		\faSlideshare
	\faBuilding		\faHdd0		\faSmile0
	\faBuilding0		\faHeader		\faSort
	\faBullhorn		\faHeadphones		\faSortAlphaAsc
	\faBullseye		\faHeart		\faSortAlphaDesc
	\faBus		\faHeartbeat		\faSortAmountAsc
	\faBuysellads		\faHeart0		\faSortAmountDesc
	\faCalculator		\faHistory		\faSortAsc
	\faCalendar		\faHome		\faSortDesc
	\faCalendarCheck0		\faHospital0		\faSortNumericAsc
	\faCalendarMinus0		\faHourglass		\faSortNumericDesc
	\faCalendar0		\faHourglassEnd		\faSoundcloud
	\faCalendarPlus0		\faHourglassHalf		\faSpaceShuttle
	\faCalendarTimes0		\faHourglass0		\faSpinner
	\faCamera		\faHourglassStart		\faSpoon
	\faCameraRetro		\faHouzz		\faSpotify
	\faCar		\faHSquare		\faStackExchange
	\faCaretDown		\faHtml5		\faStackOverflow
	\faCaretLeft		\faICursor		\faSteam
	\faCaretRight		\faInbox		\faSteamSquare
	\faCaretSquare0Down		\faIndent		\faStepBackward
	\faCaretSquare0Left		\faIndustry		\faStepForward
	\faCaretSquare0Right		\faInfo		\faStethoscope
	\faCaretSquare0Up		\faInfoCircle		\faStickyNote
	\faCaretUp		\faInstagram		\faStickyNote0
	\faCartArrowDown		\faInternetExplorer		\faStop
	\faCartPlus		\faIoxhost		\faStreetView
	\faCc		\faItalic		\faStrikethrough
	\faCcAmex		\faJoomla		\faStumbleupon
	\faCcDinersClub		\faJsFiddle		\faStumbleuponCircle
	\faCcDiscover		\faKey		\faSubscript
	\faCcJcb		\faKeyboard0		\faSubway
	\faCcMastercard		\faLanguage		\faSuitcase
	\faCcPaypal		\faLaptop		\faSuperscript
	\faCcStripe		\faLastfm		\faTable
	\faCcVisa		\faLastfmSquare		\faTablet
	\faCertificate		\faLeaf		\faTachometer
	\faChainBroken		\faLeanpub		\faTag
	\faChild		\faLemon0		\faTags






















































(continued on next page)

(continued from previous page)

	\faChrome		\faLevelDown		\faTasks
	\faClipboard		\faLevelUp		\faTaxi
	\faClockO		\faLifeRing		\faTelevision
	\faClone		\faLightbulbO		\faTencentWeibo
	\faCloud		\faLineChart		\faTerminal
	\faCloudDownload		\faLink		\faTextHeight
	\faCloudUpload		\faLinkedin		\faTextWidth
	\faCode		\faLinkedinSquare		\faTh
	\faCodeFork		\faLinux		\faThLarge
	\faCodepen		\faList		\faThList
	\faCoffee		\faListAlt		\faThumbTack
	\faCog		\faListOl		\faTicket
	\faCogs		\faListUl		\faTint
	\faColumns		\faLocationArrow		\faToggleOff
	\faComment		\faLock		\faToggleOn
	\faCommenting		\faMagic		\faTrain
	\faCommentingO		\faMagnet		\faTrash
	\faCommentO		\faMale		\faTrashO
	\faComments		\faMap		\faTree
	\faCommentsO		\faMapMarker		\faTrello
	\faCompass		\faMapO		\faTripadvisor
	\faCompress		\faMapPin		\faTrophy
	\faConnectdevelop		\faMapSigns		\faTruck
	\faContao		\faMaxcdn		\faTty
	\faCreditCard		\faMeanpath		\faTumblr
	\faCrop		\faMedium		\faTumblrSquare
	\faCrosshairs		\faMedkit		\faTwitch
	\faCss3		\faMehO		\faTwitter
	\faCube		\faMicrophone		\faTwitterSquare
	\faCubes		\faMicrophoneSlash		\faUmbrella
	\faCutlery		\faMinus		\faUnderline
	\faDashcube		\faMinusCircle		\faUniversity
	\faDatabase		\faMinusSquare		\faUnlock
	\faDelicious		\faMinusSquareO		\faUnlockAlt
	\faDesktop		\faMobile		\faUpload
	\faDeviantart		\faMoney		\faUser
	\faDiamond		\faMotorcycle		\faUserMd
	\faDigg		\faMousePointer		\faUserPlus
	\faDownload		\faMusic		\faUsers
	\faDribbble		\faNewspaperO		\faUserSecret
	\faDropbox		\faObjectGroup		\faUserTimes
	\faDrupal		\faObjectUngroup		\faVideoCamera
	\faEject		\faOdnoklassniki		\faVimeo
	\faEllipsisH		\faOdnoklassnikiSquare		\faVimeoSquare
	\faEllipsisV		\faOpencart		\faVine
	\faEmpire		\faOpenid		\faVk
	\faEnvelope		\faOpera		\faVolumeDown
	\faEnvelopeO		\faOptinMonster		\faVolumeOff
	\faEnvelopeSquare		\faOutdent		\faVolumeUp

(continued on next page)

(continued from previous page)

	<code>\faEraser</code>		<code>\faPagelines</code>		<code>\faWeibo</code>
	<code>\faExchange</code>		<code>\faPaintBrush</code>		<code>\faWeixin</code>
	<code>\faExclamation</code>		<code>\faPaperclip</code>		<code>\faWhatsapp</code>
	<code>\faExclamationCircle</code>		<code>\faPaperPlane</code>		<code>\faWheelchair</code>
	<code>\faExclamationTriangle</code>		<code>\faPaperPlane0</code>		<code>\faWifi</code>
	<code>\faExpand</code>		<code>\faParagraph</code>		<code>\faWikipediaW</code>
	<code>\faExpeditedssl</code>		<code>\faPause</code>		<code>\faWindows</code>
	<code>\faExternalLink</code>		<code>\faPaw</code>		<code>\faWordpress</code>
	<code>\faExternalLinkSquare</code>		<code>\faPaypal</code>		<code>\faWrench</code>
	<code>\faEye</code>		<code>\faPhone</code>		<code>\faXing</code>
	<code>\faEyedropper</code>		<code>\faPhoneSquare</code>		<code>\faXingSquare</code>
	<code>\faEyeSlash</code>		<code>\faPicture0</code>		<code>\faYahoo</code>
	<code>\faFacebook</code>		<code>\faPieChart</code>		<code>\faYCombinator</code>
	<code>\faFacebookOfficial</code>		<code>\faPiedPiper</code>		<code>\faYelp</code>
	<code>\faFacebookSquare</code>		<code>\faPiedPiperAlt</code>		<code>\faYoutube</code>
	<code>\faFastBackward</code>		<code>\faPinterest</code>		<code>\faYoutubePlay</code>
	<code>\faFastForward</code>		<code>\faPinterestP</code>		<code>\faYoutubeSquare</code>
	<code>\faFax</code>		<code>\faPinterestSquare</code>		

fontawesome defines synonyms for many of the preceding symbols:





















	<code>\faAutomobile</code>		<code>\faFileZip0</code>		<code>\faRa</code>
	<code>\faBank</code>		<code>\faFlash</code>		<code>\faReorder</code>
	<code>\faBarChart0</code>		<code>\faGe</code>		<code>\faSave</code>
	<code>\faBattery0</code>		<code>\faGear</code>		<code>\faSend</code>
	<code>\faBattery1</code>		<code>\faGears</code>		<code>\faSend0</code>
	<code>\faBattery2</code>		<code>\faGittip</code>		<code>\faSoccerBall0</code>
	<code>\faBattery3</code>		<code>\faGroup</code>		<code>\faSortDown</code>
	<code>\faBattery4</code>		<code>\faHotel</code>		<code>\faSortUp</code>
	<code>\faCab</code>		<code>\faImage</code>		<code>\faSupport</code>
	<code>\faChain</code>		<code>\faInstitution</code>		<code>\faToggleDown</code>
	<code>\faCopy</code>		<code>\faLegal</code>		<code>\faToggleLeft</code>
	<code>\faCut</code>		<code>\faLifeBouy</code>		<code>\faToggleRight</code>
	<code>\faDashboard</code>		<code>\faLifeSaver</code>		<code>\faToggleUp</code>
	<code>\faDedent</code>		<code>\faMailForward</code>		<code>\faTv</code>
	<code>\faEdit</code>		<code>\faMailReply</code>		<code>\faUnlink</code>
	<code>\faFacebookF</code>		<code>\faMailReplyAll</code>		<code>\faUnsorted</code>
	<code>\faFeed</code>		<code>\faMobilePhone</code>		<code>\faWarning</code>
	<code>\faFileMovie0</code>		<code>\faMortarBoard</code>		<code>\faWechat</code>
	<code>\faFilePhoto0</code>		<code>\faNavicon</code>		<code>\faYc</code>
	<code>\faFilePicture0</code>		<code>\faPaste</code>		<code>\faYCombinatorSquare</code>
	<code>\faFileSound0</code>		<code>\faPhoto</code>		<code>\faYcSquare</code>

TABLE 505: rubikcube Rubik’s Cube Rotations

	<code>\rrhD</code>		<code>\rrhF</code>		<code>\rrhLw</code>		<code>\rrhRw</code>		<code>\rrhU</code>
	<code>\rrhDa</code>		<code>\rrhFp</code>		<code>\rrhLwp</code>		<code>\rrhRwp</code>		<code>\rrhUa</code>
	<code>\rrhDap</code>		<code>\rrhFw</code>		<code>\rrhM</code>		<code>\rrhSd</code>		<code>\rrhUap</code>
	<code>\rrhDp</code>		<code>\rrhFwp</code>		<code>\rrhMp</code>		<code>\rrhSdp</code>		<code>\rrhUp</code>
	<code>\rrhDs</code>		<code>\rrhL</code>		<code>\rrhR</code>		<code>\rrhSl</code>		<code>\rrhUs</code>
	<code>\rrhDsp</code>		<code>\rrhLa</code>		<code>\rrhRa</code>		<code>\rrhSlp</code>		<code>\rrhUsp</code>
	<code>\rrhDw</code>		<code>\rrhLap</code>		<code>\rrhRap</code>		<code>\rrhSr</code>		<code>\rrhUw</code>
	<code>\rrhDwp</code>		<code>\rrhLp</code>		<code>\rrhRp</code>		<code>\rrhSrp</code>		<code>\rrhUwp</code>
	<code>\rrhE</code>		<code>\rrhLs</code>		<code>\rrhRs</code>		<code>\rrhSu</code>		
	<code>\rrhEp</code>		<code>\rrhLsp</code>		<code>\rrhRsp</code>		<code>\rrhSup</code>		

All `rubikcube` symbols are implemented with `TikZ` graphics, not with a font. In addition to the symbols shown above, the `rubikcube` package defines commands for combinations of textual and graphical representations of rotations (e.g., `\textRubikUa` produces “**Ua**) as well as commands that produce colored illustrations of Rubik’s Cube configurations and rotations. See the `rubikcube` documentation for more information.

9 Fonts with minimal L^AT_EX support

The symbol fonts shown in this section are provided without a corresponding L^AT_EX 2_ε style file that assigns a convenient name to each glyph. Consequently, each glyph must be accessed by number. To help with this, the `pifont` package defines a `\Pisymbol` command that typesets a specified character by number from a specified L^AT_EX font family. Alas, most of the fonts in this section do not even define a L^AT_EX font family. Hence, except where otherwise specified, a document will need to include code like the following in its preamble:

```
\usepackage{pifont}
\DeclareFontFamily{U}{\langle name \rangle}{}
\DeclareFontShape{U}{\langle name \rangle}{m}{n}{<-> \langle font \rangle}{}

```

where *font* is the name of the `.tfm` font file (or `.mf` font file, from which a `.tfm` font file can be generated automatically), and *name* is a name to use to refer to that font. It's generally good practice to use the name of the font file for *name*, as in the following:

```
\usepackage{pifont}
\DeclareFontFamily{U}{hands}{}
\DeclareFontShape{U}{hands}{m}{n}{<-> hands}{}

```

TABLE 506: hands Fists





	<code>\Pisymbol{hands}{65}</code>		<code>\Pisymbol{hands}{67}</code>
	<code>\Pisymbol{hands}{66}</code>		<code>\Pisymbol{hands}{68}</code>

TABLE 507: greenpoint Recycling Symbols






































	<code>\Pisymbol{greenpoint}{71}</code>
---	--

TABLE 508: nkarta Map Symbols

	<code>\Pisymbol{nkarta}{33}</code>		<code>\Pisymbol{nkarta}{96}</code>		<code>\Pisymbol{nkarta}{193}</code>
	<code>\Pisymbol{nkarta}{34}</code>		<code>\Pisymbol{nkarta}{97}</code>		<code>\Pisymbol{nkarta}{194}</code>
	<code>\Pisymbol{nkarta}{35}</code>		<code>\Pisymbol{nkarta}{98}</code>		<code>\Pisymbol{nkarta}{195}</code>
	<code>\Pisymbol{nkarta}{36}</code>		<code>\Pisymbol{nkarta}{99}</code>		<code>\Pisymbol{nkarta}{196}</code>
	<code>\Pisymbol{nkarta}{37}</code>		<code>\Pisymbol{nkarta}{100}</code>		<code>\Pisymbol{nkarta}{197}</code>
	<code>\Pisymbol{nkarta}{38}</code>		<code>\Pisymbol{nkarta}{101}</code>		<code>\Pisymbol{nkarta}{198}</code>
	<code>\Pisymbol{nkarta}{39}</code>		<code>\Pisymbol{nkarta}{102}</code>		<code>\Pisymbol{nkarta}{199}</code>
	<code>\Pisymbol{nkarta}{40}</code>		<code>\Pisymbol{nkarta}{103}</code>		<code>\Pisymbol{nkarta}{200}</code>
	<code>\Pisymbol{nkarta}{41}</code>		<code>\Pisymbol{nkarta}{104}</code>		<code>\Pisymbol{nkarta}{201}</code>
	<code>\Pisymbol{nkarta}{42}</code>		<code>\Pisymbol{nkarta}{105}</code>		<code>\Pisymbol{nkarta}{202}</code>
	<code>\Pisymbol{nkarta}{43}</code>		<code>\Pisymbol{nkarta}{106}</code>		<code>\Pisymbol{nkarta}{203}</code>
	<code>\Pisymbol{nkarta}{44}</code>		<code>\Pisymbol{nkarta}{107}</code>		<code>\Pisymbol{nkarta}{204}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{nkarta}{45}</code>		<code>\Pisymbol{nkarta}{108}</code>		<code>\Pisymbol{nkarta}{205}</code>
	<code>\Pisymbol{nkarta}{46}</code>		<code>\Pisymbol{nkarta}{109}</code>		<code>\Pisymbol{nkarta}{206}</code>
	<code>\Pisymbol{nkarta}{47}</code>		<code>\Pisymbol{nkarta}{110}</code>		<code>\Pisymbol{nkarta}{207}</code>
	<code>\Pisymbol{nkarta}{48}</code>		<code>\Pisymbol{nkarta}{111}</code>		<code>\Pisymbol{nkarta}{208}</code>
	<code>\Pisymbol{nkarta}{49}</code>		<code>\Pisymbol{nkarta}{112}</code>		<code>\Pisymbol{nkarta}{209}</code>
	<code>\Pisymbol{nkarta}{50}</code>		<code>\Pisymbol{nkarta}{113}</code>		<code>\Pisymbol{nkarta}{210}</code>
	<code>\Pisymbol{nkarta}{51}</code>		<code>\Pisymbol{nkarta}{114}</code>		<code>\Pisymbol{nkarta}{211}</code>
	<code>\Pisymbol{nkarta}{52}</code>		<code>\Pisymbol{nkarta}{115}</code>		<code>\Pisymbol{nkarta}{212}</code>
	<code>\Pisymbol{nkarta}{53}</code>		<code>\Pisymbol{nkarta}{116}</code>		<code>\Pisymbol{nkarta}{213}</code>
	<code>\Pisymbol{nkarta}{54}</code>		<code>\Pisymbol{nkarta}{117}</code>		<code>\Pisymbol{nkarta}{214}</code>
	<code>\Pisymbol{nkarta}{55}</code>		<code>\Pisymbol{nkarta}{118}</code>		<code>\Pisymbol{nkarta}{215}</code>
	<code>\Pisymbol{nkarta}{56}</code>		<code>\Pisymbol{nkarta}{119}</code>		<code>\Pisymbol{nkarta}{216}</code>
	<code>\Pisymbol{nkarta}{57}</code>		<code>\Pisymbol{nkarta}{120}</code>		<code>\Pisymbol{nkarta}{217}</code>
	<code>\Pisymbol{nkarta}{58}</code>		<code>\Pisymbol{nkarta}{121}</code>		<code>\Pisymbol{nkarta}{218}</code>
	<code>\Pisymbol{nkarta}{59}</code>		<code>\Pisymbol{nkarta}{122}</code>		<code>\Pisymbol{nkarta}{219}</code>
	<code>\Pisymbol{nkarta}{60}</code>		<code>\Pisymbol{nkarta}{123}</code>		<code>\Pisymbol{nkarta}{220}</code>
	<code>\Pisymbol{nkarta}{61}</code>		<code>\Pisymbol{nkarta}{124}</code>		<code>\Pisymbol{nkarta}{221}</code>
	<code>\Pisymbol{nkarta}{62}</code>		<code>\Pisymbol{nkarta}{125}</code>		<code>\Pisymbol{nkarta}{222}</code>
	<code>\Pisymbol{nkarta}{63}</code>		<code>\Pisymbol{nkarta}{126}</code>		<code>\Pisymbol{nkarta}{223}</code>
	<code>\Pisymbol{nkarta}{64}</code>		<code>\Pisymbol{nkarta}{161}</code>		<code>\Pisymbol{nkarta}{224}</code>
	<code>\Pisymbol{nkarta}{65}</code>		<code>\Pisymbol{nkarta}{162}</code>		<code>\Pisymbol{nkarta}{225}</code>
	<code>\Pisymbol{nkarta}{66}</code>		<code>\Pisymbol{nkarta}{163}</code>		<code>\Pisymbol{nkarta}{226}</code>
	<code>\Pisymbol{nkarta}{67}</code>		<code>\Pisymbol{nkarta}{164}</code>		<code>\Pisymbol{nkarta}{227}</code>
	<code>\Pisymbol{nkarta}{68}</code>		<code>\Pisymbol{nkarta}{165}</code>		<code>\Pisymbol{nkarta}{228}</code>
	<code>\Pisymbol{nkarta}{69}</code>		<code>\Pisymbol{nkarta}{166}</code>		<code>\Pisymbol{nkarta}{229}</code>
	<code>\Pisymbol{nkarta}{70}</code>		<code>\Pisymbol{nkarta}{167}</code>		<code>\Pisymbol{nkarta}{230}</code>
	<code>\Pisymbol{nkarta}{71}</code>		<code>\Pisymbol{nkarta}{168}</code>		<code>\Pisymbol{nkarta}{231}</code>
	<code>\Pisymbol{nkarta}{72}</code>		<code>\Pisymbol{nkarta}{169}</code>		<code>\Pisymbol{nkarta}{232}</code>
	<code>\Pisymbol{nkarta}{73}</code>		<code>\Pisymbol{nkarta}{170}</code>		<code>\Pisymbol{nkarta}{233}</code>
	<code>\Pisymbol{nkarta}{74}</code>		<code>\Pisymbol{nkarta}{171}</code>		<code>\Pisymbol{nkarta}{234}</code>
	<code>\Pisymbol{nkarta}{75}</code>		<code>\Pisymbol{nkarta}{172}</code>		<code>\Pisymbol{nkarta}{235}</code>
	<code>\Pisymbol{nkarta}{76}</code>		<code>\Pisymbol{nkarta}{173}</code>		<code>\Pisymbol{nkarta}{236}</code>
	<code>\Pisymbol{nkarta}{77}</code>		<code>\Pisymbol{nkarta}{174}</code>		<code>\Pisymbol{nkarta}{237}</code>
	<code>\Pisymbol{nkarta}{78}</code>		<code>\Pisymbol{nkarta}{175}</code>		<code>\Pisymbol{nkarta}{238}</code>
	<code>\Pisymbol{nkarta}{79}</code>		<code>\Pisymbol{nkarta}{176}</code>		<code>\Pisymbol{nkarta}{239}</code>
	<code>\Pisymbol{nkarta}{80}</code>		<code>\Pisymbol{nkarta}{177}</code>		<code>\Pisymbol{nkarta}{240}</code>
	<code>\Pisymbol{nkarta}{81}</code>		<code>\Pisymbol{nkarta}{178}</code>		<code>\Pisymbol{nkarta}{241}</code>
	<code>\Pisymbol{nkarta}{82}</code>		<code>\Pisymbol{nkarta}{179}</code>		<code>\Pisymbol{nkarta}{242}</code>
	<code>\Pisymbol{nkarta}{83}</code>		<code>\Pisymbol{nkarta}{180}</code>		<code>\Pisymbol{nkarta}{243}</code>
	<code>\Pisymbol{nkarta}{84}</code>		<code>\Pisymbol{nkarta}{181}</code>		<code>\Pisymbol{nkarta}{244}</code>
	<code>\Pisymbol{nkarta}{85}</code>		<code>\Pisymbol{nkarta}{182}</code>		<code>\Pisymbol{nkarta}{245}</code>
	<code>\Pisymbol{nkarta}{86}</code>		<code>\Pisymbol{nkarta}{183}</code>		<code>\Pisymbol{nkarta}{246}</code>
	<code>\Pisymbol{nkarta}{87}</code>		<code>\Pisymbol{nkarta}{184}</code>		<code>\Pisymbol{nkarta}{247}</code>
	<code>\Pisymbol{nkarta}{88}</code>		<code>\Pisymbol{nkarta}{185}</code>		<code>\Pisymbol{nkarta}{248}</code>
	<code>\Pisymbol{nkarta}{89}</code>		<code>\Pisymbol{nkarta}{186}</code>		<code>\Pisymbol{nkarta}{249}</code>
	<code>\Pisymbol{nkarta}{90}</code>		<code>\Pisymbol{nkarta}{187}</code>		<code>\Pisymbol{nkarta}{250}</code>
	<code>\Pisymbol{nkarta}{91}</code>		<code>\Pisymbol{nkarta}{188}</code>		<code>\Pisymbol{nkarta}{251}</code>

(continued on next page)

(continued from previous page)





	<code>\Pisymbol{nkarta}{92}</code>	☒	<code>\Pisymbol{nkarta}{189}</code>	◼	<code>\Pisymbol{nkarta}{252}</code>
	<code>\Pisymbol{nkarta}{93}</code>	×	<code>\Pisymbol{nkarta}{190}</code>	▼	<code>\Pisymbol{nkarta}{253}</code>
	<code>\Pisymbol{nkarta}{94}</code>	○	<code>\Pisymbol{nkarta}{191}</code>	▶	<code>\Pisymbol{nkarta}{254}</code>
	<code>\Pisymbol{nkarta}{95}</code>	✳	<code>\Pisymbol{nkarta}{192}</code>		

TABLE 509: moonphase Astronomical Symbols






















































































	<code>\Pisymbol{moonphase}{0}</code>		<code>\Pisymbol{moonphase}{2}</code>
	<code>\Pisymbol{moonphase}{1}</code>		<code>\Pisymbol{moonphase}{3}</code>

TABLE 510: astrosym Astronomical Symbols

	<code>\Pisymbol{astrosym}{0}</code>		<code>\Pisymbol{astrosym}{132}</code>
	<code>\Pisymbol{astrosym}{1}</code>		<code>\Pisymbol{astrosym}{133}</code>
	<code>\Pisymbol{astrosym}{2}</code>		<code>\Pisymbol{astrosym}{134}</code>
	<code>\Pisymbol{astrosym}{3}</code>		<code>\Pisymbol{astrosym}{135}</code>
	<code>\Pisymbol{astrosym}{4}</code>		<code>\Pisymbol{astrosym}{136}</code>
	<code>\Pisymbol{astrosym}{5}</code>		<code>\Pisymbol{astrosym}{137}</code>
	<code>\Pisymbol{astrosym}{6}</code>		<code>\Pisymbol{astrosym}{138}</code>
	<code>\Pisymbol{astrosym}{7}</code>		<code>\Pisymbol{astrosym}{139}</code>
	<code>\Pisymbol{astrosym}{8}</code>		<code>\Pisymbol{astrosym}{140}</code>
	<code>\Pisymbol{astrosym}{9}</code>		<code>\Pisymbol{astrosym}{141}</code>
	<code>\Pisymbol{astrosym}{10}</code>		<code>\Pisymbol{astrosym}{142}</code>
	<code>\Pisymbol{astrosym}{11}</code>		<code>\Pisymbol{astrosym}{143}</code>
	<code>\Pisymbol{astrosym}{12}</code>		<code>\Pisymbol{astrosym}{144}</code>
	<code>\Pisymbol{astrosym}{13}</code>		<code>\Pisymbol{astrosym}{145}</code>
	<code>\Pisymbol{astrosym}{14}</code>		<code>\Pisymbol{astrosym}{146}</code>
	<code>\Pisymbol{astrosym}{15}</code>		<code>\Pisymbol{astrosym}{147}</code>
	<code>\Pisymbol{astrosym}{16}</code>		<code>\Pisymbol{astrosym}{148}</code>
	<code>\Pisymbol{astrosym}{17}</code>		<code>\Pisymbol{astrosym}{149}</code>
	<code>\Pisymbol{astrosym}{18}</code>		<code>\Pisymbol{astrosym}{150}</code>
	<code>\Pisymbol{astrosym}{19}</code>		<code>\Pisymbol{astrosym}{151}</code>








































































(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astroSYM}{20}</code>		<code>\Pisymbol{astroSYM}{152}</code>
	<code>\Pisymbol{astroSYM}{21}</code>		<code>\Pisymbol{astroSYM}{153}</code>
	<code>\Pisymbol{astroSYM}{22}</code>		<code>\Pisymbol{astroSYM}{154}</code>
	<code>\Pisymbol{astroSYM}{23}</code>		<code>\Pisymbol{astroSYM}{155}</code>
	<code>\Pisymbol{astroSYM}{24}</code>		<code>\Pisymbol{astroSYM}{156}</code>
	<code>\Pisymbol{astroSYM}{25}</code>		<code>\Pisymbol{astroSYM}{157}</code>
	<code>\Pisymbol{astroSYM}{26}</code>		<code>\Pisymbol{astroSYM}{158}</code>
	<code>\Pisymbol{astroSYM}{27}</code>		<code>\Pisymbol{astroSYM}{159}</code>
	<code>\Pisymbol{astroSYM}{28}</code>		<code>\Pisymbol{astroSYM}{160}</code>
	<code>\Pisymbol{astroSYM}{29}</code>		<code>\Pisymbol{astroSYM}{161}</code>
	<code>\Pisymbol{astroSYM}{30}</code>		<code>\Pisymbol{astroSYM}{162}</code>
	<code>\Pisymbol{astroSYM}{31}</code>		<code>\Pisymbol{astroSYM}{163}</code>
	<code>\Pisymbol{astroSYM}{32}</code>		<code>\Pisymbol{astroSYM}{164}</code>
	<code>\Pisymbol{astroSYM}{33}</code>		<code>\Pisymbol{astroSYM}{165}</code>
	<code>\Pisymbol{astroSYM}{34}</code>		<code>\Pisymbol{astroSYM}{166}</code>
	<code>\Pisymbol{astroSYM}{35}</code>		<code>\Pisymbol{astroSYM}{167}</code>
	<code>\Pisymbol{astroSYM}{36}</code>		<code>\Pisymbol{astroSYM}{168}</code>
	<code>\Pisymbol{astroSYM}{37}</code>		<code>\Pisymbol{astroSYM}{169}</code>
	<code>\Pisymbol{astroSYM}{38}</code>		<code>\Pisymbol{astroSYM}{170}</code>
	<code>\Pisymbol{astroSYM}{39}</code>		<code>\Pisymbol{astroSYM}{171}</code>
	<code>\Pisymbol{astroSYM}{40}</code>		<code>\Pisymbol{astroSYM}{172}</code>
	<code>\Pisymbol{astroSYM}{41}</code>		<code>\Pisymbol{astroSYM}{173}</code>
	<code>\Pisymbol{astroSYM}{42}</code>		<code>\Pisymbol{astroSYM}{174}</code>
	<code>\Pisymbol{astroSYM}{43}</code>		<code>\Pisymbol{astroSYM}{175}</code>
	<code>\Pisymbol{astroSYM}{44}</code>		<code>\Pisymbol{astroSYM}{176}</code>
	<code>\Pisymbol{astroSYM}{45}</code>		<code>\Pisymbol{astroSYM}{177}</code>
	<code>\Pisymbol{astroSYM}{46}</code>		<code>\Pisymbol{astroSYM}{178}</code>
	<code>\Pisymbol{astroSYM}{47}</code>		<code>\Pisymbol{astroSYM}{179}</code>
	<code>\Pisymbol{astroSYM}{48}</code>		<code>\Pisymbol{astroSYM}{180}</code>
	<code>\Pisymbol{astroSYM}{49}</code>		<code>\Pisymbol{astroSYM}{181}</code>
	<code>\Pisymbol{astroSYM}{50}</code>		<code>\Pisymbol{astroSYM}{182}</code>
	<code>\Pisymbol{astroSYM}{51}</code>		<code>\Pisymbol{astroSYM}{183}</code>
	<code>\Pisymbol{astroSYM}{52}</code>		<code>\Pisymbol{astroSYM}{184}</code>
	<code>\Pisymbol{astroSYM}{53}</code>		<code>\Pisymbol{astroSYM}{185}</code>
	<code>\Pisymbol{astroSYM}{54}</code>		<code>\Pisymbol{astroSYM}{186}</code>
	<code>\Pisymbol{astroSYM}{55}</code>		<code>\Pisymbol{astroSYM}{187}</code>
	<code>\Pisymbol{astroSYM}{56}</code>		<code>\Pisymbol{astroSYM}{188}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astroSYM}{57}</code>		<code>\Pisymbol{astroSYM}{205}</code>
	<code>\Pisymbol{astroSYM}{58}</code>		<code>\Pisymbol{astroSYM}{206}</code>
	<code>\Pisymbol{astroSYM}{59}</code>		<code>\Pisymbol{astroSYM}{207}</code>
	<code>\Pisymbol{astroSYM}{60}</code>		<code>\Pisymbol{astroSYM}{208}</code>
	<code>\Pisymbol{astroSYM}{61}</code>		<code>\Pisymbol{astroSYM}{209}</code>
	<code>\Pisymbol{astroSYM}{62}</code>		<code>\Pisymbol{astroSYM}{210}</code>
	<code>\Pisymbol{astroSYM}{63}</code>		<code>\Pisymbol{astroSYM}{211}</code>
	<code>\Pisymbol{astroSYM}{64}</code>		<code>\Pisymbol{astroSYM}{212}</code>
	<code>\Pisymbol{astroSYM}{65}</code>		<code>\Pisymbol{astroSYM}{213}</code>
	<code>\Pisymbol{astroSYM}{66}</code>		<code>\Pisymbol{astroSYM}{214}</code>
	<code>\Pisymbol{astroSYM}{67}</code>		<code>\Pisymbol{astroSYM}{215}</code>
	<code>\Pisymbol{astroSYM}{68}</code>		<code>\Pisymbol{astroSYM}{216}</code>
	<code>\Pisymbol{astroSYM}{69}</code>		<code>\Pisymbol{astroSYM}{217}</code>
	<code>\Pisymbol{astroSYM}{90}</code>		<code>\Pisymbol{astroSYM}{218}</code>
	<code>\Pisymbol{astroSYM}{91}</code>		<code>\Pisymbol{astroSYM}{219}</code>
	<code>\Pisymbol{astroSYM}{92}</code>		<code>\Pisymbol{astroSYM}{220}</code>
	<code>\Pisymbol{astroSYM}{93}</code>		<code>\Pisymbol{astroSYM}{221}</code>
	<code>\Pisymbol{astroSYM}{94}</code>		<code>\Pisymbol{astroSYM}{222}</code>
	<code>\Pisymbol{astroSYM}{95}</code>		<code>\Pisymbol{astroSYM}{223}</code>
	<code>\Pisymbol{astroSYM}{100}</code>		<code>\Pisymbol{astroSYM}{224}</code>
	<code>\Pisymbol{astroSYM}{101}</code>		<code>\Pisymbol{astroSYM}{225}</code>
	<code>\Pisymbol{astroSYM}{102}</code>		<code>\Pisymbol{astroSYM}{226}</code>
	<code>\Pisymbol{astroSYM}{103}</code>		<code>\Pisymbol{astroSYM}{227}</code>
	<code>\Pisymbol{astroSYM}{104}</code>		<code>\Pisymbol{astroSYM}{228}</code>
	<code>\Pisymbol{astroSYM}{105}</code>		<code>\Pisymbol{astroSYM}{229}</code>
	<code>\Pisymbol{astroSYM}{106}</code>		<code>\Pisymbol{astroSYM}{230}</code>
	<code>\Pisymbol{astroSYM}{107}</code>		<code>\Pisymbol{astroSYM}{231}</code>
	<code>\Pisymbol{astroSYM}{108}</code>		<code>\Pisymbol{astroSYM}{232}</code>
	<code>\Pisymbol{astroSYM}{109}</code>		<code>\Pisymbol{astroSYM}{233}</code>
	<code>\Pisymbol{astroSYM}{110}</code>		<code>\Pisymbol{astroSYM}{234}</code>
	<code>\Pisymbol{astroSYM}{111}</code>		<code>\Pisymbol{astroSYM}{235}</code>
	<code>\Pisymbol{astroSYM}{112}</code>		<code>\Pisymbol{astroSYM}{236}</code>
	<code>\Pisymbol{astroSYM}{113}</code>		<code>\Pisymbol{astroSYM}{237}</code>
	<code>\Pisymbol{astroSYM}{114}</code>		<code>\Pisymbol{astroSYM}{238}</code>
	<code>\Pisymbol{astroSYM}{115}</code>		<code>\Pisymbol{astroSYM}{239}</code>
	<code>\Pisymbol{astroSYM}{116}</code>		<code>\Pisymbol{astroSYM}{240}</code>
	<code>\Pisymbol{astroSYM}{117}</code>		<code>\Pisymbol{astroSYM}{241}</code>
	<code>\Pisymbol{astroSYM}{118}</code>		<code>\Pisymbol{astroSYM}{242}</code>

(continued on next page)

(continued from previous page)


























































































	<code>\Pisymbol{astroSYM}{119}</code>		<code>\Pisymbol{astroSYM}{243}</code>
	<code>\Pisymbol{astroSYM}{120}</code>		<code>\Pisymbol{astroSYM}{244}</code>
	<code>\Pisymbol{astroSYM}{121}</code>		<code>\Pisymbol{astroSYM}{245}</code>
	<code>\Pisymbol{astroSYM}{122}</code>		<code>\Pisymbol{astroSYM}{246}</code>
	<code>\Pisymbol{astroSYM}{123}</code>		<code>\Pisymbol{astroSYM}{247}</code>
	<code>\Pisymbol{astroSYM}{124}</code>		<code>\Pisymbol{astroSYM}{248}</code>
	<code>\Pisymbol{astroSYM}{125}</code>		<code>\Pisymbol{astroSYM}{249}</code>
	<code>\Pisymbol{astroSYM}{126}</code>		<code>\Pisymbol{astroSYM}{250}</code>
	<code>\Pisymbol{astroSYM}{127}</code>		<code>\Pisymbol{astroSYM}{251}</code>
	<code>\Pisymbol{astroSYM}{128}</code>		<code>\Pisymbol{astroSYM}{252}</code>
	<code>\Pisymbol{astroSYM}{129}</code>		<code>\Pisymbol{astroSYM}{253}</code>
	<code>\Pisymbol{astroSYM}{130}</code>		<code>\Pisymbol{astroSYM}{254}</code>
	<code>\Pisymbol{astroSYM}{131}</code>		<code>\Pisymbol{astroSYM}{255}</code>



TABLE 511: webomints Decorative Borders

	<code>\Pisymbol{WebOMintsGD}{47}</code>		<code>\Pisymbol{WebOMintsGD}{87}</code>
	<code>\Pisymbol{WebOMintsGD}{48}</code>		<code>\Pisymbol{WebOMintsGD}{88}</code>
	<code>\Pisymbol{WebOMintsGD}{49}</code>		<code>\Pisymbol{WebOMintsGD}{89}</code>
	<code>\Pisymbol{WebOMintsGD}{50}</code>		<code>\Pisymbol{WebOMintsGD}{90}</code>
	<code>\Pisymbol{WebOMintsGD}{51}</code>		<code>\Pisymbol{WebOMintsGD}{91}</code>
	<code>\Pisymbol{WebOMintsGD}{52}</code>		<code>\Pisymbol{WebOMintsGD}{93}</code>
	<code>\Pisymbol{WebOMintsGD}{53}</code>		<code>\Pisymbol{WebOMintsGD}{97}</code>
	<code>\Pisymbol{WebOMintsGD}{54}</code>		<code>\Pisymbol{WebOMintsGD}{98}</code>
	<code>\Pisymbol{WebOMintsGD}{55}</code>		<code>\Pisymbol{WebOMintsGD}{99}</code>
	<code>\Pisymbol{WebOMintsGD}{56}</code>		<code>\Pisymbol{WebOMintsGD}{100}</code>
	<code>\Pisymbol{WebOMintsGD}{57}</code>		<code>\Pisymbol{WebOMintsGD}{101}</code>
	<code>\Pisymbol{WebOMintsGD}{65}</code>		<code>\Pisymbol{WebOMintsGD}{102}</code>
	<code>\Pisymbol{WebOMintsGD}{66}</code>		<code>\Pisymbol{WebOMintsGD}{103}</code>
	<code>\Pisymbol{WebOMintsGD}{67}</code>		<code>\Pisymbol{WebOMintsGD}{104}</code>
	<code>\Pisymbol{WebOMintsGD}{68}</code>		<code>\Pisymbol{WebOMintsGD}{105}</code>
	<code>\Pisymbol{WebOMintsGD}{69}</code>		<code>\Pisymbol{WebOMintsGD}{106}</code>
	<code>\Pisymbol{WebOMintsGD}{70}</code>		<code>\Pisymbol{WebOMintsGD}{107}</code>
	<code>\Pisymbol{WebOMintsGD}{71}</code>		<code>\Pisymbol{WebOMintsGD}{108}</code>
	<code>\Pisymbol{WebOMintsGD}{72}</code>		<code>\Pisymbol{WebOMintsGD}{109}</code>
	<code>\Pisymbol{WebOMintsGD}{73}</code>		<code>\Pisymbol{WebOMintsGD}{110}</code>
	<code>\Pisymbol{WebOMintsGD}{74}</code>		<code>\Pisymbol{WebOMintsGD}{111}</code>
	<code>\Pisymbol{WebOMintsGD}{75}</code>		<code>\Pisymbol{WebOMintsGD}{112}</code>

(continued on next page)





(continued from previous page)

	<code>\Pisymbol{WebOMintsGD}{76}</code>		<code>\Pisymbol{WebOMintsGD}{113}</code>
	<code>\Pisymbol{WebOMintsGD}{77}</code>		<code>\Pisymbol{WebOMintsGD}{114}</code>
	<code>\Pisymbol{WebOMintsGD}{78}</code>		<code>\Pisymbol{WebOMintsGD}{115}</code>
	<code>\Pisymbol{WebOMintsGD}{79}</code>		<code>\Pisymbol{WebOMintsGD}{116}</code>
	<code>\Pisymbol{WebOMintsGD}{80}</code>		<code>\Pisymbol{WebOMintsGD}{117}</code>
	<code>\Pisymbol{WebOMintsGD}{81}</code>		<code>\Pisymbol{WebOMintsGD}{118}</code>
	<code>\Pisymbol{WebOMintsGD}{82}</code>		<code>\Pisymbol{WebOMintsGD}{119}</code>
	<code>\Pisymbol{WebOMintsGD}{83}</code>		<code>\Pisymbol{WebOMintsGD}{120}</code>
	<code>\Pisymbol{WebOMintsGD}{84}</code>		<code>\Pisymbol{WebOMintsGD}{121}</code>
	<code>\Pisymbol{WebOMintsGD}{85}</code>		<code>\Pisymbol{WebOMintsGD}{122}</code>
	<code>\Pisymbol{WebOMintsGD}{86}</code>		

webomints provides a `uwebo.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `webomints` font directly. For example, `{\usefont{U}{webo}{xl}{n}\char73\char74}`—alternatively, `{\usefont{U}{webo}{xl}{n}IJ}`—will typeset “ ”. This can be useful for typesetting a number of `webomints` glyphs in a row.

The `niceframe` package can be used to typeset decorative frames using fonts such as `webomints`.

TABLE 512: `umranda` Decorative Borders

	<code>\Pisymbol{umranda}{0}</code>		<code>\Pisymbol{umranda}{34}</code>		<code>\Pisymbol{umranda}{68}</code>
	<code>\Pisymbol{umranda}{1}</code>		<code>\Pisymbol{umranda}{35}</code>		<code>\Pisymbol{umranda}{69}</code>
	<code>\Pisymbol{umranda}{2}</code>		<code>\Pisymbol{umranda}{36}</code>		<code>\Pisymbol{umranda}{70}</code>
	<code>\Pisymbol{umranda}{3}</code>		<code>\Pisymbol{umranda}{37}</code>		<code>\Pisymbol{umranda}{71}</code>
	<code>\Pisymbol{umranda}{4}</code>		<code>\Pisymbol{umranda}{38}</code>		<code>\Pisymbol{umranda}{72}</code>
	<code>\Pisymbol{umranda}{5}</code>		<code>\Pisymbol{umranda}{39}</code>		<code>\Pisymbol{umranda}{73}</code>
	<code>\Pisymbol{umranda}{6}</code>		<code>\Pisymbol{umranda}{40}</code>		<code>\Pisymbol{umranda}{74}</code>
	<code>\Pisymbol{umranda}{7}</code>		<code>\Pisymbol{umranda}{41}</code>		<code>\Pisymbol{umranda}{75}</code>
	<code>\Pisymbol{umranda}{8}</code>		<code>\Pisymbol{umranda}{42}</code>		<code>\Pisymbol{umranda}{76}</code>
	<code>\Pisymbol{umranda}{9}</code>		<code>\Pisymbol{umranda}{43}</code>		<code>\Pisymbol{umranda}{77}</code>
	<code>\Pisymbol{umranda}{10}</code>		<code>\Pisymbol{umranda}{44}</code>		<code>\Pisymbol{umranda}{78}</code>
	<code>\Pisymbol{umranda}{11}</code>		<code>\Pisymbol{umranda}{45}</code>		<code>\Pisymbol{umranda}{79}</code>
	<code>\Pisymbol{umranda}{12}</code>		<code>\Pisymbol{umranda}{46}</code>		<code>\Pisymbol{umranda}{80}</code>
	<code>\Pisymbol{umranda}{13}</code>		<code>\Pisymbol{umranda}{47}</code>		<code>\Pisymbol{umranda}{81}</code>
	<code>\Pisymbol{umranda}{14}</code>		<code>\Pisymbol{umranda}{48}</code>		<code>\Pisymbol{umranda}{82}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{umranda}{15}</code>		<code>\Pisymbol{umranda}{49}</code>		<code>\Pisymbol{umranda}{83}</code>
	<code>\Pisymbol{umranda}{16}</code>		<code>\Pisymbol{umranda}{50}</code>		<code>\Pisymbol{umranda}{84}</code>
	<code>\Pisymbol{umranda}{17}</code>		<code>\Pisymbol{umranda}{51}</code>		<code>\Pisymbol{umranda}{85}</code>
	<code>\Pisymbol{umranda}{18}</code>		<code>\Pisymbol{umranda}{52}</code>		<code>\Pisymbol{umranda}{86}</code>
	<code>\Pisymbol{umranda}{19}</code>		<code>\Pisymbol{umranda}{53}</code>		<code>\Pisymbol{umranda}{87}</code>
	<code>\Pisymbol{umranda}{20}</code>		<code>\Pisymbol{umranda}{54}</code>		<code>\Pisymbol{umranda}{88}</code>
	<code>\Pisymbol{umranda}{21}</code>		<code>\Pisymbol{umranda}{55}</code>		<code>\Pisymbol{umranda}{89}</code>
	<code>\Pisymbol{umranda}{22}</code>		<code>\Pisymbol{umranda}{56}</code>		<code>\Pisymbol{umranda}{90}</code>
	<code>\Pisymbol{umranda}{23}</code>		<code>\Pisymbol{umranda}{57}</code>		<code>\Pisymbol{umranda}{91}</code>
	<code>\Pisymbol{umranda}{24}</code>		<code>\Pisymbol{umranda}{58}</code>		<code>\Pisymbol{umranda}{92}</code>
	<code>\Pisymbol{umranda}{25}</code>		<code>\Pisymbol{umranda}{59}</code>		<code>\Pisymbol{umranda}{93}</code>
	<code>\Pisymbol{umranda}{26}</code>		<code>\Pisymbol{umranda}{60}</code>		<code>\Pisymbol{umranda}{94}</code>
	<code>\Pisymbol{umranda}{27}</code>		<code>\Pisymbol{umranda}{61}</code>		<code>\Pisymbol{umranda}{95}</code>
	<code>\Pisymbol{umranda}{28}</code>		<code>\Pisymbol{umranda}{62}</code>		<code>\Pisymbol{umranda}{96}</code>
	<code>\Pisymbol{umranda}{29}</code>		<code>\Pisymbol{umranda}{63}</code>		<code>\Pisymbol{umranda}{97}</code>
	<code>\Pisymbol{umranda}{30}</code>		<code>\Pisymbol{umranda}{64}</code>		<code>\Pisymbol{umranda}{98}</code>
	<code>\Pisymbol{umranda}{31}</code>		<code>\Pisymbol{umranda}{65}</code>		<code>\Pisymbol{umranda}{99}</code>
	<code>\Pisymbol{umranda}{32}</code>		<code>\Pisymbol{umranda}{66}</code>		<code>\Pisymbol{umranda}{100}</code>
	<code>\Pisymbol{umranda}{33}</code>		<code>\Pisymbol{umranda}{67}</code>		<code>\Pisymbol{umranda}{101}</code>

The niceframe package can be used to typeset decorative frames using fonts such as umranda.

TABLE 513: umrandb Decorative Borders

	<code>\Pisymbol{umrandb}{0}</code>		<code>\Pisymbol{umrandb}{42}</code>		<code>\Pisymbol{umrandb}{84}</code>
	<code>\Pisymbol{umrandb}{1}</code>		<code>\Pisymbol{umrandb}{43}</code>		<code>\Pisymbol{umrandb}{85}</code>
	<code>\Pisymbol{umrandb}{2}</code>		<code>\Pisymbol{umrandb}{44}</code>		<code>\Pisymbol{umrandb}{86}</code>
	<code>\Pisymbol{umrandb}{3}</code>		<code>\Pisymbol{umrandb}{45}</code>		<code>\Pisymbol{umrandb}{87}</code>
	<code>\Pisymbol{umrandb}{4}</code>		<code>\Pisymbol{umrandb}{46}</code>		<code>\Pisymbol{umrandb}{88}</code>
	<code>\Pisymbol{umrandb}{5}</code>		<code>\Pisymbol{umrandb}{47}</code>		<code>\Pisymbol{umrandb}{89}</code>
	<code>\Pisymbol{umrandb}{6}</code>		<code>\Pisymbol{umrandb}{48}</code>		<code>\Pisymbol{umrandb}{90}</code>
	<code>\Pisymbol{umrandb}{7}</code>		<code>\Pisymbol{umrandb}{49}</code>		<code>\Pisymbol{umrandb}{91}</code>
	<code>\Pisymbol{umrandb}{8}</code>		<code>\Pisymbol{umrandb}{50}</code>		<code>\Pisymbol{umrandb}{92}</code>
	<code>\Pisymbol{umrandb}{9}</code>		<code>\Pisymbol{umrandb}{51}</code>		<code>\Pisymbol{umrandb}{93}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{umrandb}{10}</code>		<code>\Pisymbol{umrandb}{52}</code>		<code>\Pisymbol{umrandb}{94}</code>
	<code>\Pisymbol{umrandb}{11}</code>		<code>\Pisymbol{umrandb}{53}</code>		<code>\Pisymbol{umrandb}{95}</code>
	<code>\Pisymbol{umrandb}{12}</code>		<code>\Pisymbol{umrandb}{54}</code>		<code>\Pisymbol{umrandb}{96}</code>
	<code>\Pisymbol{umrandb}{13}</code>		<code>\Pisymbol{umrandb}{55}</code>		<code>\Pisymbol{umrandb}{97}</code>
	<code>\Pisymbol{umrandb}{14}</code>		<code>\Pisymbol{umrandb}{56}</code>		<code>\Pisymbol{umrandb}{98}</code>
	<code>\Pisymbol{umrandb}{15}</code>		<code>\Pisymbol{umrandb}{57}</code>		<code>\Pisymbol{umrandb}{99}</code>
	<code>\Pisymbol{umrandb}{16}</code>		<code>\Pisymbol{umrandb}{58}</code>		<code>\Pisymbol{umrandb}{100}</code>
	<code>\Pisymbol{umrandb}{17}</code>		<code>\Pisymbol{umrandb}{59}</code>		<code>\Pisymbol{umrandb}{101}</code>
	<code>\Pisymbol{umrandb}{18}</code>		<code>\Pisymbol{umrandb}{60}</code>		<code>\Pisymbol{umrandb}{102}</code>
	<code>\Pisymbol{umrandb}{19}</code>		<code>\Pisymbol{umrandb}{61}</code>		<code>\Pisymbol{umrandb}{103}</code>
	<code>\Pisymbol{umrandb}{20}</code>		<code>\Pisymbol{umrandb}{62}</code>		<code>\Pisymbol{umrandb}{104}</code>
	<code>\Pisymbol{umrandb}{21}</code>		<code>\Pisymbol{umrandb}{63}</code>		<code>\Pisymbol{umrandb}{105}</code>
	<code>\Pisymbol{umrandb}{22}</code>		<code>\Pisymbol{umrandb}{64}</code>		<code>\Pisymbol{umrandb}{106}</code>
	<code>\Pisymbol{umrandb}{23}</code>		<code>\Pisymbol{umrandb}{65}</code>		<code>\Pisymbol{umrandb}{107}</code>
	<code>\Pisymbol{umrandb}{24}</code>		<code>\Pisymbol{umrandb}{66}</code>		<code>\Pisymbol{umrandb}{108}</code>
	<code>\Pisymbol{umrandb}{25}</code>		<code>\Pisymbol{umrandb}{67}</code>		<code>\Pisymbol{umrandb}{109}</code>
	<code>\Pisymbol{umrandb}{26}</code>		<code>\Pisymbol{umrandb}{68}</code>		<code>\Pisymbol{umrandb}{110}</code>
	<code>\Pisymbol{umrandb}{27}</code>		<code>\Pisymbol{umrandb}{69}</code>		<code>\Pisymbol{umrandb}{111}</code>
	<code>\Pisymbol{umrandb}{28}</code>		<code>\Pisymbol{umrandb}{70}</code>		<code>\Pisymbol{umrandb}{112}</code>
	<code>\Pisymbol{umrandb}{29}</code>		<code>\Pisymbol{umrandb}{71}</code>		<code>\Pisymbol{umrandb}{113}</code>
	<code>\Pisymbol{umrandb}{30}</code>		<code>\Pisymbol{umrandb}{72}</code>		<code>\Pisymbol{umrandb}{114}</code>
	<code>\Pisymbol{umrandb}{31}</code>		<code>\Pisymbol{umrandb}{73}</code>		<code>\Pisymbol{umrandb}{115}</code>
	<code>\Pisymbol{umrandb}{32}</code>		<code>\Pisymbol{umrandb}{74}</code>		<code>\Pisymbol{umrandb}{116}</code>
	<code>\Pisymbol{umrandb}{33}</code>		<code>\Pisymbol{umrandb}{75}</code>		<code>\Pisymbol{umrandb}{117}</code>
	<code>\Pisymbol{umrandb}{34}</code>		<code>\Pisymbol{umrandb}{76}</code>		<code>\Pisymbol{umrandb}{118}</code>
	<code>\Pisymbol{umrandb}{35}</code>		<code>\Pisymbol{umrandb}{77}</code>		<code>\Pisymbol{umrandb}{119}</code>
	<code>\Pisymbol{umrandb}{36}</code>		<code>\Pisymbol{umrandb}{78}</code>		<code>\Pisymbol{umrandb}{120}</code>
	<code>\Pisymbol{umrandb}{37}</code>		<code>\Pisymbol{umrandb}{79}</code>		<code>\Pisymbol{umrandb}{121}</code>
	<code>\Pisymbol{umrandb}{38}</code>		<code>\Pisymbol{umrandb}{80}</code>		<code>\Pisymbol{umrandb}{122}</code>
	<code>\Pisymbol{umrandb}{39}</code>		<code>\Pisymbol{umrandb}{81}</code>		<code>\Pisymbol{umrandb}{123}</code>
	<code>\Pisymbol{umrandb}{40}</code>		<code>\Pisymbol{umrandb}{82}</code>		
	<code>\Pisymbol{umrandb}{41}</code>		<code>\Pisymbol{umrandb}{83}</code>		

The niceframe package can be used to typeset decorative frames using fonts such as umrandb.

TABLE 514: dingbat Decorative Borders

	<code>\Pisymbol{dingbat}{69}</code>		<code>\Pisymbol{dingbat}{97}</code>
	<code>\Pisymbol{dingbat}{70}</code>		<code>\Pisymbol{dingbat}{98}</code>
	<code>\Pisymbol{dingbat}{71}</code>		<code>\Pisymbol{dingbat}{99}</code>
	<code>\Pisymbol{dingbat}{72}</code>		<code>\Pisymbol{dingbat}{100}</code>
	<code>\Pisymbol{dingbat}{74}</code>		<code>\Pisymbol{dingbat}{101}</code>
	<code>\Pisymbol{dingbat}{75}</code>		<code>\Pisymbol{dingbat}{102}</code>
	<code>\Pisymbol{dingbat}{76}</code>		<code>\Pisymbol{dingbat}{103}</code>
	<code>\Pisymbol{dingbat}{77}</code>		<code>\Pisymbol{dingbat}{104}</code>

The preceding table is incomplete in that it includes only unnamed dingbat symbols. Named symbols are included in Table 352 and Table 396 (both intermixed with symbols from the `ark10` font).

The `dingbat` package includes a `udingbat.fd` file so a document does not need to specify the `\DeclareFontFamily` and `\DeclareFontShape` commands list at the beginning of Section 9.

















The `niceframe` package can be used to typeset decorative frames using fonts such as `dingbat`.
















































TABLE 515: knot Celtic Knots




























	<code>\Pisymbol{knot1}{48}</code>		<code>\Pisymbol{knot1}{68}</code>		<code>\Pisymbol{knot1}{84}</code>
	<code>\Pisymbol{knot1}{49}</code>		<code>\Pisymbol{knot1}{69}</code>		<code>\Pisymbol{knot1}{85}</code>
	<code>\Pisymbol{knot1}{50}</code>		<code>\Pisymbol{knot1}{70}</code>		<code>\Pisymbol{knot1}{86}</code>
	<code>\Pisymbol{knot1}{51}</code>		<code>\Pisymbol{knot1}{71}</code>		<code>\Pisymbol{knot1}{87}</code>
	<code>\Pisymbol{knot1}{52}</code>		<code>\Pisymbol{knot1}{72}</code>		<code>\Pisymbol{knot1}{88}</code>
	<code>\Pisymbol{knot1}{53}</code>		<code>\Pisymbol{knot1}{73}</code>		<code>\Pisymbol{knot1}{96}</code>
	<code>\Pisymbol{knot1}{58}</code>		<code>\Pisymbol{knot1}{74}</code>		<code>\Pisymbol{knot1}{97}</code>

(continued on next page)

(continued from previous page)


















	<code>\Pisymbol{knot1}{59}</code>		<code>\Pisymbol{knot1}{75}</code>		<code>\Pisymbol{knot1}{98}</code>
	<code>\Pisymbol{knot1}{60}</code>		<code>\Pisymbol{knot1}{76}</code>		<code>\Pisymbol{knot1}{99}</code>
	<code>\Pisymbol{knot1}{61}</code>		<code>\Pisymbol{knot1}{77}</code>		<code>\Pisymbol{knot1}{100}</code>
	<code>\Pisymbol{knot1}{62}</code>		<code>\Pisymbol{knot1}{78}</code>		<code>\Pisymbol{knot1}{101}</code>
	<code>\Pisymbol{knot1}{63}</code>		<code>\Pisymbol{knot1}{79}</code>		<code>\Pisymbol{knot1}{102}</code>
	<code>\Pisymbol{knot1}{64}</code>		<code>\Pisymbol{knot1}{80}</code>		<code>\Pisymbol{knot1}{103}</code>
	<code>\Pisymbol{knot1}{65}</code>		<code>\Pisymbol{knot1}{81}</code>		<code>\Pisymbol{knot1}{104}</code>
	<code>\Pisymbol{knot1}{66}</code>		<code>\Pisymbol{knot1}{82}</code>		<code>\Pisymbol{knot1}{105}</code>
	<code>\Pisymbol{knot1}{67}</code>		<code>\Pisymbol{knot1}{83}</code>		
















































	<code>\Pisymbol{knot2}{48}</code>		<code>\Pisymbol{knot2}{68}</code>		<code>\Pisymbol{knot2}{84}</code>
	<code>\Pisymbol{knot2}{49}</code>		<code>\Pisymbol{knot2}{69}</code>		<code>\Pisymbol{knot2}{85}</code>
	<code>\Pisymbol{knot2}{50}</code>		<code>\Pisymbol{knot2}{70}</code>		<code>\Pisymbol{knot2}{86}</code>
	<code>\Pisymbol{knot2}{51}</code>		<code>\Pisymbol{knot2}{71}</code>		<code>\Pisymbol{knot2}{87}</code>
	<code>\Pisymbol{knot2}{52}</code>		<code>\Pisymbol{knot2}{72}</code>		<code>\Pisymbol{knot2}{88}</code>
	<code>\Pisymbol{knot2}{53}</code>		<code>\Pisymbol{knot2}{73}</code>		<code>\Pisymbol{knot2}{96}</code>
	<code>\Pisymbol{knot2}{58}</code>		<code>\Pisymbol{knot2}{74}</code>		<code>\Pisymbol{knot2}{97}</code>
	<code>\Pisymbol{knot2}{59}</code>		<code>\Pisymbol{knot2}{75}</code>		<code>\Pisymbol{knot2}{98}</code>
	<code>\Pisymbol{knot2}{60}</code>		<code>\Pisymbol{knot2}{76}</code>		<code>\Pisymbol{knot2}{99}</code>
	<code>\Pisymbol{knot2}{61}</code>		<code>\Pisymbol{knot2}{77}</code>		<code>\Pisymbol{knot2}{100}</code>
	<code>\Pisymbol{knot2}{62}</code>		<code>\Pisymbol{knot2}{78}</code>		<code>\Pisymbol{knot2}{101}</code>
	<code>\Pisymbol{knot2}{63}</code>		<code>\Pisymbol{knot2}{79}</code>		<code>\Pisymbol{knot2}{102}</code>
	<code>\Pisymbol{knot2}{64}</code>		<code>\Pisymbol{knot2}{80}</code>		<code>\Pisymbol{knot2}{103}</code>
	<code>\Pisymbol{knot2}{65}</code>		<code>\Pisymbol{knot2}{81}</code>		<code>\Pisymbol{knot2}{104}</code>
	<code>\Pisymbol{knot2}{66}</code>		<code>\Pisymbol{knot2}{82}</code>		<code>\Pisymbol{knot2}{105}</code>
	<code>\Pisymbol{knot2}{67}</code>		<code>\Pisymbol{knot2}{83}</code>		








































	<code>\Pisymbol{knot3}{48}</code>		<code>\Pisymbol{knot3}{68}</code>		<code>\Pisymbol{knot3}{84}</code>
	<code>\Pisymbol{knot3}{49}</code>		<code>\Pisymbol{knot3}{69}</code>		<code>\Pisymbol{knot3}{85}</code>
	<code>\Pisymbol{knot3}{50}</code>		<code>\Pisymbol{knot3}{70}</code>		<code>\Pisymbol{knot3}{86}</code>
	<code>\Pisymbol{knot3}{51}</code>		<code>\Pisymbol{knot3}{71}</code>		<code>\Pisymbol{knot3}{87}</code>
	<code>\Pisymbol{knot3}{52}</code>		<code>\Pisymbol{knot3}{72}</code>		<code>\Pisymbol{knot3}{88}</code>
	<code>\Pisymbol{knot3}{53}</code>		<code>\Pisymbol{knot3}{73}</code>		<code>\Pisymbol{knot3}{96}</code>
	<code>\Pisymbol{knot3}{58}</code>		<code>\Pisymbol{knot3}{74}</code>		<code>\Pisymbol{knot3}{97}</code>
	<code>\Pisymbol{knot3}{59}</code>		<code>\Pisymbol{knot3}{75}</code>		<code>\Pisymbol{knot3}{98}</code>
	<code>\Pisymbol{knot3}{60}</code>		<code>\Pisymbol{knot3}{76}</code>		<code>\Pisymbol{knot3}{99}</code>
	<code>\Pisymbol{knot3}{61}</code>		<code>\Pisymbol{knot3}{77}</code>		<code>\Pisymbol{knot3}{100}</code>

(continued on next page)

(continued from previous page)
































































































	<code>\Pisymbol{knot3}{62}</code>		<code>\Pisymbol{knot3}{78}</code>		<code>\Pisymbol{knot3}{101}</code>
	<code>\Pisymbol{knot3}{63}</code>		<code>\Pisymbol{knot3}{79}</code>		<code>\Pisymbol{knot3}{102}</code>
	<code>\Pisymbol{knot3}{64}</code>		<code>\Pisymbol{knot3}{80}</code>		<code>\Pisymbol{knot3}{103}</code>
	<code>\Pisymbol{knot3}{65}</code>		<code>\Pisymbol{knot3}{81}</code>		<code>\Pisymbol{knot3}{104}</code>
	<code>\Pisymbol{knot3}{66}</code>		<code>\Pisymbol{knot3}{82}</code>		<code>\Pisymbol{knot3}{105}</code>
	<code>\Pisymbol{knot3}{67}</code>		<code>\Pisymbol{knot3}{83}</code>		

	<code>\Pisymbol{knot4}{48}</code>		<code>\Pisymbol{knot4}{68}</code>		<code>\Pisymbol{knot4}{84}</code>
	<code>\Pisymbol{knot4}{49}</code>		<code>\Pisymbol{knot4}{69}</code>		<code>\Pisymbol{knot4}{85}</code>
	<code>\Pisymbol{knot4}{50}</code>		<code>\Pisymbol{knot4}{70}</code>		<code>\Pisymbol{knot4}{86}</code>
	<code>\Pisymbol{knot4}{51}</code>		<code>\Pisymbol{knot4}{71}</code>		<code>\Pisymbol{knot4}{87}</code>
	<code>\Pisymbol{knot4}{52}</code>		<code>\Pisymbol{knot4}{72}</code>		<code>\Pisymbol{knot4}{88}</code>
	<code>\Pisymbol{knot4}{53}</code>		<code>\Pisymbol{knot4}{73}</code>		<code>\Pisymbol{knot4}{96}</code>
	<code>\Pisymbol{knot4}{58}</code>		<code>\Pisymbol{knot4}{74}</code>		<code>\Pisymbol{knot4}{97}</code>
	<code>\Pisymbol{knot4}{59}</code>		<code>\Pisymbol{knot4}{75}</code>		<code>\Pisymbol{knot4}{98}</code>
	<code>\Pisymbol{knot4}{60}</code>		<code>\Pisymbol{knot4}{76}</code>		<code>\Pisymbol{knot4}{99}</code>
	<code>\Pisymbol{knot4}{61}</code>		<code>\Pisymbol{knot4}{77}</code>		<code>\Pisymbol{knot4}{100}</code>
	<code>\Pisymbol{knot4}{62}</code>		<code>\Pisymbol{knot4}{78}</code>		<code>\Pisymbol{knot4}{101}</code>
	<code>\Pisymbol{knot4}{63}</code>		<code>\Pisymbol{knot4}{79}</code>		<code>\Pisymbol{knot4}{102}</code>
	<code>\Pisymbol{knot4}{64}</code>		<code>\Pisymbol{knot4}{80}</code>		<code>\Pisymbol{knot4}{103}</code>
	<code>\Pisymbol{knot4}{65}</code>		<code>\Pisymbol{knot4}{81}</code>		<code>\Pisymbol{knot4}{104}</code>
	<code>\Pisymbol{knot4}{66}</code>		<code>\Pisymbol{knot4}{82}</code>		<code>\Pisymbol{knot4}{105}</code>
	<code>\Pisymbol{knot4}{67}</code>		<code>\Pisymbol{knot4}{83}</code>		

	<code>\Pisymbol{knot5}{48}</code>		<code>\Pisymbol{knot5}{68}</code>		<code>\Pisymbol{knot5}{84}</code>
	<code>\Pisymbol{knot5}{49}</code>		<code>\Pisymbol{knot5}{69}</code>		<code>\Pisymbol{knot5}{85}</code>
	<code>\Pisymbol{knot5}{50}</code>		<code>\Pisymbol{knot5}{70}</code>		<code>\Pisymbol{knot5}{86}</code>
	<code>\Pisymbol{knot5}{51}</code>		<code>\Pisymbol{knot5}{71}</code>		<code>\Pisymbol{knot5}{87}</code>
	<code>\Pisymbol{knot5}{52}</code>		<code>\Pisymbol{knot5}{72}</code>		<code>\Pisymbol{knot5}{88}</code>
	<code>\Pisymbol{knot5}{53}</code>		<code>\Pisymbol{knot5}{73}</code>		<code>\Pisymbol{knot5}{96}</code>
	<code>\Pisymbol{knot5}{58}</code>		<code>\Pisymbol{knot5}{74}</code>		<code>\Pisymbol{knot5}{97}</code>
	<code>\Pisymbol{knot5}{59}</code>		<code>\Pisymbol{knot5}{75}</code>		<code>\Pisymbol{knot5}{98}</code>
	<code>\Pisymbol{knot5}{60}</code>		<code>\Pisymbol{knot5}{76}</code>		<code>\Pisymbol{knot5}{99}</code>
	<code>\Pisymbol{knot5}{61}</code>		<code>\Pisymbol{knot5}{77}</code>		<code>\Pisymbol{knot5}{100}</code>
	<code>\Pisymbol{knot5}{62}</code>		<code>\Pisymbol{knot5}{78}</code>		<code>\Pisymbol{knot5}{101}</code>
	<code>\Pisymbol{knot5}{63}</code>		<code>\Pisymbol{knot5}{79}</code>		<code>\Pisymbol{knot5}{102}</code>
	<code>\Pisymbol{knot5}{64}</code>		<code>\Pisymbol{knot5}{80}</code>		<code>\Pisymbol{knot5}{103}</code>



(continued on next page)

(continued from previous page)








	<code>\Pisymbol{knot5}{65}</code>		<code>\Pisymbol{knot5}{81}</code>		<code>\Pisymbol{knot5}{104}</code>
	<code>\Pisymbol{knot5}{66}</code>		<code>\Pisymbol{knot5}{82}</code>		<code>\Pisymbol{knot5}{105}</code>
	<code>\Pisymbol{knot5}{67}</code>		<code>\Pisymbol{knot5}{83}</code>		
	<code>\Pisymbol{knot6}{48}</code>		<code>\Pisymbol{knot6}{68}</code>		<code>\Pisymbol{knot6}{84}</code>
	<code>\Pisymbol{knot6}{49}</code>		<code>\Pisymbol{knot6}{69}</code>		<code>\Pisymbol{knot6}{85}</code>
	<code>\Pisymbol{knot6}{50}</code>		<code>\Pisymbol{knot6}{70}</code>		<code>\Pisymbol{knot6}{86}</code>
	<code>\Pisymbol{knot6}{51}</code>		<code>\Pisymbol{knot6}{71}</code>		<code>\Pisymbol{knot6}{87}</code>
	<code>\Pisymbol{knot6}{52}</code>		<code>\Pisymbol{knot6}{72}</code>		<code>\Pisymbol{knot6}{88}</code>
	<code>\Pisymbol{knot6}{53}</code>		<code>\Pisymbol{knot6}{73}</code>		<code>\Pisymbol{knot6}{96}</code>
	<code>\Pisymbol{knot6}{58}</code>		<code>\Pisymbol{knot6}{74}</code>		<code>\Pisymbol{knot6}{97}</code>
	<code>\Pisymbol{knot6}{59}</code>		<code>\Pisymbol{knot6}{75}</code>		<code>\Pisymbol{knot6}{98}</code>
	<code>\Pisymbol{knot6}{60}</code>		<code>\Pisymbol{knot6}{76}</code>		<code>\Pisymbol{knot6}{99}</code>
	<code>\Pisymbol{knot6}{61}</code>		<code>\Pisymbol{knot6}{77}</code>		<code>\Pisymbol{knot6}{100}</code>
	<code>\Pisymbol{knot6}{62}</code>		<code>\Pisymbol{knot6}{78}</code>		<code>\Pisymbol{knot6}{101}</code>
	<code>\Pisymbol{knot6}{63}</code>		<code>\Pisymbol{knot6}{79}</code>		<code>\Pisymbol{knot6}{102}</code>
	<code>\Pisymbol{knot6}{64}</code>		<code>\Pisymbol{knot6}{80}</code>		<code>\Pisymbol{knot6}{103}</code>
	<code>\Pisymbol{knot6}{65}</code>		<code>\Pisymbol{knot6}{81}</code>		<code>\Pisymbol{knot6}{104}</code>
	<code>\Pisymbol{knot6}{66}</code>		<code>\Pisymbol{knot6}{82}</code>		<code>\Pisymbol{knot6}{105}</code>
	<code>\Pisymbol{knot6}{67}</code>		<code>\Pisymbol{knot6}{83}</code>		
	<code>\Pisymbol{knot7}{48}</code>		<code>\Pisymbol{knot7}{68}</code>		<code>\Pisymbol{knot7}{84}</code>
	<code>\Pisymbol{knot7}{49}</code>		<code>\Pisymbol{knot7}{69}</code>		<code>\Pisymbol{knot7}{85}</code>
	<code>\Pisymbol{knot7}{50}</code>		<code>\Pisymbol{knot7}{70}</code>		<code>\Pisymbol{knot7}{86}</code>
	<code>\Pisymbol{knot7}{51}</code>		<code>\Pisymbol{knot7}{71}</code>		<code>\Pisymbol{knot7}{87}</code>
	<code>\Pisymbol{knot7}{52}</code>		<code>\Pisymbol{knot7}{72}</code>		<code>\Pisymbol{knot7}{88}</code>
	<code>\Pisymbol{knot7}{53}</code>		<code>\Pisymbol{knot7}{73}</code>		<code>\Pisymbol{knot7}{96}</code>
	<code>\Pisymbol{knot7}{58}</code>		<code>\Pisymbol{knot7}{74}</code>		<code>\Pisymbol{knot7}{97}</code>
	<code>\Pisymbol{knot7}{59}</code>		<code>\Pisymbol{knot7}{75}</code>		<code>\Pisymbol{knot7}{98}</code>
	<code>\Pisymbol{knot7}{60}</code>		<code>\Pisymbol{knot7}{76}</code>		<code>\Pisymbol{knot7}{99}</code>
	<code>\Pisymbol{knot7}{61}</code>		<code>\Pisymbol{knot7}{77}</code>		<code>\Pisymbol{knot7}{100}</code>
	<code>\Pisymbol{knot7}{62}</code>		<code>\Pisymbol{knot7}{78}</code>		<code>\Pisymbol{knot7}{101}</code>
	<code>\Pisymbol{knot7}{63}</code>		<code>\Pisymbol{knot7}{79}</code>		<code>\Pisymbol{knot7}{102}</code>
	<code>\Pisymbol{knot7}{64}</code>		<code>\Pisymbol{knot7}{80}</code>		<code>\Pisymbol{knot7}{103}</code>
	<code>\Pisymbol{knot7}{65}</code>		<code>\Pisymbol{knot7}{81}</code>		<code>\Pisymbol{knot7}{104}</code>
	<code>\Pisymbol{knot7}{66}</code>		<code>\Pisymbol{knot7}{82}</code>		<code>\Pisymbol{knot7}{105}</code>

(continued on next page)

(continued from previous page)

 `\Pisymbol{knot7}{67}`  `\Pisymbol{knot7}{83}`

The following is an example of a basic knot, using `\usefont{U}{knot(number)}{m}{n}` to change fonts for multiple characters instead of `\Pisymbol` to typeset one character at a time. Note that all of the characters in the knot fonts lie conveniently within the range of printable ASCII characters.

Input	knot1	knot2	knot3	knot4	knot5	knot6	knot7
CDB							
FHG							
@EA							

























The niceframe package can be used to typeset decorative frames using fonts such as knot, especially using characters 48–63 of each font variant.

TABLE 516: dancers Dancing Men

 <code>\Pisymbol{dancers}{0}</code>	 <code>\Pisymbol{dancers}{86}</code>	 <code>\Pisymbol{dancers}{172}</code>
 <code>\Pisymbol{dancers}{1}</code>	 <code>\Pisymbol{dancers}{87}</code>	 <code>\Pisymbol{dancers}{173}</code>
 <code>\Pisymbol{dancers}{2}</code>	 <code>\Pisymbol{dancers}{88}</code>	 <code>\Pisymbol{dancers}{174}</code>
 <code>\Pisymbol{dancers}{3}</code>	 <code>\Pisymbol{dancers}{89}</code>	 <code>\Pisymbol{dancers}{175}</code>
 <code>\Pisymbol{dancers}{4}</code>	 <code>\Pisymbol{dancers}{90}</code>	 <code>\Pisymbol{dancers}{176}</code>
 <code>\Pisymbol{dancers}{5}</code>	 <code>\Pisymbol{dancers}{91}</code>	 <code>\Pisymbol{dancers}{177}</code>
 <code>\Pisymbol{dancers}{6}</code>	 <code>\Pisymbol{dancers}{92}</code>	 <code>\Pisymbol{dancers}{178}</code>
 <code>\Pisymbol{dancers}{7}</code>	 <code>\Pisymbol{dancers}{93}</code>	 <code>\Pisymbol{dancers}{179}</code>
 <code>\Pisymbol{dancers}{8}</code>	 <code>\Pisymbol{dancers}{94}</code>	 <code>\Pisymbol{dancers}{180}</code>
 <code>\Pisymbol{dancers}{9}</code>	 <code>\Pisymbol{dancers}{95}</code>	 <code>\Pisymbol{dancers}{181}</code>
 <code>\Pisymbol{dancers}{10}</code>	 <code>\Pisymbol{dancers}{96}</code>	 <code>\Pisymbol{dancers}{182}</code>
 <code>\Pisymbol{dancers}{11}</code>	 <code>\Pisymbol{dancers}{97}</code>	 <code>\Pisymbol{dancers}{183}</code>
 <code>\Pisymbol{dancers}{12}</code>	 <code>\Pisymbol{dancers}{98}</code>	 <code>\Pisymbol{dancers}{184}</code>
 <code>\Pisymbol{dancers}{13}</code>	 <code>\Pisymbol{dancers}{99}</code>	 <code>\Pisymbol{dancers}{185}</code>
 <code>\Pisymbol{dancers}{14}</code>	 <code>\Pisymbol{dancers}{100}</code>	 <code>\Pisymbol{dancers}{186}</code>
 <code>\Pisymbol{dancers}{15}</code>	 <code>\Pisymbol{dancers}{101}</code>	 <code>\Pisymbol{dancers}{187}</code>
 <code>\Pisymbol{dancers}{16}</code>	 <code>\Pisymbol{dancers}{102}</code>	 <code>\Pisymbol{dancers}{188}</code>



(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{17}	 \Pisymbol{dancers}{103}	 \Pisymbol{dancers}{189}
 \Pisymbol{dancers}{18}	 \Pisymbol{dancers}{104}	 \Pisymbol{dancers}{190}
 \Pisymbol{dancers}{19}	 \Pisymbol{dancers}{105}	 \Pisymbol{dancers}{191}
 \Pisymbol{dancers}{20}	 \Pisymbol{dancers}{106}	 \Pisymbol{dancers}{192}
 \Pisymbol{dancers}{21}	 \Pisymbol{dancers}{107}	 \Pisymbol{dancers}{193}
 \Pisymbol{dancers}{22}	 \Pisymbol{dancers}{108}	 \Pisymbol{dancers}{194}
 \Pisymbol{dancers}{23}	 \Pisymbol{dancers}{109}	 \Pisymbol{dancers}{195}
 \Pisymbol{dancers}{24}	 \Pisymbol{dancers}{110}	 \Pisymbol{dancers}{196}
 \Pisymbol{dancers}{25}	 \Pisymbol{dancers}{111}	 \Pisymbol{dancers}{197}
 \Pisymbol{dancers}{26}	 \Pisymbol{dancers}{112}	 \Pisymbol{dancers}{198}
 \Pisymbol{dancers}{27}	 \Pisymbol{dancers}{113}	 \Pisymbol{dancers}{199}
 \Pisymbol{dancers}{28}	 \Pisymbol{dancers}{114}	 \Pisymbol{dancers}{200}
 \Pisymbol{dancers}{29}	 \Pisymbol{dancers}{115}	 \Pisymbol{dancers}{201}
 \Pisymbol{dancers}{30}	 \Pisymbol{dancers}{116}	 \Pisymbol{dancers}{202}
 \Pisymbol{dancers}{31}	 \Pisymbol{dancers}{117}	 \Pisymbol{dancers}{203}
 \Pisymbol{dancers}{32}	 \Pisymbol{dancers}{118}	 \Pisymbol{dancers}{204}
 \Pisymbol{dancers}{33}	 \Pisymbol{dancers}{119}	 \Pisymbol{dancers}{205}
 \Pisymbol{dancers}{34}	 \Pisymbol{dancers}{120}	 \Pisymbol{dancers}{206}
 \Pisymbol{dancers}{35}	 \Pisymbol{dancers}{121}	 \Pisymbol{dancers}{207}
 \Pisymbol{dancers}{36}	 \Pisymbol{dancers}{122}	 \Pisymbol{dancers}{208}
 \Pisymbol{dancers}{37}	 \Pisymbol{dancers}{123}	 \Pisymbol{dancers}{209}
 \Pisymbol{dancers}{38}	 \Pisymbol{dancers}{124}	 \Pisymbol{dancers}{210}
 \Pisymbol{dancers}{39}	 \Pisymbol{dancers}{125}	 \Pisymbol{dancers}{211}
 \Pisymbol{dancers}{40}	 \Pisymbol{dancers}{126}	 \Pisymbol{dancers}{212}
 \Pisymbol{dancers}{41}	 \Pisymbol{dancers}{127}	 \Pisymbol{dancers}{213}
 \Pisymbol{dancers}{42}	 \Pisymbol{dancers}{128}	 \Pisymbol{dancers}{214}
 \Pisymbol{dancers}{43}	 \Pisymbol{dancers}{129}	 \Pisymbol{dancers}{215}
 \Pisymbol{dancers}{44}	 \Pisymbol{dancers}{130}	 \Pisymbol{dancers}{216}
 \Pisymbol{dancers}{45}	 \Pisymbol{dancers}{131}	 \Pisymbol{dancers}{217}
 \Pisymbol{dancers}{46}	 \Pisymbol{dancers}{132}	 \Pisymbol{dancers}{218}
 \Pisymbol{dancers}{47}	 \Pisymbol{dancers}{133}	 \Pisymbol{dancers}{219}
 \Pisymbol{dancers}{48}	 \Pisymbol{dancers}{134}	 \Pisymbol{dancers}{220}














(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{49}	 \Pisymbol{dancers}{135}	 \Pisymbol{dancers}{221}
 \Pisymbol{dancers}{50}	 \Pisymbol{dancers}{136}	 \Pisymbol{dancers}{222}
 \Pisymbol{dancers}{51}	 \Pisymbol{dancers}{137}	 \Pisymbol{dancers}{223}
 \Pisymbol{dancers}{52}	 \Pisymbol{dancers}{138}	 \Pisymbol{dancers}{224}
 \Pisymbol{dancers}{53}	 \Pisymbol{dancers}{139}	 \Pisymbol{dancers}{225}
 \Pisymbol{dancers}{54}	 \Pisymbol{dancers}{140}	 \Pisymbol{dancers}{226}
 \Pisymbol{dancers}{55}	 \Pisymbol{dancers}{141}	 \Pisymbol{dancers}{227}
 \Pisymbol{dancers}{56}	 \Pisymbol{dancers}{142}	 \Pisymbol{dancers}{228}
 \Pisymbol{dancers}{57}	 \Pisymbol{dancers}{143}	 \Pisymbol{dancers}{229}
 \Pisymbol{dancers}{58}	 \Pisymbol{dancers}{144}	 \Pisymbol{dancers}{230}
 \Pisymbol{dancers}{59}	 \Pisymbol{dancers}{145}	 \Pisymbol{dancers}{231}
 \Pisymbol{dancers}{60}	 \Pisymbol{dancers}{146}	 \Pisymbol{dancers}{232}
 \Pisymbol{dancers}{61}	 \Pisymbol{dancers}{147}	 \Pisymbol{dancers}{233}
 \Pisymbol{dancers}{62}	 \Pisymbol{dancers}{148}	 \Pisymbol{dancers}{234}
 \Pisymbol{dancers}{63}	 \Pisymbol{dancers}{149}	 \Pisymbol{dancers}{235}
 \Pisymbol{dancers}{64}	 \Pisymbol{dancers}{150}	 \Pisymbol{dancers}{236}
 \Pisymbol{dancers}{65}	 \Pisymbol{dancers}{151}	 \Pisymbol{dancers}{237}
 \Pisymbol{dancers}{66}	 \Pisymbol{dancers}{152}	 \Pisymbol{dancers}{238}
 \Pisymbol{dancers}{67}	 \Pisymbol{dancers}{153}	 \Pisymbol{dancers}{239}
 \Pisymbol{dancers}{68}	 \Pisymbol{dancers}{154}	 \Pisymbol{dancers}{240}
 \Pisymbol{dancers}{69}	 \Pisymbol{dancers}{155}	 \Pisymbol{dancers}{241}
 \Pisymbol{dancers}{70}	 \Pisymbol{dancers}{156}	 \Pisymbol{dancers}{242}
 \Pisymbol{dancers}{71}	 \Pisymbol{dancers}{157}	 \Pisymbol{dancers}{243}
 \Pisymbol{dancers}{72}	 \Pisymbol{dancers}{158}	 \Pisymbol{dancers}{244}
 \Pisymbol{dancers}{73}	 \Pisymbol{dancers}{159}	 \Pisymbol{dancers}{245}
 \Pisymbol{dancers}{74}	 \Pisymbol{dancers}{160}	 \Pisymbol{dancers}{246}
 \Pisymbol{dancers}{75}	 \Pisymbol{dancers}{161}	 \Pisymbol{dancers}{247}
 \Pisymbol{dancers}{76}	 \Pisymbol{dancers}{162}	 \Pisymbol{dancers}{248}
 \Pisymbol{dancers}{77}	 \Pisymbol{dancers}{163}	 \Pisymbol{dancers}{249}
 \Pisymbol{dancers}{78}	 \Pisymbol{dancers}{164}	 \Pisymbol{dancers}{250}
 \Pisymbol{dancers}{79}	 \Pisymbol{dancers}{165}	 \Pisymbol{dancers}{251}
 \Pisymbol{dancers}{80}	 \Pisymbol{dancers}{166}	 \Pisymbol{dancers}{252}















































































(continued on next page)

(continued from previous page)

	<code>\Pisymbol{dancers}{81}</code>		<code>\Pisymbol{dancers}{167}</code>		<code>\Pisymbol{dancers}{253}</code>
	<code>\Pisymbol{dancers}{82}</code>		<code>\Pisymbol{dancers}{168}</code>		<code>\Pisymbol{dancers}{254}</code>
	<code>\Pisymbol{dancers}{83}</code>		<code>\Pisymbol{dancers}{169}</code>		<code>\Pisymbol{dancers}{255}</code>
	<code>\Pisymbol{dancers}{84}</code>		<code>\Pisymbol{dancers}{170}</code>		
	<code>\Pisymbol{dancers}{85}</code>		<code>\Pisymbol{dancers}{171}</code>		

Fans of Sherlock Holmes mysteries will recognize these glyphs as forming the substitution cipher featured in Sir Arthur Conan Doyle's *The Adventure of the Dancing Men* (1903).

TABLE 517: semaphor Semaphore Alphabet

	<code>\Pisymbol{smfpr10}{34}</code>		<code>\Pisymbol{smfpr10}{116}</code>		<code>\Pisymbol{smfpr10}{184}</code>
	<code>\Pisymbol{smfpr10}{35}</code>		<code>\Pisymbol{smfpr10}{117}</code>		<code>\Pisymbol{smfpr10}{185}</code>
	<code>\Pisymbol{smfpr10}{36}</code>		<code>\Pisymbol{smfpr10}{118}</code>		<code>\Pisymbol{smfpr10}{186}</code>
	<code>\Pisymbol{smfpr10}{42}</code>		<code>\Pisymbol{smfpr10}{119}</code>		<code>\Pisymbol{smfpr10}{187}</code>
	<code>\Pisymbol{smfpr10}{46}</code>		<code>\Pisymbol{smfpr10}{120}</code>		<code>\Pisymbol{smfpr10}{192}</code>
	<code>\Pisymbol{smfpr10}{48}</code>		<code>\Pisymbol{smfpr10}{121}</code>		<code>\Pisymbol{smfpr10}{193}</code>
	<code>\Pisymbol{smfpr10}{49}</code>		<code>\Pisymbol{smfpr10}{122}</code>		<code>\Pisymbol{smfpr10}{194}</code>
	<code>\Pisymbol{smfpr10}{50}</code>		<code>\Pisymbol{smfpr10}{126}</code>		<code>\Pisymbol{smfpr10}{195}</code>
	<code>\Pisymbol{smfpr10}{51}</code>		<code>\Pisymbol{smfpr10}{128}</code>		<code>\Pisymbol{smfpr10}{196}</code>
	<code>\Pisymbol{smfpr10}{52}</code>		<code>\Pisymbol{smfpr10}{129}</code>		<code>\Pisymbol{smfpr10}{197}</code>
	<code>\Pisymbol{smfpr10}{53}</code>		<code>\Pisymbol{smfpr10}{130}</code>		<code>\Pisymbol{smfpr10}{199}</code>
	<code>\Pisymbol{smfpr10}{54}</code>		<code>\Pisymbol{smfpr10}{131}</code>		<code>\Pisymbol{smfpr10}{200}</code>
	<code>\Pisymbol{smfpr10}{55}</code>		<code>\Pisymbol{smfpr10}{132}</code>		<code>\Pisymbol{smfpr10}{201}</code>
	<code>\Pisymbol{smfpr10}{56}</code>		<code>\Pisymbol{smfpr10}{133}</code>		<code>\Pisymbol{smfpr10}{202}</code>
	<code>\Pisymbol{smfpr10}{57}</code>		<code>\Pisymbol{smfpr10}{134}</code>		<code>\Pisymbol{smfpr10}{203}</code>
	<code>\Pisymbol{smfpr10}{65}</code>		<code>\Pisymbol{smfpr10}{135}</code>		<code>\Pisymbol{smfpr10}{204}</code>
	<code>\Pisymbol{smfpr10}{66}</code>		<code>\Pisymbol{smfpr10}{136}</code>		<code>\Pisymbol{smfpr10}{205}</code>
	<code>\Pisymbol{smfpr10}{67}</code>		<code>\Pisymbol{smfpr10}{137}</code>		<code>\Pisymbol{smfpr10}{206}</code>
	<code>\Pisymbol{smfpr10}{68}</code>		<code>\Pisymbol{smfpr10}{138}</code>		<code>\Pisymbol{smfpr10}{207}</code>
	<code>\Pisymbol{smfpr10}{69}</code>		<code>\Pisymbol{smfpr10}{139}</code>		<code>\Pisymbol{smfpr10}{209}</code>
	<code>\Pisymbol{smfpr10}{70}</code>		<code>\Pisymbol{smfpr10}{140}</code>		<code>\Pisymbol{smfpr10}{210}</code>
	<code>\Pisymbol{smfpr10}{71}</code>		<code>\Pisymbol{smfpr10}{142}</code>		<code>\Pisymbol{smfpr10}{211}</code>
	<code>\Pisymbol{smfpr10}{72}</code>		<code>\Pisymbol{smfpr10}{143}</code>		<code>\Pisymbol{smfpr10}{212}</code>
	<code>\Pisymbol{smfpr10}{73}</code>		<code>\Pisymbol{smfpr10}{144}</code>		<code>\Pisymbol{smfpr10}{213}</code>
	<code>\Pisymbol{smfpr10}{74}</code>		<code>\Pisymbol{smfpr10}{145}</code>		<code>\Pisymbol{smfpr10}{214}</code>
	<code>\Pisymbol{smfpr10}{75}</code>		<code>\Pisymbol{smfpr10}{146}</code>		<code>\Pisymbol{smfpr10}{216}</code>
	<code>\Pisymbol{smfpr10}{76}</code>		<code>\Pisymbol{smfpr10}{147}</code>		<code>\Pisymbol{smfpr10}{217}</code>
	<code>\Pisymbol{smfpr10}{77}</code>		<code>\Pisymbol{smfpr10}{148}</code>		<code>\Pisymbol{smfpr10}{218}</code>

(continued on next page)

(continued from previous page)

♣	\Pisymbol{smfpr10}{78}	♣	\Pisymbol{smfpr10}{149}	♣	\Pisymbol{smfpr10}{219}
♣	\Pisymbol{smfpr10}{79}	♣	\Pisymbol{smfpr10}{150}	♣	\Pisymbol{smfpr10}{220}
♣	\Pisymbol{smfpr10}{80}	♣	\Pisymbol{smfpr10}{151}	♣	\Pisymbol{smfpr10}{221}
♣	\Pisymbol{smfpr10}{81}	♣	\Pisymbol{smfpr10}{152}	♣	\Pisymbol{smfpr10}{224}
♣	\Pisymbol{smfpr10}{82}	♣	\Pisymbol{smfpr10}{153}	♣	\Pisymbol{smfpr10}{225}
♣	\Pisymbol{smfpr10}{83}	♣	\Pisymbol{smfpr10}{154}	♣	\Pisymbol{smfpr10}{226}
♣	\Pisymbol{smfpr10}{84}	♣	\Pisymbol{smfpr10}{155}	♣	\Pisymbol{smfpr10}{227}
♣	\Pisymbol{smfpr10}{85}	♣	\Pisymbol{smfpr10}{157}	♣	\Pisymbol{smfpr10}{228}
♣	\Pisymbol{smfpr10}{86}	♣	\Pisymbol{smfpr10}{158}	♣	\Pisymbol{smfpr10}{229}
♣	\Pisymbol{smfpr10}{87}	♣	\Pisymbol{smfpr10}{160}	♣	\Pisymbol{smfpr10}{231}
♣	\Pisymbol{smfpr10}{88}	♣	\Pisymbol{smfpr10}{161}	♣	\Pisymbol{smfpr10}{232}
♣	\Pisymbol{smfpr10}{89}	♣	\Pisymbol{smfpr10}{162}	♣	\Pisymbol{smfpr10}{233}
♣	\Pisymbol{smfpr10}{90}	♣	\Pisymbol{smfpr10}{163}	♣	\Pisymbol{smfpr10}{234}
♣	\Pisymbol{smfpr10}{97}	♣	\Pisymbol{smfpr10}{164}	♣	\Pisymbol{smfpr10}{235}
♣	\Pisymbol{smfpr10}{98}	♣	\Pisymbol{smfpr10}{165}	♣	\Pisymbol{smfpr10}{236}
♣	\Pisymbol{smfpr10}{99}	♣	\Pisymbol{smfpr10}{166}	♣	\Pisymbol{smfpr10}{237}
♣	\Pisymbol{smfpr10}{100}	♣	\Pisymbol{smfpr10}{167}	♣	\Pisymbol{smfpr10}{238}
♣	\Pisymbol{smfpr10}{101}	♣	\Pisymbol{smfpr10}{168}	♣	\Pisymbol{smfpr10}{239}
♣	\Pisymbol{smfpr10}{102}	♣	\Pisymbol{smfpr10}{169}	♣	\Pisymbol{smfpr10}{241}
♣	\Pisymbol{smfpr10}{103}	♣	\Pisymbol{smfpr10}{170}	♣	\Pisymbol{smfpr10}{242}
♣	\Pisymbol{smfpr10}{104}	♣	\Pisymbol{smfpr10}{171}	♣	\Pisymbol{smfpr10}{243}
♣	\Pisymbol{smfpr10}{105}	♣	\Pisymbol{smfpr10}{172}	♣	\Pisymbol{smfpr10}{244}
♣	\Pisymbol{smfpr10}{106}	♣	\Pisymbol{smfpr10}{174}	♣	\Pisymbol{smfpr10}{245}
♣	\Pisymbol{smfpr10}{107}	♣	\Pisymbol{smfpr10}{175}	♣	\Pisymbol{smfpr10}{246}
♣	\Pisymbol{smfpr10}{108}	♣	\Pisymbol{smfpr10}{176}	♣	\Pisymbol{smfpr10}{248}
♣	\Pisymbol{smfpr10}{109}	♣	\Pisymbol{smfpr10}{177}	♣	\Pisymbol{smfpr10}{249}
♣	\Pisymbol{smfpr10}{110}	♣	\Pisymbol{smfpr10}{178}	♣	\Pisymbol{smfpr10}{250}
♣	\Pisymbol{smfpr10}{111}	♣	\Pisymbol{smfpr10}{179}	♣	\Pisymbol{smfpr10}{251}
♣	\Pisymbol{smfpr10}{112}	♣	\Pisymbol{smfpr10}{180}	♣	\Pisymbol{smfpr10}{252}
♣	\Pisymbol{smfpr10}{113}	♣	\Pisymbol{smfpr10}{181}	♣	\Pisymbol{smfpr10}{253}
♣	\Pisymbol{smfpr10}{114}	♣	\Pisymbol{smfpr10}{182}		
♣	\Pisymbol{smfpr10}{115}	♣	\Pisymbol{smfpr10}{183}		

semaphor provides a `semaf.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `semaphor` fonts directly, although this does require putting `\input{semaf.fd}` in the document’s preamble. For example, `{\usefont{OT1}{smfp}{m}{n}Hello}` will typeset “♣♣♣♣♣”. This can be useful for typesetting complete messages. Roman, bold, monospace, slanted, and bold+slanted styles are all supported.































In addition, `semaphor` provides three variations of each font: a “person” version (`smfpr10`), which is what is illustrated in the preceding table, a “pillar” version (`smfr10`), which shows the flags on a pillar rather than being held by a person, and an “empty” version (`smfer10`), which shows only the flags and no pillar or person. Contrast these variations of the letter “H”:



TABLE 518: cryst Crystallography Symbols

◦	\Pisymbol{cryst}{0}	⬤	\Pisymbol{cryst}{63}	↘	\Pisymbol{cryst}{138}
◐	\Pisymbol{cryst}{2}	◀	\Pisymbol{cryst}{64}	↙	\Pisymbol{cryst}{139}
▲	\Pisymbol{cryst}{3}	↗	\Pisymbol{cryst}{65}	◼	\Pisymbol{cryst}{140}
◆	\Pisymbol{cryst}{4}	◉	\Pisymbol{cryst}{66}	⬆	\Pisymbol{cryst}{141}
⊖	\Pisymbol{cryst}{5}	↖	\Pisymbol{cryst}{75}	↗	\Pisymbol{cryst}{142}
●	\Pisymbol{cryst}{6}	↘	\Pisymbol{cryst}{77}	⬇	\Pisymbol{cryst}{143}
→	\Pisymbol{cryst}{7}	↖	\Pisymbol{cryst}{78}	↙	\Pisymbol{cryst}{145}
→	\Pisymbol{cryst}{8}	↗	\Pisymbol{cryst}{79}	↘	\Pisymbol{cryst}{147}
→	\Pisymbol{cryst}{9}	◼	\Pisymbol{cryst}{80}	↘	\Pisymbol{cryst}{148}
◦	\Pisymbol{cryst}{10}	◼	\Pisymbol{cryst}{81}	↙	\Pisymbol{cryst}{149}
∅	\Pisymbol{cryst}{12}	◼	\Pisymbol{cryst}{82}	↓	\Pisymbol{cryst}{155}
●	\Pisymbol{cryst}{15}	◼	\Pisymbol{cryst}{83}	↓	\Pisymbol{cryst}{157}
◐	\Pisymbol{cryst}{20}	◼	\Pisymbol{cryst}{84}	↓	\Pisymbol{cryst}{158}
◑	\Pisymbol{cryst}{21}	↖	\Pisymbol{cryst}{85}	↓	\Pisymbol{cryst}{159}
◒	\Pisymbol{cryst}{22}	↘	\Pisymbol{cryst}{87}	↖	\Pisymbol{cryst}{175}
◓	\Pisymbol{cryst}{24}	↖	\Pisymbol{cryst}{88}	↘	\Pisymbol{cryst}{177}
↗	\Pisymbol{cryst}{25}	↗	\Pisymbol{cryst}{89}	↖	\Pisymbol{cryst}{178}
↘	\Pisymbol{cryst}{27}	↖	\Pisymbol{cryst}{95}	↘	\Pisymbol{cryst}{179}
↙	\Pisymbol{cryst}{28}	↘	\Pisymbol{cryst}{97}	↖	\Pisymbol{cryst}{185}
↗	\Pisymbol{cryst}{29}	↖	\Pisymbol{cryst}{98}	↘	\Pisymbol{cryst}{187}
▲	\Pisymbol{cryst}{30}	↖	\Pisymbol{cryst}{99}	↖	\Pisymbol{cryst}{188}
▲	\Pisymbol{cryst}{31}	⬆	\Pisymbol{cryst}{102}	↘	\Pisymbol{cryst}{189}
▲	\Pisymbol{cryst}{32}	◉	\Pisymbol{cryst}{103}	↖	\Pisymbol{cryst}{195}
↗	\Pisymbol{cryst}{35}	⬆	\Pisymbol{cryst}{104}	↖	\Pisymbol{cryst}{197}
◉	\Pisymbol{cryst}{36}	←	\Pisymbol{cryst}{105}	↖	\Pisymbol{cryst}{198}
↗	\Pisymbol{cryst}{37}	←	\Pisymbol{cryst}{107}	↘	\Pisymbol{cryst}{199}
↗	\Pisymbol{cryst}{38}	←	\Pisymbol{cryst}{108}	⬆	\Pisymbol{cryst}{202}
↗	\Pisymbol{cryst}{39}	←	\Pisymbol{cryst}{109}	◉	\Pisymbol{cryst}{203}
◊	\Pisymbol{cryst}{40}	⬆	\Pisymbol{cryst}{112}	↗	\Pisymbol{cryst}{204}
◊	\Pisymbol{cryst}{41}	⬆	\Pisymbol{cryst}{113}	◉	\Pisymbol{cryst}{210}
◊	\Pisymbol{cryst}{42}	⬆	\Pisymbol{cryst}{120}	⬆	\Pisymbol{cryst}{212}
◊	\Pisymbol{cryst}{43}	⬆	\Pisymbol{cryst}{121}	◉	\Pisymbol{cryst}{213}
■	\Pisymbol{cryst}{44}	⬆	\Pisymbol{cryst}{123}	⬆	\Pisymbol{cryst}{220}
↗	\Pisymbol{cryst}{45}	⬆	\Pisymbol{cryst}{124}	⬆	\Pisymbol{cryst}{221}
↗	\Pisymbol{cryst}{47}	↘	\Pisymbol{cryst}{125}	◉	\Pisymbol{cryst}{223}
↗	\Pisymbol{cryst}{48}	↘	\Pisymbol{cryst}{127}	◉	\Pisymbol{cryst}{224}
↗	\Pisymbol{cryst}{49}	↘	\Pisymbol{cryst}{128}	◉	\Pisymbol{cryst}{230}
◉	\Pisymbol{cryst}{50}	↘	\Pisymbol{cryst}{129}	◉	\Pisymbol{cryst}{231}
↑	\Pisymbol{cryst}{55}	◉	\Pisymbol{cryst}{130}	◉	\Pisymbol{cryst}{232}
↑	\Pisymbol{cryst}{57}	◉	\Pisymbol{cryst}{131}	◉	\Pisymbol{cryst}{233}
↑	\Pisymbol{cryst}{58}	◉	\Pisymbol{cryst}{132}	◉	\Pisymbol{cryst}{236}
↑	\Pisymbol{cryst}{59}	◉	\Pisymbol{cryst}{133}	◊	\Pisymbol{cryst}{240}
◉	\Pisymbol{cryst}{60}	↘	\Pisymbol{cryst}{135}	↗	\Pisymbol{cryst}{241}
◉	\Pisymbol{cryst}{61}	↘	\Pisymbol{cryst}{136}	⬆	\Pisymbol{cryst}{242}
◉	\Pisymbol{cryst}{62}	↘	\Pisymbol{cryst}{137}	↗	\Pisymbol{cryst}{243}

TABLE 519: dice Dice

	<code>\Pisymbol{dice3d}{49}</code>		<code>\Pisymbol{dice3d}{101}</code>		<code>\Pisymbol{dice3d}{111}</code>
	<code>\Pisymbol{dice3d}{50}</code>		<code>\Pisymbol{dice3d}{102}</code>		<code>\Pisymbol{dice3d}{112}</code>
	<code>\Pisymbol{dice3d}{51}</code>		<code>\Pisymbol{dice3d}{103}</code>		<code>\Pisymbol{dice3d}{113}</code>
	<code>\Pisymbol{dice3d}{52}</code>		<code>\Pisymbol{dice3d}{104}</code>		<code>\Pisymbol{dice3d}{114}</code>
	<code>\Pisymbol{dice3d}{53}</code>		<code>\Pisymbol{dice3d}{105}</code>		<code>\Pisymbol{dice3d}{115}</code>
	<code>\Pisymbol{dice3d}{54}</code>		<code>\Pisymbol{dice3d}{106}</code>		<code>\Pisymbol{dice3d}{116}</code>
	<code>\Pisymbol{dice3d}{97}</code>		<code>\Pisymbol{dice3d}{107}</code>		<code>\Pisymbol{dice3d}{117}</code>
	<code>\Pisymbol{dice3d}{98}</code>		<code>\Pisymbol{dice3d}{108}</code>		<code>\Pisymbol{dice3d}{118}</code>
	<code>\Pisymbol{dice3d}{99}</code>		<code>\Pisymbol{dice3d}{109}</code>		<code>\Pisymbol{dice3d}{119}</code>
	<code>\Pisymbol{dice3d}{100}</code>		<code>\Pisymbol{dice3d}{110}</code>		<code>\Pisymbol{dice3d}{120}</code>

dice defines its symbols at a very small design size. The glyphs shown above were scaled up by a factor of four using `\DeclareFontShape{U}{dice3d}{m}{n}{<-> s*[4] dice3d}{}`.



An alternative to using `\Pisymbol` to select a die rotation is to rely on some cleverness in the kerning tables provided by the dice font. The individual digits “1” through “6” each produce the corresponding (2D) die face: `{\usefont{U}{dice3d}{m}{n}2 2 1}` produces “”, for example. When followed by a letter “a” through “d”, those pairs are kerned to produce a 3D die rotation with the digit specifying by the top face and the letter specifying one of the four possible front faces, sorted by increasing value. For example, `{\usefont{U}{dice3d}{m}{n}2a 2b 1d}` produces “”.

TABLE 520: magic Trading Card Symbols

①	<code>\Pisymbol{magic}{48}</code>	⑥	<code>\Pisymbol{magic}{54}</code>	Ⓜ	<code>\Pisymbol{magic}{82}</code>
②	<code>\Pisymbol{magic}{49}</code>	⑦	<code>\Pisymbol{magic}{55}</code>	Ⓝ	<code>\Pisymbol{magic}{84}</code>
③	<code>\Pisymbol{magic}{50}</code>	⑧	<code>\Pisymbol{magic}{56}</code>	♣	<code>\Pisymbol{magic}{85}</code>
④	<code>\Pisymbol{magic}{51}</code>	⑨	<code>\Pisymbol{magic}{57}</code>	⊙	<code>\Pisymbol{magic}{87}</code>
⑤	<code>\Pisymbol{magic}{52}</code>	♠	<code>\Pisymbol{magic}{66}</code>	ⓧ	<code>\Pisymbol{magic}{88}</code>
	<code>\Pisymbol{magic}{53}</code>	♣	<code>\Pisymbol{magic}{71}</code>	⑩	<code>\Pisymbol{magic}{90}</code>

The preceding symbols resemble those from Wizards of the Coast’s *Magic: The Gathering* trading-card game. An alternative to entering symbols numerically using `\Pisymbol` is to switch to the magic font with `\usefont{U}{magic}{m}{n}` and employ the following mnemonic characters:


















































































































①–⑩	0–9	Circled numerals 0–9
♠	B	Black magic symbol
♣	G	Green magic symbol
Ⓜ	R	Red magic symbol
Ⓝ	T	Tap symbol (tilted “T” in a circle)
♣	U	Blue magic symbol
⊙	W	White magic symbol
ⓧ	X	Circled “X” (for mana cost, e.g., Fireball)
⑩	Z	Circled “10” (for mana cost, e.g., Aladdin’s Lamp)

TABLE 521: bartel-chess-fonts Chess Pieces and Chessboard Squares

	<code>\Pisymbol{fselch}{0}</code>		<code>\Pisymbol{fselch}{55}</code>		<code>\Pisymbol{fselch}{110}</code>
	<code>\Pisymbol{fselch}{1}</code>		<code>\Pisymbol{fselch}{56}</code>		<code>\Pisymbol{fselch}{111}</code>
	<code>\Pisymbol{fselch}{2}</code>		<code>\Pisymbol{fselch}{57}</code>		<code>\Pisymbol{fselch}{112}</code>
	<code>\Pisymbol{fselch}{3}</code>		<code>\Pisymbol{fselch}{58}</code>		<code>\Pisymbol{fselch}{113}</code>
	<code>\Pisymbol{fselch}{4}</code>		<code>\Pisymbol{fselch}{59}</code>		<code>\Pisymbol{fselch}{114}</code>
	<code>\Pisymbol{fselch}{5}</code>		<code>\Pisymbol{fselch}{60}</code>		<code>\Pisymbol{fselch}{115}</code>
	<code>\Pisymbol{fselch}{6}</code>		<code>\Pisymbol{fselch}{61}</code>		<code>\Pisymbol{fselch}{116}</code>
	<code>\Pisymbol{fselch}{7}</code>		<code>\Pisymbol{fselch}{62}</code>		<code>\Pisymbol{fselch}{117}</code>
	<code>\Pisymbol{fselch}{8}</code>		<code>\Pisymbol{fselch}{63}</code>		<code>\Pisymbol{fselch}{118}</code>
	<code>\Pisymbol{fselch}{9}</code>		<code>\Pisymbol{fselch}{64}</code>		<code>\Pisymbol{fselch}{119}</code>
	<code>\Pisymbol{fselch}{10}</code>		<code>\Pisymbol{fselch}{65}</code>		<code>\Pisymbol{fselch}{120}</code>
	<code>\Pisymbol{fselch}{11}</code>		<code>\Pisymbol{fselch}{66}</code>		<code>\Pisymbol{fselch}{121}</code>
	<code>\Pisymbol{fselch}{12}</code>		<code>\Pisymbol{fselch}{67}</code>		<code>\Pisymbol{fselch}{122}</code>
	<code>\Pisymbol{fselch}{13}</code>		<code>\Pisymbol{fselch}{68}</code>		<code>\Pisymbol{fselch}{123}</code>
	<code>\Pisymbol{fselch}{14}</code>		<code>\Pisymbol{fselch}{69}</code>		<code>\Pisymbol{fselch}{124}</code>
	<code>\Pisymbol{fselch}{15}</code>		<code>\Pisymbol{fselch}{70}</code>		<code>\Pisymbol{fselch}{125}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{fselch}{16}</code>		<code>\Pisymbol{fselch}{71}</code>		<code>\Pisymbol{fselch}{126}</code>
	<code>\Pisymbol{fselch}{17}</code>		<code>\Pisymbol{fselch}{72}</code>		<code>\Pisymbol{fselch}{127}</code>
	<code>\Pisymbol{fselch}{18}</code>		<code>\Pisymbol{fselch}{73}</code>		<code>\Pisymbol{fselch}{128}</code>
	<code>\Pisymbol{fselch}{19}</code>		<code>\Pisymbol{fselch}{74}</code>		<code>\Pisymbol{fselch}{129}</code>
	<code>\Pisymbol{fselch}{20}</code>		<code>\Pisymbol{fselch}{75}</code>		<code>\Pisymbol{fselch}{130}</code>
	<code>\Pisymbol{fselch}{21}</code>		<code>\Pisymbol{fselch}{76}</code>		<code>\Pisymbol{fselch}{131}</code>
	<code>\Pisymbol{fselch}{22}</code>		<code>\Pisymbol{fselch}{77}</code>		<code>\Pisymbol{fselch}{132}</code>
	<code>\Pisymbol{fselch}{23}</code>		<code>\Pisymbol{fselch}{78}</code>		<code>\Pisymbol{fselch}{133}</code>
	<code>\Pisymbol{fselch}{24}</code>		<code>\Pisymbol{fselch}{79}</code>		<code>\Pisymbol{fselch}{134}</code>
	<code>\Pisymbol{fselch}{25}</code>		<code>\Pisymbol{fselch}{80}</code>		<code>\Pisymbol{fselch}{135}</code>
	<code>\Pisymbol{fselch}{26}</code>		<code>\Pisymbol{fselch}{81}</code>		<code>\Pisymbol{fselch}{136}</code>
	<code>\Pisymbol{fselch}{27}</code>		<code>\Pisymbol{fselch}{82}</code>		<code>\Pisymbol{fselch}{137}</code>
	<code>\Pisymbol{fselch}{28}</code>		<code>\Pisymbol{fselch}{83}</code>		<code>\Pisymbol{fselch}{138}</code>
	<code>\Pisymbol{fselch}{29}</code>		<code>\Pisymbol{fselch}{84}</code>		<code>\Pisymbol{fselch}{139}</code>
	<code>\Pisymbol{fselch}{30}</code>		<code>\Pisymbol{fselch}{85}</code>		<code>\Pisymbol{fselch}{140}</code>
	<code>\Pisymbol{fselch}{31}</code>		<code>\Pisymbol{fselch}{86}</code>		<code>\Pisymbol{fselch}{141}</code>
	<code>\Pisymbol{fselch}{32}</code>		<code>\Pisymbol{fselch}{87}</code>		<code>\Pisymbol{fselch}{142}</code>
	<code>\Pisymbol{fselch}{33}</code>		<code>\Pisymbol{fselch}{88}</code>		<code>\Pisymbol{fselch}{143}</code>
	<code>\Pisymbol{fselch}{34}</code>		<code>\Pisymbol{fselch}{89}</code>		<code>\Pisymbol{fselch}{144}</code>
	<code>\Pisymbol{fselch}{35}</code>		<code>\Pisymbol{fselch}{90}</code>		<code>\Pisymbol{fselch}{145}</code>
	<code>\Pisymbol{fselch}{36}</code>		<code>\Pisymbol{fselch}{91}</code>		<code>\Pisymbol{fselch}{151}</code>
	<code>\Pisymbol{fselch}{37}</code>		<code>\Pisymbol{fselch}{92}</code>		<code>\Pisymbol{fselch}{157}</code>
	<code>\Pisymbol{fselch}{38}</code>		<code>\Pisymbol{fselch}{93}</code>		<code>\Pisymbol{fselch}{163}</code>
	<code>\Pisymbol{fselch}{39}</code>		<code>\Pisymbol{fselch}{94}</code>		<code>\Pisymbol{fselch}{169}</code>
	<code>\Pisymbol{fselch}{40}</code>		<code>\Pisymbol{fselch}{95}</code>		<code>\Pisymbol{fselch}{175}</code>
	<code>\Pisymbol{fselch}{41}</code>		<code>\Pisymbol{fselch}{96}</code>		<code>\Pisymbol{fselch}{180}</code>
	<code>\Pisymbol{fselch}{42}</code>		<code>\Pisymbol{fselch}{97}</code>		<code>\Pisymbol{fselch}{186}</code>
	<code>\Pisymbol{fselch}{43}</code>		<code>\Pisymbol{fselch}{98}</code>		<code>\Pisymbol{fselch}{192}</code>
	<code>\Pisymbol{fselch}{44}</code>		<code>\Pisymbol{fselch}{99}</code>		<code>\Pisymbol{fselch}{198}</code>
	<code>\Pisymbol{fselch}{45}</code>		<code>\Pisymbol{fselch}{100}</code>		<code>\Pisymbol{fselch}{204}</code>
	<code>\Pisymbol{fselch}{46}</code>		<code>\Pisymbol{fselch}{101}</code>		<code>\Pisymbol{fselch}{210}</code>
	<code>\Pisymbol{fselch}{47}</code>		<code>\Pisymbol{fselch}{102}</code>		<code>\Pisymbol{fselch}{216}</code>
	<code>\Pisymbol{fselch}{48}</code>		<code>\Pisymbol{fselch}{103}</code>		<code>\Pisymbol{fselch}{222}</code>
	<code>\Pisymbol{fselch}{49}</code>		<code>\Pisymbol{fselch}{104}</code>		<code>\Pisymbol{fselch}{228}</code>
	<code>\Pisymbol{fselch}{50}</code>		<code>\Pisymbol{fselch}{105}</code>		<code>\Pisymbol{fselch}{234}</code>
	<code>\Pisymbol{fselch}{51}</code>		<code>\Pisymbol{fselch}{106}</code>		<code>\Pisymbol{fselch}{240}</code>
	<code>\Pisymbol{fselch}{52}</code>		<code>\Pisymbol{fselch}{107}</code>		<code>\Pisymbol{fselch}{246}</code>
	<code>\Pisymbol{fselch}{53}</code>		<code>\Pisymbol{fselch}{108}</code>		
	<code>\Pisymbol{fselch}{54}</code>		<code>\Pisymbol{fselch}{109}</code>		

In addition to the `fselch` font showcased above, `bartel-chess-fonts` also provides a `pkelch` font which includes the same symbol set (minus some of the higher-numbered characters) but drawn in a slightly different style.

`bartel-chess-fonts` provides the `fselch` and `pkelch` fonts in various sizes (optically scaled). See “`LATEX 2ε Font Selection`” [L^AT_EX00] for advice on how to expose these sorts of fonts to `LATEX` using `\DeclareFontFamily` and `\DeclareFontShape`.

10 Additional Information

Unlike the previous sections of this document, Section 10 does not contain new symbol tables. Rather, it provides additional help in using the Comprehensive L^AT_EX Symbol List. First, it draws attention to symbol names used by multiple packages. Next, it provides some guidelines for finding symbols and gives some examples regarding how to construct missing symbols out of existing ones. Then, it comments on the spacing surrounding symbols in math mode. After that, it presents an ASCII and Latin 1 quick-reference guide, showing how to enter all of the standard ASCII/Latin 1 symbols in L^AT_EX. And finally, it lists some statistics about this document itself.

10.1 Symbol Name Clashes

Unfortunately, a number of symbol names are not unique; they appear in more than one package. Depending on how the symbols are defined in each package, L^AT_EX will either output an error message or replace an earlier-defined symbol with a later-defined symbol. Table 522 on the following page presents a selection of name clashes that appear in this document.

Using multiple symbols with the same name in the same document—or even merely loading conflicting symbol packages—can be tricky but, as evidenced by the existence of Table 522, not impossible. The general procedure is to load the first package, rename the conflicting symbols, and then load the second package. Examine the L^AT_EX source for this document (`symbols.tex`) for examples of this and other techniques for handling symbol conflicts. Note that `symbols.tex`'s `\savesymbol` and `\restoresymbol` macros have been extracted into the `savesym` package, which can be downloaded from CTAN.

`txfonts` and `pxfonts` redefine a huge number of symbols—essentially, all of the symbols defined by `latexsym`, `textcomp`, the various \mathcal{AMS} symbol sets, and L^AT_EX 2_ε itself. Similarly, `mathabx` redefines a vast number of math symbols in an attempt to improve their look. The `txfonts`, `pxfonts`, and `mathabx` conflicts are not listed in Table 522 because they are designed to be compatible with the symbols they replace. Table 523 on page 228 illustrates what “compatible” means in this context.

To use the new `txfonts/pxfonts` symbols without altering the document's main font, merely reset the default font families back to their original values after loading one of those packages:

```
\renewcommand\rmdefault{cmr}
\renewcommand\sfdefault{cmss}
\renewcommand\ttdefault{cmtt}
```

10.2 Resizing symbols

Mathematical symbols listed in this document as “variable-sized” are designed to stretch vertically. Each variable-sized symbol comes in one or more basic sizes plus a variation comprising both stretchable and nonstretchable segments. Table 524 on page 228 presents the symbols `\}` and `\uparrow` in their default size, in their `\big`, `\Big`, `\bigg`, and `\Bigg` sizes, in an even larger size achieved using `\left/\right`, and—for contrast—in a large size achieved by changing the font size using L^AT_EX 2_ε's `\fontsize` command. Because the symbols shown belong to the Computer Modern family, the `typelcm` package needs to be loaded to support font sizes larger than 24.88 pt.

Note how `\fontsize` makes the symbol wider and thicker. (The `graphicx` package's `\scalebox` or `\resizebox` commands would produce a similar effect.) Also, the `\fontsize`-enlarged symbol is vertically centered relative to correspondingly large text, unlike the symbols enlarged using `\big` et al. or `\left/\right`, which all use the same math axis regardless of symbol size. However, `\fontsize` is not limited to mathematical delimiters. Also, `\scalebox` and `\resizebox` are more robust to poorly composed symbols (e.g., two symbols made to overlap by backspacing a fixed distance) but do not work with every T_EX backend and will produce jagged symbols when scaling a bitmapped font.

All variable-sized delimiters are defined (by the corresponding `.tfm` file) in terms of up to five segments, as illustrated by Figure 1 on page 228. The top, middle, and bottom segments are of a fixed size. The top-middle and middle-bottom segments (which are constrained to be the same character) are repeated as many times as necessary to achieve the desired height.

TABLE 522: Symbol Name Clashes

Symbol	L ^A T _E X 2 _ε	\mathcal{A}	\mathcal{M}	\mathcal{S}	stmaryrd	wasysym	mathabx	marvosym	bbding	ifsym	dingbat	wsuipa
<code>\bar{o}</code>					ϕ							θ
<code>\bigtriangledown</code>	∇				∇							
<code>\bigtriangleup</code>	\triangle				\triangle							
<code>\checkmark</code>		\checkmark									\checkmark	
<code>\Circle</code>					\circ					\circ		
<code>\Cross</code>								\dagger	\dagger	\times		
<code>\ggg</code>							\gg					
<code>\Letter</code>								\boxtimes		\boxtimes		
<code>\lightning</code>					\lightning							
<code>\Lightning</code>					\lightning			\lightning		\lightning		
<code>\lll</code>												
<code>\Square</code>						\square			\square	\square		
<code>\Sun</code>								\odot	\square	\odot		
<code>\TriangleDown</code>									\blacktriangledown	\triangle		
<code>\TriangleUp</code>									\blacktriangle	\triangle		

TABLE 523: Example of a Benign Name Clash

Symbol	Default (Computer Modern)	txfonts (Times Roman)
R	\mathbb{R}	R
<code>\textrecipe</code>	\mathbb{R}	R

TABLE 524: Sample resized delimiters

Symbol	Default size	<code>\big</code>	<code>\Big</code>	<code>\bigg</code>	<code>\Bigg</code>	<code>\left/\right</code>	<code>\fontsize</code>
<code>\}</code>	}	}	}	}	}	}	}
<code>\uparrow</code>	↑	↑	↑	↑	↑	↑	↑




Figure 1: Implementation of variable-sized delimiters

10.3 Where can I find the symbol for ... ?

If you can't find some symbol you're looking for in this document, there are a few possible explanations:

- The symbol isn't intuitively named. As a few examples, the `ifsym` command to draw dice is “`\Cube`”; a plus sign with a circle around it (“exclusive or” to computer engineers) is “`\oplus`”; and lightning bolts in fonts designed by German speakers may have “blitz” in their names as in the `ulsy` package. The moral of the story is to be creative with synonyms when searching the index.
- The symbol is defined by some package that I overlooked (or deemed unimportant). If there's some symbol package that you think should be included in the Comprehensive L^AT_EX Symbol List, please send me e-mail at the address listed on the title page.
- The symbol isn't defined in any package whatsoever.

Even in the last case, all is not lost. Sometimes, a symbol exists in a font, but there is no L^AT_EX binding for it. For example, the PostScript Symbol font contains a “`┘`” symbol, which may be useful for representing a carriage return, but there is no package (as far as I know) for accessing that symbol. To produce an unnamed symbol, you need to switch to the font explicitly with L^AT_EX 2_ε's low-level font commands [L^AT_EX 00] and use T_EX's primitive `\char` command [Knu86a] to request a specific character number in the font. For example, one can define a command to typeset a long s (“f”) using character 115 from the Latin Modern fonts in the TS1 font encoding:

```
\newcommand{\textlongs}{\%  
  \fontencoding{TS1}\fontfamily{lmr}\selectfont\char115%  
}
```

Then, “`\textlongs ucce\textlongs sful`” will produce “fuccesful”—in the current font style (roman, italic, bold, etc.)

In fact, `\char` is not strictly necessary in all cases; the character can often be entered symbolically. For example, the symbol for an impulse train or Tate-Shafarevich group (“III”) is actually an uppercase *sha* in the Cyrillic alphabet. (Cyrillic is supported by the OT2 font encoding, for instance). While a *sha* can be defined numerically as “`{\fontencoding{OT2}\selectfont\char88}`” it may be more intuitive to use the OT2 font encoding's “SH” ligature: “`{\fontencoding{OT2}\selectfont SH}`”. Another possibility is to use the T2A font encoding's `\CYRSH` command: “`{\fontencoding{T2A}\selectfont\CYRSH}`”.

For the specific case of the U font encoding, which is used for symbol or “pi” fonts, the `pifont` package defines a convenient `\Pisymbol` command. `\Pisymbol` typesets a specified character (by number) in a specified font family. For example, “`\Pisymbol{psy}{191}`” produces the aforementioned “`┘`” symbol by typesetting character number 191 in the `psy` (PostScript Symbol) font family.

Reflecting and rotating existing symbols

A common request on `comp.text.tex` is for a reversed or rotated version of an existing symbol. As a last resort, these effects can be achieved with the `graphicx` (or `graphics`) package's `\reflectbox` and `\rotatebox` macros. For example, `\textsuperscript{\reflectbox{?}}` produces an irony mark (“[?]”), and `\rotatebox[origin=c]{180}{\iota}` produces the definite-description operator (“[?]”). As noted by Marc Olschok in a July 2011 post on `comp.text.tex`, Project Gutenberg uses `\reflectbox` to typeset the part (“3”) and whole (“ε”) relations used in Dedekind's set notation:

```
\newcommand\partof{\mathrel{\raisebox{0.45ex}{\mathfrak{3}}}}  
\newcommand\wholeof{\mathrel{\reflectbox{\partof}}}
```

The disadvantage of the `graphicx/graphics` approach is that not every T_EX backend handles graphical transformations.⁵ Far better is to find a suitable font that contains the desired symbol in the correct orientation. For instance, if the `phonetic` package is available, then `\textit{\riota}` will yield a backend-independent “[?]”. Similarly, `tipa`'s `\textreversepsilon` (“[?]”) or `wsuipa`'s `\reversepsilon` (“[?]”) may be used to

⁵As an example, Xdvi ignores both `\reflectbox` and `\rotatebox`.

express the mathematical notion of “such that” in a cleaner manner than with `\reflectbox` or `\rotatebox`.⁶

Joining and overlapping existing symbols

Symbols that do not exist in any font can sometimes be fabricated out of existing symbols. The L^AT_EX 2_ε source file `fontdef.dtx` contains a number of such definitions. For example, `\models` (see Table 88 on page 52) is defined in that file with:

```
\def\models{\mathrel|\joinrel=}
```

where `\mathrel` and `\joinrel` are used to control the horizontal spacing. `\def` is the T_EX primitive upon which L^AT_EX’s `\newcommand` is based. See The T_EXbook [Knu86a] for more information on all three of those commands.

With some simple pattern-matching, one can easily define a backward `\models` sign (“ \models ”):

```
\def\ismodeledby{=\joinrel\mathrel|}
```

In general, arrows/harpoons, horizontal lines (“ $=$ ”, “ $-$ ”, “ \relbar ”, and “ \Relbar ”), and the various math-extension characters can be combined creatively with miscellaneous other characters to produce a variety of new symbols. Of course, new symbols can be composed from *any* set of existing characters. For instance, L^AT_EX defines `\hbar` (“ \hbar ”) as a “ $-$ ” character (`\mathchar'26`) followed by a backspace of 9 math units (`\mkern-9mu`), followed by the letter “ h ”:

```
\def\hbar{\mathchar'26\mkern-9mu h}
```

We can just as easily define other barred letters:

```
\def\bbar{\mathchar'26\mkern-9mu b}
\def\dbar{\mathchar'26\mkern-12mu d}
```

(The space after the “ μ ” is optional but is added for clarity.) `\bbar` and `\dbar` define “ \bar{b} ” and “ \bar{d} ”, respectively. Note that `\dbar` requires a greater backward math kern than `\bbar`; a -9μ kern would have produced the less-attractive “ \bar{d} ” glyph.

The `amsmath` package provides `\overset` and `\underset` commands for placing one symbol respectively above or below another. For example, `\overset{G}{\sim}`⁷ produces “ $\overset{G}{\sim}$ ” (sometimes used for “equidecomposable with respect to G ”).

Sometimes an ordinary `tabular` environment can be co-opted into juxtaposing existing symbols into a new symbol. Consider the following definition of `\asterism` (“ \ast ”) from a June 2007 post to `comp.text.tex` by Peter Flynn:

```
\newcommand{\asterism}{\smash{%
\raisebox{-.5ex}{%
\setlength{\tabcolsep}{-.5pt}%
\begin{tabular}{@{}cc@{}}%
\multicolumn{2}{\[-2ex]*&*&}%
\end{tabular}}}}
```

Note how the space between columns (`\tabcolsep`) and rows (`\[-2ex]`) is made negative to squeeze the asterisks closer together.

There is a T_EX primitive called `\mathaccent` that centers one mathematical symbol atop another. For example, one can define `\dotcup` (“ $\dot{\cup}$ ”)—the composition of a `\cup` and a `\dot`—as follows:

⁶More common symbols for representing “such that” include “ $|$ ”, “ $:$ ”, and “ $s.t.$ ”.

⁷L^AT_EX’s `\stackrel` command is similar but is limited to placing a symbol above a binary relation.

```
\newcommand{\dotcup}{\ensuremath{\mathaccent\cdot\cup}}
```

The catch is that `\mathaccent` requires the accent to be a “math character”. That is, it must be a character in a math font as opposed to a symbol defined in terms of other symbols. See *The T_EXbook* [Knu86a] for more information.

Another T_EX primitive that is useful for composing symbols is `\vcenter`. `\vcenter` is conceptually similar to “`\begin{tabular}{l}`” in L^AT_EX but takes a list of vertical material instead of `\-`-separated rows. Also, it vertically centers the result on the math axis. (Many operators, such as “+” and “−” are also vertically centered on the math axis.) Enrico Gregorio posted the following symbol definition to `comp.text.tex` in March 2004 in response to a query about an alternate way to denote equivalence:

```
\newcommand*{\threesim}{%
  \mathrel{\vcenter{\offinterlineskip
    \hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}}}}
```

The `\threesim` symbol, which vertically centers three `\sim` (“~”) symbols with 0.35 *x*-heights of space between them, is rendered as “≈”. `\offinterlineskip` is a macro that disables implicit interline spacing. Without it, `\threesim` would have a full line of vertical spacing between each `\sim`. Because of `\vcenter`, `\threesim` aligns properly with other math operators: $a \div b \approx c \times d$.

A related L^AT_EX command, borrowed from Plain T_EX, is `\ooalign`. `\ooalign` vertically overlaps symbols and works both within and outside of math mode. Essentially, it creates a single-column `tabular` environment with zero vertical distance between rows. However, because it is based directly on T_EX’s `\ialign` primitive, `\ooalign` uses T_EX’s `tabular` syntax instead of L^AT_EX’s (i.e., with `\cr` as the row terminator instead of `\-`). The following example of `\ooalign`, a macro that defines a standard-state symbol (`\stst`, “ \ominus ”) as a superscripted Plimsoll line (`\barcirc`, “ \circ ”),⁸ is due to an October 2007 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\providecommand\barcirc{\mathpalette\@barred\circ}
\def\@barred#1#2{\ooalign{\hfil$#1-$\hfil\cr\hfil$#1#2$\hfil\cr}}
\newcommand\stst{\protect\barcirc}
\makeatother
```

In the preceding code, note the `\ooalign` call’s use of `\hfil` to horizontally center a minus sign (“−”) and a `\circ` (“ \circ ”).

As another example of `\ooalign`, consider the following code (due to Enrico Gregorio in a June 2007 post to `comp.text.tex`) that overlaps a `\ni` (“ \ni ”) and two minus signs (“−”) to produce “ \ni ”, an obscure variation on the infrequently used “ \ni ” symbol for “such that” discussed on page 229:

```
\newcommand{\suchthat}{%
  \mathrel{\ooalign{\ni\cr\kern-1pt$-$\kern-6.5pt$-$}}}
```

The `slashed` package, although originally designed for producing Feynman slashed-character notation, in fact facilitates the production of *arbitrary* overlapped symbols. The default behavior is to overwrite a given character with “/”. For example, `\slashed{D}` produces “ \mathcal{D} ”. However, the `\declareslashed` command provides the flexibility to specify the mathematical context of the composite character (operator, relation, punctuation, etc., as will be discussed in Section 10.4), the overlapping symbol, horizontal and vertical adjustments in symbol-relative units, and the character to be overlapped. Consider, for example, the symbol for reduced quadrupole moment (“ F ”). This can be declared as follows:

```
\newcommand{\rqm}{%
  \declareslashed{\text{-}}{0.04}{0}{I}\slashed{I}}
```

⁸While `\barcirc` illustrates how to combine symbols using `\ooalign`, the `stmaryrd` package’s `\minuso` command (Table 52 on page 32) provides a similar glyph (“ \ominus ”) as a single, indivisible symbol.

`\declareslashed{.}{.}{.}{.}{I}` affects the meaning of all subsequent `\slashed{I}` commands in the same scope. The preceding definition of `\rqm` therefore uses an extra set of curly braces to limit that scope to a single `\slashed{I}`. In addition, `\rqm` uses `amstext`'s `\text` macro (described on the next page) to make `\declareslashed` use a text-mode hyphen (“-”) instead of a math-mode minus sign (“−”) and to ensure that the hyphen scales properly in size in subscripts and superscripts. See `slashed`'s documentation (located in `slashed.sty` itself) for a detailed usage description of the `\slashed` and `\declareslashed` commands.

Somewhat simpler than `slashed` is the `centernot` package. `centernot` provides a single command, `\centernot`, which, like `\not`, puts a slash over the subsequent mathematical symbol. However, instead of putting the slash at a fixed location, `\centernot` centers the slash over its argument. `\centernot` might be used, for example, to create a “does not imply” symbol:

$$\not\Rightarrow \quad \backslash\text{not}\backslash\text{Longrightarrow}$$

vs.

$$\centernot\Rightarrow \quad \backslash\text{centernot}\backslash\text{Longrightarrow}$$

See the `centernot` documentation for more information.

Making new symbols work in superscripts and subscripts

To make composite symbols work properly within subscripts and superscripts, you may need to use `TeX`'s `\mathchoice` primitive. `\mathchoice` evaluates one of four expressions, based on whether the current math style is display, text, script, or scriptscript. (See *The TeXbook* [Knu86a] for a more complete description.) For example, the following `LATEX` code—posted to `comp.text.tex` by Torsten Bronger—composes a sub/superscriptable “ \top ” symbol out of `\top` and `\bot` (“ \top ” and “ \perp ”):

```
\def\topbotatom#1{\hbox{\hbox to 0pt{${#1}\bot$\hss}${#1}\top$}}
\newcommand*\topbot{\mathrel{\mathchoice{\topbotatom\displaystyle}
{\topbotatom\textstyle}
{\topbotatom\scriptstyle}
{\topbotatom\scriptscriptstyle}}}
```

The following is another example that uses `\mathchoice` to construct symbols in different math modes. The code defines a principal value integral symbol, which is an integral sign with a line through it.

```
\def\Xint#1{\mathchoice
{\XXint\displaystyle\textstyle{#1}}%
{\XXint\textstyle\scriptstyle{#1}}%
{\XXint\scriptstyle\scriptscriptstyle{#1}}%
{\XXint\scriptscriptstyle\scriptscriptstyle{#1}}%
\!\int}
\def\XXint#1#2#3{\setbox0=\hbox{${#1}{#2#3}{\int}$}
\vcenter{\hbox{${#2#3$}}\kern-.5\wd0}}
\def\ddashint{\Xint=}
\def\dashint{\Xint-}
```

(The preceding code was taken verbatim from the UK `TeX` Users' Group FAQ at <http://www.tex.ac.uk/faq>.) `\dashint` produces a single-dashed integral sign (“ \int ”), while `\ddashint` produces a double-dashed one (“ \int ”). The `\Xint` macro defined above can also be used to generate a wealth of new integrals: “ \int ” (`\Xint\circlearrowright`), “ \int ” (`\Xint\circlearrowleft`), “ \int ” (`\Xint\subset`), “ \int ” (`\Xint\infty`), and so forth.

`LATEX 2ε` provides a simple wrapper for `\mathchoice` that sometimes helps produce terser symbol definitions. The macro is called `\mathpalette` and it takes two arguments. `\mathpalette` invokes the first argument, passing it one of “`\displaystyle`”, “`\textstyle`”, “`\scriptstyle`”, or “`\scriptscriptstyle`”, followed by the second argument. `\mathpalette` is useful when a symbol macro must know which math style is currently in use (e.g., to set it explicitly within an `\mbox`). Donald Arseneau posted the following `\mathpalette`-based definition of a probabilistic-independence symbol (“ \perp ”) to `comp.text.tex` in June 2000:

```

\newcommand\independent{\protect\mathpalette{\protect\independentT}{\perp}}
\def\independentT#1#2{\mathrel{\rlap{#1#2}\mkern2mu{#1#2}}}

```

The `\independent` macro uses `\mathpalette` to pass the `\independentT` helper macro both the current math style and the `\perp` symbol. `\independentT` typesets `\perp` in the current math style, moves two math units to the right, and finally typesets a second—overlapping—copy of `\perp`, again in the current math style. `\rlap`, which enables text overlap, is described later on this page.

Some people like their square-root signs with a trailing “hook” (i.e., “ $\sqrt{\quad}$ ”) as this helps visually distinguish expressions like “ $\sqrt{3x}$ ” from those like “ $\sqrt{3}x$ ”. In March 2002, Dan Luecking posted a `\mathpalette`-based definition of a hooked square-root symbol to `comp.text.tex`. This code was subsequently refined by Max Dohse and Scott Pakin into the version shown below, which accepts a root as an optional argument, for consistency with `\sqrt`.

```

\newcommand{\hksqrt}[2] [] {\mathpalette\DHLhksqrt{[#1]{#2\,}}}
\def\DHLhksqrt#1#2{\setbox0=\hbox{#1\sqrt{#2}}\dimen0=\ht0
\advance\dimen0-0.2\ht0
\setbox2=\hbox{\vrule height\ht0 depth-\dimen0}%
{\box0\lower0.4pt\box2}}

```

Notice how `\hksqrt` uses `\mathpalette` to pass the current math style (`\displaystyle`, `\textstyle`, etc.) to `\DHLhksqrt` as argument #1. `\DHLhksqrt` subsequently uses that style within an `\hbox`. The rest of the code is simply using TeX primitives to position a hook of height 0.2 times the `\sqrt` height at the right of the `\sqrt`. See The TeXbook [Knu86a] for more understanding of TeX “boxes” and “dimens”.

Sometimes, however, `amstext`’s `\text` macro is all that is necessary to make composite symbols appear correctly in subscripts and superscripts, as in the following definitions of `\neswarrow` (“ \nearrow ”) and `\nwsearrow` (“ \nwarrow ”):⁹

```

\newcommand{\neswarrow}{\mathrel{\text{\nearrow}\llap{\swarrow}}}
\newcommand{\nwsearrow}{\mathrel{\text{\nwarrow}\llap{\searrow}}}

```

`\text` resembles L^AT_EX’s `\mbox` command but shrinks its argument appropriately when used within a subscript or superscript. `\llap` (“left overlap”) and its counterpart, `\rlap` (“right overlap”), appear frequently when creating composite characters. `\llap` outputs its argument to the left of the current position, overlapping whatever text is already there. Similarly, `\rlap` overlaps whatever text would normally appear to the right of its argument. For example, “`A\llap{B}`” and “`\rlap{A}B`” each produce “**B**”. However, the result of the former is the width of “A”, and the result of the latter is the width of “B”—`\llap{...}` and `\rlap{...}` take up zero space.

In a June 2002 post to `comp.text.tex`, Donald Arseneau presented a general macro for aligning an arbitrary number of symbols on their horizontal centers and vertical baselines:

```

\makeatletter
\def\moverlay{\mathpalette\mov@rlay}
\def\mov@rlay#1#2{\leavevmode\vtop{%
\baselineskip\z@skip\lineskiplimit-\maxdimen
\ialign{\hfil#1##$\hfil\cr#2\cr}}
\makeatother

```

The `\makeatletter` and `\makeatother` commands are needed to coerce L^AT_EX into accepting “@” as part of a macro name. `\moverlay` takes a list of symbols separated by `\cr` (TeX’s equivalent of L^AT_EX’s `\`). For example, the `\topbot` command defined on the previous page could have been expressed as “`\moverlay{top\cr\bot}`” and the `\neswarrow` command defined above could have been expressed as “`\moverlay{\nearrow\cr\swarrow}`”.

The basic concept behind `\moverlay`’s implementation is that `\moverlay` typesets the given symbols in a table that utilizes a zero `\baselineskip`. This causes every row to be typeset at the same vertical position. See The TeXbook [Knu86a] for explanations of the TeX primitives used by `\moverlay`.

⁹Note that if your goal is to typeset commutative diagrams or pushout/pullback diagrams, then you should probably be using X_Y-pic.

Modifying L^AT_EX-generated symbols

Oftentimes, symbols composed in the L^AT_EX 2_ε source code can be modified with minimal effort to produce useful variations. For example, `fontdef.dtx` composes the `\ddots` symbol (see Table 269 on page 119) out of three periods, raised 7 pt., 4 pt., and 1 pt., respectively:

```
\def\ddots{\mathinner{\mkern1mu\raise7\p@
  \vbox{\kern7\p@\hbox{.}}\mkern2mu
  \raise4\p@\hbox{.}}\mkern2mu\raise\p@\hbox{.}}\mkern1mu}}
```

`\p@` is a L^AT_EX 2_ε shortcut for “pt” or “1.0pt”. The remaining commands are defined in The T_EXbook [Knu86a]. To draw a version of `\ddots` with the dots going along the opposite diagonal, we merely have to reorder the `\raise7\p@`, `\raise4\p@`, and `\raise\p@`:

```
\makeatletter
\def\revddots{\mathinner{\mkern1mu\raise\p@
  \vbox{\kern7\p@\hbox{.}}\mkern2mu
  \raise4\p@\hbox{.}}\mkern2mu\raise7\p@\hbox{.}}\mkern1mu}}
\makeatother
```

`\revddots` is essentially identical to the `mathdots` package’s `\iddots` command or the `yhmath` package’s `\adots` command.

Producing complex accents

Accents are a special case of combining existing symbols to make new symbols. While various tables in this document show how to add an accent to an existing symbol, some applications, such as transliterations from non-Latin alphabets, require *multiple* accents per character. For instance, the creator of pdfT_EX writes his name as “Hàn Thê Thành”. The `dblaccnt` package enables L^AT_EX to stack accents, as in “H\‘an Th\’{\^e} Th\‘anh” (albeit not in the OT1 font encoding). In addition, the `wsuipa` package defines `\diatop` and `\diaunder` macros for putting one or more diacritics or accents above or below a given character. For example, `\diaunder[\diatop[\’|\=]]|\textsubdot{r}` produces “ $\underset{\cdot}{r}$ ”. See the `wsuipa` documentation for more information.

The `accents` package facilitates the fabrication of accents in math mode. Its `\accentset` command enables *any* character to be used as an accent. For instance, `\accentset{\star}{f}` produces “ f^{\star} ” and `\accentset{e}{X}` produces “ X^e ”. `\underaccent` does the same thing, but places the accent beneath the character. This enables constructs like `\underaccent{\tilde}{V}`, which produces “ $\underset{\sim}{V}$ ”. `accents` provides other accent-related features as well; see the documentation for more information.

Creating extensible symbols

A relatively simple example of creating extensible symbols stems from a `comp.text.tex` post by Donald Arseneau (June 2003). The following code defines an equals sign that extends as far to the right as possible, just like L^AT_EX’s `\hrulefill` command:

```
\makeatletter
\def\equalsfill{\m@th\mathord=\mkern-7mu
  \cleaders\hbox{\$!\mathord=!\$}\hfill
  \mkern-7mu\mathord=$}
\makeatother
```

T_EX’s `\cleaders` and `\hfill` primitives are the key to understanding `\equalsfill`’s extensibility. Essentially, `\equalsfill` repeats a box containing “=” plus some negative space until it fills the maximum available horizontal space. `\equalsfill` is intended to be used with L^AT_EX’s `\stackrel` command, which stacks one mathematical expression (slightly reduced in size) atop another. Hence, “`\stackrel{a}{\rightarrow}`”

produces “ $\overset{a}{\rightarrow}$ ” and “ $X \stackrel{\text{definition}}{\underset{\text{definition}}{\text{Y}}}$ ” produces “ $X \stackrel{\text{definition}}{\text{Y}}$ ”.

If all that needs to extend are horizontal and vertical lines—as opposed to repeated symbols such as the “=” in the previous example— \LaTeX ’s `array` or `tabular` environments may suffice. Consider the following code (due to a February 1999 `comp.text.tex` post by Donald Arseneau and subsequent modifications by Billy Yu and Scott Pakin) for typesetting annuity and life-insurance symbols:

```
\DeclareRobustCommand{\actuarial}[2] []{%
  \def\arraystretch{0}%
  \setlength\arraycolsep{0.5pt}%
  \setlength\arrayrulewidth{0.5pt}%
  \setbox0=\hbox{\scriptstyle#1#2}%
  \begin{array}[b]{*2{@{>}\scriptstyle}c}{}
    \cline{2-2}%
    \rule[1.25pt]{0pt}{\ht0}%
    #1 & #2%
  \end{array}%
}
```

Using the preceding definition, one can type, e.g., “ $\$a_{\text{\actuarial}\{n\}}\$$ ” to produce “ $a_{\overline{n}}$ ” and “ $\$a_{\text{\actuarial}\{x:\}\{n\}}\$$ ” to produce “ $a_{x:\overline{n}}$ ”. This is similar in concept to how the `actuarialangle` package defines its `\actuarialangle` command (Table 255).

A more complex example of composing accents is the following definition of extensible `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` symbols, taken from a May 2002 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\def\overbracket#1{\mathop{\vbox{\ialign{##\crr\noalign{\kern3p@}
  \downbracketfill\crr\noalign{\kern3p@\nointerlineskip}
  $\hfil\displaystyle{#1}\hfil$\crr}}}\limits}
\def\underbracket#1{\mathop{\vtop{\ialign{##\crr
  $\hfil\displaystyle{#1}\hfil$\crr\noalign{\kern3p@\nointerlineskip}
  \upbracketfill\crr\noalign{\kern3p@}}}\limits}
\def\overparenthesis#1{\mathop{\vbox{\ialign{##\crr\noalign{\kern3p@}
  \downparenthfill\crr\noalign{\kern3p@\nointerlineskip}
  $\hfil\displaystyle{#1}\hfil$\crr}}}\limits}
\def\underparenthesis#1{\mathop{\vtop{\ialign{##\crr
  $\hfil\displaystyle{#1}\hfil$\crr\noalign{\kern3p@\nointerlineskip}
  \upparenthfill\crr\noalign{\kern3p@}}}\limits}
\def\downparenthfill{$\m@th\bracerd\leaders\vrule\hfill\bracerd$}
\def\upparenthfill{$\m@th\bracelu\leaders\vrule\hfill\braceru$}
\def\upbracketfill{$\m@th\makesm@sh{\llap{\vrule\@height3p@\@width.7p@}}%
  \leaders\vrule\@height.7p@\hfill
  \makesm@sh{\rlap{\vrule\@height3p@\@width.7p@}}$}
\def\downbracketfill{$\m@th
  \makesm@sh{\llap{\vrule\@height.7p@\@depth2.3p@\@width.7p@}}%
  \leaders\vrule\@height.7p@\hfill
  \makesm@sh{\rlap{\vrule\@height.7p@\@depth2.3p@\@width.7p@}}$}
\makeatother
```

Table 525 showcases these accents. The \TeX book [Knu86a] or another book on \TeX primitives is indispensable for understanding how the preceding code works. The basic idea is that `\downparenthfill`, `\upparenthfill`, `\downbracketfill`, and `\upbracketfill` do all of the work; they output a left symbol (e.g., `\bracerd` [“ \lrcorner ”] for `\downparenthfill`), a horizontal rule that stretches as wide as possible, and a right symbol (e.g., `\bracerd` [“ \rceil ”] for `\downparenthfill`). `\overbracket`, `\underbracket`, `\overparenthesis`,

and `\underparenthesis` merely create a table whose width is determined by the given text, thereby constraining the width of the horizontal rules.

TABLE 525: Manually Composed Extensible Accents

\overline{abc}	<code>\overbracket{abc}</code>	\overparen{abc}	<code>\overparenthesis{abc}</code>
\underline{abc}	<code>\underbracket{abc}</code>	\underparen{abc}	<code>\underparenthesis{abc}</code>

Note that the `simplewick` package provides mechanisms for typesetting Wick contractions, which utilize `\overbracket`- and `\underbracket`-like brackets of variable width *and* height (or depth). For example, `"\acontraction{}{A}{B}{C}\acontraction[2ex]{A}{B}{C}{D}\bcontraction{}{A}{BC}{D}ABCD"` produces




See the `simplewick` documentation for more information.

Developing new symbols from scratch

Sometimes it is simply not possible to define a new symbol in terms of existing symbols. Fortunately, most, if not all, \TeX distributions are shipped with a tool called METAFONT which is designed specifically for creating fonts to be used with \TeX . The METAFONTbook [Knu86b] is the authoritative text on METAFONT. If you plan to design your own symbols with METAFONT, The METAFONTbook is essential reading. You may also want to read the freely available METAFONT primer located at <http://metafont.tutorial.free.fr/>. The following is an extremely brief tutorial on how to create a new \LaTeX symbol using METAFONT. Its primary purpose is to cover the \LaTeX -specific operations not mentioned in The METAFONTbook and to demonstrate that symbol-font creation is not necessarily a difficult task.

Suppose we need a symbol to represent a light bulb (“ \Q ”).¹⁰ The first step is to draw this in METAFONT. It is common to separate the font into two files: a size-dependent file, which specifies the design size and various font-specific parameters that are a function of the design size; and a size-independent file, which draws characters in the given size. Figure 2 shows the METAFONT code for `lightbulb10.mf`. `lightbulb10.mf` specifies various parameters that produce a 10 pt. light bulb then loads `lightbulb.mf`. Ideally, one should produce `lightbulb<size>.mf` files for a variety of $\langle size \rangle$ s. This is called “optical scaling”. It enables, for example, the lines that make up the light bulb to retain the same thickness at different font sizes, which looks much nicer than the alternative—and default—“mechanical scaling”. When a `lightbulb<size>.mf` file does not exist for a given size $\langle size \rangle$, the computer mechanically produces a wider, taller, thicker symbol:



`lightbulb.mf`, shown in Figure 3, draws a light bulb using the parameters defined in `lightbulb10.mf`. Note that the filenames “`lightbulb10.mf`” and “`lightbulb.mf`” do not follow the Berry font-naming scheme [Ber01]; the Berry font-naming scheme is largely irrelevant for symbol fonts, which generally lack bold, italic, small-caps, slanted, and other such variants.

The code in Figures Figure 2 and Figure 3 is heavily commented and should demonstrate some of the basic concepts behind METAFONT usage: declaring variables, defining points, drawing lines and curves, and preparing to debug or fine-tune the output. Again, The METAFONTbook [Knu86b] is the definitive reference on METAFONT programming.

¹⁰I’m not a very good artist; you’ll have to pretend that “ \Q ” looks like a light bulb.


```

font_identifier := "LightBulb10"; % Name the font.
font_size 10pt#; % Specify the design size.

em# := 10pt#; % "M" width is 10 points.
cap# := 7pt#; % Capital letter height is 7 points above the baseline.
sb# := 1/4pt#; % Leave this much space on the side of each character.
o# := 1/16pt#; % Amount that curves overshoot borders.

input lightbulb % Load the file that draws the actual glyph.

```

Figure 2: Sample METAFONT size-specific file (`lightbulb10.mf`)

```

mode_setup; % Target a given printer.

define_pixels(em, cap, sb); % Convert to device-specific units.
define_corrected_pixels(o); % Same, but add a device-specific fudge factor.

%% Define a light bulb at the character position for "A"
%% with width 1/2em#, height cap#, and depth 1pt#.
beginchar("A", 1/2em#, cap#, 1pt#); "A light bulb";
  pickup pencircle scaled 1/2pt; % Use a pen with a small, circular tip.

  %% Define the points we need.
  top z1 = (w/2, h + o); % z1 is at the top of a circle.
  rt z2 = (w + sb + o - x4, y4); % z2 is at the same height as z4 but the opposite side.
  bot z3 = (z1 - (0, w - sb - o)); % z3 is at the bottom of the circle.
  lft z4 = (sb - o, 1/2[y1, y3]); % z4 is on the left of the circle.
  path bulb; % Define a path for the bulb itself.
  bulb = z1 .. z2 .. z3 .. z4 .. cycle; % The bulb is a closed path.

  z5 = point 2 - 1/3 of bulb; % z5 lies on the bulb, a little to the right of z3.
  z6 = (x5, 0); % z6 is at the bottom, directly under z5.
  z7 = (x8, 0); % z7 is at the bottom, directly under z8.
  z8 = point 2 + 1/3 of bulb; % z8 lies on the bulb, a little to the left of z3.
  bot z67 = (1/2[x6, x7], pen.bot - o - 1/8pt); % z67 lies halfway between z6 and z7 but a jot
lower.

  %% Draw the bulb and the base.
  draw bulb; % Draw the bulb proper.
  draw z5 -- z6 .. z67 .. z7 -- z8; % Draw the base of the bulb.

  %% Display key positions and points to help us debug.
  makegrid(0, sb, w/2, w - sb)(0, -1pt, y2, h); % Label "interesting" x and y coordinates.
  penlabels(1, 2, 3, 4, 5, 6, 67, 7, 8); % Label control points for debugging.
endchar;
end

```

Figure 3: Sample METAFONT size-independent file (`lightbulb.mf`)

METAFONT can produce “proofs” of fonts—large, labeled versions that showcase the logical structure of each character. In fact, proof mode is METAFONT’s default mode. To produce a proof of `lightbulb10.mf`, issue the following commands at the operating-system prompt:

```
prompt> mf lightbulb10.mf           ← Produces lightbulb10.2602gf
prompt> gftodvi lightbulb10.2602gf ← Produces lightbulb10.dvi
```

You can then view `lightbulb10.dvi` with any DVI viewer. The result is shown in Figure 4. Observe how the grid defined with `makegrid` at the bottom of Figure 3 draws vertical lines at positions 0, sb , $w/2$, and $w - sb$ and horizontal lines at positions 0, $-1pt$, y_2 , and h . Similarly, observe how the `penlabels` command labels all of the important coordinates: z_1, z_2, \dots, z_8 and z_{67} , which `lightbulb.mf` defines to lie between z_6 and z_7 .




Figure 4: Proof diagram of `lightbulb10.mf`

Most, if not all, T_EX distributions include a Plain T_EX file called `testfont.tex` that is useful for testing new fonts in a variety of ways. One useful routine produces a table of all of the characters in the font:

```
prompt> tex testfont
This is TeX, Version 3.14159 (Web2C 7.3.1)
(/usr/share/texmf/tex/plain/base/testfont.tex
Name of the font to test = lightbulb10
Now type a test command (\help for help):)
*\table

*\bye
[1]
Output written on testfont.dvi (1 page, 1516 bytes).
Transcript written on testfont.log.
```

The resulting table, stored in `testfont.dvi` and illustrated in Figure 5, shows every character in the font. To understand how to read the table, note that the character code for “A”—the only character defined by `lightbulb10.mf`—is 41 in hexadecimal (base 16) and 101 in octal (base 8).

The LightBulb10 font is now usable by T_EX. L^AT_EX 2_ε, however, needs more information before documents can use the font. First, we create a font-description file that tells L^AT_EX 2_ε how to map fonts in a given font family and encoding to a particular font in a particular font size. For symbol fonts, this mapping is fairly simple. Symbol fonts almost always use the “U” (“Unknown”) font encoding and frequently occur in only one variant: normal weight and non-italicized. The filename for a font-description file is important; it must be of the form “ $\langle encoding \rangle \langle family \rangle .fd$ ”, where $\langle encoding \rangle$ is the lowercase version of the encoding name

Test of lightbulb10 on March 11, 2003 at 1127									
	'0	'1	'2	'3	'4	'5	'6	'7	
'10x		8							"4x
'11x									
	"8	"9	"A	"B	"C	"D	"E	"F	

Figure 5: Font table produced by `testfont.tex`

(typically “u” for symbol fonts) and $\langle family \rangle$ is the name of the font family. For LightBulb10, let’s call this “bulb”. Figure 6 lists the contents of `ubulb.fd`. The document “ $\LaTeX 2_{\epsilon}$ Font Selection” [AT00] describes `\DeclareFontFamily` and `\DeclareFontShape` in detail, but the gist of `ubulb.fd` is first to declare a U-encoded version of the `bulb` font family and then to specify that a $\LaTeX 2_{\epsilon}$ request for a U-encoded version of `bulb` with a (m)edium font series (as opposed to, e.g., bold) and a (n)ormal font shape (as opposed to, e.g., italic) should translate into a \TeX request for `lightbulb10.tfm` mechanically scaled to the current font size.

```
\DeclareFontFamily{U}{bulb}{}
\DeclareFontShape{U}{bulb}{m}{n}{<-> lightbulb10}{}

```

Figure 6: $\LaTeX 2_{\epsilon}$ font-description file (`ubulb.fd`)

The final step is to write a $\LaTeX 2_{\epsilon}$ style file that defines a name for each symbol in the font. Because we have only one symbol our style file, `lightbulb.sty` (Figure 7), is rather trivial. Note that instead of typesetting “A” we could have had `\lightbulb typeset "\char65"`, `\char"41"`, or `\char'101` (respectively, decimal, hexadecimal, and octal character offsets into the font). For a simple, one-character symbol font such as LightBulb10 it would be reasonable to merge `ubulb.fd` into `lightbulb.sty` instead of maintaining two separate files. In either case, a document need only include `\usepackage{lightbulb}` to make the `\lightbulb` symbol available.

```
\newcommand{\lightbulb}{\usefont{U}{bulb}{m}{n}A}

```

Figure 7: $\LaTeX 2_{\epsilon}$ style file (`lightbulb.sty`)

METAFONT normally produces bitmapped fonts. However, it is also possible, with the help of some external tools, to produce PostScript Type 1 fonts. These have the advantages of rendering better in Adobe[®] Acrobat[®] (at least in versions prior to 6.0) and of being more memory-efficient when handled by a PostScript interpreter. See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=textrace> for pointers to tools that can produce Type 1 fonts from METAFONT.

10.4 Math-mode spacing

Terms such as “binary operators”, “relations”, and “punctuation” in Section 3 primarily regard the surrounding spacing. (See the Short Math Guide for \LaTeX [Dow00] for a nice exposition on the subject.) To use a symbol for a different purpose, you can use the \TeX commands `\mathord`, `\mathop`, `\mathbin`, `\mathrel`, `\mathopen`, `\mathclose`, and `\mathpunct`. For example, if you want to use `\downarrow` as a variable (an “ordinary” symbol) instead of a delimiter, you can write `“$3 x + \mathord{\downarrow}$”` to get the properly spaced “ $3x + \downarrow$ ” rather than the awkward-looking “ $3x + \downarrow$ ”. Similarly, to create a dotted-union symbol (“ $\dot{\cup}$ ”) that spaces like the ordinary set-union symbol (`\cup`) it must be defined with `\mathbin`, just as `\cup` is. Contrast “ $A \dot{\cup} B$ ” (“ $A \dot{\cup} B$ ”) with “ $A \mathbin{\dot{\cup}} B$ ” (“ $A \dot{\cup} B$ ”). See The \TeX book [Knu86a] for the definitive description of math-mode spacing.

The purpose of the “log-like symbols” in Table 181 and Table 182 is to provide the correct amount of spacing around and within multiletter function names. Table 526 contrasts the output of the log-like symbols with various, naïve alternatives. In addition to spacing, the log-like symbols also handle subscripts properly. For example, “`\max_{p \in P}`” produces “ $\max_{p \in P}$ ” in text, but “max” as part of a displayed formula.

TABLE 526: Spacing Around/Within Log-like Symbols

L ^A T _E X expression	Output
<code>\$r \sin \theta\$</code>	$r \sin \theta$ (best)
<code>\$r sin \theta\$</code>	$rsin\theta$
<code>\$r \mbox{sin} \theta\$</code>	$r\sin\theta$
<code>\$r \mathrm{sin} \theta\$</code>	$r\sin\theta$

The `amsmath` package makes it straightforward to define new log-like symbols:

```
\DeclareMathOperator{\atan}{atan}
\DeclareMathOperator*{\lcm}{lcm}
```

The difference between `\DeclareMathOperator` and `\DeclareMathOperator*` involves the handling of subscripts. With `\DeclareMathOperator*`, subscripts are written beneath log-like symbols in display style and to the right in text style. This is useful for limit operators (e.g., `\lim`) and functions that tend to map over a set (e.g., `\min`). In contrast, `\DeclareMathOperator` tells T_EX that subscripts should always be displayed to the right of the operator, as is common for functions that take a single parameter (e.g., `\log` and `\cos`). Table 527 contrasts symbols declared with `\DeclareMathOperator` and `\DeclareMathOperator*` in both text style (`$. . .$`) and display style (`\[. . .\]`).¹¹

TABLE 527: Defining new log-like symbols

Declaration function	<code>\$_\newlogsym_{p \in P}\$</code>	<code>\[\newlogsym_{p \in P} \]</code>
<code>\DeclareMathOperator</code>	$\text{newlogsym}_{p \in P}$	$\text{newlogsym}_{p \in P}$
<code>\DeclareMathOperator*</code>	$\text{newlogsym}_{p \in P}$	$\text{newlogsym}_{p \in P}$

It is common to use a thin space (`\,`) between the words of a multiword operators, as in “`\DeclareMathOperator*{\argmax}{arg,max}`”. `\liminf`, `\limsup`, and all of the log-like symbols shown in Table 182 utilize this spacing convention.

10.5 Bold mathematical symbols

L^AT_EX does not normally use bold symbols when typesetting mathematics. However, bold symbols are occasionally needed, for example when naming vectors. Any of the approaches described at <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=boldgreek> can be used to produce bold mathematical symbols. Table 528 contrasts the output produced by these various techniques. As the table illustrates, these techniques exhibit variation in their formatting of Latin letters (upright vs. italic), formatting of Greek letters (bold vs. normal), formatting of operators and relations (bold vs. normal), and spacing.

10.6 ASCII and Latin 1 quick reference

Table 529 on the next page amalgamates data from various other tables in this document into a convenient reference for L^AT_EX 2_ε typesetting of ASCII characters, i.e., the characters available on a typical U.S. computer

¹¹Note that `\displaystyle` can be used to force display style within `$. . .$` and `\textstyle` can be used to force text style within `\[. . .\]`.

TABLE 528: Producing bold mathematical symbols

Package	Code	Output	
<i>none</i>	<code>\alpha + b = \Gamma \div D</code>	$\alpha + b = \Gamma \div D$	(no bold)
<i>none</i>	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\alpha + \mathbf{b} = \mathbf{\Gamma} \div \mathbf{D}$	
<i>none</i>	<code>\boldmath\alpha + b = \Gamma \div D</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
amsbsy	<code>\pmb{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	(faked bold)
amsbsy	<code>\boldsymbol{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
bm	<code>\bm{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
fixmath	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	

keyboard. The first two columns list the character’s ASCII code in decimal and hexadecimal. The third column shows what the character looks like. The fourth column lists the $\text{\LaTeX} 2_{\epsilon}$ command to typeset the character as a text character. And the fourth column lists the $\text{\LaTeX} 2_{\epsilon}$ command to typeset the character within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).

TABLE 529: $\text{\LaTeX} 2_{\epsilon}$ ASCII Table

Dec	Hex	Char	Body text	\texttt	Dec	Hex	Char	Body text	\texttt
33	21	!	!	!	62	3E	>	\textgreater	>
34	22	"	\textquotedbl	"	63	3F	?	?	?
35	23	#	\#	\#	64	40	@	@	@
36	24	\$	\\$	\\$	65	41	A	A	A
37	25	%	\%	\%	66	42	B	B	B
38	26	&	\&	\&	67	43	C	C	C
39	27	'	'	'	:	:	:	:	:
40	28	(((90	5A	Z	Z	Z
41	29)))	91	5B	[[[
42	2A	*	*	*	92	5C	\	\textbackslash	\char'\
43	2B	+	+	+	93	5D]]]
44	2C	,	,	,	94	5E	^	\^{}	\^{}
45	2D	-	-	-	95	5F	_	_	\char'_
46	2E	.	.	.	96	60	'	'	'
47	2F	/	/	/	97	61	a	a	a
48	30	0	0	0	98	62	b	b	b
49	31	1	1	1	99	63	c	c	c
50	32	2	2	2	:	:	:	:	:
:	:	:	:	:	122	7A	z	z	z
57	39	9	9	9	123	7B	{	\{	\char'\{
58	3A	:	:	:	124	7C		\textbar	
59	3B	;	;	;	125	7D	}	\}	\char'\}
60	3C	<	\textless	<	126	7E	~	\~{}	\~{}
61	3D	=	=	=					

The following are some additional notes about the contents of Table 529:

- “” is not available in the OT1 font encoding.
- Table 529 shows a close quote for character 39 for consistency with the open quote shown for character 96. A straight quote can be typeset using `\textquotesingle` (cf. Table 46).

- The characters “<”, “>”, and “|” do work as expected in math mode, although they produce, respectively, “ı”, “ı̇”, and “—” in text mode when using the OT1 font encoding.¹² The following are some alternatives for typesetting “<”, “>”, and “|”:
 - Specify a document font encoding other than OT1 (as described on page 12).
 - Use the appropriate symbol commands from Table 2 on page 14, viz. `\textless`, `\textgreater`, and `\textbar`.
 - Enter the symbols in math mode instead of text mode, i.e., `$$`, `$$>`, and `$$|`.

Note that for typesetting metavariables many people prefer `\texttriangle` and `\textrangle` to `\textless` and `\textgreater`; i.e., “*<filename>*” instead of “<filename>”.

- Although “/” does not require any special treatment, L^AT_EX additionally defines a `\slash` command which outputs the same glyph but permits a line break afterwards. That is, “increase/decrease” is always typeset as a single entity while “increase\slash{}decrease” may be typeset with “increase/” on one line and “decrease” on the next.
- `\textasciicircum` can be used instead of `\^{}{}`, and `\textasciitilde` can be used instead of `\~{}{}`. Note that `\textasciitilde` and `\~{}{}` produce raised, diacritic tildes. “Text” (i.e., vertically centered) tildes can be generated with either the math-mode `\sim` command (shown in Table 88 on page 52), which produces a somewhat wide “~”, or the `textcomp` package’s `\texttildelow` (shown in Table 46 on page 28), which produces a vertically centered “~” in most fonts but a baseline-oriented “~” in Computer Modern, `txfonts`, `pxfonts`, and various other fonts originating from the T_EX world. If your goal is to typeset tildes in URLs or Unix filenames, your best bet is to use the `url` package, which has a number of nice features such as proper line-breaking of such names.
- The various `\char` commands within `\textttt` are necessary only in the OT1 font encoding. In other encodings (e.g., T1), commands such as `\{`, `\}`, `_`, and `\textbackslash` all work properly.
- The code page 437 (IBM PC) version of ASCII characters 1 to 31 can be typeset using the `ascii` package. See Table 326 on page 135.
- To replace “” and “” with the more computer-like (and more visibly distinct) “” and “” within a `verbatim` environment, use the `upquote` package. Outside of `verbatim`, you can use `\char18` and `\char13` to get the modified quote characters. (The former is actually a grave accent.)

Similar to Table 529, Table 530 on the next page is an amalgamation of data from other tables in this document. While Table 529 shows how to typeset the 7-bit ASCII character set, Table 530 shows the Latin 1 (Western European) character set, also known as ISO-8859-1.

The following are some additional notes about the contents of Table 530:

- A “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Many of the `\text...` accents can also be produced using the accent commands shown in Table 18 on page 21 plus an empty argument. For instance, `\={}` is essentially the same as `\textasciimacron`.
- The commands in the “L^AT_EX 2_ε” columns work both in body text and within a `\textttt{...}` command (or, more generally, when `\ttfamily` is in effect).
- The “ℒ” and “\$” glyphs occupy the same slot (36) of the OT1 font encoding, with “ℒ” appearing in italic fonts and “\$” appearing in roman fonts. A problem with L^AT_EX’s default handling of this double-mapping is that “`\sffamily\slshape\pounds`” produces “\$”, not “ℒ”. Other font encodings use separate slots for the two characters and are therefore robust to the problem of “ℒ”/“\$” conflicts. Authors who use `\pounds` should select a font encoding other than OT1 (as explained on page 12) or use the `textcomp` package, which redefines `\pounds` to use the T1 font encoding.

¹²Donald Knuth didn’t think such symbols were important outside of mathematics so he omitted them from his text fonts.

TABLE 530: L^AT_EX 2_ε Latin 1 Table

Dec	Hex	Char	L ^A T _E X 2 _ε	Dec	Hex	Char	L ^A T _E X 2 _ε
161	A1	¡	!'	209	D1	Ñ	\~{N}
162	A2	¢	\textcent (tc)	210	D2	Ò	\' {O}
163	A3	£	\pounds	211	D3	Ó	\' {O}
164	A4	¤	\textcurrency (tc)	212	D4	Ô	\^ {O}
165	A5	¥	\textyen (tc)	213	D5	Õ	\~ {O}
166	A6	¦	\textbrokenbar (tc)	214	D6	Ö	\" {O}
167	A7	§	\S	215	D7	×	\texttimes (tc)
168	A8	¨	\textasciidieresis (tc)	216	D8	Ø	\O
169	A9	©	\textcopyright	217	D9	Ù	\' {U}
170	AA	ª	\textordfeminine	218	DA	Ú	\' {U}
171	AB	«	\guillemotleft (T1)	219	DB	Û	\^ {U}
172	AC	¬	\textlnot (tc)	220	DC	Ü	\" {U}
173	AD	-	\-	221	DD	Ý	\' {Y}
174	AE	®	\textregistered	222	DE	Þ	\TH (T1)
175	AF	ˆ	\textasciimacron (tc)	223	DF	ß	\ss
176	B0	°	\textdegree (tc)	224	E0	à	\' {a}
177	B1	±	\textpm (tc)	225	E1	á	\' {a}
178	B2	²	\texttwosuperior (tc)	226	E2	â	\^ {a}
179	B3	³	\textthreesuperior (tc)	227	E3	ã	\~ {a}
180	B4	´	\textasciiacute (tc)	228	E4	ä	\" {a}
181	B5	µ	\textmu (tc)	229	E5	å	\aa
182	B6	¶	\P	230	E6	æ	\ae
183	B7	·	\textperiodcentered	231	E7	ç	\c {c}
184	B8	,	\c {}	232	E8	è	\' {e}
185	B9	ˆ	\textonesuperior (tc)	233	E9	é	\' {e}
186	BA	º	\textordmasculine	234	EA	ê	\^ {e}
187	BB	»	\guillemotright (T1)	235	EB	ë	\" {e}
188	BC	¼	\textonequarter (tc)	236	EC	ì	\' {i}
189	BD	½	\textonehalf (tc)	237	ED	í	\' {i}
190	BE	¾	\textthreequarters (tc)	238	EE	î	\^ {i}
191	BF	¿	?'	239	EF	ï	\" {i}
192	C0	À	\' {A}	240	F0	ð	\dh (T1)
193	C1	Á	\' {A}	241	F1	ñ	\~ {n}
194	C2	Â	\^ {A}	242	F2	ò	\' {o}
195	C3	Ã	\~ {A}	243	F3	ó	\' {o}
196	C4	Ä	\" {A}	244	F4	ô	\^ {o}
197	C5	Å	\AA	245	F5	õ	\~ {o}
198	C6	Æ	\AE	246	F6	ö	\" {o}
199	C7	Ç	\c {C}	247	F7	÷	\textdiv (tc)
200	C8	È	\' {E}	248	F8	ø	\o
201	C9	É	\' {E}	249	F9	ù	\' {u}
202	CA	Ê	\^ {E}	250	FA	ú	\' {u}
203	CB	Ë	\" {E}	251	FB	û	\^ {u}
204	CC	Ì	\' {I}	252	FC	ü	\" {u}
205	CD	Í	\' {I}	253	FD	ý	\' {y}
206	CE	Î	\^ {I}	254	FE	þ	\th (T1)
207	CF	Ï	\" {I}	255	FF	ÿ	\" {y}
208	DO	Ð	\DH (T1)				

- Character 173, \-, is shown as “-” but is actually a discretionary hyphen; it appears only at the end of a line.

Microsoft® Windows® normally uses a superset of Latin 1 called “Code Page 1252” or “CP1252” for short. CP1252 introduces symbols in the Latin 1 “invalid” range (characters 128–159). Table 531 presents the characters with which CP1252 augments the standard Latin 1 table.

TABLE 531: L^AT_EX 2_ε Code Page 1252 Table

Dec	Hex	Char	L ^A T _E X 2 _ε	Dec	Hex	Char	L ^A T _E X 2 _ε
128	80	€	\texteuro (tc)	145	91	‘	‘
130	82	,	\quotesinglbase (T1)	146	92	’	’
131	83	f	\textit{f}	147	93	“	“
132	84	„	\quotedblbase (T1)	148	94	”	”
133	85	...	\dots	149	95	•	\textbullet
134	86	†	\dag	150	96	–	--
135	87	‡	\ddag	151	97	—	---
136	88	ˆ	\textasciicircum	152	98	˜	\textasciitilde
137	89	‰	\textperthousand (tc)	153	99	™	\texttrademark
138	8A	Š	\v{S}	154	9A	š	\v{s}
139	8B	‹	\guilsinglleft (T1)	155	9B	›	\guilsinglright (T1)
140	8C	Œ	\OE	156	9C	œ	\oe
142	8E	Ž	\v{Z}	158	9E	ž	\v{z}
				159	9F	ÿ	\{"Y}

The following are some additional notes about the contents of Table 531:

- As in Table 530, a “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Not all characters in the 128–159 range are defined.
- Look up “euro signs” in the index for alternatives to `\texteuro`.

While too large to incorporate into this document, a listing of ISO 8879:1986 SGML/XML character entities and their L^AT_EX equivalents is available from <http://www.bitjungle.com/isoent/>. Some of the characters presented there make use of `isoent`, a L^AT_EX 2_ε package (available from the same URL) that fakes some of the missing ISO glyphs using the L^AT_EX `picture` environment.¹³

10.7 Unicode characters

Unicode is a “universal character set”—a standard for encoding (i.e., assigning unique numbers to) the symbols appearing in many of the world’s languages. While ASCII can represent 128 symbols and Latin 1 can represent 256 symbols, Unicode can represent an astonishing 1,114,112 symbols.

Because T_EX and L^AT_EX predate the Unicode standard and Unicode fonts by almost a decade, support for Unicode has had to be added to the base T_EX and L^AT_EX systems. Note first that L^AT_EX distinguishes between *input* encoding—the characters used in the `.tex` file—and *output* encoding—the characters that appear in the generated `.dvi`, `.pdf`, etc. file.

¹³`isoent` is not featured in this document, because it is not available from CTAN and because the faked symbols are not “true” characters; they exist in only one size, regardless of the body text’s font size.

Inputting Unicode characters

To include Unicode characters in a `.tex` file, load the `ucs` package and load the `inputenc` package with the `utf8x` (“UTF-8 extended”) option.¹⁴ These packages enable L^AT_EX to translate UTF-8 sequences to L^AT_EX commands, which are subsequently processed as normal. For example, the UTF-8 text “Copyright © 2017”—“©” is not an ASCII character and therefore cannot be input directly without packages such as `ucs/inputenc`—is converted internally by `inputenc` to “Copyright \textcopyright{} 2017” and therefore typeset as “Copyright © 2017”.

The `ucs/inputenc` combination supports only a tiny subset of Unicode’s million-plus symbols. Additional symbols can be added manually using the `\DeclareUnicodeCharacter` command. `\DeclareUnicodeCharacter` takes two arguments: a Unicode number and a L^AT_EX command to execute when the corresponding Unicode character is encountered in the input. For example, the Unicode character “degree celsius” (“°C”) appears at character position U+2103.¹⁵ However, “°C” is not one of the characters that `ucs` and `inputenc` recognize. The following document shows how to use `\DeclareUnicodeCharacter` to tell L^AT_EX that the “°C” character should be treated as a synonym for `\textcelsius`:

```
\documentclass{article}
\usepackage{ucs}
\usepackage[utf8x]{inputenc}
\usepackage{textcomp}

\DeclareUnicodeCharacter{"2103}{\textcelsius} % Enable direct input of U+2103.

\begin{document}
It was a balmy 21°C.
\end{document}
```

which produces

It was a balmy 21°C.

See the `ucs` documentation for more information and for descriptions of the various options that control `ucs`’s behavior.

Outputting Unicode characters

Orthogonal to the ability to include Unicode characters in a L^AT_EX input file is the ability to include a given Unicode character in the corresponding output file. By far the easiest approach is to use X_YL^AT_EX instead of pdfL^AT_EX or ordinary L^AT_EX. X_YL^AT_EX handles Unicode input and output natively and can utilize system fonts directly without having to expose them via `.tfm`, `.fd`, and other such files. To output a Unicode character, a X_YL^AT_EX document can either include that character directly as UTF-8 text or use T_EX’s `\char` primitive, which X_YL^AT_EX extends to accept numbers larger than 255.

Suppose we want to output the symbols for versicle (“∴”) and response (“⌘”) in a document. The Unicode charts list “versicle” at position U+2123 and “response” at position U+211F. We therefore need to install a font that contains those characters at their proper positions. One such font that is freely available from CTAN is Junicode (`Junicode.ttf`) from the `junicode` package. The `fontspec` package makes it easy for a X_YL^AT_EX document to utilize a system font. The following example defines a `\textjuni` command that uses `fontspec` to typeset its argument in Junicode:

```
\documentclass{article}
\usepackage{fontspec}

\newcommand{\textjuni}[1]{\fontspec{Junicode}#1}
```

¹⁴UTF-8 is the 8-bit Unicode Transformation Format, a popular mechanism for representing Unicode symbol numbers as sequences of one to four bytes.

¹⁵The Unicode convention is to express character positions as “U+*(hexadecimal number)*”.

```

\begin{document}
We use ‘‘\textjuni{\char"2123}’’ for a versicle
and ‘‘\textjuni{\char"211F}’’ for a response.
\end{document}

```

which produces

We use “ \mathfrak{V} ” for a versicle and “ \mathfrak{R} ” for a response.

(Typesetting the entire document in Junicode would be even easier. See the `fontspec` documentation for more information regarding font selection.) Note how the preceding example uses `\char` to specify a Unicode character by number. The double quotes before the number indicate that the number is represented in hexadecimal instead of decimal.

10.8 About this document

History David Carlisle wrote the first version of this document in October, 1994. It originally contained all of the native \LaTeX symbols (Table 50, Table 72, Table 88, Table 138, Table 181, Table 184, Table 218, Table 219, Table 232, Table 240, Table 294, and a few tables that have since been reorganized) and was designed to be nearly identical to the tables in Chapter 3 of Leslie Lamport’s book [Lam86]. Even the table captions and the order of the symbols within each table matched! The \mathcal{AMS} symbols (Table 51, Table 89, Table 90, Table 141, Table 142, Table 185, Table 194, Table 212, and Table 295) and an initial Math Alphabets table (Table 307) were added thereafter. Later, Alexander Holt provided the `stmaryrd` tables (Table 52, Table 74, Table 91, Table 144, Table 177, and Table 213).

In January, 2001, Scott Pakin took responsibility for maintaining the symbol list and has since implemented a complete overhaul of the document. The result, now called, “The Comprehensive \LaTeX Symbol List”, includes the following new features:

- the addition of a handful of new math alphabets, dozens of new font tables, and thousands of new symbols
- the categorization of the symbol tables into body-text symbols, mathematical symbols, science and technology symbols, dingbats, ancient languages, and other symbols, to provide a more user-friendly document structure
- an index, table of contents, hyperlinks, and a frequently-requested symbol list, to help users quickly locate symbols
- symbol tables rewritten to list the symbols in alphabetical order
- appendices providing additional information relevant to using symbols in \LaTeX
- tables showing how to typeset all of the characters in the ASCII and Latin 1 font encodings

Furthermore, the internal structure of the document has been completely altered from David Carlisle’s original version. Most of the changes are geared towards making the document easier to extend, modify, and reformat.

Build characteristics Table 532 on the following page lists some of this document’s build characteristics. Most important is the list of packages that \LaTeX couldn’t find, but that `symbols.tex` otherwise would have been able to take advantage of. Complete, prebuilt versions of this document are available from CTAN (<http://www.ctan.org/> or one of its many mirror sites) in the directory `tex-archive/info/symbols/comprehensive`. Table 533 shows the package date (specified in the `.sty` file with `\ProvidesPackage`) for each package that was used to build this document and that specifies a package date. Packages are not listed in any particular order in either Table 532 or Table 533.

TABLE 532: Document Characteristics

Characteristic	Value
Source file:	<code>symbols.tex</code>
Build date:	January 19, 2017
Symbols documented:	14283
Packages included:	textcomp latexsym amssymb stmaryrd euscript wasysym pifont manfnt bbding undertilde ifsym tipa tipx extraipa wsuipa phonetic ulsy ar metre txfonts mathabx fclfont skak ascii dingbat skull eurosym esvect yfonts ymath esint mathdots trsym universa upgreek overrightarrow chemarr chemarrow nath trfsigns mathtools phaistos arcs vietnam t4phonet holtpolt semtrans dictsym extarrows protosem harmony hieroglf ccllicenses mathdesign arev MnSymbol fdsymbol boisik cmlt extpfeil keystroke fge turnstile simpsons epsdice feyn staves igo colonequals shuffle fourier dozenal pmbboxdraw pigpen clock teubner linearA linearb cypriot sarabian china2e harpoon steinmetz milstd recycle DotArrow ushort hhcount ogonek combelow musixtex ccicons adfsymbols adorn bigints soyombo tfrupee knitting textgreek begriff frege abracas CountriesOfEurope cookingsymbols prodint epiolmec mdwmath rsfs fontawesome stix hands greenpoint nkarta astrosym webomints moonphase dancers semaphor umranda umrandb cryst starfont tikzsymbols dice apl go magic bartel-chess-fonts actuarialangle lilyglyphs knot bclgo bullcncr rubikcube svrsymbols halloweenmath old-arrows allrunes emf esrelation accents nicefrac bm junicode mathrsfs chancery urwchancal calligra bbold mbboard dsfont bbm
Packages omitted:	<i>none</i>

TABLE 533: Package versions used in the preparation of this document

Name	Date	Name	Date	Name	Date
textcomp	2016/06/19	latexsym	1998/08/17	amssymb	2013/01/14
stmaryrd	1994/03/03	euscript	2009/06/22	wasysym	2003/10/30
pifont	2005/04/12	manfnt	1999/07/01	bbding	1999/04/15
undertilde	2000/08/08	ifsym	2000/04/18	tipa	2002/08/08
tipx	2003/01/01	wsuipa	1994/07/16	ar	2012/01/23
metre	2001/12/05	txfonts	2008/01/22	mathabx	2003/07/29
skak	2013/07/18	ascii	2006/05/30	dingbat	2001/04/27
skull	2002/01/23	eurosym	1998/08/06	yfonts	2003/01/08
mathdots	2014/06/11	trsym	2000/06/25	universa	98/08/01
upgreek	2003/02/12	chemarr	2016/05/16	mathtools	2015/11/12
phaistos	2004/04/23	arcs	2004/05/09	t4phonet	2004/06/01
semtrans	1998/02/10	dictsym	2004/07/26	extarrows	2008/05/15
protosem	2005/03/18	harmony	2007/05/04	hieroglf	2015/06/02
ccllicenses	2005/05/20	MnSymbol	2007/01/21	fdsymbol	2011/11/01
boisik	2009/08/21	extpfeil	2009/10/31	keystroke	2010/04/23

(continued on next page)

(continued from previous page)

Name	Date	Name	Date	Name	Date
fge	2015/05/19	turnstile	2007/06/23	epsdice	2007/02/15
feyn	2009/10/08	colonequals	2016/05/16	shuffle	2008/10/27
dozenal	2015/01/29	pmboxdraw	2016/05/16	pigpen	2008/12/07
clock	2001/04/10	teubner	2016/03/31	linearA	2006/03/13
linearb	2005/06/22	cypriot	2009/05/22	sarabian	2005/11/12
china2e	1997/06/01	harpoon	1994/11/02	steinmetz	2009/06/14
milstd	2009/06/25	DotArrow	2007/02/12	ushort	2001/06/13
hhcount	1995/03/31	ogonek	95/07/17	combelow	2010/05/02
musixtex	2001/07/08	ccicons	2013/04/16	adorn	2010/07/25
bigints	2010/02/15	soyombo	1996/09/01	tfruppee	2010/12/15
knitting	2010/08/29	textgreek	2011/10/09	frege	2012/08/04
abraces	2012/08/24	CountriesOfEurope	2012/04/18	cookingsymbols	2014/12/28
epiomec	2003/11/05	mdwmath	1996/04/11	fontawesome	2016/05/15
stix	2015/04/17	starfont	2010/09/29	tikzsymbols	2016/12/26
bclogo	2016/01/10	bullcntr	2007/04/02	rubikcube	2015/09/25
svrsymbols	2016/04/08	halloweenmath	2017/01/06	emf	2016/09/09
accents	2006/05/12	nicefrac	1998/08/04	bm	2016/07/07
calligra	2012/04/10				

10.9 Copyright and license

The Comprehensive L^AT_EX Symbol List
Copyright © 2017, Scott Pakin

This work may be distributed and/or modified under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version. The latest version of this license is in

<http://www.latex-project.org/lppl.txt>

and version 1.3c or later is part of all distributions of L^AT_EX version 2006/05/20 or later.

This work has the LPPL maintenance status “maintained”.

The current maintainer of this work is Scott Pakin.

References

- [AMS99] American Mathematical Society. *User's Guide for the amsmath Package (Version 2.0)*, December 13, 1999. Available from <ftp://ftp.ams.org/pub/tex/doc/amsmath/amsl.doc.pdf>.
- [Ber01] Karl Berry. Fontname: Filenames for $\text{T}_{\text{E}}\text{X}$ fonts, June 2001. Available from <http://www.ctan.org/tex-archive/info/fontname>.
- [Che97] Raymond Chen. A METAFONT of 'Simpsons' characters. *Baskerville*, 4(4):19, September 1997. ISSN 1354-5930. Available from <http://tug.ctan.org/usergrps/uktug/baskervi/4.4/bask4.4.ps>.
- [Dow00] Michael Downes. Short math guide for $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$, July 19, 2000. Version 1.07. Available from <http://www.ams.org/tex/short-math-guide.html>.
- [Gib97] Jeremy Gibbons. Hey—it works! *TUGboat*, 18(2):75–78, June 1997. Available from <http://www.tug.org/TUGboat/Articles/tb18-2/tb55works.pdf>.
- [Gre09] Enrico Gregorio. *Appunti di programmazione in $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ e $\text{T}_{\text{E}}\text{X}$* , second edition, June 2009. Available from <http://profs.sci.univr.it/~gregorio/introtex.pdf>.
- [Knu86a] Donald E. Knuth. *The $\text{T}_{\text{E}}\text{X}$ book*, volume A of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Knu86b] Donald E. Knuth. *The METAFONTbook*, volume C of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Lam86] Leslie Lamport. *$\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$: A document preparation system*. Addison-Wesley, Reading, MA, USA, 1986.
- [$\text{L}^{\text{A}}\text{T}$ 98] $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}3$ Project Team. A new math accent. *$\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ News*. Issue 9, June 1998. Available from <http://www.ctan.org/tex-archive/macros/latex/doc/ltnews09.pdf> (also included in many $\text{T}_{\text{E}}\text{X}$ distributions).
- [$\text{L}^{\text{A}}\text{T}$ 00] $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}3$ Project Team. $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}2_{\epsilon}$ font selection, January 30, 2000. Available from <http://www.ctan.org/tex-archive/macros/latex/doc/fntguide.pdf> (also included in many $\text{T}_{\text{E}}\text{X}$ distributions).

Index


















If you're having trouble locating a symbol, try looking under "T" for "\text...". Many text-mode commands begin with that prefix. Also, accents are shown over/under a gray box (e.g., "▣" for "\'").






Some symbol entries appear to be listed repeatedly. This happens when multiple packages define identical (or nearly identical) glyphs with the same symbol name.¹⁶

Symbols			
\" (▣)	21	\~{ } (^) 14, 242	
\# (#)	14, 241	\ ()	103
\\$ (\$) 14, 15, 241		\ ()	103, 105
\\$ (\$) 15		\ (▣)	21
\% (%) 14, 241		\= (▣)	21
\& (&) 14, 37, 241		\= { } (~)	242
\' (▣)	21	()	107
(()	103	()	105
(()	105	()	108
(()	108	()	52, 103, 105, 109
) ()	103	(()	107
) ()	105) ()	107
) ()	108	/ (/)	107
* (*) 33		[()	107
\, 240		_ 15	
\- (-) 243, 244		_ (-) 14, 242	
\. (▣)	21	\{ { }	14, 15, 103
/ (/)	103	\{ { }	242
/ (/)	105	\} { }	14, 15, 103
/ (/)	108	\} { }	242
\: (:)	121] ()	107
\; (;)	121	\' (▣)	21
< (<)	105	\~ (▣)	21
< (<)	108	\~ { } (~)	14, 242
\? (:)	121		
[()	103	A	
[()	105	A (A)	162
[()	107	\A (*) 162	
\ \ 231		a (esvect package option) . . . 115	
] ()	103	\a (b) 162	
] ()	105	\a (x) 188	
] ()	107	a (f) 162	
\^ (▣)	21	\AA (Å) 15	
		\aa (ä) 15	
		\AAaleph (ℵ) 153	
		\AAayin (א) 153	
		\AAbeth (ב) 153	
		\AAcht (♯) 165	
		\AAdaleth (ד) 153	
		\AAhe (ה) 153	
		\AAhelmet (⚔) 153	
		\AAheth (ח) 153	
		\AAkaph (כ) 153	
		\AAlamed (ל) 153	
		\Aaleph (א) 153	
		\AApe (פ) 153	
		\AAqoph (ק) 153	
		\AAresh (ר) 153	
		\AAsade (ש) 153	
		\AAyin (ת) 153	
		\AAyod (י) 153	
		\AB () 134	
		\Abeth (א) 153	
		abraces (package) . 115, 247, 248	
		absolute value . <i>see</i> \lvert and \rvert	
		abzüglich . <i>see</i> \textdiscount	
		\AC (~) 130	
		\ac (~) 60	
		\acarc 23	
		\acbar 23	
		accents . . . 21–25, 110–116, 119, 165, 234–236	
		acute (▣) 21–25, 110	
		any character as 234	
		arc (▣) 21–24, 113–115	
		breve (▣) 21–25, 110	
		caron (▣) 21, 25, 110, 114	
		cedilla (▣) 21	
		circumflex (▣) 21–23, 110, 112–114	
		comma-below (▣) 25	
		Cyrillic breve (▣) 21	
		Cyrillic flex (▣) 21	
		Cyrillic umlaut (▣) 21	
		diæresis (▣) 21, 24, 25, 110, 129	
		dot (▣ or ▣) 21–23, 110	
		double acute (▣) 21, 25	
		double grave (▣) 21	
		extensible 112–116, 119, 235–236	
		grave (▣) 21–25, 110	
		háček . . . <i>see</i> accents, caron	
		hook (▣) 21	
		Hungarian umlaut . . . <i>see</i> accents, double acute	
		inverted breve (▣) 21	
		kroužek . <i>see</i> accents, ring	
		macron (▣) 21, 24, 25, 110, 112, 114	
		multiple per character 21–23, 234	
		ogonek (▣) 21–24	
		ring (▣) 21–23, 25, 110, 112	
		Romanian comma-belo accent <i>see</i> accents, comma-below	

¹⁶This occurs frequently between `amssymb` and `mathabx`, for example.

trema <i>see</i> accents, diæresis	<code>\adfarrow</code> 140	<code>\adfbullet</code> (•) 152
umlaut <i>see</i> accents, diæresis	<code>\adfarrowe1</code> (⇒) 140	<code>\adfbullet{1}</code> (◊) 145
accents (package) 110, 234, 247, 248	<code>\adfarrowe2</code> (→) 140	<code>\adfbullet{2}</code> (⊕) 145
<code>\accentset</code> 234	<code>\adfarrowe3</code> (↗) 140	<code>\adfbullet{3}</code> (⊛) 145
accidentals <i>see</i> musical symbols	<code>\adfarrowe4</code> (⇒) 140	<code>\adfbullet{4}</code> (⊛) 143
accordion notation 168	<code>\adfarrowe5</code> (→) 140	<code>\adfbullet{5}</code> (⊕) 143
<code>\accordionBayanBass</code> (⊞) . 168	<code>\adfarrowe6</code> (⇒) 140	<code>\adfbullet{6}</code> (⊛) 143
<code>\accordionDiscant</code> (⊖) . 168	<code>\adfarrown1</code> (ⓐ) 140	<code>\adfbullet{7}</code> (⊕) 143
<code>\accordionFreeBass</code> (⊖) . 168	<code>\adfarrown2</code> (ⓐ) 140	<code>\adfbullet{8}</code> (⊕) 143
<code>\accordionOldEE</code> (⊛) 168	<code>\adfarrown3</code> (ⓐ) 140	<code>\adfbullet{9}</code> (⊕) 143
<code>\accordionPull</code> (ⓐ) 168	<code>\adfarrown4</code> (ⓐ) 140	<code>\adfbullet{10}</code> (⊕) 143
<code>\accordionPush</code> (ⓐ) 168	<code>\adfarrown5</code> (ⓐ) 140	<code>\adfbullet{11}</code> (⊕) 145
<code>\accordionStdBass</code> (⊞) . 168	<code>\adfarrown6</code> (ⓐ) 140	<code>\adfbullet{12}</code> (⊕) 145
<code>\acurrent</code> (∞) 126	<code>\adfarrowne1</code> (↗) 140	<code>\adfbullet{13}</code> (⊕) 145
<code>\Acht</code> (♩) 165	<code>\adfarrowne2</code> (↗) 140	<code>\adfbullet{14}</code> (⊕) 145
<code>\AchtBL</code> (♩) 165	<code>\adfarrowne3</code> (↗) 140	<code>\adfbullet{15}</code> (⊕) 145
<code>\AchtBR</code> (♩) 165	<code>\adfarrowne4</code> (↗) 140	<code>\adfbullet{16}</code> (⊕) 145
<code>\acidfree</code> (⊕) 122	<code>\adfarrowne5</code> (↗) 140	<code>\adfbullet{17}</code> (⊕) 145
<code>\ACK</code> (♣) 135	<code>\adfarrowne6</code> (↗) 140	<code>\adfbullet{18}</code> (⊕) 145
<code>\acontraction</code> 236	<code>\adfarrownw1</code> (↘) 140	<code>\adfbullet{19}</code> (⊕) 145
<code>\AcPa</code> (7) 165	<code>\adfarrownw2</code> (↘) 140	<code>\adfbullet{20}</code> (⊕) 145
<code>\actuarial</code> (⊞) 235	<code>\adfarrownw3</code> (↘) 140	<code>\adfbullet{21}</code> (⊕) 145
actuarial symbols . . . 116, 235	<code>\adfarrownw4</code> (↘) 140	<code>\adfbullet{22}</code> (⊕) 145
actuarialangle (package) . . 116, 235, 247	<code>\adfarrownw5</code> (↘) 140	<code>\adfbullet{23}</code> (⊕) 145
<code>\actuarialangle</code> 235	<code>\adfarrownw6</code> (↘) 140	<code>\adfbullet{24}</code> (⊕) 145
<code>\actuarialangle</code> (⊞) 116	<code>\adfarrows1</code> (ⓐ) 140	<code>\adfbullet{25}</code> (⊕) 145
<code>\acute</code> (á) 111	<code>\adfarrows2</code> (ⓐ) 140	<code>\adfbullet{26}</code> (⊕) 145
<code>\acute</code> (á) 110	<code>\adfarrows3</code> (ⓐ) 140	<code>\adfbullet{27}</code> (⊕) 150
acute (á) <i>see</i> accents	<code>\adfarrows4</code> (ⓐ) 140	<code>\adfbullet{28}</code> (⊕) 150
<code>\acutus</code> (á) 24	<code>\adfarrows5</code> (ⓐ) 140	<code>\adfbullet{29}</code> (⊕) 150
<code>\acwcirclearrow</code> (⊕) 87	<code>\adfarrows6</code> (ⓐ) 140	<code>\adfbullet{30}</code> (⊕) 150
<code>\acwcirclearrowdown</code> (⊕) 81	<code>\adfarrowse1</code> (↘) 140	<code>\adfbullet{31}</code> (⊕) 150
<code>\acwcirclearrowleft</code> (⊕) 81	<code>\adfarrowse2</code> (↘) 140	<code>\adfbullet{32}</code> (⊕) 150
<code>\acwcirclearrowright</code> (⊕) 81	<code>\adfarrowse3</code> (↘) 140	<code>\adfbullet{33}</code> (⊕) 150
<code>\acwcirclearrowup</code> (⊕) . . 81	<code>\adfarrowse4</code> (↘) 140	<code>\adfbullet{34}</code> (⊕) 150
<code>\acwgapcirclearrow</code> (⊕) . 82	<code>\adfarrowse5</code> (↘) 140	<code>\adfbullet{41}</code> (⊕) 150
<code>\acwgapcirclearrow</code> (⊕) . 87	<code>\adfarrowse6</code> (↘) 140	<code>\adfbullet{42}</code> (⊕) 150
<code>\acwleftarccarrow</code> (↙) 81	<code>\adfarrowsw1</code> (↗) 140	<code>\adfbullet{43}</code> (⊕) 150
<code>\acwleftarccarrow</code> (↙) 87	<code>\adfarrowsw2</code> (↗) 140	<code>\adfbullet{44}</code> (⊕) 150
<code>\acwnearccarrow</code> (↖) 81	<code>\adfarrowsw3</code> (↗) 140	<code>\adfbullet{45}</code> (⊕) 150
<code>\acwnwarccarrow</code> (↖) 81	<code>\adfarrowsw4</code> (↗) 140	<code>\adfbullet{46}</code> (⊕) 150
<code>\acwopencirclearrow</code> (⊕) 82	<code>\adfarrowsw5</code> (↗) 140	<code>\adfbullet{47}</code> (⊕) 150
<code>\acwopencirclearrow</code> (⊕) . 89, 148	<code>\adfarrowsw6</code> (↗) 140	<code>\adfbullet{48}</code> (⊕) 150
<code>\acwoverarccarrow</code> (↖) . . . 81	<code>\adfarroww1</code> (←) 140	<code>\adfbullet{49}</code> (⊕) 150
<code>\acwoverarccarrow</code> (↖) . . . 87	<code>\adfarroww2</code> (←) 140	<code>\adfbullet{50}</code> (⊕) 150
<code>\acwrightarccarrow</code> (↗) . . . 81	<code>\adfarroww3</code> (↔) 140	<code>\adfbullet{51}</code> (⊕) 150
<code>\acwsearccarrow</code> (↗) 81	<code>\adfarroww4</code> (↔) 140	<code>\adfbullet{52}</code> (⊕) 150
<code>\acwswarccarrow</code> (↖) 81	<code>\adfarroww5</code> (←) 140	<code>\adfclosedflourishleft</code> (↪)
<code>\acwunderarccarrow</code> (↖) . . 81	<code>\adfarroww6</code> (←) 140 152
<code>\acwunderarccarrow</code> (↖) . . 87	<code>\adfast{1}</code> (⊕) 145	<code>\adfclosedflourishright</code> (↩)
<code>\Adaleth</code> (⋈) 153	<code>\adfast{2}</code> (⊕) 145 152
adeles (A) <i>see</i> alphabets, math	<code>\adfast{3}</code> (⊕) 145	<code>\adfdiamond</code> (⊖) 152
	<code>\adfast{4}</code> (⊕) 145	<code>\adfdoubleflourishleft</code> (↪)
	<code>\adfast{5}</code> (⊕) 145 152
	<code>\adfast{6}</code> (⊕) 145	<code>\adfdoubleflourishright</code> (↩)
	<code>\adfast{7}</code> (⊕) 145 152
	<code>\adfast{8}</code> (⊕) 145	<code>\adfdoublesharpflourishleft</code>
	<code>\adfast{9}</code> (⊕) 145	(↩) 152
	<code>\adfast{10}</code> (⊕) 145	

<code>\adfdoublesharppflourishright</code> () 152	<code>adfn</code> (package) 140, 145, 146, 152, 247, 248	<code>\alad</code> (}) 110
<code>\adfdownhalfleafleft</code> () 146	<code>\adfoutlineleafleft</code> () . 146	<code>\Alamed</code> (ℓ) 153
<code>\adfdownhalfleafright</code> () 146	<code>\adfoutlineleafright</code> () 146	<code>\Alas</code> (}) 110
<code>\adfdownleafleft</code> () . . . 146	<code>\adfrightharrowhead</code> (▷) . . 140	<code>\alas</code> (}) 110
<code>\adfdownleafright</code> () . . 146	<code>\adfS</code> (§) 152	<code>\Albania</code> (ι) 194
<code>\adfflatdownhalfleafleft</code> () 146	<code>\adfsharpflourishleft</code> (↵) 152	<code>\aldine</code> (♩) 146
<code>\adfflatdownhalfleafright</code> () 146	<code>\adfsharpflourishright</code> (↵) 152	<code>\aldineleft</code> () 146
<code>\adfflatdownoutlineleafleft</code> () 146	<code>\adfsickleflourishleft</code> (↵) 152	<code>\aldineright</code> () 146
<code>\adfflatdownoutlineleafright</code> () 146	<code>\adfsickleflourishright</code> (↵) 152	<code>\aldinesmall</code> () 146
<code>\adfflatleafleft</code> (↵) . . . 146	<code>\adfsingleflourishleft</code> (↵) 152	<code>\aleph</code> (ℵ) 99, 124
<code>\adfflatleafoutlineleft</code> (↵) 146	<code>\adfsingleflourishright</code> (↵) 152	<code>\aleph</code> (ℵ) 99
<code>\adfflatleafoutlineright</code> (↵) 146	<code>\adfsmallhangingleafleft</code> (♣) 146	<code>\aleph</code> (ℵ) 99
<code>\adfflatleafright</code> (↵) . . 146	<code>\adfsmallhangingleafright</code> (♣) 146	<code>\aleph</code> (ℵ) 100
<code>\adfflatleafsolidleft</code> (↵) 146	<code>\adfsmallleafleft</code> (♣) . . 146	<code>\Alif</code> (ʾ) 20
<code>\adfflatleafsolidright</code> (↵) 146	<code>\adfsmallleafright</code> (♣) . . 146	<code>\allabreve</code> (Ⓛ) 164
<code>\adfflourishleft</code> (↵) . . . 152	<code>\adfsolidleafleft</code> (♣) . . . 146	<code>allrunes</code> (package) . . . 162, 247
<code>\adfflourishright</code> (↵) . . 152	<code>\adfsolidleafright</code> (♣) . . 146	<code>\Alpha</code> (Α) 97
<code>\adfflourishrightdouble</code> (↵) 152	<code>\adfsquare</code> (▣) 152	<code>\alpha</code> (α) 97
<code>\adfflowerleft</code> (♣) 146	<code>adfsymbols</code> (package) . 140, 143, 145, 150, 247	alphabets 128
<code>\adfflowerright</code> (♣) . . . 146	<code>\adftripleflourishleft</code> (↵) 152	African 16
<code>\adfgee</code> (♩) 152	<code>\adftripleflourishright</code> (↵) 152	Cypriot 158
<code>\adfhalfarrowleft</code> (↵) . . . 140	<code>\adfwavesleft</code> (↵) 152	Cyrillic 229
<code>\adfhalfarrowleftsolid</code> (↵) 140	<code>\adfwavesright</code> (↵) 152	Greek 16, 97, 98, 129, 159
<code>\adfhalfarrowright</code> (↵) . . 140	<code>adjoint</code> (†) <i>see</i> \dag	Hebrew 99, 100, 129
<code>\adfhalfarrowrightsolid</code> (↵) 140	<code>\Admetos</code> (♣) 133	hieroglyphic 154
<code>\adfhalfleafleft</code> (♣) . . . 146	Adobe Acrobat 239	Linear A 154
<code>\adfhalfleafright</code> (♣) . . . 146	<code>\adots</code> (⋯) 121, 234	Linear B 157
<code>\adfhalfleftarrow</code> (↵) . . . 140	<code>\adots</code> (⋯) 120	math 128
<code>\adfhalfleftarrowhead</code> (↵) 140	<code>\adots</code> (⋯) 120	phonetic 17–20
<code>\adfhalfrightarrow</code> (▷) . . 140	<code>\adsorbate</code> (Δ) 137	proto-Semitic 153
<code>\adfhalfrightarrowhead</code> (▷) 140	<code>\adsorbent</code> (♣) 137	South Arabian 159
<code>\adhangingflatleafleft</code> (♣) 146	<code>advancing</code> <i>see</i> \textadvancing	Vietnamese 16
<code>\adhangingflatleafright</code> (♣) 146	<code>\AE</code> (Æ) 15	<code>\alphaup</code> (α) 98
<code>\adhangingleafleft</code> (♣) . 146	<code>\ae</code> (æ) 15	alpine symbols 183
<code>\adhangingleafright</code> (♣) 146	<code>\aeolicbii</code> (oo) 189	<code>\Alt</code> () 134
<code>\adleafleft</code> (♣) 146	<code>\aeolicbiii</code> (ooo) 189	alternative denial <i>see</i> \uparrowrow <i>and</i>
<code>\adleafright</code> (♣) 146	<code>\aeolicbiv</code> (oooo) 189	<code>\AltGr</code> () 134
<code>\adleftarrowhead</code> (↵) . . . 140	<code>\agem0</code> (Û) 124	<code>\altoclef</code> () 164
<code>\adopenflourishleft</code> (↵) 152	<code>\Agimel</code> (˘) 153	<code>\AM</code> (α) 134
<code>\adopenflourishright</code> (↵) 152	<code>\Ahe</code> (ʰ) 153	<code>\amalg</code> (II) 31
	<code>\Ahelmet</code> (X) 153	<code>\amalg</code> (II) 34
	<code>\Aheth</code> (⌘) 153	<code>\amalg</code> (u) 33
	<code>\ain</code> (˘) 25	<code>\amalg</code> (II) 36
	<code>\Air</code> (Δ) 133	<code>\Amem</code> (˘) 153
	<code>\Akaph</code> (⌘) 153	<code>\Amor</code> (Ⓜ) 133
	<code>\Alad</code> (}) 110	ampersand <i>see</i> \&
		<code>\AMS</code> (package) 12, 15, 31, 42, 52, 53, 65, 67, 72, 75, 76, 92, 96, 97, 99, 100, 102, 104, 110, 113, 116, 119, 123, 124, 129, 226, 227, 246
		<code>amsbsy</code> (package) 241
		<code>amsfonts</code> (package) . . . 124, 128
		<code>amsmath</code> (package) 12, 96, 110, 230, 240

amssymb (package) 12, 110, 124, 128, 159, 247	\Antidiple^* (\lesssim) 188	\approxeq (\cong) 61
amstext (package) . . . 232, 233	\antidiple^* (\lesssim) 188	\approxeqq (\cong) 61
\Anaclasis (\pm) 188	\antilabe ($::$) 121	\approxident (\approx) 58
\anaclasis (\pm) 188	\antimuon (μ^+) 137	\approxident (\approx) 61
\anceps (\times) 189	\antineutrino ($\bar{\nu}$) 137	\Aqoph (∞) 153
\ancepsdbrevis (\times) 189	\antineutron (\bar{n}) 137	\Aquarius (\mathbb{A}) 132
\anchor (\updownarrow) 196	\antiproton (p^-) 137	\Aquarius (\mathbb{A}) 133
\anchor (\updownarrow) 152	\antiquark (\bar{q}) 137	\aquarius (\approx) 131
ancient-language symbols . 153–162	\antiquarkb (\bar{b}) 137	\AR (\mathcal{R}) 130
and <i>see</i> \wedge	\antiquarkc (\bar{c}) 137	ar (package) 130, 247
AND gates 135	\antiquarkd (\bar{d}) 137	\arafamily 162
\ANDd () 135	\antiquarks (\bar{s}) 137	arc (\equiv) <i>see</i> accents
\ANDl () 135	\antiquarkt (\bar{t}) 137	\arccos (arccos) 96
\Andorra (\circ) 194	\antiquarku (\bar{u}) 137	\arceq (\cong) 60
\ANDr () 135	\Antisigma (\supset) 188	\arceq (\cong) 58, 95
\ANDu () 135	\antisigma (\supset) 188	\arceq (\cong) 61
\angdnr (\angle) 123	\Anun (\sim) 153	\arcfamily 162
\angl (\equiv) 116	\anyon (\mathcal{A}) 137	arcminutes <i>see</i> \prime
\angle (\angle) 123	\aoverbrace () 115	arcs (package) 24, 247
\angle (\angle) 124	\Ape (\mathbb{L}) 153	arcseconds <i>see</i> $\prime\prime$
\angle (\angle) 123	APL	\arcsin (arcsin) 96
\angle (\angle) 123	symbols 61–62	\arctan (arctan) 96
\angle (\angle) 123	apl (package) 134, 247	\Aresh (\mathcal{R}) 153
\angle (\angle) 123	APL symbols 133, 134	arev (package) . . 140–144, 151, 163, 196, 247
\angle (\angle) 123	\APLbox (\square) 133	\arg (arg) 96
angle notation 131	\APLboxquestion (\square) 134	\Aries (\mathcal{A}) 132
angles . . 122–124, 126, 127, 133	\APLboxupcaret (\square) 134	\Aries (\mathcal{A}) 132
\angles (\angle) 123	\APLcirc (\circ) 133	\Aries (\mathcal{A}) 133
\AngleSign (\angle) 122	\APLcomment (\circ) 133	\Aries (\mathcal{A}) 132
\angleubar (\angle) 123	\APLdown (∇) 133	\aries (\mathcal{A}) 131
\angln (\bar{n}) 116	\APLdownarrowbox (\square) 133	\arlfamily 162
Anglo-Frisian runes 162	\APLinput (\square) 133	\armfamily 162
\anglr (\bar{r}) 116	\APLin (\boxplus) 133	\arnfamily 162
\Angstrom (\AA) 101	\APLleftarrowbox (\square) 133	\ArrowBoldDownRight (\blacktriangleright) . 139
Ångström unit	\APLlog (\otimes) 133	\ArrowBoldRightCircled (\blacktriangleright) 139
math mode <i>see</i> \mathring{A}	\APLminus ($-$) 133	\ArrowBoldRightShort (\blacktriangleright) . 139
text mode <i>see</i> \AA	\APLnot (\equiv) 133	\ArrowBoldRightStrobe (\blacktriangleright) 139
\Angud (\circ) 110	\APLnotbackslash (\backslash) 134	\ArrowBoldUpRight (\blacktriangleright) . . 139
\angud (\circ) 110	\APLnotslash (\backslash) 134	\arrowbullet (\blacktriangleright) 140
angular minutes <i>see</i> \prime	\APLrightarrowbox (\square) 133	\ArrowNot (\circ) 95
angular seconds <i>see</i> $\prime\prime$	\APLstar ($*$) 133	\ArrowNot (\circ) 95
\Angus (\circ) 110	\APLuparrowbox (\square) 133	\ArrowOver ($\bar{\circ}$) 25
\angus (\circ) 110	\APLvert (\updownarrow) 133	\arrowover ($\bar{\circ}$) 25
animals 153, 154, 158	\Apollon (\mathbb{A}) 133	arrows 75–77, 81, 86–92, 112–118, 133, 134, 139, 140, 153, 158, 182, 193, 199–202, 204–206, 222, 229
\Ankh (\dagger) 182	apostrophica <i>see</i> \textasciitilde	diagonal, for reducing subexpressions 112
\Annoey (\ominus) 196	\apprge (\gtrsim) 68	dotted 117
\annuity (\equiv) 111	\apprle (\lesssim) 68	double-headed, diagonal 233
annuity symbols 116, 235	\approx (\approx) 52	extensible 112–118
\Antidiple (\lessdot) 188	\approx (\approx) 57	fletched 91, 139
\antidiple (\lessdot) 188	\approx (\approx) 55	negated 75, 76, 79, 83
	\approx (\approx) 61	arrows (boisik package option) 87
	\approxcolon ($\approx:$) 64	
	\approxcoloncolon ($\approx::$) 64	
	\approxeq (\cong) 52	
	\approxeq (\cong) 60	
	\approxeq (\cong) 57	
	\approxeq (\cong) 55	















































<code>\Arrowvert</code> (\Uparrow)	104
<code>\Arrowvert</code> (\Downarrow)	105
<code>\Arrowvert</code> (\Uparrow)	107
<code>\arrowvert</code> (\Uparrow)	104
<code>\arrowvert</code> (\Downarrow)	105
<code>\arrowvert</code> (\Uparrow)	107
Arseneau, Donald	231–235
<code>\artfamily</code>	162
articulations	<i>see musical symbols</i>
<code>\Asade</code> (Ψ)	153
<code>\Asamekh</code> (\heartsuit)	153
<code>\ASC</code> (\mathbb{A}^{SC})	133
ASCII	12, 15, 135, 217, 226, 240–242, 244–246
table	241
ascii (package)	135, 242, 247
<code>\ascnode</code> (Ω)	131
<code>\Ashin</code> (ω)	153
aspect ratio	130
<code>\Assert</code> (\Vdash)	58
<code>\assert</code> (\vdash)	58
<code>\assert</code> (\vdash)	61
<code>\assumption</code> (\star)	137
<code>\ast</code> ($*$)	33
<code>\ast</code> ($*$)	31
<code>\ast</code> ($*$)	35
<code>\ast</code> ($*$)	34
<code>\ast</code> ($*$)	33
<code>\ast</code> ($*$)	36
<code>\asteq</code> ($\stackrel{*}{=}$)	61
<code>\asteraccent</code> (\AA)	111
<code>\Asteriscus</code> (\AA)	188
<code>\asteriscus</code> (\AA)	188
<code>\Asterisk</code> ($*$)	33
<code>\Asterisk</code> ($*$)	145
<code>\asterisk</code> ($*$)	33
<code>\AsteriskBold</code> (\AA)	145
<code>\AsteriskCenterOpen</code> (\AA)	145
<code>\AsteriskRoundedEnds</code> (\AA)	145
asterisks	33, 145
<code>\AsteriskThin</code> (\AA)	145
<code>\AsteriskThinCenterOpen</code> (\AA)	145
<code>\asterism</code> (\AA)	230
asteroids	133
astrological symbols	131–133, 206–209
astronomical symbols	131–133, 191, 206–209
<code>\astrosun</code> (\odot)	132
<code>\astrosun</code> (\odot)	131
astrosym (package)	206, 247
asymmetric braces	115
<code>\asymp</code> (\asymp)	52

<code>\asymp</code> (\asymp)	58, 95
<code>\asymp</code> (\asymp)	94
<code>\asymp</code> (\asymp)	61
<code>\atan</code> (atan)	240
<code>\ataribox</code> (\AA)	181
<code>\Atav</code> (+)	153
<code>\Ateth</code> (\AA)	153
<code>\AtForty</code> (\AA)	182
<code>\AtNinetyFive</code> (\AA)	182
<code>\atom</code> (\AA)	137
atomic math objects	96, 240
<code>\AtSixty</code> (\AA)	182
<code>\aunderbrace</code> ($\underbrace{\quad}$)	115
<code>\Austria</code> (\AA)	194
<code>\autoleftarrow</code> (\leftarrow)	117
<code>\autolefttrightharpoons</code> (\rightleftharpoons)	117
<code>\autorightarrow</code> (\rightarrow)	117
<code>\autorightleftharpoons</code> (\rightleftharpoons)	117
<code>\Autumntree</code> (\AA)	197
<code>\Avav</code> (\AA)	153
average	30
<code>\awint</code> (\int)	48
<code>\awint</code> (\int)	48
<code>\awintsl</code> (\int)	50
<code>\awintup</code> (\int)	50
<code>\Ayn</code> (\AA)	20
<code>\Ayod</code> (\AA)	153
<code>\Azayin</code> (=)	153

B

B (β)	162
<code>\B</code>	16
<code>\B</code> (β)	188
b (esvect package option)	115
<code>\b</code> (\AA)	21
<code>\b</code> (β)	188
b (β)	162
<code>\Ba</code> (\AA)	157
babel (package)	16, 97, 98, 159
<code>\babygamma</code> (γ)	19
<code>\backapprox</code> (\approx)	55
<code>\backapprox</code> (\approx)	55
<code>\Backblech</code> (\AA)	196
<code>\backcong</code> (\cong)	57
<code>\backcong</code> (\cong)	55
<code>\backcong</code> (\cong)	61
<code>\backdprime</code> (\AA)	122
<code>\backepsilon</code> (ϵ)	52
<code>\backepsilon</code> (ϵ)	125
<code>\backepsilon</code> (ϵ)	99
<code>\backeqsim</code> (\sim)	55
<code>\backneg</code> (\neg)	125

<code>\backneg</code> (\neg)	125
<code>\backprime</code> (\AA)	124
<code>\backprime</code> (\AA)	125
<code>\backprime</code> (\AA)	125
<code>\backprime</code> (\AA)	125
<code>\backprime</code> (\AA)	122
<code>\backpropto</code> (\propto)	57
<code>\backsim</code> (\sim)	52
<code>\backsim</code> (\sim)	60
<code>\backsim</code> (\sim)	57
<code>\backsim</code> (\sim)	55
<code>\backsim</code> (\sim)	61
<code>\backsimeq</code> (\simeq)	52
<code>\backsimeq</code> (\simeq)	60
<code>\backsimeq</code> (\simeq)	57
<code>\backsimeq</code> (\simeq)	55
<code>\backsimeq</code> (\simeq)	61
<code>\backsimneqq</code> (\neq)	59
<code>\backslash</code> (\backslash)	103, 124
<code>\backslash</code> (\backslash)	106
<code>\backslash</code> (\backslash)	105
<code>\backslash</code> (\backslash)	126
<code>\backslash</code> (\backslash)	107
<code>\backslash</code> (\backslash)	33
<code>\backtriplesim</code> (\AA)	55
<code>\backtrprime</code> (\AA)	122
<code>\backturn</code> (\AA)	164
<code>\bagmember</code> (\in)	60
<code>\bagmember</code> (\in)	61
<code>\Baii</code> (\AA)	157
<code>\Baiii</code> (\AA)	157
<code>\bakingplate</code> (\AA)	196
<code>\ballotcheck</code> (\checkmark)	144
<code>\ballotx</code> (\AA)	144
banana brackets	<i>see \llparenthesis and \rrparenthesis</i>
<code>\banceps</code> (\AA)	189
<code>\bar</code> ($\bar{\quad}$)	111
<code>\bar</code> ($\bar{\quad}$)	110
<code>\bar</code> ($\bar{\quad}$)	162
<code>\barb</code> (\AA)	19
<code>\barbbrevis</code> (\AA)	189
<code>\barbrevis</code> (\AA)	189
<code>\barcap</code> ($\bar{\cap}$)	36
<code>\barcirc</code> (\AA)	231
<code>\barcup</code> ($\bar{\cup}$)	36
<code>\bard</code> (\AA)	19
<code>\bardownharpoonleft</code> (\AA)	90
<code>\bardownharpoonright</code> (\AA)	90
<code>\bari</code> (\AA)	19
<code>\barin</code> (\AA)	100
<code>\barj</code> (\AA)	20
<code>\barl</code> (\AA)	19

<code>\barlambda</code> (λ)	20	<code>\bauhead</code> ()	182	<code>\bccoeur</code> ()	198
<code>\barleftarrow</code> (\leftarrow)	86	<code>\bausquare</code> (	150	<code>\bccrayon</code> (	198
<code>\barleftarrow</code> (\leftarrow)	87	<code>\bautriangle</code> (	150	<code>\bccube</code> (	198
<code>\barleftarrowrightarrowbar</code> ()	86	<code>\BB</code> (\mathbb{B})	188	<code>\bcdallemagne</code> (	198
<code>\barleftarrowrightarrowbar</code> ()	87	<code>\Bb</code> (\mathbb{B})	188	<code>\bcdanger</code> (	198
<code>\barleftharpoon</code> (\leftrightharpoons)	77	<code>\bb</code> (\mathbb{b})	188	<code>\bcdautriche</code> (	198
<code>\barleftharpoon</code> (\leftrightharpoons)	90	<code>\bba</code> (\mathbb{B})	188	<code>\bcdbelgique</code> (	198
<code>\barleftharpoon</code> (\leftrightharpoons)	90	<code>\bbalpha</code> (\mathbb{B})	129	<code>\bcdbulgarie</code> (	198
<code>\baro</code> (ϕ)	32	<code>\bbar</code> (\mathbb{b})	230	<code>\bcdfrance</code> (	198
<code>\baro</code> (ϕ vs. θ)	227	<code>\bbb</code> (\mathbb{b})	188	<code>\bcditalie</code> (	198
<code>\baro</code> (ϕ)	35	<code>\bbbeta</code> (\mathbb{B})	129	<code>\bcdluxembourg</code> (	198
<code>\baro</code> (θ)	19	<code>\Bbk</code> (\mathbb{B})	100	<code>\bcdodecaedre</code> (	198
<code>\BarOver</code> ($\bar{}$)	25	<code>\Bbk</code> (\mathbb{B})	101	<code>\bcdpaysbas</code> (	198
<code>\barOver</code> ($\bar{}$)	25	<code>\Bbk</code> (\mathbb{B})	101	<code>\bcdz</code> (	198
<code>\barovernorthwestarrow</code> (\nwarrow)	86	<code>\Bbsum</code> (\mathbb{B})	48	<code>\bceclaircie</code> (	198
<code>\barovernorthwestarrow</code> (\nwarrow)	148	<code>bbding</code> (package)	139, 141–143, 145, 150, 152, 227, 247	<code>\bcetoile</code> (	197
<code>\barp</code> (\mathbb{P})	19	<code>\bbdollar</code> (\mathbb{D})	129	<code>\bcfemme</code> (	197
barred letters	230	<code>\bbetter</code> (\mathbb{B})	186	<code>\bcfeujaune</code> (	197
<code>\barrightrightarrow</code> (\rightrightarrows)	87	<code>\bbeuro</code> (\mathbb{E})	129	<code>\bcfeurouge</code> (	198
<code>\barrightharpoon</code> (\rightrightarrows)	77	<code>\bbfinalnum</code> (\mathbb{N})	129	<code>\bcfeutricolore</code> (	198
<code>\barrightharpoon</code> (\rightrightarrows)	90	<code>\bbgamma</code> (\mathbb{G})	129	<code>\bcfeuert</code> (	198
<code>\barrightharpoon</code> (\rightrightarrows)	90	<code>bbgreekl</code> (mathbbol package option)	129	<code>\bcfleur</code> (	198
<code>\barsci</code> (\mathbb{S})	19	<code>\BBm</code> (\mathbb{B})	188	<code>\bchomme</code> (	198
<code>\barscu</code> (\mathbb{S})	19	<code>\Bbm</code> (\mathbb{B})	188	<code>\bchorloge</code> (	198
<code>\Bart</code> ()	189	<code>\bBm</code> (\mathbb{B})	188	<code>\bcicosaedre</code> (	198
bartel-chess-fonts (package)	224, 225, 247	<code>bbm</code> (package)	128, 247	<code>\bcinfo</code> (	198
<code>\baru</code> (\mathbb{U})	19	<code>\bbm</code> (\mathbb{B})	188	<code>\bcinterdit</code> (	198
<code>\baruparrow</code> (\Uparrow)	87	<code>\bbmb</code> (\mathbb{B})	188	<code>\bclampe</code> (	198
<code>\barupharpoonleft</code> (\Uparrow)	90	<code>\bbmx</code> (\mathbb{B})	188		
<code>\barupharpoonright</code> (\Uparrow)	90	<code>\bbnabla</code> (\mathbb{N})	129		
<code>\Barv</code> (\mathbb{V})	58	<code>bbold</code> (package)	128, 247		
<code>\Barv</code> (\mathbb{V})	61	<code>\bbpe</code> (\mathbb{P})	129		
<code>\barV</code> (\mathbb{V})	58	<code>\bbqof</code> (\mathbb{Q})	129		
<code>\barV</code> (\mathbb{V})	61	<code>\bbrevis</code> (\mathbb{R})	189		
<code>\barvee</code> (\mathbb{V})	36	<code>\bbrktbrk</code> (\mathbb{B})	126		
<code>\barwedge</code> (\mathbb{W})	33	<code>\bbslash</code> (\mathbb{S})	32		
<code>\barwedge</code> (\mathbb{W})	31	<code>\bbslash</code> (\mathbb{S})	35		
<code>\barwedge</code> (\mathbb{W})	35	<code>\bbyod</code> (\mathbb{Y})	129		
<code>\barwedge</code> (\mathbb{W})	34				
<code>\barwedge</code> (\mathbb{W})	36	<code>\bcattention</code> (	197		
base twelve		<code>\bcbombe</code> (	197		
numerals	122	<code>\bcbook</code> (	197		
tally markers	185	<code>\bccalendrier</code> (	198		
<code>\BasicTree</code>	197	<code>\bccle</code> (	198		
<code>\bassclef</code> (	164	<code>\bcclefa</code> (	198		
<code>\Bat</code> (	182	<code>\bcclesol</code> (	198		
<code>\Bau</code> (	157				
<code>\baucircle</code> (	150				
<code>\bauforms</code> (	182				

bclogo (package) 248	197, 198, 247,
\bcloupe (🔍)	198
\bcneige (❄️)	198
\bcnote (🎵)	198
\bcnucleaire (☢️)	198
\bcocetaedre (🔺)	198
\bcoeil (👁️)	198
\bcontraction	236
\bcorne (🐂)	198
\bcours (🐻)	198
\bcoutil (🔧)	198
\bcpanchant (🚧)	197
\bcpeaceandlove (☮️)	197
\bcpluie (☁️)	197
\bcplume (🪶)	198
\bcpoisson (🐟)	198
\bcquestion (❓)	198
\bcrecyclage (♻️)	198
\bcrosevents (🌸)	198
\bcsmbh (😊)	198
\bcsmmh (😞)	198
\bcsoleil (☀️)	198
\bcspadesuit (♠️)	198
\bcstop (🛑)	198
\bctakecare (⚠️)	198
\bctetraedre (🔺)	198
\bctrefle (🍀)	198
\bctrombone (🎷)	198
\bcvaletcoeur (♣️)	198
\bcvelo (🚲)	198


\bcyin (☯️)	198
\Bda (⊥)	157
\Bde (⊗)	157
\bdecisive (-+)	186
\Bdi (⌈)	157
\bdleftarccarrow (↩)	81
\bdnearccarrow (↪)	81
\bdnwarccarrow (↩)	81
\Bdo (⌋)	157
\bdoverarccarrow (↶)	81
\bdrigharccarrow (↷)	81
\bdsearccarrow (↪)	81
\bdswarccarrow (↩)	81
\Bdu (⌌)	157
\bdunderarccarrow (↷)	81
\Bdwe (⌋)	157
\Bdwo (⌌)	157
\Be (Å)	157
\Beam (≡)	136
\Bearing (Δ)	136
\because (∴)	52, 119
\because (∴)	60
\because (∴)	120
\because (∴)	120
\because (∴)	120
\Bed (↔)	197
begriff (package)	121, 247
Begriffsschrift symbols	121
\BEL (•)	135
\Belarus (♠)	194
\Belgium (•)	194
\bell (♠)	181
\benzenr (⊙)	148
Berry, Karl	249
\Beta (B)	97
\beta (β)	97
\betaup (β)	98
\beth (⊔)	99
\beth (⊔)	100
\beth (⊔)	99
\beth (⊔)	99
\beth (⊔)	100
better	see \triangleleft
\betteris (⊃)	186
\between (⊘)	54
\between (⊘)	52
\between (⊘)	60
\between (⊘)	57
\between (⊘)	55
\between (⊘)	61
\BGassert (⊥)	121
\BGconditional (⊥)	121
\BGcontent (.)	121
\BGnot (⊥)	121
\BGquant (⊥)	121

\Bi (†)	157
\bibridge (⊞)	23
biconditional	see \leftrightharrow and \equiv
\Bicycle (🚲)	182
\Big	226, 228
\big	226, 228
big O (O)	see alphabets, math
\Bigassumption (★)	138
\bigassumption (★)	138
\bigast (*)	33
\bigblacktriangledown (▼)	148
\bigblacktriangleup (▲)	148
\bigbosonloop (⊗)	137
\bigbosonloopA (⊗)	137
\bigbosonloopB (⊗)	137
\bigbot (⊥)	126
\bigbox (□)	42
\bigboxasterisk (⊗)	43
\bigboxbackslash (⊞)	43
\bigboxbot (⊞)	43
\bigboxcirc (⊞)	43
\bigboxcoasterisk (⊗)	43
\bigboxdiv (⊞)	43
\bigboxdot (⊞)	43
\bigboxleft (⊞)	44
\bigboxminus (⊞)	44
\bigboxplus (⊞)	44
\bigboxright (⊞)	44
\bigboxslash (⊞)	43
\bigboxtimes (⊞)	43
\bigboxtop (⊞)	43
\bigboxtriangleup (⊞)	43
\bigboxvoid (□)	43
\bigcap (∩)	42
\bigcap (∩)	47
\bigcap (∩)	46
\bigcap (∩)	48
\bigcapdot (∩)	47
\bigcapdot (∩)	46
\bigcapplus (∩)	47
\bigcapplus (∩)	46
\bigcirc (○)	31
\bigcirc (○)	147
\bigcirc (○)	147
\bigcirc (○)	149
\BigCircle (○)	149
\BigCircle (○)	150
\bigcircle (○)	46
\bigcoast (*)	33
\bigcomplementtop (⊃)	43
\BigCross (⊗)	149
\bigcup (∪)	42
\bigcup (∪)	47

<code>\bigcup</code> (\cup)	46	<code>\bigoint</code> (\oint)	46	<code>\BigSquare</code> (\square)	149
<code>\bigcup</code> (\cup)	48	<code>\bigoints</code> (\oint)	46	<code>\bigsupplus</code> (\uplus)	43
<code>\bigcupdot</code> ($\cup\dot{}$)	47	<code>\bigointss</code> (\oint)	46	<code>\bigstar</code> (\star)	33
<code>\bigcupdot</code> (\cup)	46	<code>\bigointsss</code> (\oint)	46	<code>\bigstar</code> (\star)	124
<code>\bigcupdot</code> ($\cup\dot{}$)	49	<code>\bigointssss</code> (\oint)	46	<code>\bigstar</code> (\star)	147
<code>\bigcupplus</code> (\uplus)	47, 48	<code>\bigointssss</code> (\oint)	46	<code>\bigstar</code> (\star)	147
<code>\bigcupplus</code> (\uplus)	46, 47	<code>\bigoleft</code> (\oplus)	44	<code>\bigstar</code> (\star)	147
<code>\bigcurlyvee</code> (\vee)	43	<code>\bigominus</code> (\ominus)	44	<code>\bigstar</code> (\star)	148
<code>\bigcurlyvee</code> (\vee)	42	<code>\bigominus</code> (\ominus)	46	<code>\bigtalloblong</code> (\llcorner)	49
<code>\bigcurlyvee</code> (\vee)	47	<code>\bigoplus</code> (\oplus)	42	<code>\bigtimes</code> (\times)	43
<code>\bigcurlyvee</code> (\vee)	46	<code>\bigoplus</code> (\oplus)	47	<code>\bigtimes</code> (\times)	47
<code>\bigcurlyveedot</code> ($\vee\dot{}$)	46	<code>\bigoplus</code> (\oplus)	46	<code>\bigtimes</code> (\times)	47
<code>\bigcurlywedge</code> (\wedge)	43	<code>\bigoplus</code> (\oplus)	49	<code>\bigtimes</code> (\times)	49
<code>\bigcurlywedge</code> (\wedge)	42	<code>\bigoright</code> (\oplus)	43	<code>\bigtop</code> (\top)	126
<code>\bigcurlywedge</code> (\wedge)	47	<code>\bigoslash</code> (\oslash)	43	<code>\BigTriangleDown</code> (∇)	149
<code>\bigcurlywedge</code> (\wedge)	46	<code>\bigoslash</code> (\oslash)	46	<code>\bigtriangledown</code> (∇)	42
<code>\bigcurlywedgedot</code> ($\wedge\dot{}$)	46	<code>\bigostar</code> (\otimes)	46	<code>\bigtriangledown</code> (∇ vs. ∇)	227
<code>\BigDiamondshape</code> (\diamond)	149	<code>\bigotimes</code> (\otimes)	42	<code>\bigtriangledown</code> (∇)	74, 147
<code>\bigdoublecurlyvee</code> (\mathbb{W})	46	<code>\bigotimes</code> (\otimes)	48	<code>\bigtriangledown</code> (∇)	73
<code>\bigdoublecurlywedge</code> (\mathbb{A})	46	<code>\bigotimes</code> (\otimes)	46	<code>\bigtriangledown</code> (∇)	148, 149
<code>\bigdoublevee</code> (\mathbb{W})	47, 48	<code>\bigotimes</code> (\otimes)	49	<code>\BigTriangleLeft</code> (\triangleleft)	149
<code>\bigdoublevee</code> (\mathbb{W})	47	<code>\bigotop</code> (\oplus)	43	<code>\bigtriangleleft</code> (\triangleleft)	148
<code>\bigdoublewedge</code> (\mathbb{A})	47, 48	<code>\bigotriangle</code> (\odot)	46	<code>\BigTriangleRight</code> (\triangleright)	149
<code>\bigdoublewedge</code> (\mathbb{A})	47	<code>\bigotriangleup</code> (\triangleup)	43	<code>\BigTriangleUp</code> (\triangle)	149
<code>\Bigg</code>	226, 228	<code>\bigotriangleup</code> (\triangleup)	43	<code>\bigtriangleup</code> (\triangle)	42
<code>\bigg</code>	226, 228	<code>\bigover</code> (\oplus)	46	<code>\bigtriangleup</code> (\triangle vs. \triangle)	227
<code>\biggassumption</code> (\star)	138	<code>\bigovoid</code> (\circ)	43	<code>\bigtriangleup</code> (\triangle)	12, 31
<code>\BigHBar</code> ($\overline{}$)	149	<code>\bigparallel</code> (\parallel)	42	<code>\bigtriangleup</code> (\triangle)	74, 147
<code>\bigint</code> (\int)	46	<code>\bigparr</code> (\bowtie)	52	<code>\bigtriangleup</code> (\triangle)	73
<code>\biginterleave</code> (\lll)	42	<code>\bigplus</code> ($+$)	43	<code>\bigtriangleup</code> (\triangle)	148, 149
<code>\biginterleave</code> (\lll)	126	<code>\bigplus</code> ($+$)	48	<code>\biguplus</code> (\uplus)	42
<code>bigints</code> (package)	46, 247, 248	<code>\bigplus</code> ($+$)	46	<code>\biguplus</code> (\uplus)	48
<code>\bigints</code> (\int)	46	<code>\bigpumpkin</code> ($\text{\textcircled{smiley}}$)	40	<code>\biguplus</code> (\uplus)	47
<code>\bigintss</code> (\int)	46	<code>\BigRightDiamond</code> (\blacklozenge)	149	<code>\biguplus</code> (\uplus)	49
<code>\bigintsss</code> (\int)	46	<code>\bigslopedvee</code> (\vee)	36	<code>\bigvarstar</code> (\star)	33
<code>\bigintssss</code> (\int)	46	<code>\bigslopedwedge</code> (\wedge)	36	<code>\BigVBar</code> ($\bar{}$)	149
<code>\biginvamp</code> ($\text{\textcircled{X}}$)	52	<code>\bigsqcap</code> (\sqcap)	43	<code>\bigvee</code> (\vee)	42
<code>\BigLowerDiamond</code> (\blacklozenge)	149	<code>\bigsqcap</code> (\sqcap)	42	<code>\bigvee</code> (\vee)	47
<code>\bignplus</code> (\oplus)	42	<code>\bigsqcap</code> (\sqcap)	48	<code>\bigvee</code> (\vee)	47
<code>\bigoast</code> (\otimes)	47	<code>\bigsqcap</code> (\sqcap)	46	<code>\bigvee</code> (\vee)	49
<code>\bigoast</code> (\otimes)	47	<code>\bigsqcap</code> (\sqcap)	49	<code>\bigveedot</code> ($\vee\dot{}$)	47
<code>\bigoaasterisk</code> (\otimes)	43	<code>\bigsqcapdot</code> ($\sqcap\dot{}$)	48	<code>\bigveedot</code> (\vee)	47
<code>\bigobackslash</code> (\oslash)	43	<code>\bigsqcapdot</code> (\sqcap)	46	<code>\bigwedge</code> (\wedge)	42
<code>\bigobackslash</code> (\oslash)	47	<code>\bigsqcapplus</code> ($\sqcap\oplus$)	44	<code>\bigwedge</code> (\wedge)	47
<code>\bigobot</code> (\oplus)	43	<code>\bigsqcapplus</code> ($\sqcap\oplus$)	48	<code>\bigwedge</code> (\wedge)	47
<code>\bigocirc</code> (\odot)	43	<code>\bigsqcapplus</code> (\sqcap)	46	<code>\bigwedge</code> (\wedge)	49
<code>\bigocirc</code> (\odot)	47	<code>\bigsqcup</code> (\sqcup)	42	<code>\bigwedgedot</code> ($\wedge\dot{}$)	47
<code>\bigocoasterisk</code> (\otimes)	44	<code>\bigsqcup</code> (\sqcup)	47	<code>\bigwedgedot</code> (\wedge)	47
<code>\bigodiv</code> (\odiv)	44	<code>\bigsqcup</code> (\sqcup)	46	<code>\bigwhitestar</code> (\star)	148
<code>\bigodot</code> (\odot)	42	<code>\bigsqcupdot</code> ($\sqcup\dot{}$)	47	<code>\bigwith</code> ($\&$)	52
<code>\bigodot</code> (\odot)	47	<code>\bigsqcupdot</code> (\sqcup)	46	<code>\binampersand</code> ($\&$)	32
<code>\bigodot</code> (\odot)	47	<code>\bigsqcupplus</code> ($\sqcup\oplus$)	44	<code>\binampersand</code> ($\&$)	35
<code>\bigodot</code> (\odot)	47	<code>\bigsqcupplus</code> (\sqcup)	47	binary operators	31–40
<code>\bigodot</code> (\odot)	49	<code>\bigsqcupplus</code> ($\sqcup\oplus$)	47	binary relations	52–57, 60–72,
					93–95

negated	53, 54, 56–57, 59, 60, 62	<code>\blacklozenge</code> (♠)	124	<code>\blitzb</code> (⚡)	95
<code>\bindnasrepma</code> (∞)	<code>\blacklozenge</code> (♠)	39, 147	<code>\blitzc</code> (⚡)	95
<code>\bindnasrepma</code> (∞)	<code>\blacklozenge</code> (♠)	147	<code>\blitzd</code> (⚡)	95
<code>\Biohazard</code> (☣)	<code>\blacklozenge</code> (♠)	147	<code>\blitze</code> (⚡)	95
<code>\biohazard</code> (☣)	<code>\blacklozenge</code> (♠)	148, 149	<code>\blkhorzoval</code> (●)	148
biological symbols	<code>\BlackPawnOnBlack</code> (♞)	187	<code>\blkvertoval</code> (●)	148
birds	<code>\BlackPawnOnWhite</code> (♞)	187	block-element symbols
bishop	<code>\blackpointerleft</code> (◀)	148	<code>\Bm</code> (∩)	188
<code>\bishoppair</code> (♚♜)	<code>\blackpointerright</code> (▶)	148	<code>bm</code> (package)
<code>\Bja</code> (♚)	<code>\BlackQueenOnBlack</code> (♚)	187	<code>\bm</code> (∩)	241, 247, 248
<code>\Bje</code> (♜)	<code>\BlackQueenOnWhite</code> (♚)	187	<code>\bm</code> (∩)	241
<code>\Bjo</code> (♙)	<code>\blackrighthalfcircle</code> (◐)	148	<code>\Bma</code> (♚)	188
<code>\Bju</code> (♞)	<code>\BlackRookOnBlack</code> (♞)	187	<code>\Bme</code> (♚)	157
<code>\Bka</code> (⊕)	<code>\BlackRookOnWhite</code> (♞)	187	<code>\Bmesonminus</code> (B^-)	138
<code>\Bke</code> (♞)	<code>\blacksmiley</code> (☺)	126	<code>\Bmesonnull</code> (B^0)	138
<code>\Bki</code> (♙)	<code>\blacksmiley</code> (☺)	181	<code>\Bmesonplus</code> (B^+)	138
<code>\Bko</code> (♙)	<code>\blacksquare</code> (■)	124	<code>\Bmi</code> (♙)	157
<code>\Bku</code> (♞)	<code>\blacksquare</code> (■)	39, 147	<code>\Bmo</code> (♙)	157
<code>\BL</code> (∖)	<code>\blacksquare</code> (■)	38	<code>\bmod</code>	96
<code>\black</code>	<code>\blacksquare</code> (■)	149	<code>\Bmu</code> (♙)	157
<code>\BlackBishopOnBlack</code> (♞)	187	<code>\blackstone</code>	187	<code>\Bna</code> (♙)	157
<code>\BlackBishopOnWhite</code> (♞)	187	<code>\blacktriangle</code> (▲)	124	<code>\BNc</code> (◦)	157
blackboard bold	<i>see</i> alphabets, math	<code>\blacktriangle</code> (▲)	39, 147	<code>\BNcc</code> (◦)	157
<code>\blackbowtie</code> (⌘)	35	<code>\blacktriangle</code> (▲)	39, 74	<code>\BNccc</code> (◦◦)	157
<code>\blackcircledownarrow</code> (◓)	148	<code>\blacktriangle</code> (▲)	73	<code>\BNcd</code> (◦◦)	157
<code>\blackcircledrightrightdot</code> (◓)	148	<code>\blacktriangle</code> (▲)	148	<code>\BNcm</code> (◦◦◦◦)	157
<code>\blackcircledtwodots</code> (◓)	148	<code>\blacktriangledown</code> (▼)	37	<code>\BNd</code> (◦◦)	157
<code>\blackcircleulquadwhite</code> (◓)	148	<code>\blacktriangledown</code> (▼)	124	<code>\BNdc</code> (◦◦)	157
<code>\blackdiamond</code> (♦)	33	<code>\blacktriangledown</code> (▼)	39, 147	<code>\BNdcc</code> (◦◦◦)	157
<code>\blackdiamond</code> (♦)	39	<code>\blacktriangledown</code> (▼)	39, 74	<code>\BNdccc</code> (◦◦◦◦)	157
<code>\blackdiamonddownarrow</code> (◓)	148	<code>\blacktriangledown</code> (▼)	73	<code>\Bne</code> (♙)	157
<code>\BlackEmptySquare</code> (◻)	187	<code>\blacktriangledown</code> (▼)	148	<code>\BNi</code> (♙)	157
<code>\blackhourglass</code> (⌚)	40	<code>\blacktriangleleft</code> (◄)	37	<code>\Bni</code> (♙)	157
<code>\blackinwhitediamond</code> (◈)	148	<code>\blacktriangleleft</code> (◄)	72	<code>\BNii</code> (♙)	157
<code>\blackinwhitesquare</code> (◻)	148	<code>\blacktriangleleft</code> (◄)	39	<code>\BNiii</code> (♙)	157
<code>\BlackKingOnBlack</code> (♞)	187	<code>\blacktriangleleft</code> (◄)	39, 74	<code>\BNiv</code> (♙)	157
<code>\BlackKingOnWhite</code> (♞)	187	<code>\blacktriangleleft</code> (◄)	73	<code>\BNix</code> (♙)	157
<code>\BlackKnightOnBlack</code> (♞)	187	<code>\blacktriangleleft</code> (◄)	148	<code>\BNl</code> (≡≡)	157
<code>\BlackKnightOnWhite</code> (♞)	187	<code>\blacktriangleleft</code> (◄)	37	<code>\BNlxx</code> (≡≡≡)	157
<code>\blacklefthalfcircle</code> (◑)	148	<code>\blacktriangleleft</code> (◄)	72	<code>\BNlxxx</code> (≡≡≡≡)	157
		<code>\blacktriangleright</code> (▶)	39	<code>\BNm</code> (♙)	157
		<code>\blacktriangleright</code> (▶)	39,	<code>\Bno</code> (♙)	157
		<code>\blacktriangleright</code> (▶)	74	<code>\bNot</code> (≠)	61
		<code>\blacktriangleright</code> (▶)	73	<code>\Bnu</code> (♙)	157
		<code>\blacktriangleright</code> (▶)	148	<code>\BNv</code> (♙)	157
		<code>\blacktriangleup</code> (▲)	37	<code>\BNvi</code> (♙)	157
		<code>\blackwhitespoon</code> (☞)	94	<code>\BNvii</code> (♙)	157
blank	<i>see</i> <code>\textblank</code>	<code>\blackwhitespoon</code> (☞)	94	<code>\BNviii</code> (♙)	157
<code>\Bleech</code> (△)	182	<code>\blackwhitespoon</code> (☞)	94	<code>\BNviii</code> (♙)	157
<code>\blender</code> (♯)	196	<code>\blackwhitespoon</code> (☞)	94	<code>\Bnwa</code> (♙)	157
<code>\blitza</code> (♙)	95	<code>\blackwhitespoon</code> (☞)	94	<code>\BNx</code> (♙)	157
<code>\blitza</code> (♙)	30	<code>\blackwhitespoon</code> (☞)	94		

<code>\BNxc</code> (\equiv)	157	<code>\boxbackslash</code> (\boxbackslash)	37	<code>\boxslash</code> (\boxslash)	37
<code>\BNxl</code> (\equiv)	157	<code>\boxbackslash</code> (\boxbackslash)	38	<code>\boxslash</code> (\boxslash)	32
<code>\BNxx</code> (\equiv)	157	<code>\boxbackslash</code> (\boxbackslash)	38	<code>\boxslash</code> (\boxslash)	39
<code>\BNxxx</code> (\equiv)	157	<code>\boxbar</code> (\boxbar)	32	<code>\boxslash</code> (\boxslash)	38
<code>\Bo</code> (\boxplus)	157	<code>\boxbar</code> (\boxbar)	39	<code>\boxslash</code> (\boxslash)	38
body-text symbols	14–29	<code>\boxbar</code> (\boxbar)	39	<code>\boxtimes</code> (\boxtimes)	37
boisik (package)	35, 39, 48, 60, 66, 71, 74, 86, 87, 99–102, 111, 123, 125, 147, 151, 159, 163, 247	<code>\boxbar</code> (\boxbar)	40	<code>\boxtimes</code> (\boxtimes)	31
bold symbols	240–241	<code>\boxbot</code> (\boxbot)	37	<code>\boxtimes</code> (\boxtimes)	39
<code>\boldmath</code>	241	<code>\boxbot</code> (\boxbot)	39	<code>\boxtimes</code> (\boxtimes)	38
<code>\boldsymbol</code>	241	<code>\boxbox</code> (\boxbox)	32	<code>\boxtimes</code> (\boxtimes)	38
<code>\BOLogo</code> (\boxplus)	182	<code>\boxbox</code> (\boxbox)	39	<code>\boxtimes</code> (\boxtimes)	40
<code>\BOLogoL</code> (\boxplus)	182	<code>\boxbox</code> (\boxbox)	38	<code>\boxtop</code> (\boxtop)	37
<code>\BOLogoP</code> (\boxplus)	182	<code>\boxbox</code> (\boxbox)	38	<code>\boxtop</code> (\boxtop)	39
bomb	197–198	<code>\boxbox</code> (\boxbox)	40	<code>\boxtriangle</code> (\boxtriangle)	39
<code>\bomb</code> (\boxplus)	182	<code>\boxbslash</code> (\boxbslash)	32	<code>\boxtriangleup</code> (\boxtriangleup)	37
<code>\bond</code> (\boxplus)	138	<code>\boxbslash</code> (\boxbslash)	39	<code>\boxvert</code> (\boxvert)	38
Boolean domain (\mathbb{B})	<i>see</i> alphabets, math	<code>\boxbslash</code> (\boxbslash)	39	<code>\boxvert</code> (\boxvert)	38
Boolean logic gates	135	<code>\boxbslash</code> (\boxbslash)	40	<code>\boxvoid</code> (\boxvoid)	37
boondox (emf package option)	131	<code>\boxcirc</code> (\boxcirc)	37	<code>\boy</code> (\boxplus)	132
borders	209–217	<code>\boxcircle</code> (\boxcircle)	32	<code>\Bpa</code> (\boxplus)	157
born	<i>see</i> <code>\textborn</code>	<code>\boxcircle</code> (\boxcircle)	39	<code>\Bpaiii</code> (\boxplus)	157
<code>\boseDistrib</code> (\boxplus)	138	<code>\boxcircle</code> (\boxcircle)	40	<code>\BPamphora</code> (\boxplus)	158
<code>\Bosnia</code> (\boxplus)	194	<code>\boxcoasterisk</code> (\boxplus)	37	<code>\BParrow</code> (\boxplus)	158
<code>\boson</code> (\boxplus)	138	<code>\boxdiag</code> (\boxdiag)	39	<code>\BPbarley</code> (\boxplus)	158
bosons	137	<code>\boxdiag</code> (\boxdiag)	40	<code>\BPbilly</code> (\boxplus)	158
<code>\Bot</code> (\boxplus)	102	<code>\boxdiv</code> (\boxdiv)	37	<code>\BPboar</code> (\boxplus)	158
<code>\bot</code> (\boxplus)	30, 100, 232	<code>\boxdivision</code> (\boxdiv)	39	<code>\BPbronze</code> (\boxplus)	158
<code>\bot</code> (\boxplus)	101	<code>\boxdot</code> (\boxdot)	37	<code>\BPbull</code> (\boxplus)	158
<code>\bot</code> (\boxplus)	100	<code>\boxdot</code> (\boxdot)	31, 32	<code>\BPcauldroni</code> (\boxplus)	158
<code>\bot</code> (\boxplus)	101	<code>\boxdot</code> (\boxdot)	39	<code>\BPcauldronii</code> (\boxplus)	158
<code>\botborder</code> (\boxplus)	188	<code>\boxdot</code> (\boxdot)	38	<code>\BPchariot</code> (\boxplus)	158
<code>\botdoteq</code> (\boxplus)	54	<code>\boxdot</code> (\boxdot)	38	<code>\BPchassis</code> (\boxplus)	158
<code>\botsemicircle</code> (\boxplus)	148	<code>\boxdot</code> (\boxdot)	38	<code>\BPcloth</code> (\boxplus)	158
<code>\bottle</code> (\boxplus)	196	<code>\boxdotLeft</code> (\boxdotLeft)	76	<code>\BPcow</code> (\boxplus)	158
<code>\Bottomheat</code> (\boxplus)	196	<code>\boxdotLeft</code> (\boxdotLeft)	76	<code>\BPCup</code> (\boxplus)	158
<code>\Bouquet</code> (\boxplus)	182	<code>\boxdotRight</code> (\boxdotRight)	76	<code>\Bpe</code> (\boxplus)	157
<code>\bowl</code> (\boxplus)	196	<code>\boxdotright</code> (\boxdotright)	76	<code>\BPewe</code> (\boxplus)	158
<code>\Bowtie</code> (\boxplus)	181	<code>\boxempty</code> (\boxempty)	32	<code>\BPfoal</code> (\boxplus)	158
<code>\bowtie</code> (\boxplus)	52	<code>\boxLeft</code> (\boxLeft)	76	<code>\BPgoat</code> (\boxplus)	158
<code>\bowtie</code> (\boxplus)	35	<code>\boxleft</code> (\boxleft)	37	<code>\BPgoblet</code> (\boxplus)	158
<code>\bowtie</code> (\boxplus)	35, 57	<code>\boxleft</code> (\boxleft)	76	<code>\BPgold</code> (\boxplus)	158
<code>\bowtie</code> (\boxplus)	33, 34	<code>\boxleft</code> (\boxleft)	39	<code>\BPhorse</code> (\boxplus)	158
<code>\bowtie</code> (\boxplus)	61	<code>\boxminus</code> (\boxminus)	37	<code>\Bpi</code> (\boxplus)	157
<code>\Box</code> (\boxplus)	124	<code>\boxminus</code> (\boxminus)	31	<code>\BPman</code> (\boxplus)	158
<code>\Box</code> (\boxplus)	124	<code>\boxminus</code> (\boxminus)	39	<code>\BPnanny</code> (\boxplus)	158
<code>\Box</code> (\boxplus)	39	<code>\boxminus</code> (\boxminus)	38	<code>\Bpo</code> (\boxplus)	157
<code>\Box</code> (\boxplus)	38	<code>\boxminus</code> (\boxminus)	38	<code>\BPolive</code> (\boxplus)	158
<code>\Box</code> (\boxplus)	149	<code>\boxminus</code> (\boxminus)	40	<code>\BPox</code> (\boxplus)	158
box-drawing symbols	190	<code>\boxonbox</code> (\boxplus)	148	<code>\BPpig</code> (\boxplus)	158
<code>\boxast</code> (\boxplus)	32	<code>\boxplus</code> (\boxplus)	37	<code>\BPram</code> (\boxplus)	158
<code>\boxast</code> (\boxplus)	39	<code>\boxplus</code> (\boxplus)	31	<code>\BPsheep</code> (\boxplus)	158
<code>\boxast</code> (\boxplus)	40	<code>\boxplus</code> (\boxplus)	39	<code>\BPsoy</code> (\boxplus)	158
<code>\boxasterisk</code> (\boxplus)	37	<code>\boxplus</code> (\boxplus)	38		
		<code>\boxplus</code> (\boxplus)	38		
		<code>\boxplus</code> (\boxplus)	40		
		<code>\boxRight</code> (\boxRight)	76		
		<code>\boxright</code> (\boxright)	37		
		<code>\boxright</code> (\boxright)	76		
		<code>\boxright</code> (\boxright)	39		

<code>\BPspcar</code> (\backslash)	158	<code>\Broii</code> (ϕ)	157	<code>bulleum</code>	185
<code>\BPsword</code> (\clubsuit)	158	<code>\brokenvert</code> (\dagger)	181	<code>\bullet</code> (\bullet)	31
<code>\BPtalent</code> ($\text{\textcircled{M}}$)	157	Bronger, Torsten	232	<code>\bullet</code> (\bullet)	39
<code>\Bpte</code> ($\text{\textcircled{M}}$)	157	<code>\Bru</code> (\uparrow)	157	<code>\bullet</code> (\bullet)	33
<code>\Bpu</code> ($\text{\textcircled{M}}$)	157	<code>\BS</code> (\blacksquare)	135	<code>\bullet</code> (\bullet)	40
<code>\Bpuii</code> ($\text{\textcircled{M}}$)	157	<code>\BSa</code> ($\text{\textcircled{M}}$)	157	<code>bullseye</code>	<i>see</i> <code>\textbullseye</code>
<code>\BPvola</code> ($\text{\textcircled{M}}$)	157	<code>\Bse</code> ($\text{\textcircled{M}}$)	157	<code>\bullseye</code> ($\text{\textcircled{M}}$)	148
<code>\BPvolb</code> ($\text{\textcircled{M}}$)	157	<code>\BSEfree</code> ($\text{\textcircled{M}}$)	136	<code>\Bumpedeq</code> ($\text{\textcircled{M}}$)	54
<code>\BPvolcd</code> ($\text{\textcircled{M}}$)	157	<code>\Bsi</code> ($\text{\textcircled{M}}$)	157	<code>\bumpedeq</code> ($\text{\textcircled{M}}$)	54
<code>\BPvolcf</code> ($\text{\textcircled{M}}$)	157	<code>\bsimilarleftarrow</code> (\leftarrow)	87	<code>\Bumpeq</code> ($\text{\textcircled{M}}$)	52
<code>\BPwheat</code> ($\text{\textcircled{M}}$)	158	<code>\bsimilarrightarrow</code> (\rightarrow)	87	<code>\Bumpeq</code> ($\text{\textcircled{M}}$)	60
<code>\BPwheel</code> ($\text{\textcircled{M}}$)	158	<code>\Bso</code> ($\text{\textcircled{M}}$)	157	<code>\Bumpeq</code> ($\text{\textcircled{M}}$)	57
<code>\BPwine</code> ($\text{\textcircled{M}}$)	158	<code>\bsolhsup</code> ($\text{\textcircled{M}}$)	67	<code>\Bumpeq</code> ($\text{\textcircled{M}}$)	55
<code>\BPwineiih</code> ($\text{\textcircled{M}}$)	158	<code>\BSpace</code> ($\text{\textcircled{M}}$)	134	<code>\Bumpeq</code> ($\text{\textcircled{M}}$)	61
<code>\BPwineiiih</code> ($\text{\textcircled{M}}$)	158	<code>\Bsu</code> ($\text{\textcircled{M}}$)	157	<code>\bumpeq</code> ($\text{\textcircled{M}}$)	52
<code>\BPwineivh</code> ($\text{\textcircled{M}}$)	158	<code>\Bswa</code> ($\text{\textcircled{M}}$)	157	<code>\bumpeq</code> ($\text{\textcircled{M}}$)	60
<code>\BPwoman</code> ($\text{\textcircled{M}}$)	158	<code>\Bswi</code> ($\text{\textcircled{M}}$)	157	<code>\bumpeq</code> ($\text{\textcircled{M}}$)	57
<code>\BPwool</code> ($\text{\textcircled{M}}$)	158	<code>\Bta</code> ($\text{\textcircled{M}}$)	157	<code>\bumpeq</code> ($\text{\textcircled{M}}$)	55
<code>\BPwta</code> ($\text{\textcircled{M}}$)	157	<code>\Btaii</code> ($\text{\textcircled{M}}$)	157	<code>\bumpeq</code> ($\text{\textcircled{M}}$)	61
<code>\BPwtb</code> ($\text{\textcircled{M}}$)	157	<code>\Bte</code> ($\text{\textcircled{M}}$)	157	<code>\bumpeq</code> ($\text{\textcircled{M}}$)	61
<code>\BPwtc</code> ($\text{\textcircled{M}}$)	157	<code>\Bti</code> ($\text{\textcircled{M}}$)	157	<code>\bumpeqq</code> ($\text{\textcircled{M}}$)	57
<code>\BPwtd</code> ($\text{\textcircled{M}}$)	157	<code>\btimes</code> (\times)	35	<code>\bumpeqq</code> ($\text{\textcircled{M}}$)	61
<code>\Bqa</code> ($\text{\textcircled{M}}$)	157	<code>\btimes</code> (\times)	36	<code>\bupperhand</code> ($\text{\textcircled{M}}$)	186
<code>\Bqe</code> ($\text{\textcircled{M}}$)	157	<code>\Bto</code> ($\text{\textcircled{M}}$)	157		
<code>\Bqi</code> ($\text{\textcircled{M}}$)	157	<code>\Btu</code> ($\text{\textcircled{M}}$)	157	<code>\Burns</code> ()	189
<code>\Bqo</code> ($\text{\textcircled{M}}$)	157	<code>\Btwe</code> ($\text{\textcircled{M}}$)	158	<code>\BusWidth</code> ($\text{\textcircled{M}}$)	135
<code>\Bra</code> ($\text{\textcircled{M}}$)	157	<code>\Btwo</code> ($\text{\textcircled{M}}$)	157	<code>\BUv</code> ($\text{\textcircled{M}}$)	158
<code>bra</code>	103	<code>\Bu</code> ($\text{\textcircled{M}}$)	157	<code>\BUvi</code> ($\text{\textcircled{M}}$)	158
<code>\braceld</code> ($\text{\textcircled{M}}$)	235	<code>\BUf</code> ($\text{\textcircled{M}}$)	135	<code>\BUvii</code> ($\text{\textcircled{M}}$)	158
<code>\bracerd</code> ($\text{\textcircled{M}}$)	235	<code>\BUFd</code> ($\text{\textcircled{M}}$)	135	<code>\BUviii</code> ($\text{\textcircled{M}}$)	158
<code>braces</code>	14, 104–107, 112–115	buffers	135	<code>\BUx</code> ($\text{\textcircled{M}}$)	158
asymmetric	115	<code>\BUF1</code> ($\text{\textcircled{M}}$)	135	<code>\BUxi</code> ($\text{\textcircled{M}}$)	158
extensible	112–115	<code>\BUFr</code> ($\text{\textcircled{M}}$)	135	<code>\BUxii</code> ($\text{\textcircled{M}}$)	158
multiline	115	<code>\BUFu</code> ($\text{\textcircled{M}}$)	135	<code>\Bwa</code> ($\text{\textcircled{M}}$)	157
<code>\bracevert</code> ($\text{\textcircled{M}}$)	104	<code>\BUi</code> ($\text{\textcircled{M}}$)	158	<code>\Bwe</code> ($\text{\textcircled{M}}$)	157
<code>\bracevert</code> ($\text{\textcircled{M}}$)	105	<code>\BUii</code> ($\text{\textcircled{M}}$)	158	<code>\Bwi</code> ($\text{\textcircled{M}}$)	157
<code>\bracevert</code> ($\text{\textcircled{M}}$)	126	<code>\BUiii</code> ($\text{\textcircled{M}}$)	158	<code>\Bwo</code> ($\text{\textcircled{M}}$)	157
<code>brackets</code>	<i>see</i> delimiters	<code>\BUiv</code> ($\text{\textcircled{M}}$)	158	<code>\BX</code> ($\text{\textcircled{M}}$)	134
<code>\Brai</code> ($\text{\textcircled{M}}$)	157	<code>\BUix</code> ($\text{\textcircled{M}}$)	158	<code>\Bza</code> ($\text{\textcircled{M}}$)	157
<code>\Braii</code> ($\text{\textcircled{M}}$)	157	<code>\Bulgaria</code> ($\text{\textcircled{M}}$)	194	<code>\Bze</code> ($\text{\textcircled{M}}$)	157
<code>braket</code> (package)	103	<code>bullcncr</code> (package)	185, 247, 248	<code>\Bzo</code> ($\text{\textcircled{M}}$)	157
<code>\Bratpfanne</code> ($\text{\textcircled{M}}$)	196	<code>\bullcncr{\langle 1 \rangle}</code> ($\text{\textcircled{M}}$)	185		
<code>\Bre</code> ($\text{\textcircled{M}}$)	157	<code>\bullcncr{\langle 2 \rangle}</code> ($\text{\textcircled{M}}$)	185	C	
<code>\Break</code> ($\text{\textcircled{M}}$)	134	<code>\bullcncr{\langle 3 \rangle}</code> ($\text{\textcircled{M}}$)	185	<code>\C</code> ($\text{\textcircled{M}}$)	21
<code>\breve</code> ($\text{\textcircled{M}}$)	111	<code>\bullcncr{\langle 4 \rangle}</code> ($\text{\textcircled{M}}$)	185	<code>\C</code> ($\text{\textcircled{M}}$)	188
<code>\breve</code> ($\text{\textcircled{M}}$)	110	<code>\bullcncr{\langle 5 \rangle}</code> ($\text{\textcircled{M}}$)	185	<code>c</code> (esvect package option)	115
<code>\breve</code> ($\text{\textcircled{M}}$)	24	<code>\bullcncr{\langle 6 \rangle}</code> ($\text{\textcircled{M}}$)	185	<code>\c</code> ($\text{\textcircled{M}}$)	21, 243
<code>breve</code> ($\text{\textcircled{M}}$)	<i>see</i> accents	<code>\bullcncr{\langle 7 \rangle}</code> ($\text{\textcircled{M}}$)	185	<code>\c</code> ($\text{\textcircled{M}}$)	188
<code>\brevis</code> ($\text{\textcircled{M}}$)	189	<code>\bullcncr{\langle 8 \rangle}</code> ($\text{\textcircled{M}}$)	185	<code>\Ca</code> ($\text{\textcircled{M}}$)	158
<code>\Bri</code> ($\text{\textcircled{M}}$)	157	<code>\bullcncr{\langle 9 \rangle}</code> ($\text{\textcircled{M}}$)	185	<code>\caesura</code> ($\text{\textcircled{M}}$)	164
<code>\Bro</code> ($\text{\textcircled{M}}$)	157	<code>bulleum</code> (package)	185	<code>cal</code> (emf package option)	131

calrsfs (package)	128	\backslash cc (©)	28	\backslash Cga (\textbackslash)	158
\backslash CAN (†)	135	\backslash cc ()	188	\backslash Chair (♠)	197
cancel (package)	112	\backslash ccAttribution (©)	28	chancery (package)	247
\backslash Cancer (☞)	132	\backslash ccby (BY)	28	\backslash changenotsign	54
\backslash Cancer (☞)	133	\backslash ccbyncnd (©(f)(S)(=))	28	\backslash char	229, 239, 242, 245, 246
\backslash cancer (☞)	131	\backslash Ccc ()	188	Charter (font)	26, 51
\backslash Candle (i)	197	\backslash ccCopy (©)	28	\backslash check (☞)	111
\backslash candra (♠)	111	ccicons (package)	28, 247, 248	\backslash check (☞)	110
\backslash Cap (Ⓜ)	31	cclicenses (package)	28, 247	check marks	15, 125–126, 143, 144, 152, 181, 182, 199–202, 227
\backslash Cap (Ⓜ)	35	\backslash ccLogo (©)	28	\backslash checked (✓)	181
\backslash Cap (Ⓜ)	35	\backslash ccnc (☞)	28	\backslash CheckedBox (☑)	143
\backslash Cap (Ⓜ)	34	\backslash ccnd (☞)	28	\backslash Checkedbox (☑)	143
\backslash Cap (Ⓜ)	36	\backslash ccNoDerivatives (☞)	28	\backslash Checkmark (✓)	143
\backslash cap (∩)	33	\backslash ccNonCommercial (☞)	28	\backslash checkmark (✓)	15
\backslash cap (∩)	31	\backslash ccNonCommercialEU (☞)	28	\backslash checkmark (✓)	152
\backslash cap (∩)	35	\backslash ccNonCommercialJP (☞)	28	\backslash checkmark (✓)	125
\backslash cap (∩)	34	\backslash ccPublicDomain (☞)	28	\backslash checkmark (✓)	125
\backslash cap (∩)	33	\backslash ccRemix (♻)	28	\backslash checkmark (✓)	125
\backslash cap (∩)	36	\backslash ccsa (☞)	28	\backslash checkmark (✓)	126
\backslash capbarcup (⊔)	36	\backslash ccSampling (♣)	28	\backslash checkmark (✓ vs. ✓)	227
\backslash capdot (∩)	34	\backslash ccShare (☞)	28	\backslash CheckmarkBold (✓)	143
\backslash capdot (∩)	33	\backslash ccShareAlike (☞)	28	\backslash checksymbol (+)	186
\backslash capdot (∩)	36	\backslash ccwundercurvearrow (↵)	87	chemarr (package)	116, 247
\backslash capovercup (⊔)	36	\backslash ccZero (⓪)	28	chemarrow (package)	91, 117, 247
\backslash capplus (Ⓜ)	34	\backslash cdot (·)	31, 230	\backslash chemarrow (→)	91
\backslash capplus (Ⓜ)	33	\backslash cdot (·)	35	Chen, Raymond	249
\backslash Capricorn (♈)	132	\backslash cdot (·)	34, 120	chess symbols	186, 187, 224–226
\backslash Capricorn (♈)	133	\backslash cdot (·)	120	\backslash chesscomment (RR)	186
\backslash capricornus (♈)	131	\backslash cdot (·)	33, 120	\backslash chessetc ()	186
\backslash capturesymbol (x)	186	\backslash cdot (·)	120	\backslash chessesee (—)	186
\backslash capwedge (Ⓜ)	36	\backslash cdot (·)	119	chevrons	141
card suits	151, 152, 197–198	\backslash cdot (·)	120	\backslash Chi (X)	97
cardinality	<i>see</i> \backslash aleph	\backslash cdotp (·)	119	\backslash chi (χ)	97
care of (c/o)	126	\backslash cdotp (·)	120	China2e (package)	26, 96, 129, 191, 192
caret	<i>see</i> \backslash ^	\backslash cdotp (·)	120	china2e (package)	128, 247, 248
\backslash caretinsert (ˆ)	126	\backslash cdotp (·)	120	\backslash Chiron (♄)	133
Carlisle, David	1, 246	\backslash cdotp (·)	119	\backslash chiup (χ)	98
caron (̂)	<i>see</i> accents	\backslash cdotp (·)	120	chorus (emf package option)	131
carriage return	229	\backslash cdots (⋯)	119	\backslash Ci (X)	158
carriage return	134, 135, 152, 229	\backslash cdots (⋯)	120	cipher symbols	191
\backslash carriagereturn (↵)	86	\backslash cdots (⋯)	120	\backslash cirbot (i)	61
\backslash carriagereturn (↵)	87	\backslash cdots (⋯)	120	\backslash circ (o)	31, 126, 231
\backslash carriagereturn (↵)	152	\backslash cdots (⋯)	120	\backslash circ (o)	39
Cartesian product	<i>see</i> \backslash times	\backslash cdots (⋯)	120	\backslash circ (o)	33
castle	187, 224–226	\backslash cdots (⋯)	119	\backslash circ (o)	148, 149
\backslash castlingchar (O)	186	\backslash cdots (⋯)	120	\backslash circ (o)	54
\backslash castlinghyphen (-)	186	\backslash cdots (⋯)	120	\backslash circ (o)	52
\backslash Cat (☹)	196	\backslash cdots (⋯)	120	\backslash circ (o)	60
\backslash catal (ˆ)	189	\backslash cdots (⋯)	120	\backslash circ (o)	57
\backslash Catalexis (ˆ)	188	\backslash cdots (⋯)	120	\backslash circ (o)	55
\backslash catalexis (ˆ)	188	\backslash CE (Γ)	134	\backslash circ (o)	61
catamorphism	<i>see</i> \backslash llparenthesis and \backslash rrparenthesis	\backslash Ce (X)	158	\backslash circ (o)	146
\backslash CB (A)	134	Cedi	<i>see</i> \backslash textcolonmonetary	\backslash Circle (○)	146
\backslash cb (♣)	25	cedilla (̣)	<i>see</i> accents		
\backslash Cc ()	188	celestial bodies	131–133, 191, 206–209		
		\backslash celsius (°C)	130		
		\backslash Celtcross (♠)	182		
		Celtic knots	213–217		
		\backslash cent (¢)	26		
		\backslash centerdot (▪)	33		
		\backslash centerdot (•)	34		
		\backslash centerdot (•)	31		
		\backslash centerdot (•)	35		
		\backslash centerdot (·)	120		
		centernot (package)	232		
		\backslash centernot	232		
		centigrade	<i>see</i> \backslash textcelsius		
		\backslash centre (⊕)	186		
		cents	<i>see</i> \backslash textcent		
		\backslash Ceres (♁)	133		
		\backslash CEsign (C€)	136		

<code>\Circle</code> (○)	149	<code>\circledstar</code> (⊛)	148	<code>\clefFInline</code>	167
<code>\Circle</code> (○ vs. ⅀)	227	<code>\circledstimes</code>	<i>see</i> <code>\otimes</code>	<code>\clefG</code> (♩)	167
<code>\circlearrowleft</code> (↶)	76	<code>\circledtwodots</code> (⊖)	148	<code>\clefGInline</code>	167
<code>\circlearrowleft</code> (↷)	75	<code>\circledvee</code> (⊕)	32	clefs 164, 165, 167, 172, 197–198	
<code>\circlearrowleft</code> (↶)	86	<code>\circledvert</code> (⊕)	39	<code>\Cli</code> (≠)	158
<code>\circlearrowleft</code> (↷)	82	<code>\circledvert</code> (⊖)	40	<code>\clickb</code> (⊖)	19
<code>\circlearrowleft</code> (↶)	78	<code>\circledwedge</code> (⊗)	32	<code>\clickc</code> (⊖)	19
<code>\circlearrowleft</code> (↷)	87, 89	<code>\circledwhitebullet</code> (⊙)	148	<code>\clickt</code> (‡)	19
<code>\circlearrowright</code> (↷)	76	<code>\circledwhitebullet</code> (⊙)	148	<code>\Clo</code> (+)	158
<code>\circlearrowright</code> (↶)	75	<code>\circleleft</code> (←○)	76	clock (package)	184, 247, 248
<code>\circlearrowright</code> (↷)	86	<code>\circlelefthalfblack</code> (◐)	148	<code>\clock</code> (⌚)	181
<code>\circlearrowright</code> (↶)	82	<code>\circlellquad</code> (⊕)	148	<code>\clock</code> (⌚)	184
<code>\circlearrowright</code> (↷)	78	<code>\circlelquad</code> (⊕)	148	clock symbols 181–184, 197–198	
<code>\circlearrowright</code> (↶)	87, 89	<code>\circleonleftarrow</code> (↶↔)	88	<code>\ClockFramefalse</code>	184
<code>\circlebottomhalfblack</code> (◑)	148	<code>\circleonrightarrow</code> (↷↔)	88	<code>\ClockFrametrue</code>	184
circled numerals 144, 187, 188, 224		<code>\circcleright</code> (○→)	76	<code>\ClockLogo</code> (⌚)	182
<code>\CircledA</code> (Ⓐ)	182	<code>\circclerighthalfblack</code> (◑)	148	<code>\ClockStyle</code>	184
<code>\circledast</code> (⊛)	31	circles . 133, 146–152, 187, 188, 193, 204–206, 210–211, 222		<code>\clocktime</code>	184
<code>\circledast</code> (⊛)	39	<code>\CircleShadow</code> (⊖)	150	<code>\closedcurlyvee</code> (∇)	33
<code>\circledast</code> (⊛)	39	<code>\CircleSolid</code> (●)	150	<code>\closedcurlywedge</code> (∧)	33
<code>\circledast</code> (⊛)	38	<code>\circletophalfblack</code> (◑)	148	<code>\closedequal</code> (≐)	55
<code>\circledast</code> (⊛)	40	<code>\circleulquad</code> (⊕)	148	<code>\closedniomega</code> (ω)	19
<code>\circledbar</code> (⊖)	32	<code>\circleurquad</code> (⊕)	148	<code>\closedprec</code> (≺)	55
<code>\circledbslash</code> (⊗)	32	<code>\circleurquadblack</code> (⊛)	148	<code>\closedreveysilon</code> (ϵ)	19
<code>\circledbullet</code> (●)	148	<code>\circlevertfill</code> (⊖)	149	<code>\closedsucc</code> (ϻ)	55
<code>\circledcirc</code> (⊖)	31	<code>\Circpipe</code> (⊖)	136	<code>\closedvarcap</code> (∩)	36
<code>\circledcirc</code> (⊖)	39	<code>\circplus</code> (⊕)	33	<code>\closedvarcup</code> (∪)	36
<code>\circledcirc</code> (⊖)	39	<code>\circplus</code> (⊕)	35	<code>\closedvarcupsmashprod</code> (⊗)	36
<code>\circledcirc</code> (⊖)	38	<code>\Circsteel</code> (●)	136	<code>\closure</code> (⊖)	110
<code>\circledcirc</code> (⊖)	40	circumflex (̂)	<i>see</i> accents	<code>\closure</code> (⊖)	58, 95
<code>\circleddash</code> (⊖)	31	<code>\circumflexus</code> (̂)	24	<code>\Cloud</code> (☁)	183
<code>\circleddash</code> (⊖)	39	<code>\cirE</code> (⊖)	149	clouds	40
<code>\circleddash</code> (⊖)	39	<code>\cirfnint</code> (∫)	49	clovers	145
<code>\circleddash</code> (⊖)	38	<code>\cirfnintsl</code> (∫)	50	<code>\Clu</code> (⊖)	158
<code>\circleddash</code> (⊖)	40	<code>\cirfnintup</code> (∫)	50	clubs	151, 152
<code>\circleddot</code>	<i>see</i> <code>\odot</code>	<code>\cirmid</code> (‡)	94	<code>\clubsuit</code> (♣)	151
<code>\circleddotleft</code> (←○)	76	<code>\cirmid</code> (‡)	61	<code>\clubsuit</code> (♣)	151
<code>\circleddotright</code> (○→)	76	<code>\cirscir</code> (⊖)	149	<code>\clubsuit</code> (♣)	151
<code>\CircledEq</code> (⊖)	60	<code>\Cja</code> (∅)	158	<code>\clubsuit</code> (♣)	151
<code>\circledequal</code> (⊖)	39	<code>\Cjo</code> (∞)	158	<code>\clubsuit</code> (♣)	151
<code>\circledequal</code> (⊖)	40	<code>\Cka</code> (↑)	158	<code>\clubsuit</code> (♣)	151
<code>\circledgtr</code> (⊗)	53	<code>\Cke</code> (×)	158	<code>\clubsuit</code> (♣)	151
<code>\circledless</code> (⊗)	53	<code>\Cki</code> (∫)	158	<code>\Cma</code> (∞)	158
<code>\circledminus</code>	<i>see</i> <code>\ominus</code>	<code>\Cko</code> (∩)	158	<code>\Cme</code> (∞)	158
<code>\circledotleft</code>	<i>see</i> <code>\circleddotleft</code>	<code>\Cku</code> (∞)	158	<code>\Cmi</code> (∞)	158
<code>\circledotright</code>	<i>see</i> <code>\circleddotright</code>	<code>\Cla</code> (∞)	158	<code>\cmll</code> (package)	30, 37, 52, 64, 102, 247
<code>\circledownarrow</code> (⊕)	148	<code>\Cle</code> (∞)	158	<code>\Cmo</code> (⊖)	158
<code>\circledparallel</code> (⊖)	40	<code>\CleaningA</code> (Ⓐ)	182	<code>\cmr</code> (emf package option)	131
<code>\circledplus</code>	<i>see</i> <code>\oplus</code>	<code>\CleaningF</code> (Ⓕ)	182	<code>\Cmu</code> (∞)	158
<code>\circledR</code> (®)	15, 100	<code>\CleaningFF</code> (Ⓖ)	182	<code>\Cna</code> (∞)	158
<code>\circledR</code> (®)	101	<code>\CleaningP</code> (Ⓔ)	182	<code>\Cne</code> (ℏ)	158
<code>\circledrightdot</code> (⊖)	148	<code>\CleaningPP</code> (Ⓖ)	182	<code>\Cni</code> (∞)	158
<code>\circledS</code> (Ⓢ)	100	<code>\clefC</code> (♩)	167	<code>\Cno</code> (∞)	158
<code>\circledS</code> (Ⓢ)	101	<code>\clefCInline</code>	167	<code>\Cnu</code> (∞)	158
<code>\circledslash</code>	<i>see</i> <code>\oslash</code>	<code>\clefF</code> (♩)	167		

<code>\CO</code> (\mathbb{Q})	134	communication symbols	136	<code>\cooker</code> (☪)	196
<code>\Co</code> (\mathbb{Z})	158	commutative diagrams	233	cooking symbols	196, 199–202
<code>\coAsterisk</code> ($*$)	33	<code>comp.text.tex</code> (newsgroup)	12, 30, 31, 229–235	cookingsymbols (package)	196, 247, 248
<code>\coAsterisk</code> ($*$)	35	compass	204–206	<code>\Cooley</code> (☉)	196
<code>\coasterisk</code> ($*$)	33	<code>\compensation</code> (⊖)	186	<code>\Coppa</code> (⊖)	159
<code>\Coda</code> (⊖)	164	<code>\complement</code> (\mathbb{C})	100	<code>\coppa</code> (⊖)	159
<code>\coda</code> (⊖)	164	<code>\complement</code> (\mathbb{C})	100	<code>\coprod</code> (\coprod)	30, 42
code page 1252	244	<code>\complement</code> (\mathbb{C})	101	<code>\coprod</code> (\coprod)	47
table	244	<code>\complement</code> (\mathbb{C})	101	<code>\coprod</code> (\coprod)	46
code page 437	135, 190, 242	<code>\complement</code> (\mathbb{C})	46	<code>\coprod</code> (\coprod)	48
<code>\Coffeecup</code> (☕)	182, 197	<code>\complement</code> (\mathbb{C})	101	copyright	14, 15, 27, 28, 243
<code>\coh</code> (⊖)	64	complete shuffle product (\coprod)	37	<code>\copyright</code> (©)	15
coins, ancient	27	<code>\COMPLEX</code> (\mathbb{C})	96	<code>\copyright</code> (©)	15
<code>\Colon</code> ($::$)	120	<code>\Complex</code> (\mathbb{C})	96	<code>\corner</code> (⋈)	25
<code>\Colon</code> ($::$)	120	complex numbers (\mathbb{C})	<i>see</i>	corners, box	190
<code>\colon</code>	119	alphabets, math		<code>\corona</code> (⌒)	189
<code>\colon</code> ($:$)	119	composited accents	21	<code>\coronainv</code> (⌒)	189
<code>\colon</code> ($:$)	120	Comprehensive T _E X Archive Network	1, 12, 112, 129, 135, 226, 244–246	<code>\Corresponds</code> (⊖)	122
<code>\colon</code> ($:$)	120	computer hardware symbols	134	<code>\corresponds</code> (⊖)	54
<code>\colon</code> ($:$)	120	computer keys	134	<code>\corresponds</code> (⊖)	60
<code>\Colonapprox</code> ($::\approx$)	53	Computer Modern (font)	92, 226, 228, 242	<code>\cos</code> (cos)	96, 240
<code>\Colonapprox</code> ($::\approx$)	62	computer symbols	199–202	<code>\cosh</code> (cosh)	96
<code>\colonapprox</code> ($:\approx$)	64	<code>\ComputerMouse</code> (⌨)	134	<code>\cot</code> (cot)	96
<code>\colonapprox</code> ($:\approx$)	62	<code>\concavediamond</code> (◇)	40	<code>\coth</code> (coth)	96
<code>\colonapprox</code> ($:\approx$)	53	<code>\concavediamondtickleft</code> (◇)	40	<code>\counterplay</code> (⊖)	186
<code>\coloncolon</code> ($::$)	64	40	countries	194
<code>\coloncolonapprox</code> ($::\approx$)	64	<code>\concavediamondtickright</code> (◇)	40	European	194
<code>\coloncolonequals</code> ($::=$)	64	40	<code>CountriesOfEurope</code> (package)	194, 247, 248
<code>\coloncolonminus</code> ($::-$)	64	<code>\Conclusion</code> (⇒)	122	<code>CountriesOfEurope</code> (font)	195
<code>\coloncolonsim</code> ($::\sim$)	64	<code>\conductivity</code> (⊗)	138	<code>\CountriesOfEuropeFamily</code>	195
<code>\Coloneq</code> ($::=$)	53	<code>\cong</code> (≅)	52	Courier (font)	26
<code>\Coloneq</code> ($::=$)	62	<code>\cong</code> (≅)	60	<code>\covbond</code> (⊖)	138
<code>\Coloneq</code> ($::=$)	61	<code>\cong</code> (≅)	57	CP1252	<i>see</i> code page 1252
<code>\coloneq</code> ($:=$)	30, 54	<code>\cong</code> (≅)	55	CP437	<i>see</i> code page 437
<code>\coloneq</code> ($:-$)	62	<code>\cong</code> (≅)	61	<code>\Cpa</code> (⊖)	158
<code>\coloneq</code> ($:-$)	53	<code>\congdot</code> (≅)	61	<code>\Cpe</code> (⊖)	158
<code>\coloneq</code> ($:=$)	57	<code>\Congruent</code> (≅)	122	<code>\Cpi</code> (⊖)	158
<code>\coloneq</code> ($:=$)	55	congruent	<i>see</i> <code>\equiv</code>	<code>\Cpo</code> (⊖)	158
<code>\coloneq</code> ($:=$)	61	<code>\conictaper</code> (⊖)	126	<code>\Cpu</code> (⊖)	158
<code>\Coloneqq</code> ($::=$)	53	<code>\conjquant</code> (⊖)	48	<code>\CR</code> (⊖)	134, 135
<code>\Coloneqq</code> ($::=$)	62	<code>\conjquant</code> (⊖)	49	<code>\cr</code>	231
<code>\coloneqq</code> ($:=$)	62	<code>\Conjunction</code> (⊖)	133	<code>\Cra</code> (⊖)	158
<code>\coloneqq</code> ($:=$)	30, 53	<code>\conjunction</code> (⊖)	131	<code>\Cre</code> (⊖)	158
<code>\coloneqq</code> ($:=$)	58	conjunction, logical	<i>see</i> <code>\wedge</code>	Creative Commons licenses	27, 28
colonequals (package)	30, 64, 247, 248	<i>and</i> <code>\&</code>		crescent (fge package option)	111
<code>\colonequals</code> ($:=$)	30, 64	consequence relations	63	<code>\crescHairpin</code> (⊖)	168
<code>\colonminus</code> ($:-$)	64	contradiction symbols	30, 95	<code>\Cri</code> (⊖)	158
<code>\Colonsim</code> ($::\sim$)	53	control characters	135	<code>\Cro</code> (⊖)	158
<code>\Colonsim</code> ($::\sim$)	62	converse implication	<i>see</i>	<code>\Croatia</code> (⊖)	194
<code>\colonsim</code> ($:\sim$)	64	<code>\leftarrow</code> <i>and</i> <code>\subset</code>		<code>\Cross</code> (⊖)	182
<code>\colonsim</code> ($:\sim$)	62	converse nonimplication	<i>see</i>	<code>\Cross</code> (⊖)	143
<code>\colonsim</code> ($:\sim$)	53	<code>\nleftarrow</code> <i>and</i> <code>\nsubset</code>		<code>\Cross</code> (⊖)	149
combelow (package)	25, 247, 248	<code>\convolution</code> ($*$)	33	<code>\Cross</code> (⊖)	150
combinatorial logic gates	135	<code>\convolution</code> ($*$)	35		
comma-below accent (⏟)	<i>see</i>				
accents					
<code>\commaminus</code> (⏟)	36				

<code>\Cross</code> (\dagger vs. \ddagger vs. \times)	227	<code>\Cu</code> (Υ)	158	<code>\curlywedgedot</code> (λ)	33
<code>\cross</code> (\ast)	162	<code>\Cube</code> ($\begin{smallmatrix} \square & \square & \square \\ \square & \square & \square \\ \square & \square & \square \end{smallmatrix}$)	183, 229	<code>\curlywedgedownarrow</code> (λ)	32
cross ratio <i>see</i> <code>\textrecipe</code>		cube root <i>see</i> <code>\sqrt</code>		<code>\curlywedgedownarrow</code> (Υ)	86
<code>\crossb</code> (\mathfrak{b})	19	cube rotations	203	<code>\curlywedgeuparrow</code> (λ)	32
<code>\CrossBoldOutline</code> (\mathfrak{H})	143	<code>\Cup</code> (\cup)	31	<code>\curlywedgeuparrow</code> (λ)	86
<code>\CrossClowerTips</code> (\mathfrak{H})	143	<code>\Cup</code> (\cup)	35	<code>\curlyyogh</code> (\mathfrak{z})	19
<code>\crossd</code> (\mathfrak{d})	19	<code>\Cup</code> (\cup)	35	<code>\curlyz</code> (\mathfrak{z})	19
<code>\CrossedBox</code> (\mathfrak{x})	143	<code>\Cup</code> (\cup)	34	<code>\currency</code> ($\text{\$}$)	26
<code>\CrossedBox</code> (\mathfrak{x})	143	<code>\Cup</code> (\cup)	36	currency symbols	26, 27, 126, 129
<code>\Crossedbox</code> (\mathfrak{x})	143	<code>\cup</code> (\cup)	33	<code>\curvearrowbotleft</code> (\curvearrowleft)	76
crosses	143, 173–178, 182, 187, 188, 204–206	<code>\cup</code> (\cup)	31, 230, 239	<code>\curvearrowbotleft</code> (\curvearrowleft)	86
<code>\crossh</code> (\mathfrak{h})	19	<code>\cup</code> (\cup)	35	<code>\curvearrowbotleftright</code> (\curvearrowleft)	76
<code>\crossing</code> (\times)	57	<code>\cup</code> (\cup)	34	<code>\curvearrowbotleftright</code> (\curvearrowleft)	86
<code>\CrossMaltese</code> (\mathfrak{H})	143	<code>\cup</code> (\cup)	33	<code>\curvearrowbotleftright</code> (\curvearrowleft)	86
<code>\crossnilambda</code> (λ)	19	<code>\cup</code> (\cup)	36	<code>\curvearrowbotright</code> (\curvearrowright)	76
<code>\CrossOpenShadow</code> (\mathfrak{H})	143	<code>\cupbarcap</code> (\cup)	36	<code>\curvearrowbotright</code> (\curvearrowright)	86
<code>\CrossOutline</code> (\mathfrak{H})	143	<code>\cupdot</code> (\cup)	34	<code>\curvearrowdownup</code> (\curvearrowright)	77
crotchet <i>see</i> musical symbols		<code>\cupdot</code> (\cup)	33	<code>\curvearrowleft</code> (\curvearrowleft)	76
<code>\crotchet</code> (\mathfrak{J})	166	<code>\cupdot</code> (\cup)	36	<code>\curvearrowleft</code> (\curvearrowleft)	75
<code>\crotchetDotted</code> (\mathfrak{J})	166	<code>\Cupido</code> (\mathfrak{H})	133	<code>\curvearrowleft</code> (\curvearrowleft)	86
<code>\crotchetDottedDouble</code> (\mathfrak{J})	166	<code>\cupleftarrow</code> (\cup)	35, 86	<code>\curvearrowleft</code> (\curvearrowleft)	82
<code>\crotchetDottedDoubleDown</code> (\mathfrak{J})	166	<code>\cupleftarrow</code> (\cup)	36	<code>\curvearrowleft</code> (\curvearrowleft)	78
<code>\crotchetDottedDown</code> (\mathfrak{J})	166	<code>\cupovercap</code> (\cup)	36	<code>\curvearrowleft</code> (\curvearrowleft)	88
<code>\crotchetDown</code> (\mathfrak{J})	166	<code>\cupplus</code> (\cup)	34, 35	<code>\curvearrowleftplus</code> (\curvearrowleft)	88
<code>\crotchetRest</code> (\mathfrak{J})	168	<code>\cupplus</code> (\cup)	33, 34	<code>\curvearrowleftright</code> (\curvearrowright)	76
<code>\crotchetRestDotted</code> (\mathfrak{J})	168	<code>\cupvee</code> (\cup)	36	<code>\curvearrowleftright</code> (\curvearrowright)	86
<code>\crtilde</code> (\mathfrak{H})	23	<code>\curlyc</code> (\mathfrak{C})	19	<code>\curvearrowleftright</code> (\curvearrowright)	77
<code>\Cru</code> (\mathfrak{C})	158	<code>\curlyeqprec</code> (\preccurlyeq)	54	<code>\curvearrowleftplus</code> (\curvearrowleft)	88
crucifixes	143, 182, 204–206	<code>\curlyeqprec</code> (\preccurlyeq)	52	<code>\curvearrowleftright</code> (\curvearrowright)	86
<code>\Crux</code> (\mathfrak{C})	110	<code>\curlyeqprec</code> (\preccurlyeq)	60	<code>\curvearrowright</code> (\curvearrowright)	75
<code>\crux</code> (\mathfrak{C})	110	<code>\curlyeqprec</code> (\preccurlyeq)	58	<code>\curvearrowright</code> (\curvearrowright)	86
cryst (package)	222, 247	<code>\curlyeqprec</code> (\preccurlyeq)	55	<code>\curvearrowright</code> (\curvearrowright)	82
crystallography symbols	222	<code>\curlyeqsucc</code> (\succcurlyeq)	54	<code>\curvearrowright</code> (\curvearrowright)	78
<code>\CS</code> (\mathfrak{C})	134	<code>\curlyeqsucc</code> (\succcurlyeq)	52	<code>\curvearrowright</code> (\curvearrowright)	88
<code>\Csa</code> (\mathfrak{C})	158	<code>\curlyeqsucc</code> (\succcurlyeq)	60	<code>\curvearrowrightleft</code> (\curvearrowright)	77
<code>\csc</code> (csc)	96	<code>\curlyeqsucc</code> (\succcurlyeq)	58	<code>\curvearrowrightminus</code> (\curvearrowright)	88
<code>\Cse</code> (\mathfrak{C})	158	<code>\curlyeqsucc</code> (\succcurlyeq)	55	<code>\curvearrowrightplus</code> (\curvearrowright)	88
<code>\cshuffle</code> (\mathfrak{C})	37	<code>\curlyeqsucc</code> (\succcurlyeq)	61	<code>\curvearrowrightplus</code> (\curvearrowright)	77
<code>\Csi</code> (\mathfrak{C})	158	<code>\curlyesh</code> (\mathfrak{C})	19	<code>\curvearrowrightswne</code> (\curvearrowright)	77
<code>\Cso</code> (\mathfrak{C})	158	<code>\curlyesh</code> (\mathfrak{C})	19	<code>\curvearrowrightswne</code> (\curvearrowright)	77
<code>\Csu</code> (\mathfrak{C})	158	<code>\curlyvee</code> (\vee)	33	<code>\curvearrowupdown</code> (\curvearrowright)	77
<code>\csub</code> (\mathfrak{C})	67	<code>\curlyvee</code> (\vee)	31	<code>\CutLeft</code> (\mathfrak{C})	141
<code>\csube</code> (\mathfrak{C})	67	<code>\curlyvee</code> (\vee)	35	cutoff subtraction <i>see</i> <code>\dotdiv</code>	
<code>\csup</code> (\mathfrak{C})	67	<code>\curlyvee</code> (\vee)	34	<code>\CutRight</code> (\mathfrak{C})	141
<code>\csupe</code> (\mathfrak{C})	67	<code>\curlyvee</code> (\vee)	33	<code>\CuttingLine</code> (\mathfrak{C})	141
<code>\Cta</code> (\mathfrak{C})	158	<code>\curlyvee</code> (\vee)	36	<code>\Cwa</code> (\mathfrak{C})	158
CTAN <i>see</i> Comprehensive T _E X		<code>\curlyveedot</code> (\vee)	33	<code>\cwcirculararrow</code> (\mathfrak{C})	88
Archive Network		<code>\curlyveedownarrow</code> (\vee)	32	<code>\cwcirculararrowdown</code> (\mathfrak{C})	81
<code>\Cte</code> (\mathfrak{C})	158	<code>\curlyveedownarrow</code> (\vee)	86	<code>\cwcirculararrowleft</code> (\mathfrak{C})	81
<code>\Cti</code> (\mathfrak{C})	158	<code>\curlyveeuparrow</code> (\vee)	32	<code>\cwcirculararrowright</code> (\mathfrak{C})	81
<code>\Cto</code> (\mathfrak{C})	158	<code>\curlyveeuparrow</code> (\vee)	86	<code>\cwcirculararrowup</code> (\mathfrak{C})	81
<code>\Ctrl</code> (\mathfrak{C})	134	<code>\curlywedge</code> (\wedge)	33	<code>\Cwe</code> (\mathfrak{C})	158
<code>\Ctu</code> (\mathfrak{C})	158	<code>\curlywedge</code> (\wedge)	31	<code>\cwgapcirculararrow</code> (\mathfrak{C})	82
		<code>\curlywedge</code> (\wedge)	35	<code>\cwgapcirculararrow</code> (\mathfrak{C})	88
		<code>\curlywedge</code> (\wedge)	34	<code>\Cwi</code> (\mathfrak{C})	158
		<code>\curlywedge</code> (\wedge)	33	<code>\cwleftarrow</code> (\mathfrak{C})	81
		<code>\curlywedge</code> (\wedge)	36	<code>\cwnearrow</code> (\mathfrak{C})	81

<code>\cwnwarcarrow</code> (\curvearrowright)	82	<code>\dashcolon</code> (\dashv)	61	<code>\ddagger</code> (\ddagger)	31
<code>\Cwo</code> (\Uparrow)	158	<code>\dasheddownarrow</code> (\downdownarrows)	77	<code>\ddagger</code> (\ddagger)	35
<code>\cwopencirclearrow</code> (\curvearrowright)	82	<code>\dashedleftarrow</code> (\leftarrow)	77	<code>\ddagger</code> (\ddagger)	36
<code>\cwopencirclearrow</code> (\curvearrowright)	89, 149	<code>\dashednearrow</code> (\nearrow)	77	<code>\ddashint</code> (\int)	232
<code>\cwoverarcarrow</code> (\curvearrowright)	82	<code>\dashednwarrow</code> (\nwarrow)	77	<code>\Ddashv</code> (\equiv)	58
<code>\cwrightarcarrow</code> (\curvearrowright)	82	<code>\dashedrightarrow</code> (\rightarrow)	77	<code>\ddddot</code> ($\overset{\cdot\cdot\cdot\cdot}{\square}$)	111
<code>\cwrightarcarrow</code> (\curvearrowright)	88	<code>\dashedsearrow</code> (\searrow)	77	<code>\ddddot</code> ($\overset{\cdot\cdot\cdot\cdot}{\square}$)	110
<code>\cwsearcarrow</code> (\curvearrowright)	82	<code>\dashedswarrow</code> (\swarrow)	77	<code>\ddot</code> ($\overset{\cdot\cdot}{\square}$)	111
<code>\cswarcarrow</code> (\curvearrowright)	82	<code>\dasheduparrow</code> (\uparrow)	77	<code>\ddot</code> ($\overset{\cdot\cdot}{\square}$)	110
<code>\cwunderarcarrow</code> (\curvearrowright)	82	<code>\dashint</code> (\int)	232	<code>\dddtstile</code> (\equiv)	63
<code>\cwundercurvearrow</code> (\curvearrowright)	88	<code>\dashleftarrow</code> (\leftarrow)	75	<code>\ddigamma</code> (Γ)	159
<code>\Cxa</code> (\Uparrow)	158	<code>\dashleftarrow</code> (\leftarrow)	82	<code>\DDohne</code> (\emptyset)	165
<code>\Cxe</code> (\Uparrow)	158	<code>\dashleftarrow</code> (\leftarrow)	78	<code>\ddot</code> ($\overset{\cdot\cdot}{\square}$)	111
<code>\Cya</code> (\Uparrow)	158	<code>\dashleftarrow</code> (\leftarrow)	89	<code>\ddot</code> ($\overset{\cdot\cdot}{\square}$)	110
<code>\Cyo</code> (\Uparrow)	158	<code>\dashleftarrow</code> (\leftarrow)	90	<code>\ddotdot</code> ($\overset{\cdot\cdot}{\square}$)	34, 120
<code>\cypfamily</code>	158	<code>\dashleftarrow</code> (\leftarrow)	76	<code>\ddotdot</code> ($\overset{\cdot\cdot}{\square}$)	33, 120
Cypriot	158	<code>\dashrightarrow</code> (\rightarrow)	75	<code>\ddots</code> (\ddots)	120
cypriot (package)	158, 247, 248	<code>\dashrightarrow</code> (\rightarrow)	82	<code>\ddots</code> (\ddots)	119, 234
<code>\CYRSH</code> (III)	229	<code>\dashrightarrow</code> (\rightarrow)	78	<code>\ddots</code> (\ddots)	120
<code>\Cza</code> (\curvearrowright)	158	<code>\dashrightarrow</code> (\rightarrow)	89	<code>\ddots</code> (\ddots)	120
<code>\Czechia</code> (\curvearrowright)	194	<code>\dashrightarrow</code> (\rightarrow)	89	<code>\ddots</code> (\ddots)	120
<code>\Czo</code> (\curvearrowright)	158	<code>\dashrightarrow</code> (\rightarrow)	90	<code>\ddots</code> (\ddots)	120
D					
<code>D</code> (\square)	162	<code>\DashV</code> (\equiv)	54	<code>\ddots</code> (\ddots)	120
<code>\D</code> (\square)	24	<code>\DashV</code> (\equiv)	60	<code>\ddots</code> (\ddots)	120
<code>d</code> (esvect package option)	115	<code>\DashV</code> (\equiv)	58	<code>\ddots</code> (\ddots)	120
<code>\d</code> (\mathbb{K})	162	<code>\DashV</code> (\equiv)	61	<code>\ddotseq</code> (\equiv)	61
<code>\d</code> (\mathbb{K})	21	<code>\Dashv</code> (\equiv)	54	<code>\DDownarrow</code> (\Downarrow)	88
<code>d</code> (\mathbb{K})	162	<code>\Dashv</code> (\equiv)	58	<code>\DDownarrow</code> (\Downarrow)	107
<code>d'Alembert operator</code>	<i>see</i>	<code>\Dashv</code> (\equiv)	61	<code>\DDownarrow</code> (\Downarrow)	82
<code>\laplac</code>		<code>\Dashv</code> (\equiv)	60	<code>\DDownarrow</code> (\Downarrow)	88
<code>\DA</code> (\downarrow)	134	<code>\dashV</code> (\equiv)	60	<code>\DDownarrow</code> (\Downarrow)	107
<code>\dag</code> (\dagger)	15, 244	<code>\dashV</code> (\equiv)	58	<code>\ddststile</code> (\equiv)	63
<code>\dag</code> (\dagger)	15	<code>\dashV</code> (\equiv)	61	<code>\ddtstile</code> (\equiv)	63
<code>\dagger</code> (\dagger)	31	<code>\dashv</code> (\dashv)	52	<code>\ddttstile</code> (\equiv)	63
<code>\dagger</code> (\dagger)	35	<code>\dashv</code> (\dashv)	58	<code>\DE</code> (\perp)	134
<code>\dagger</code> (\dagger)	36	<code>\dashv</code> (\dashv)	61	<code>\DeclareFontFamily</code>	225, 239
<code>\dalambert</code> (\square)	125	<code>\dashv</code> (\dashv)	56	<code>\DeclareFontShape</code>	225, 239
<code>\daleth</code> (\daleth)	99	<code>\dashv</code> (\dashv)	61	<code>\DeclareMathOperator</code>	240
<code>\daleth</code> (\daleth)	100	<code>\dashv</code> (\dashv)	61	<code>\DeclareMathOperator*</code>	240
<code>\daleth</code> (\daleth)	99	<code>\dashv</code> (\dashv)	61	<code>\declareslashed</code>	231, 232
<code>\daleth</code> (\daleth)	99	<code>\dashv</code> (\dashv)	61	<code>\DeclareUnicodeCharacter</code>	245
<code>\daleth</code> (\daleth)	100	<code>\dashv</code> (\dashv)	61	<code>\decofourleft</code> ($\text{\textcircled{a}}$)	146
<code>dancers</code> (package)	217, 247	<code>\dashv</code> (\dashv)	61	<code>\decofourright</code> ($\text{\textcircled{a}}$)	146
<code>dancing men</code>	217–220	<code>\dashv</code> (\dashv)	61	<code>\decoone</code> ($\text{\textcircled{a}}$)	146
<code>\danger</code> ($\text{\textcircled{a}}$)	126	<code>\dashv</code> (\dashv)	61	<code>decorative borders</code>	209–217
<code>\danger</code> ($\text{\textcircled{a}}$)	182	<code>\dashv</code> (\dashv)	61	<code>\decosix</code> ($\text{\textcircled{a}}$)	146
<code>dangerous bend symbols</code>	181	<code>\dashv</code> (\dashv)	61	<code>\decothreeleft</code> ($\text{\textcircled{a}}$)	146
<code>Danish runes</code>	<i>see</i> normal runes	<code>\dashv</code> (\dashv)	61	<code>\decothreeright</code> ($\text{\textcircled{a}}$)	146
<code>\dAnnoey</code> ($\text{\textcircled{a}}$)	197	<code>\dashv</code> (\dashv)	61	<code>\decotwo</code> ($\text{\textcircled{a}}$)	146
<code>\DArrow</code> (\Downarrow)	134	<code>\dashv</code> (\dashv)	61	<code>\decreschHairpin</code> ($\text{\textcircled{a}}$)	168
<code>\darrow</code>	<i>see</i>	<code>\dashv</code> (\dashv)	61	<code>Dedekind, Richard</code>	229
<code>\dashrightarrow</code>	<i>see</i>	<code>\dashv</code> (\dashv)	61	<code>definite-description operator</code> ($\text{\textcircled{a}}$)	229
<code>\dashrightarrow</code>		<code>\dashv</code> (\dashv)	61	<code>definition symbols</code>	30, 235
<code>\dashrightarrow</code> (\rightarrow)	82	<code>\dashv</code> (\dashv)	61	<code>\deg</code> (\deg)	96
<code>\dashrightarrow</code> (\rightarrow)	89	<code>\dashv</code> (\dashv)	61	<code>\degree</code> (\circ)	124
		<code>\dashv</code> (\dashv)	61	<code>\degree</code> (\circ)	130
		<code>\dashv</code> (\dashv)	61	<code>degrees</code>	<i>see</i> <code>\textdegree</code>
























<code>\DEL</code> (Δ)	135	<code>\diagup</code> (\diagup)	124	<code>\DiamondShadowC</code> (\blacklozenge)	149
<code>\DEL</code> (Δ)	135	<code>\diagup</code> (\diagup)	125	<code>\DiamondShape</code> (\diamond)	149
<code>\Del</code> ($\boxed{\text{Del}}$)	134	<code>\diagup</code> (\diagup)	56	<code>\diamondslash</code> (\diamond)	38
<code>\Del</code> ($\boxed{\text{Del}}$)	134	<code>\diagup</code> (\diagup)	126	<code>\diamondslash</code> (\diamond)	38
<code>\Deleatur</code>	<i>see</i> <code>\Denarius</code>	<code>\diameter</code> (\emptyset)	124	<code>\DiamondSolid</code> (\blacklozenge)	150
delimiters	102–110	<code>\diameter</code> (\emptyset)	30	<code>\diamondsuit</code> (\diamond)	151
text-mode	110	<code>\diameter</code> (\emptyset)	125	<code>\diamondsuit</code> (\diamond)	151
variable-sized	103–109	<code>\diameter</code> (\emptyset)	125	<code>\diamondsuit</code> (\diamond)	151
wavy-line	104–108	<code>\diameter</code> (\emptyset)	126	<code>\diamondsuit</code> (\diamond)	151
<code>\Delta</code> (Δ)	97	<code>\diameter</code> (\emptyset)	181	<code>\diamondsuit</code> (\diamond)	151
<code>\delta</code> (δ)	97	<code>\Diamond</code> (\diamond)	124	<code>\diamondsuit</code> (\diamond)	151
<code>\deltaup</code> (δ)	98	<code>\Diamond</code> (\diamond)	124	<code>\diamondtimes</code> (\diamond)	39
deminutum	<i>see</i> <code>musixgre</code>	<code>\Diamond</code> (\diamond)	39	<code>\diamondtimes</code> (\diamond)	38
demisemiquaver	<i>see</i> musical symbols	<code>\Diamond</code> (\diamond)	38	<code>\diamondtimes</code> (\diamond)	38
<code>\demisemiquaver</code> (♩)	166	<code>\Diamond</code> (\diamond)	149	<code>\diamondtopblack</code> (\blacklozenge)	149
<code>\demisemiquaverDotted</code> (♩)	166	<code>\diamond</code> (\diamond)	31	<code>\diamondtriangle</code> (\diamond)	39
<code>\demisemiquaverDottedDouble</code>		<code>\diamond</code> (\diamond)	39, 147	<code>\diamondvert</code> (\diamond)	38
(♩)	166	<code>\diamond</code> (\diamond)	39	<code>\diamondvert</code> (\diamond)	38
<code>\demisemiquaverDottedDoubleDown</code>		<code>\diamond</code> (\diamond)	38	<code>\diatop</code>	25, 234
(♩)	166	<code>\diamond</code> (\diamond)	38	<code>\diaunder</code>	25, 234
<code>\demisemiquaverDottedDown</code>		<code>\diamond</code> (\diamond)	40, 149	dice	183, 184, 223, 229
(♩)	166	<code>\diamondbackslash</code> (\diamond)	38	dice (package)	223, 247
<code>\demisemiquaverDown</code> (♩)	166	<code>\diamondbackslash</code> (\diamond)	38	<code>\dicei</code> (\square)	184
<code>\Denarius</code> (₽)	26	<code>\diamondbar</code> (\diamond)	39	<code>\diceii</code> (\square)	184
<code>\denarius</code> (₽)	27	<code>\Diamondblack</code> (\blacklozenge)	124	<code>\diceiii</code> (\square)	184
<code>\Denmark</code> (₰)	194	<code>\diamondbotblack</code> (\blacklozenge)	149	<code>\diceiv</code> (\square)	184
<code>\dental</code> (⌘)	23	<code>\diamondbslash</code> (\diamond)	39	<code>\dicev</code> (\square)	184
<code>\Dep</code> (⌘)	164	<code>\diamondcdot</code> (\diamond)	39	<code>\dicevi</code> (\square)	184
derivative, partial	<i>see</i> <code>\partial</code>	<code>\diamondcdot</code> (\diamond)	149	dictionary symbols	17–20, 189
Descartes's equal sign (\asymp)		<code>\diamondcircle</code> (\diamond)	39	dictsym (package)	189, 247
... <i>see</i> <code>\rightpropto</code> and		<code>\diamonddiamond</code> (\diamond)	38	died	<i>see</i> <code>\textdied</code>
<code>\backpropto</code>		<code>\diamonddiamond</code> (\diamond)	38	differential, inexact	<i>see</i> <code>\dbar</code>
<code>\descnode</code> (Ⓢ)	131	<code>\Diamonddot</code> (\diamond)	124	<code>\Digamma</code> (Ϝ)	159
<code>\det</code> (det)	96	<code>\diamonddot</code> (\diamond)	38	<code>\Digamma</code> (Ϝ)	159
<code>\devadvantage</code> (Ⓒ)	186	<code>\diamonddot</code> (\diamond)	38	<code>\digamma</code> (Ϝ)	97, 159
<code>\Dfourier</code> (∩)	64	<code>\DiamonddotLeft</code> (\leftarrow)	76	<code>\digamma</code> (Ϝ)	159
<code>\Dfourier</code> (∩)	60	<code>\DiamonddotLeft</code> (\leftarrow)	76	<code>\digamma</code> (Ϝ)	159
<code>\dfourier</code> (∩)	64	<code>\DiamonddotRight</code> (\rightarrow)	76	<code>\digamma</code> (Ϝ)	101
<code>\dfourier</code> (∩)	60	<code>\DiamonddotRight</code> (\rightarrow)	76	<code>\digamma</code> (Ϝ)	159
<code>\DFT</code> (—)	118	<code>\Diamonddotright</code> (\rightarrow)	76	digital logic gates	135
<code>\dft</code> (—)	118	<code>\diamonddots</code> (⋮)	33, 120	digits	<i>see</i> numerals
<code>\DH</code> (Ⓓ)	20	<code>\DiamondLeft</code> (\leftarrow)	76	<code>\dim</code> (dim)	96
<code>\DH</code> (Ⓓ)	15, 243	<code>\DiamondLeft</code> (\leftarrow)	76	<code>\ding</code> 17, 139, 141–145, 150, 152	
<code>\dh</code> (Ⓓ)	20	<code>\Diamondleft</code> (\leftarrow)	76	<code>\ding{33}</code> (⌘)	141
<code>\dh</code> (Ⓓ)	15, 243	<code>\diamondleftarrow</code> (\leftarrow)	88	<code>\ding{34}</code> (⌘)	141
diacritics	<i>see</i> accents	<code>\diamondleftarrowbar</code> (\leftarrow)	88	<code>\ding{35}</code> (⌘)	141
<code>\diaeresis</code> (¨)	24	<code>\diamondleftblack</code> (\blacklozenge)	149	<code>\ding{36}</code> (⌘)	141
diæresis (¨)	<i>see</i> accents	<code>\diamondminus</code> (\diamond)	39	<code>\ding{37}</code> (⌘)	152
<code>\diagdown</code> (\diagdown)	124	<code>\diamondminus</code> (\diamond)	38	<code>\ding{38}</code> (Ⓒ)	152
<code>\diagdown</code> (\diagdown)	124	<code>\diamondop</code> (\diamond)	39	<code>\ding{39}</code> (Ⓒ)	152
<code>\diagdown</code> (\diagdown)	125	<code>\diamondplus</code> (\diamond)	39	<code>\ding{40}</code> (⌘)	152
<code>\diagdown</code> (\diagdown)	56	<code>\diamondplus</code> (\diamond)	38	<code>\ding{41}</code> (Ⓒ)	152
<code>\diagdown</code> (\diagdown)	126	<code>\DiamondRight</code> (\rightarrow)	76	<code>\ding{42}</code> (⌘)	142
<code>\diagonal</code> (↗)	186	<code>\Diamondright</code> (\rightarrow)	76	<code>\ding{43}</code> (⌘)	142
<code>\diagup</code> (\diagup)	124	<code>\diamondrightblack</code> (\blacklozenge)	149	<code>\ding{44}</code> (⌘)	142
		diamonds	31, 33, 38–40, 76, 124, 147–152, 173–178, 183, 204–206, 222	<code>\ding{45}</code> (⌘)	142
		<code>\DiamondShadowA</code> (\blacklozenge)	149	<code>\ding{46}</code> (⌘)	142
		<code>\DiamondShadowB</code> (\blacklozenge)	149	<code>\ding{47}</code> (⌘)	142
				<code>\ding{48}</code> (⌘)	142
				<code>\ding{49}</code> (⌘)	142

<code>\ding{50}</code> (♠)	142	<code>\ding{109}</code> (○)	150	<code>\ding{202}</code> (ⓐ)	144
<code>\ding{51}</code> (✓)	143	<code>\ding{110}</code> (■)	150	<code>\ding{203}</code> (ⓑ)	144
<code>\ding{52}</code> (✔)	143	<code>\ding{111}</code> (□)	150	<code>\ding{204}</code> (ⓒ)	144
<code>\ding{53}</code> (✕)	143	<code>\ding{112}</code> (◻)	150	<code>\ding{205}</code> (ⓓ)	144
<code>\ding{54}</code> (✖)	143	<code>\ding{113}</code> (◻)	150	<code>\ding{206}</code> (ⓔ)	144
<code>\ding{55}</code> (✗)	143	<code>\ding{114}</code> (◻)	150	<code>\ding{207}</code> (ⓕ)	144
<code>\ding{56}</code> (✘)	143	<code>\ding{115}</code> (▲)	150	<code>\ding{208}</code> (ⓖ)	144
<code>\ding{57}</code> (♣)	143	<code>\ding{116}</code> (▼)	150	<code>\ding{209}</code> (ⓗ)	144
<code>\ding{58}</code> (♠)	143	<code>\ding{117}</code> (◆)	150	<code>\ding{210}</code> (ⓘ)	144
<code>\ding{59}</code> (⊕)	143	<code>\ding{118}</code> (⋄)	152	<code>\ding{211}</code> (ⓙ)	144
<code>\ding{60}</code> (♣)	143	<code>\ding{119}</code> (●)	150	<code>\ding{212}</code> (→)	139
<code>\ding{61}</code> (†)	143	<code>\ding{120}</code> (l)	150	<code>\ding{213}</code> (↔)	139
<code>\ding{62}</code> (‡)	143	<code>\ding{121}</code> (l)	150	<code>\ding{214}</code> (↔)	139
<code>\ding{63}</code> (‡)	143	<code>\ding{122}</code> (l)	150	<code>\ding{215}</code> (↓)	139
<code>\ding{64}</code> (⊗)	143	<code>\ding{123}</code> (⦿)	17	<code>\ding{216}</code> (↘)	139
<code>\ding{65}</code> (⊗)	145	<code>\ding{124}</code> (⦿)	17	<code>\ding{217}</code> (↘)	139
<code>\ding{66}</code> (⊕)	145	<code>\ding{125}</code> (⦿)	17	<code>\ding{218}</code> (↗)	139
<code>\ding{67}</code> (⊕)	145	<code>\ding{126}</code> (⦿)	17	<code>\ding{219}</code> (↗)	139
<code>\ding{68}</code> (♣)	145	<code>\ding{161}</code> (♣)	17	<code>\ding{220}</code> (→)	139
<code>\ding{69}</code> (♣)	145	<code>\ding{162}</code> (♣)	17	<code>\ding{221}</code> (→)	139
<code>\ding{70}</code> (♣)	145	<code>\ding{163}</code> (♣)	17	<code>\ding{222}</code> (→)	139
<code>\ding{71}</code> (♣)	145	<code>\ding{164}</code> (♥)	152	<code>\ding{223}</code> (→)	139
<code>\ding{72}</code> (★)	145	<code>\ding{165}</code> (♣)	152	<code>\ding{224}</code> (→)	139
<code>\ding{73}</code> (☆)	145	<code>\ding{166}</code> (♣)	152	<code>\ding{225}</code> (→)	139
<code>\ding{74}</code> (♣)	145	<code>\ding{167}</code> (♣)	152	<code>\ding{226}</code> (→)	139
<code>\ding{75}</code> (☆)	145	<code>\ding{168}</code> (♣)	152	<code>\ding{227}</code> (→)	139
<code>\ding{76}</code> (★)	145	<code>\ding{169}</code> (♣)	152	<code>\ding{228}</code> (→)	139
<code>\ding{77}</code> (★)	145	<code>\ding{170}</code> (♥)	152	<code>\ding{229}</code> (→)	139
<code>\ding{78}</code> (★)	145	<code>\ding{171}</code> (♠)	152	<code>\ding{230}</code> (→)	139
<code>\ding{79}</code> (★)	145	<code>\ding{172}</code> (①)	144	<code>\ding{231}</code> (→)	139
<code>\ding{80}</code> (☆)	145	<code>\ding{173}</code> (②)	144	<code>\ding{232}</code> (→)	139
<code>\ding{81}</code> (★)	145	<code>\ding{174}</code> (③)	144	<code>\ding{233}</code> (→)	139
<code>\ding{82}</code> (★)	145	<code>\ding{175}</code> (④)	144	<code>\ding{234}</code> (→)	139
<code>\ding{83}</code> (★)	145	<code>\ding{176}</code> (⑤)	144	<code>\ding{235}</code> (→)	139
<code>\ding{84}</code> (★)	145	<code>\ding{177}</code> (⑥)	144	<code>\ding{236}</code> (→)	139
<code>\ding{85}</code> (★)	145	<code>\ding{178}</code> (⑦)	144	<code>\ding{237}</code> (→)	139
<code>\ding{86}</code> (★)	145	<code>\ding{179}</code> (⑧)	144	<code>\ding{238}</code> (→)	139
<code>\ding{87}</code> (★)	145	<code>\ding{180}</code> (⑨)	144	<code>\ding{239}</code> (→)	139
<code>\ding{88}</code> (★)	145	<code>\ding{181}</code> (⑩)	144	<code>\ding{241}</code> (→)	139
<code>\ding{89}</code> (★)	145	<code>\ding{182}</code> (①)	144	<code>\ding{242}</code> (→)	139
<code>\ding{90}</code> (★)	145	<code>\ding{183}</code> (②)	144	<code>\ding{243}</code> (→)	139
<code>\ding{91}</code> (★)	145	<code>\ding{184}</code> (③)	144	<code>\ding{244}</code> (→)	139
<code>\ding{92}</code> (★)	145	<code>\ding{185}</code> (④)	144	<code>\ding{245}</code> (→)	139
<code>\ding{93}</code> (★)	145	<code>\ding{186}</code> (⑤)	144	<code>\ding{246}</code> (→)	139
<code>\ding{94}</code> (★)	145	<code>\ding{187}</code> (⑥)	144	<code>\ding{247}</code> (→)	139
<code>\ding{95}</code> (★)	145	<code>\ding{188}</code> (⑦)	144	<code>\ding{248}</code> (→)	139
<code>\ding{96}</code> (★)	145	<code>\ding{189}</code> (⑧)	144	<code>\ding{249}</code> (→)	139
<code>\ding{97}</code> (★)	145	<code>\ding{190}</code> (⑨)	144	<code>\ding{250}</code> (→)	139
<code>\ding{98}</code> (♣)	145	<code>\ding{191}</code> (⑩)	144	<code>\ding{251}</code> (→)	139
<code>\ding{99}</code> (★)	145	<code>\ding{192}</code> (①)	144	<code>\ding{252}</code> (→)	139
<code>\ding{100}</code> (★)	145	<code>\ding{193}</code> (②)	144	<code>\ding{253}</code> (→)	139
<code>\ding{101}</code> (★)	145	<code>\ding{194}</code> (③)	144	<code>\ding{254}</code> (→)	139
<code>\ding{102}</code> (★)	145	<code>\ding{195}</code> (④)	144	<code>\dingasterisk</code> (*)	126
<code>\ding{103}</code> (★)	145	<code>\ding{196}</code> (⑤)	144	<code>dingautolist</code>	144
<code>\ding{104}</code> (★)	145	<code>\ding{197}</code> (⑥)	144	<code>dingbat</code> (package)	141, 142, 152, 213, 227, 247
<code>\ding{105}</code> (★)	145	<code>\ding{198}</code> (⑦)	144	<code>dingbat symbols</code>	139–152
<code>\ding{106}</code> (★)	145	<code>\ding{199}</code> (⑧)	144	<code>\dInnocey</code> (☹)	197
<code>\ding{107}</code> (★)	145	<code>\ding{200}</code> (⑨)	144	<code>\Diple</code> (>)	188
<code>\ding{108}</code> (●)	150	<code>\ding{201}</code> (⑩)	144		

<code>\diple</code> (\succ)	188	<code>\dnttstile</code> ($\parallel\!\!\parallel$)	63	<code>\dotplus</code> ($\dot{+}$)	36
<code>\Diple*</code> (\succ)	188	<code>\dNursey</code> (☺)	197	<code>\dots</code>	15
<code>\diple*</code> (\succ)	188	do not enter	<i>see</i> <code>\noway</code>	<code>\dots (...)</code>	244
<code>\dipole</code> (d^p)	138	does not divide	<i>see</i> <code>\nmid</code>	dots (ellipses)	14, 15, 119–121, 124, 234
Dirac notation	103	does not exist	<i>see</i> <code>\nexists</code>	<code>\dotsb (...)</code>	119
<code>\Direct</code> (D^i)	133	does not imply	232	<code>\dotsb (...)</code>	120
discount	<i>see</i> <code>\textdiscount</code>	<code>\Dohne</code> (D^o)	165	<code>\dotsc (...)</code>	119
discretionary hyphen	244	Dohse, Max	233	<code>\dotseq (\doteq)</code>	54
<code>\Dish</code> (D^i)	196	dollar	<i>see</i> <code>\textdollar</code>	<code>\dotsi (...)</code>	119
<code>\disin</code> (€)	60	dollar sign	<i>see</i> <code>\\$</code>	<code>\dotssim (\sim)</code>	60
<code>\disin</code> (€)	61	dominance	<i>see</i> <code>\prec</code>	<code>\dotssim (\sim)</code>	61
disjoint union	30	negative	<i>see</i> <code>\nprec</code>	<code>\dotsint (\int \cdots \int)</code>	45
<code>\disjquant</code> (W)	48	negative weak	<i>see</i>	<code>\dotsint (\int \cdots \int)</code>	48
<code>\disjquant</code> (W)	48	<code>\npreccurlyeq</code>		<code>\dotssm (...)</code>	119
disjunction	<i>see</i> <code>\vee</code>	strict	<i>see</i> <code>\Prec</code>	<code>\dotssm (...)</code>	120
<code>\displaystyle</code>	232, 233, 235, 240	weak	<i>see</i> <code>\preccurlyeq</code>	<code>\dotsminusdots (\dot{-})</code>	58
ditto marks	<i>see</i> <code>\textquotedbl</code>	<code>\Dontwash</code> (W)	182	<code>\dotsminusdots (\dot{-})</code>	61
<code>\div</code> (\div)	31	<code>\dot</code> ($\dot{\square}$)	111	<code>\dotso (...)</code>	119
<code>\div</code> (\div)	35	<code>\dot</code> ($\dot{\square}$)	110	dotted arrows	117
<code>\div</code> (\div)	34	<code>\dot</code> ($\dot{\square}$)	162	dotted union ($\dot{\cup}$)	239
<code>\div</code> (\div)	33	dot accent ($\dot{\square}$ or $\dot{\square}$)	<i>see</i> accents	<code>\dottedcircle</code> (⊙)	149
<code>\div</code> (\div)	36	dot symbols	14, 119–121, 234	<code>\dottedsquare</code> (⊠)	149
<code>\divdot</code> ($\dot{\div}$)	33	<code>DotArrow</code> (package)	117, 247, 248	<code>\dottedtilde</code> (~)	23
<code>\divideontimes</code> (\otimes)	33	<code>\dotarrow</code> ($\dot{\rightarrow}$)	117	<code>\dottimes (\dot{\times})</code>	33
<code>\divideontimes</code> (\otimes)	31	<code>\dotcong</code> ($\dot{\cong}$)	58	<code>\dottimes (\times)</code>	35
<code>\divideontimes</code> (\otimes)	35	<code>\dotcup</code> ($\dot{\cup}$)	30, 230	<code>\dottimes (\dot{\times})</code>	34
<code>\divideontimes</code> (\otimes)	34	<code>\dotdiv</code> ($\dot{\div}$)	33	<code>\dottimes (\dot{\times})</code>	36
<code>\divideontimes</code> (\otimes)	36	<code>\Doteq</code>	<i>see</i> <code>\doteqdot</code>	<code>\double</code>	109
<code>\Divides</code> (✓)	122	<code>\Doteq</code> ($\dot{=}$)	58	double acute (¨)	<i>see</i> accents
<code>\divides</code> (∣)	54	<code>\Doteq</code> ($\dot{=}$)	55	<code>\doublebar</code> (!)	162
<code>\divides</code> (✓)	56	<code>\Doteq</code> ($\dot{=}$)	61, 62	<code>\doublebarvee</code> (∨)	36
<code>\DividesNot</code> (✗)	122	<code>\doteq</code> (\doteq)	52	<code>\doublebarwedge</code> (⌞)	33
division	31, 112, 114, 119	<code>\doteq</code> (\doteq)	60	<code>\doublebarwedge</code> (⌞)	31
long	112, 114	<code>\doteq</code> (\doteq)	58	<code>\doublebarwedge</code> (⌞)	35
non-commutative	119	<code>\doteq</code> (\doteq)	55	<code>\doublebarwedge</code> (⌞)	34
polynomial	112	<code>\doteq</code> (\doteq)	61	<code>\doublebarwedge</code> (⌞)	36
division times	<i>see</i>	<code>\doteqdot</code> ($\dot{=}$)	52	<code>\doublecap</code>	<i>see</i> <code>\Cap</code>
<code>\divideontimes</code>		<code>\doteqdot</code> ($\dot{=}$)	60	<code>\doublecap</code> (⊔)	33
divorced	<i>see</i> <code>\textdivorced</code>	<code>\doteqdot</code> ($\dot{=}$)	58	<code>\doublecap</code> (⊔)	34, 35
<code>\divslash</code> (/)	34	<code>\doteqdot</code> ($\dot{=}$)	56	<code>\doublecap</code> (⊔)	34
<code>\DJ</code> (D)	15	<code>\doteqdot</code> ($\dot{=}$)	62	<code>\doublecap</code> (⊔)	36
<code>\dj</code> (d)	15	<code>\dotequiv</code> ($\dot{=}$)	61	<code>\doublecovbond</code> (⌞)	138
<code>\DL</code> (V)	134	dotless j (j)	21	<code>\doublecross</code> (*)	162
<code>\dLaughey</code> (☺)	197	text mode	21	<code>\doublecup</code>	<i>see</i> <code>\Cup</code>
<code>\dlbari</code> (†)	19	dotless i (i)	110, 124	<code>\doublecup</code> (⊔)	33
<code>\DLE</code> (▶)	135	math mode	110, 124	<code>\doublecup</code> (⊔)	34, 35
<code>\dlsh</code> (↵)	76	text mode	21	<code>\doublecup</code> (⊔)	34
<code>\dlsh</code> (↵)	86	dotless j (j)	110, 124	<code>\doublecup</code> (⊔)	36
<code>\DM</code> (◇)	134	<code>\dotmedvert</code> (+)	34	<code>\doublecurlyvee</code> (⌘)	34
<code>\Dmesonminus</code> (D^-)	138	<code>\dotminus</code> ($\dot{-}$)	60	<code>\doublecurlywedge</code> (⌘)	34
<code>\Dmesonnull</code> (D^o)	138	<code>\dotminus</code> ($\dot{-}$)	34	<code>\doubledot</code> (:)	162
<code>\Dmesonplus</code> (D^+)	138	<code>\dotminus</code> ($\dot{-}$)	34	<code>\doubleeye</code> (:)	162
<code>\dntstile</code> ($\parallel\!\!\parallel$)	63	<code>\dotminus</code> ($\dot{-}$)	36	<code>\doublefrown</code> (⋈)	94
<code>\dNeutrey</code> (☺)	197	<code>\dotplus</code> ($\dot{+}$)	33	<code>\doublefrowneq</code> (⋈)	94
<code>\dNinja</code> (☺)	197	<code>\dotplus</code> ($\dot{+}$)	31	<code>\doublepawns</code> (⊙)	186
<code>\dnststile</code> ($\parallel\!\!\parallel$)	63	<code>\dotplus</code> ($\dot{+}$)	35	<code>\doubleplus</code> (⊕)	162
<code>\dntstile</code> ($\parallel\!\!\parallel$)	63	<code>\dotplus</code> ($\dot{+}$)	34	<code>\doubleplus</code> (⊕)	36

<code>\doublesharp</code> (✖)	167	<code>\downharpooncw</code> (↓)	80	<code>\downVDash</code> (⏚)	58
<code>\doublesmile</code> (☺)	94	<code>\downharpoonleft</code> (↵)	77	<code>\downVdash</code> (⏚)	58
<code>\doublesmileeq</code> (≅)	94	<code>\downharpoonleft</code> (↵)	76	<code>\downVdash</code> (⏚)	55
<code>\doublesqcap</code> (⊓)	34, 35	<code>\downharpoonleft</code> (↵)	87	<code>\downvDash</code> (⏚)	58
<code>\doublesqcap</code> (⊓)	34	<code>\downharpoonleft</code> (↵)	85	<code>\downvdash</code> (⏚)	58
<code>\doublesqcup</code> (⊔)	34, 35	<code>\downharpoonleft</code> (↵)	90	<code>\downvdash</code> (⏚)	55
<code>\doublesqcup</code> (⊔)	33	<code>\downharpoonleftbar</code> (⏚)	90	<code>\downwavearrow</code> (⏚)	82
<code>\doublestar</code> (✱)	162	<code>\downharpoonright</code> (↶)	77	<code>\downwhitearrow</code> (⏚)	86
<code>\doublethumb</code> (👍)	164	<code>\downharpoonright</code> (↶)	76	<code>\downwhitearrow</code> (⏚)	88
<code>\doubletilde</code> (⋈)	23	<code>\downharpoonright</code> (↶)	87	<code>\downY</code> (Y)	34
<code>\doublevee</code> (W)	34, 35	<code>\downharpoonright</code> (↶)	85	<code>\downY</code> (Y)	33
<code>\doublevee</code> (W)	33	<code>\downharpoonright</code> (↶)	90	<code>\downzigzagarrow</code> (⏚)	86
<code>\doublewedge</code> (M)	34, 35	<code>\downharpoonrightbar</code> (⏚)	90	<code>\downzigzagarrow</code> (⏚)	82
<code>\doublewedge</code> (M)	33	<code>\downharpoonsleftright</code> (⏚)	90	<code>\downzigzagarrow</code> (⏚)	88
<code>\DOWNarrow</code> (▼)	181	<code>\downlcurvearrow</code> (↵)	82	Doyle, Sir Arthur Conan	220
<code>\Downarrow</code> (↵)	75, 103	<code>\downleftcurvedarrow</code> (↵)	82	dozenal (package)	122, 185, 247, 248
<code>\Downarrow</code> (↵)	82	<code>\downlsquigarrow</code> (⏚)	82	dozenal (base 12)	
<code>\Downarrow</code> (↵)	106	<code>\downlsquigarrow</code> (⏚)	77	numerals	122
<code>\Downarrow</code> (↵)	77	<code>\Downmapsto</code> (⏚)	82	tally markers	185
<code>\Downarrow</code> (↵)	88	<code>\Downmapsto</code> (⏚)	82	<code>\dprime</code> (〃)	122
<code>\Downarrow</code> (↵)	107	<code>\downmapsto</code> (⏚)	77	<code>\DQ</code> (⏚)	134
<code>\downarrow</code>	239	<code>\downModels</code> (⏚)	55	<code>\dracma</code> (⏚)	27
<code>\downarrow</code> (↓)	75, 103	<code>\downmodels</code> (⏚)	55	<code>\draftingarrow</code> (→)	88
<code>\downarrow</code> (↓)	106	<code>\downp</code> (∨)	25	<code>\drbkarow</code> (→)	88
<code>\downarrow</code> (↓)	82	<code>\downparenthfill</code>	235	<code>\Dreizack</code> (f)	196
<code>\downarrow</code> (↓)	77	<code>\downpitchfork</code> (Ψ)	95	<code>\droang</code> (⏚)	111
<code>\downarrow</code> (↓)	92	<code>\downpitchfork</code> (Ψ)	93	<code>\drsh</code> (L)	76
<code>\downarrow</code> (↓)	107	<code>\downpropto</code> (∝)	55	<code>\drsh</code> (L)	86
<code>\downarrow</code> (↓)	88	<code>\downrcurvearrow</code> (↵)	82	<code>\drumclef</code> (⏚)	165
<code>\downarrowbar</code> (⏚)	88	<code>\downrightcurvedarrow</code> (↶)	82	<code>\drWalley</code> (👉)	197
<code>\downarrowbarred</code> (⏚)	88	<code>\downrightcurvedarrow</code> (↶)	88	<code>\DS</code> (S)	165
<code>\downarrowtail</code> (Y)	82	<code>\downrsquigarrow</code> (⏚)	82	<code>\Ds</code> (S)	165
<code>\downarrowtail</code> (Y)	77	<code>\downrsquigarrow</code> (⏚)	77	<code>\ds</code> (j)	164
<code>\downAssert</code> (⏚)	58	<code>\downslice</code> (∇)	38	<code>\dSadey</code> (☺)	197
<code>\downassert</code> (τ)	58	<code>\downspoon</code> (↓)	94	<code>\dsaeronautical</code> (✈)	189
<code>\downbkarow</code> (↓)	82	<code>\downspoon</code> (↓)	93	<code>\dsagricultural</code> (👉)	189
<code>\downblackarrow</code> (⏚)	86	<code>\downt</code> (τ)	25	<code>\dsarchitectural</code> (⏚)	189
<code>\downblackspoon</code> (↓)	94	<code>\downtherefore</code> (∴)	120	<code>\dsbiological</code> (👉)	189
<code>\downbow</code> (⏚)	164	<code>\downtherefore</code> (∴)	33, 120	<code>\dschemical</code> (⏚)	133
<code>\downbracketfill</code>	235	<code>\downtouparrow</code> (↵)	76	<code>\dschemical</code> (⏚)	189
<code>\downdasharrow</code> (↓)	86	<code>\downtouparrow</code> (↵)	86	<code>\dscommercial</code> (⏚)	189
<code>\downdasharrow</code> (↓)	88	<code>\downtriangleleftblack</code> (▼)	148	<code>\dsdststyle</code> (⏚)	63
<code>\downdownarrows</code> (↵)	76	<code>\downtriangleleftblack</code> (▼)	148	<code>\dSey</code> (☺)	197
<code>\downdownarrows</code> (↵)	75	<code>\downuparrows</code> (↕)	76	dsfont (package)	128, 247
<code>\downdownarrows</code> (↵)	86	<code>\downuparrows</code> (↕)	82	<code>\ds heraldical</code> (⏚)	189
<code>\downdownarrows</code> (↵)	82	<code>\downuparrows</code> (↕)	77	<code>\dsjuridical</code> (⏚)	189
<code>\downdownarrows</code> (↵)	77	<code>\downuparrows</code> (↕)	88	<code>\dsliterary</code> (⏚)	189
<code>\downdownarrows</code> (↵)	88	<code>\downupcurvearrow</code> (↵)	82	<code>\ds mathematical</code> (⏚)	189
<code>\downdownharpoons</code> (↕)	77	<code>\downupharpoons</code> (↕)	77	<code>\dsmedical</code> (⏚)	189
Downes, Michael J.	96, 249	<code>\downupharpoons</code> (↕)	85	<code>\dSmiley</code> (☺)	197
<code>\downfilledspoon</code> (↓)	93	<code>\downupharpoons</code> (↕)	80	<code>\dsmilitary</code> (⏚)	189
<code>\downfishtail</code> (↓)	61	<code>\downupharpoonsleftright</code> (↕)	85	<code>\dsol</code> (7)	36
<code>\downfootline</code> (↓)	55	<code>\downupharpoonsleftright</code> (↕)	90	<code>\dsrailways</code> (⏚)	189
<code>\downfree</code> (↓)	55	<code>\downupsquigarrow</code> (⏚)	82	<code>\dsststyle</code> (⏚)	63
<code>\downharpooncw</code> (↓)	80			<code>\dsttechnical</code> (⏚)	189

\EOJI (𑌔𑌕)	160	\EOPatron (𑌔𑌕𑌔𑌕)	160	\EOSuu (𑌔𑌕𑌔𑌕)	160
\EOji (𑌔𑌕𑌔)	160	\EOPatronII (𑌔𑌕𑌔𑌕𑌔)	160	\EOT (𑌔)	135
\EOjo (𑌔𑌕𑌔𑌔)	161	\EOpe (𑌔𑌕𑌔𑌔)	160	\EOta (𑌔𑌕𑌔)	160
\EOju (𑌔𑌕𑌔𑌔)	161	\EOpenis (𑌔𑌕𑌔𑌔)	160	\EOte (𑌔𑌕𑌔𑌔)	160
\EOkak (𑌔𑌕𑌔𑌔)	161	\EOpi (𑌔𑌕𑌔𑌔)	160	\EOthrone (𑌔𑌕𑌔𑌔)	160
\EOke (𑌔𑌕𑌔𑌔)	161	\EOPierce (𑌔𑌕𑌔𑌔)	160	\EOti (𑌔𑌕𑌔)	160
\EOki (𑌔𑌕𑌔𑌔)	161	\EOPlant (𑌔𑌕𑌔𑌔)	160	\EOTime (𑌔𑌕𑌔)	160
\EOkij (𑌔𑌕𑌔𑌔)	161	\EOPlay (𑌔𑌕𑌔𑌔)	160	\EOtime (𑌔𑌕𑌔)	160
\EOKing (𑌔𑌕𑌔𑌔)	161	\EOpo (𑌔𑌕𑌔𑌔)	160	\EOTitle (𑌔𑌕𑌔)	160
\EOknottedCloth (𑌔𑌕𑌔𑌔)	161	\EOPriest (𑌔𑌕𑌔𑌔)	160	\EOTitleII (𑌔𑌕𑌔)	160
\EOknottedClothStraps (𑌔𑌕𑌔𑌔)	161	\EOPrince (𑌔𑌕𑌔𑌔)	160	\EOTitleIV (𑌔𑌕𑌔)	160
\EOko (𑌔𑌕𑌔𑌔)	161	\EOpu (𑌔𑌕𑌔𑌔)	160	\EOto (𑌔𑌕𑌔)	160
\EOku (𑌔𑌕𑌔𑌔)	161	\EOpuu (𑌔𑌕𑌔𑌔)	161	\EOtu (𑌔𑌕𑌔)	160
\EOkuu (𑌔𑌕𑌔𑌔)	161	\EOpuuk (𑌔𑌕𑌔𑌔)	161	\EOTuki (𑌔𑌕𑌔)	160
\EOLetBlood (𑌔𑌕𑌔𑌔)	161	\EORain (𑌔𑌕𑌔𑌔)	161	\EOTukpa (𑌔𑌕𑌔)	160
\EOLoinCloth (𑌔𑌕𑌔𑌔)	161	\EOSa (𑌔𑌕𑌔𑌔)	161	\EOTurtle (𑌔𑌕𑌔)	160
\EOLongLipII (𑌔𑌕𑌔𑌔)	161	\EOSa (𑌔𑌕𑌔𑌔)	161	\EOTuu (𑌔𑌕𑌔)	160
\EOLord (𑌔𑌕𑌔𑌔)	161	\EOSa (𑌔𑌕𑌔𑌔)	161	\EOTza (𑌔𑌕𑌔)	160
\EOLose (𑌔𑌕𑌔𑌔)	161	\EOSacrifice (𑌔𑌕𑌔𑌔)	161	\EOTze (𑌔𑌕𑌔)	160
\EOma (𑌔𑌕𑌔𑌔)	161	\EOSaw (𑌔𑌕𑌔𑌔)	161	\EOTzetze (𑌔𑌕𑌔)	160
\EOmacaw (𑌔𑌕𑌔𑌔)	161	\EOScorpius (𑌔𑌕𑌔𑌔)	161	\EOTzi (𑌔𑌕𑌔)	160
\EOmacawI (𑌔𑌕𑌔𑌔)	161	\EOSet (𑌔𑌕𑌔𑌔)	161	\EOTzu (𑌔𑌕𑌔)	160
\EOme (𑌔𑌕𑌔𑌔)	161	\EOSi (𑌔𑌕𑌔𑌔)	161	\EOTzuu (𑌔𑌕𑌔)	160
\EOMexNew (𑌔𑌕𑌔𑌔)	161	\EOSi (𑌔𑌕𑌔𑌔)	161	\EOundef (𑌔𑌕𑌔)	161
\EOmi (𑌔𑌕𑌔𑌔)	161	\EOSing (𑌔𑌕𑌔𑌔)	161	\EOv (𑌔𑌕𑌔)	161
\EOMiddle (𑌔𑌕𑌔𑌔)	160	\EOSini (𑌔𑌕𑌔𑌔)	161	\EOvarBeardMask (𑌔𑌕𑌔)	161
\EOMonster (𑌔𑌕𑌔𑌔)	160	\EOSkin (𑌔𑌕𑌔𑌔)	161	\EOvarja (𑌔𑌕𑌔)	161
\EOMountain (𑌔𑌕𑌔𑌔)	160	\EOSky (𑌔𑌕𑌔𑌔)	161	\EOvarji (𑌔𑌕𑌔)	161
\EOMuu (𑌔𑌕𑌔𑌔)	160	\EOSkyAnimal (𑌔𑌕𑌔𑌔)	161	\EOvarki (𑌔𑌕𑌔)	161
\EONA (𑌔𑌕𑌔𑌔)	160	\EOSkyPillar (𑌔𑌕𑌔𑌔)	161	\EOvarkuu (𑌔𑌕𑌔)	161
\EOne (𑌔𑌕𑌔𑌔)	160	\EOSnake (𑌔𑌕𑌔𑌔)	161	\EOvarni (𑌔𑌕𑌔)	161
\EOni (𑌔𑌕𑌔𑌔)	160	\EOSo (𑌔𑌕𑌔𑌔)	161	\EOvarpa (𑌔𑌕𑌔)	161
\EOnow (𑌔𑌕𑌔𑌔)	160	\EOSpan (𑌔𑌕𑌔𑌔)	161	\EOvarSi (𑌔𑌕𑌔)	161
\EOnu (𑌔𑌕𑌔𑌔)	160	\EOSprinkle (𑌔𑌕𑌔𑌔)	161	\EOvarsi (𑌔𑌕𑌔)	161
\EOnuu (𑌔𑌕𑌔𑌔)	160	\EOStar (𑌔𑌕𑌔𑌔)	161	\EOvartza (𑌔𑌕𑌔)	161
\EOofficerI (𑌔𑌕𑌔𑌔)	160	\EOStarWarrior (𑌔𑌕𑌔𑌔)	161	\EOvarwuu (𑌔𑌕𑌔)	161
\EOofficerII (𑌔𑌕𑌔𑌔)	160	\EOStarWarrior (𑌔𑌕𑌔𑌔)	161	\EOvarYear (𑌔𑌕𑌔)	161
\EOofficerIII (𑌔𑌕𑌔𑌔)	160	\EOstep (𑌔𑌕𑌔𑌔)	160	\EOvi (𑌔𑌕𑌔)	161
\EOofficerIV (𑌔𑌕𑌔𑌔)	160	\EOSu (𑌔𑌕𑌔𑌔)	160	\EOvii (𑌔𑌕𑌔)	161
\EOpa (𑌔𑌕𑌔𑌔)	160	\EOSu (𑌔𑌕𑌔𑌔)	160	\EOviii (𑌔𑌕𑌔)	161
\EOpak (𑌔𑌕𑌔𑌔)	160	\EOSun (𑌔𑌕𑌔𑌔)	160	\EOwa (𑌔𑌕𑌔)	161
		\EOSuu (𑌔𑌕𑌔𑌔)	160	\EOwe (𑌔𑌕𑌔)	161
				\EOwi (𑌔𑌕𑌔)	161
				\EOwo (𑌔𑌕𑌔)	161

<code>\EOwuu</code> ()	161	<code>\eqless</code> (\lesssim)	71	<code>\Eros</code> ()	133
<code>\EOx</code> ()	161	<code>\Eqqcolon</code> ($\equiv::$)	53	<code>\errbarblackcircle</code> ()	148
<code>\EOxi</code> ()	161	<code>\Eqqcolon</code> ($\equiv::$)	62	<code>\errbarblackdiamond</code> ()	148
<code>\EOxii</code> ()	161	<code>\eqqcolon</code> (\equiv)	62	<code>\errbarblacksquare</code> ()	148
<code>\EOxiii</code> ()	161	<code>\eqqcolon</code> (\equiv)	53	<code>\errbarcircle</code> ($\tilde{\circ}$)	148
<code>\EOxiv</code> ()	161	<code>\eqqcolon</code> (\equiv)	58	<code>\errbardiamond</code> ($\tilde{\diamond}$)	148
<code>\EOxix</code> ()	161	<code>\eqqtr</code> (\gtrsim)	71	<code>\errbarsquare</code> ($\tilde{\square}$)	148
<code>\EOxv</code> ()	161	<code>\eqqlless</code> (\lesssim)	71	<code>\errorsym</code> (\oplus)	138
<code>\EOxvi</code> ()	161	<code>\eqqplus</code> (\gtrsim)	36	<code>es-zet</code>	<i>see</i> <code>\ss</code>
<code>\EOxvii</code> ()	161	<code>\eqqsim</code> (\approx)	62	<code>\ESC</code> (\backslash)	135
<code>\EOxviii</code> ()	161	<code>\eqqslantgtr</code> (\gtrsim)	71	<code>\Esc</code> (\Esc)	134
<code>\EOxx</code> ()	161	<code>\eqqslantless</code> (\lesssim)	71	escapable characters	14
<code>\EOya</code> ()	161	<code>\eqsim</code> (\approx)	53	<code>\esh</code> (\int)	20
<code>\EOyaj</code> ()	161	<code>\eqsim</code> (\approx)	60	<code>\esh</code> (\int)	19
<code>\EOye</code> ()	161	<code>\eqsim</code> (\approx)	58	<code>esint</code> (package)	45, 247
<code>\EOYear</code> ()	161	<code>\eqsim</code> (\approx)	55	<code>esrelation</code> (package)	92, 118, 247
<code>\EOyuu</code> ()	161	<code>\eqsim</code> (\approx)	62	<code>\Estatically</code> (\triangle)	136
<code>\EOzero</code> ()	161	<code>\eqslantgtr</code> (\gtrsim)	68	estimated	<i>see</i> <code>\textestimated</code>
<code>\EP</code> (ϵ)	134	<code>\eqslantgtr</code> (\gtrsim)	67	<code>\Estonia</code> (\ast)	194
<code>\eparsl</code> ($\#$)	61	<code>\eqslantgtr</code> (\gtrsim)	71	<code>esvect</code> (package)	115, 247
Epi-Olmec script	160–161	<code>\eqslantgtr</code> (\gtrsim)	70	<code>\Eta</code> (H)	97
epiolmec (package)	160, 161, 247, 248	<code>\eqslantgtr</code> (\gtrsim)	69	<code>\eta</code> (η)	97
epsdice (package)	184, 247, 248	<code>\eqslantgtr</code> (\gtrsim)	71	<code>\etameson</code> (η)	138
<code>\epsdice</code> ()	184	<code>\eqslantless</code> (\lesssim)	68	<code>\etamesonprime</code> (η')	138
<code>\epsi</code> (ϵ)	20	<code>\eqslantless</code> (\lesssim)	67	<code>\etaup</code> (η)	98
<code>\Epsilon</code> (E)	97	<code>\eqslantless</code> (\lesssim)	71	<code>\ETB</code> (\ddagger)	135
<code>\epsilon</code> (ϵ)	97	<code>\eqslantless</code> (\lesssim)	70	<code>\eth</code> (\eth)	124
<code>\epsilonup</code> (ϵ)	98	<code>\eqslantless</code> (\lesssim)	69	<code>\eth</code> (\eth)	20
<code>\eqbump</code> (\varsubsetneq)	55	<code>\eqslantless</code> (\lesssim)	71	<code>\eth</code> (\eth)	126
<code>\eqbumped</code> (\varsubsetneq)	54	<code>\eqsmile</code> (\varsubsetneq)	94	<code>\eth</code> (\eth)	19
<code>\eqbumped</code> (\varsubsetneq)	60	<code>\equal</code> ($=$)	58	<code>\ETX</code> (\heartsuit)	135
<code>\eqcirc</code> (\equiv)	54	<code>\equal</code> ($=$)	55	<code>eufrak</code> (package)	128
<code>\eqcirc</code> (\equiv)	52	<code>\equal</code> ($=$)	186	Euler Roman	98
<code>\eqcirc</code> (\equiv)	60	<code>\equalclosed</code> (\equiv)	55	<code>\Eulerconst</code> (\mathcal{E})	101
<code>\eqcirc</code> (\equiv)	58	<code>\equalleftarrow</code> (\Leftarrow)	88	<code>\EUR</code> (\EUR)	26
<code>\eqcirc</code> (\equiv)	55	<code>\equalparallel</code> ($\#$)	60	<code>\EURcr</code> (\EUR)	26
<code>\eqcirc</code> (\equiv)	62	<code>\equalparallel</code> ($\#$)	62	<code>\EURdig</code> (\EUR)	26
<code>\Eqcolon</code> ($\equiv::$)	53	<code>\equalrightarrow</code> (\Rightarrow)	88	<code>\EURhv</code> (\EUR)	26
<code>\Eqcolon</code> ($\equiv::$)	62	<code>\equalscolon</code> ($\equiv::$)	64	<code>\Euro</code> (\Euro)	26
<code>\eqcolon</code> (\equiv)	54	<code>\equalscoloncolon</code> ($\equiv::$)	64	<code>\euro</code>	27
<code>\eqcolon</code> (\equiv)	62	<code>\equalsfill</code>	30, 234, 235	euro signs	26, 27
<code>\eqcolon</code> (\equiv)	53	equidecomposable	230	blackboard bold	129
<code>\eqcolon</code> (\equiv)	58	equilibrium	<i>see</i>	<code>\eurologo</code> (\Euro)	27
<code>\eqdef</code> ($\stackrel{\text{def}}{=}$)	62	<code>\rightleftharpoons</code>		European countries	194
<code>\eqdot</code> (\doteq)	58	<code>\Equiv</code> (\equiv)	62	eurosym (package)	27, 247
<code>\eqdot</code> (\doteq)	55	<code>\equiv</code> (\equiv)	30, 52	<code>\EURtm</code> (\EUR)	26
<code>\eqdot</code> (\doteq)	62	<code>\equiv</code> (\equiv)	57	<code>euscript</code> (package)	128, 247
<code>\eqeq</code> (\equiv)	62	<code>\equiv</code> (\equiv)	55	evaluated at	<i>see</i> <code>\vert</code>
<code>\eqeqeq</code> (\equiv)	62	<code>\equiv</code> (\equiv)	62	evil spirits	191
<code>\eqfrown</code> (\frown)	94	<code>\Equivalence</code> (\Leftrightarrow)	122	<code>\exciton</code> (\exciton)	138
<code>\eqgtr</code> (\gtrsim)	71	equivalence	<i>see</i>	<code>\Exclam</code> ($!!$)	126
<code>\eqleftarrow</code> (\Leftrightarrow)	86	<code>\equiv</code> , <code>\leftrightarrow</code> , and <code>\threesim</code>		exclusive disjunction	
		<code>\equivclosed</code> (\equiv)	55	<i>see</i> <code>\nleftrightarrow</code>	
		<code>\equivDD</code> (\equiv)	62	<code>\nequiv</code> , and <code>\oplus</code>	
		<code>\equivVert</code> ($\#$)	62	exclusive or	229
		<code>\equivVvert</code> ($\#$)	62	<code>\exists</code> (\exists)	100
		<code>\eqvpar</code> ($\#$)	61	<code>\exists</code> (\exists)	100
		<code>\er</code> (\er)	19	<code>\exists</code> (\exists)	101

`\exists` (\exists) 100
`\existss` (\exists) 101
`\exp` (exp) 96
`\experimentalsym` (\mathbb{X}) ... 137
`\Explosionsafe` ($\text{\textcircled{X}}$) 136
`extrarrows` (package) .. 117, 247
`extensible accents` 112–116, 119,
235–236
`extensible arrows` 112–118
`extensible braces` 112–115
`extensible symbols, creating` 234–
236
`extensible tildes` 112, 115
`extension characters` ... 95, 96
`\externalsym` ($\text{\textcircled{A}}$) 137
`extpfeil` (package) 117, 247
`extraipa` (package) 23, 247
`\eye` (\cdot) 162
`\eye` ($\text{\textcircled{e}}$) 152
`\EyesDollar` ($\text{\textcircled{\$}}$) 26

F

`F` ($\text{\textcircled{F}}$) 162
`f` (esvect package option) .. 115
`\f` ($\text{\textcircled{f}}$) 21
`f` ($\text{\textcircled{f}}$) 162
`\fa` ($\text{\textcircled{f}}$) 199
`\faAdjust` ($\text{\textcircled{1}}$) 199
`\faAdn` ($\text{\textcircled{A}}$) 199
`\faAlignCenter` ($\text{\textcircled{=}}$) 199
`\faAlignJustify` ($\text{\textcircled{=}}$) 199
`\faAlignLeft` ($\text{\textcircled{=}}$) 199
`\faAlignRight` ($\text{\textcircled{=}}$) 199
`\faAmazon` ($\text{\textcircled{a}}$) 199
`\faAmbulance` ($\text{\textcircled{A}}$) 199
`\faAnchor` ($\text{\textcircled{A}}$) 199
`\faAndroid` ($\text{\textcircled{A}}$) 199
`\faAngellist` ($\text{\textcircled{A}}$) 199
`\faAngleDoubleDown` ($\text{\textcircled{A}}$) .. 199
`\faAngleDoubleLeft` ($\text{\textcircled{A}}$) .. 199
`\faAngleDoubleRight` ($\text{\textcircled{A}}$) .. 199
`\faAngleDoubleUp` ($\text{\textcircled{A}}$) .. 199
`\faAngleDown` ($\text{\textcircled{A}}$) 199
`\faAngleLeft` ($\text{\textcircled{A}}$) 199
`\faAngleRight` ($\text{\textcircled{A}}$) 199
`\faAngleUp` ($\text{\textcircled{A}}$) 199
`\faApple` ($\text{\textcircled{A}}$) 199
`\faArchive` ($\text{\textcircled{A}}$) 199
`\faAreaChart` ($\text{\textcircled{A}}$) 199
`\faArrowCircleDown` ($\text{\textcircled{A}}$) .. 140
`\faArrowCircleLeft` ($\text{\textcircled{A}}$) .. 140
`\faArrowCircleODown` ($\text{\textcircled{A}}$) .. 140
`\faArrowCircleOLeft` ($\text{\textcircled{A}}$) .. 140
`\faArrowCircleORight` ($\text{\textcircled{A}}$) .. 140
`\faArrowCircleOUp` ($\text{\textcircled{A}}$) .. 140
`\faArrowCircleRight` ($\text{\textcircled{A}}$) .. 140
`\faArrowCircleUp` ($\text{\textcircled{A}}$) .. 140
`\faArrowDown` ($\text{\textcircled{A}}$) 140
`\faArrowLeft` ($\text{\textcircled{A}}$) 140

`\faArrowRight` ($\text{\textcircled{A}}$) 140
`\faArrows` ($\text{\textcircled{A}}$) 140
`\faArrowsAlt` ($\text{\textcircled{A}}$) 140
`\faArrowsH` ($\text{\textcircled{A}}$) 140
`\faArrowsV` ($\text{\textcircled{A}}$) 140
`\faArrowUp` ($\text{\textcircled{A}}$) 140
`\faAsterisk` ($\text{\textcircled{A}}$) 199
`\faAt` ($\text{\textcircled{A}}$) 199
`\faAutomobile` ($\text{\textcircled{A}}$) 202
`\faBackward` ($\text{\textcircled{A}}$) 199
`\faBalanceScale` ($\text{\textcircled{A}}$) 199
`\faBan` ($\text{\textcircled{A}}$) 199
`\faBank` ($\text{\textcircled{A}}$) 202
`\faBarChart` ($\text{\textcircled{A}}$) 199
`\faBarChart0` ($\text{\textcircled{A}}$) 202
`\faBarcode` ($\text{\textcircled{A}}$) 199
`\faBars` ($\text{\textcircled{A}}$) 199
`\faBattery0` ($\text{\textcircled{A}}$) 202
`\faBattery1` ($\text{\textcircled{A}}$) 202
`\faBattery2` ($\text{\textcircled{A}}$) 202
`\faBattery3` ($\text{\textcircled{A}}$) 202
`\faBattery4` ($\text{\textcircled{A}}$) 202
`\faBatteryEmpty` ($\text{\textcircled{A}}$) 199
`\faBatteryFull` ($\text{\textcircled{A}}$) 199
`\faBatteryHalf` ($\text{\textcircled{A}}$) 199
`\faBatteryQuarter` ($\text{\textcircled{A}}$) .. 199
`\faBatteryThreeQuarters` ($\text{\textcircled{A}}$)
..... 199
`\faBed` ($\text{\textcircled{A}}$) 199
`\faBeer` ($\text{\textcircled{A}}$) 199
`\faBehance` ($\text{\textcircled{A}}$) 199
`\faBehanceSquare` ($\text{\textcircled{A}}$) .. 199
`\faBell` ($\text{\textcircled{A}}$) 199
`\faBell0` ($\text{\textcircled{A}}$) 199
`\faBellSlash` ($\text{\textcircled{A}}$) 199
`\faBellSlash0` ($\text{\textcircled{A}}$) 199
`\faBicycle` ($\text{\textcircled{A}}$) 199
`\faBinoculars` ($\text{\textcircled{A}}$) 199
`\faBirthdayCake` ($\text{\textcircled{A}}$) 199
`\faBitbucket` ($\text{\textcircled{A}}$) 200
`\faBitbucketSquare` ($\text{\textcircled{A}}$) .. 200
`\faBitcoin` ($\text{\textcircled{A}}$) 26
`\faBlackTie` ($\text{\textcircled{A}}$) 200
`\faBold` ($\text{\textcircled{A}}$) 200
`\faBolt` ($\text{\textcircled{A}}$) 200
`\faBomb` ($\text{\textcircled{A}}$) 200
`\faBook` ($\text{\textcircled{A}}$) 200
`\faBookmark` ($\text{\textcircled{A}}$) 200
`\faBookmark0` ($\text{\textcircled{A}}$) 200
`\faBriefcase` ($\text{\textcircled{A}}$) 200
`\faBtc` ($\text{\textcircled{A}}$) 26
`\faBtc` ($\text{\textcircled{A}}$) 26
`\faBug` ($\text{\textcircled{A}}$) 200
`\faBuilding` ($\text{\textcircled{A}}$) 200
`\faBuilding0` ($\text{\textcircled{A}}$) 200
`\faBullhorn` ($\text{\textcircled{A}}$) 200
`\faBullseye` ($\text{\textcircled{A}}$) 200
`\faBus` ($\text{\textcircled{A}}$) 200

`\faBuysellads` ($\text{\textcircled{A}}$) 200
`\faCab` ($\text{\textcircled{A}}$) 202
`\faCalculator` ($\text{\textcircled{A}}$) 200
`\faCalendar` ($\text{\textcircled{A}}$) 200
`\faCalendarCheck0` ($\text{\textcircled{A}}$) .. 200
`\faCalendarMinus0` ($\text{\textcircled{A}}$) .. 200
`\faCalendar0` ($\text{\textcircled{A}}$) 200
`\faCalendarPlus0` ($\text{\textcircled{A}}$) ... 200
`\faCalendarTimes0` ($\text{\textcircled{A}}$) .. 200
`\faCamera` ($\text{\textcircled{A}}$) 200
`\faCameraRetro` ($\text{\textcircled{A}}$) 200
`\faCar` ($\text{\textcircled{A}}$) 200
`\faCaretDown` ($\text{\textcircled{A}}$) 200
`\faCaretLeft` ($\text{\textcircled{A}}$) 200
`\faCaretRight` ($\text{\textcircled{A}}$) 200
`\faCaretSquareODown` ($\text{\textcircled{A}}$) . 200
`\faCaretSquareOLeft` ($\text{\textcircled{A}}$) . 200
`\faCaretSquareORight` ($\text{\textcircled{A}}$) 200
`\faCaretSquareOUp` ($\text{\textcircled{A}}$) ... 200
`\faCaretUp` ($\text{\textcircled{A}}$) 200
`\faCartArrowDown` ($\text{\textcircled{A}}$) ... 200
`\faCartPlus` ($\text{\textcircled{A}}$) 200
`\faCc` ($\text{\textcircled{A}}$) 200
`\faCcAmex` ($\text{\textcircled{A}}$) 200
`\faCcDinersClub` ($\text{\textcircled{A}}$) 200
`\faCcDiscover` ($\text{\textcircled{A}}$) 200
`\faCcJcb` ($\text{\textcircled{A}}$) 200
`\faCcMastercard` ($\text{\textcircled{A}}$) 200
`\faCcPaypal` ($\text{\textcircled{A}}$) 200
`\faCcStripe` ($\text{\textcircled{A}}$) 200
`\faCcVisa` ($\text{\textcircled{A}}$) 200
`\faCertificate` ($\text{\textcircled{A}}$) 200
`faces` .. 126, 135, 153, 181, 182,
189, 191, 196–202, 206–209
`\faChain` ($\text{\textcircled{A}}$) 202
`\faChainBroken` ($\text{\textcircled{A}}$) 200
`\faCheck` ($\text{\textcircled{A}}$) 144
`\faCheckCircle` ($\text{\textcircled{A}}$) 144
`\faCheckCircle0` ($\text{\textcircled{A}}$) 144
`\faCheckSquare` ($\text{\textcircled{A}}$) 144
`\faCheckSquare0` ($\text{\textcircled{A}}$) 144
`\faChevronCircleDown` ($\text{\textcircled{A}}$) 141
`\faChevronCircleLeft` ($\text{\textcircled{A}}$) 141
`\faChevronCircleRight` ($\text{\textcircled{A}}$) 141
`\faChevronCircleUp` ($\text{\textcircled{A}}$) .. 141
`\faChevronDown` ($\text{\textcircled{A}}$) 141
`\faChevronLeft` ($\text{\textcircled{A}}$) 141
`\faChevronRight` ($\text{\textcircled{A}}$) 141
`\faChevronUp` ($\text{\textcircled{A}}$) 141
`\faChild` ($\text{\textcircled{A}}$) 200
`\faChrome` ($\text{\textcircled{A}}$) 201
`\faCircle` ($\text{\textcircled{A}}$) 151
`\faCircle0` ($\text{\textcircled{A}}$) 151
`\faCircleNotch` ($\text{\textcircled{A}}$) 151
`\faCircleThin` ($\text{\textcircled{A}}$) 151
`\faClipboard` ($\text{\textcircled{A}}$) 201
`\faClock0` ($\text{\textcircled{A}}$) 201
`\faClone` ($\text{\textcircled{A}}$) 201

<code>\faClose</code> (✕)	144	<code>\faEur</code> (€)	26	<code>\faFolderOpen</code> (📁)	199
<code>\faCloud</code> (☁)	201	<code>\faEur</code> (€)	26	<code>\faFolderOpen0</code> (📁)	199
<code>\faCloudDownload</code> (☁↓)	201	<code>\faEuro</code> (€)	26	<code>\faFont</code> (A)	199
<code>\faCloudUpload</code> (☁↑)	201	<code>\faExchange</code> (⇄)	202	<code>\faFonticons</code> (fi)	199
<code>\faCny</code> (¥)	26	<code>\faExclamation</code> (!)	202	<code>\faForumbee</code> (🐝)	199
<code>\faCode</code> (</>)	201	<code>\faExclamationCircle</code> (ⓘ)	202	<code>\faForward</code> (▶)	199
<code>\faCodeFork</code> (🍴)	201	<code>\faExclamationTriangle</code> (⚠)	202	<code>\faFoursquare</code> (F)	199
<code>\faCodepen</code> (🔗)	201		202	<code>\faFrown0</code> (☹)	199
<code>\faCoffee</code> (☕)	201	<code>\faExpand</code> (↗)	202	<code>\faFutbol0</code> (⚽)	199
<code>\faCog</code> (⚙)	201	<code>\faExpeditedssl</code> (🔒)	202	<code>\faGamepad</code> (🎮)	199
<code>\faCogs</code> (⚙)	201	<code>\faExternalLink</code> (🔗)	202	<code>\faGavel</code> (⚖)	199
<code>\faColumns</code> (📑)	201	<code>\faExternalLinkSquare</code> (🔗)	202	<code>\faGbp</code> (£)	26
<code>\faComment</code> (💬)	201	<code>\faEye</code> (👁)	202	<code>\faGe</code> (⊛)	202
<code>\faCommenting</code> (💬)	201	<code>\faEyedropper</code> (🎯)	202	<code>\faGear</code> (⚙)	202
<code>\faCommenting0</code> (💬)	201	<code>\faEyeSlash</code> (👁/)	202	<code>\faGears</code> (⚙)	202
<code>\faComment0</code> (💬)	201	<code>\faFacebook</code> (f)	202	<code>\faGenderless</code> (♾)	136
<code>\faComments</code> (💬)	201	<code>\faFacebookF</code> (f)	202	<code>\faGetPocket</code> (👛)	199
<code>\faComments0</code> (💬)	201	<code>\faFacebookOfficial</code> (f)	202	<code>\faGg</code> (↔)	199
<code>\faCompass</code> (📍)	201	<code>\faFacebookSquare</code> (f)	202	<code>\faGgCircle</code> (⊛)	199
<code>\faCompress</code> (↖)	201	<code>\faFastBackward</code> (⏮)	202	<code>\faGift</code> (🎁)	199
<code>\faConnectdevelop</code> (🔗)	201	<code>\faFastForward</code> (⏭)	202	<code>\faGit</code> (git)	199
<code>\faContao</code> (🍷)	201	<code>\faFax</code> (📠)	202	<code>\faGithub</code> (🐙)	199
<code>\faContent</code> (📄)	121	<code>\faFeed</code> (📡)	202	<code>\faGithubAlt</code> (🐙)	199
<code>\faCopy</code> (📄)	202	<code>\faFemale</code> (♀)	199	<code>\faGithubSquare</code> (🐙)	200
<code>\faCopyright</code> (©)	27	<code>\faFighterJet</code> (✈)	199	<code>\faGitSquare</code> (git)	200
<code>\faCreativeCommons</code> (CC)	27	<code>\faFile</code> (📄)	199	<code>\faGittip</code> (👉)	202
<code>\faCreditCard</code> (💳)	201	<code>\faFileArchive0</code> (📁)	199	<code>\faGlass</code> (🍷)	200
<code>\faCrop</code> (🍷)	201	<code>\faFileAudio0</code> (📄)	199	<code>\faGlobe</code> (🌐)	200
<code>\faCrosshairs</code> (📏)	201	<code>\faFileCode0</code> (📄)	199	<code>\faGoogle</code> (G)	200
<code>\faCss3</code> (🍷)	201	<code>\faFileExcel0</code> (📄)	199	<code>\faGooglePlus</code> (G+)	200
<code>\faCube</code> (📁)	201	<code>\faFileImage0</code> (📄)	199	<code>\faGooglePlusSquare</code> (G+)	200
<code>\faCubes</code> (📁)	201	<code>\faFileMovie0</code> (📄)	202	<code>\faGoogleWallet</code> (👛)	200
<code>\faCut</code> (✂)	202	<code>\faFile0</code> (📄)	199	<code>\faGraduationCap</code> (🎓)	200
<code>\faCutlery</code> (🍴)	201	<code>\faFilePdf0</code> (📄)	199	<code>\faGratipay</code> (👉)	200
<code>\faDashboard</code> (📊)	202	<code>\faFilePhoto0</code> (📄)	202	<code>\faGroup</code> (👥)	202
<code>\faDashcube</code> (📄)	201	<code>\faFilePicture0</code> (📄)	202	<code>\faHackerNews</code> (👉)	200
<code>\faDatabase</code> (📊)	201	<code>\faFilePowerpoint0</code> (📄)	199	<code>\faHandGrab0</code> (👉)	142
<code>\faDedent</code> (≡)	202	<code>\faFiles0</code> (📄)	199	<code>\faHandLizard0</code> (👉)	142
<code>\faDelicious</code> (🍷)	201	<code>\faFileSound0</code> (📄)	202	<code>\faHand0Down</code> (👉)	142
<code>\faDesktop</code> (🖥)	201	<code>\faFileText</code> (📄)	199	<code>\faHand0Left</code> (👉)	142
<code>\faDeviantart</code> (🍷)	201	<code>\faFileText0</code> (📄)	199	<code>\faHand0Right</code> (👉)	142
<code>\faDiamond</code> (💎)	201	<code>\faFileVideo0</code> (📄)	199	<code>\faHand0Up</code> (👉)	142
<code>\faDigg</code> (🍷)	201	<code>\faFileWord0</code> (📄)	199	<code>\faHandPaper0</code> (👉)	142
<code>\faDollar</code> (\$)	26	<code>\faFileZip0</code> (📄)	202	<code>\faHandPeace0</code> (👉)	142
<code>\faDotCircle0</code> (⦿)	151	<code>\faFilm</code> (🎬)	199	<code>\faHandPointer0</code> (👉)	142
<code>\faDownload</code> (↓)	201	<code>\faFilter</code> (🔍)	199	<code>\faHandRock0</code> (👉)	142
<code>\faDribbble</code> (🏀)	201	<code>\faFire</code> (🔥)	199	<code>\faHandRock0</code> (👉)	142
<code>\faDropbox</code> (🍷)	201	<code>\faFireExtinguisher</code> (🧯)	199	<code>\faHandScissors0</code> (✂)	142
<code>\faDrupal</code> (🍷)	201	<code>\faFirefox</code> (🦊)	199	<code>\faHandSpock0</code> (🖖)	142
<code>\faEdit</code> (✍)	202	<code>\faFlag</code> (🚩)	199	<code>\faHandStop0</code> (👉)	142
<code>\faEject</code> (⏏)	201	<code>\faFlagCheckered</code> (🚩)	199	<code>\faHdd0</code> (📁)	200
<code>\faEllipsisH</code> (⋯)	201	<code>\faFlag0</code> (🚩)	199	<code>\faHeader</code> (H)	200
<code>\faEllipsisV</code> (⋮)	201	<code>\faFlash</code> (⚡)	202	<code>\faHeadphones</code> (🎧)	200
<code>\faEmpire</code> (🌌)	201	<code>\faFlask</code> (🧪)	199	<code>\faHeart</code> (♥)	200
<code>\faEnvelope</code> (✉)	201	<code>\faFlickr</code> (📷)	199	<code>\faHeartbeat</code> (♥)	200
<code>\faEnvelope0</code> (✉)	201	<code>\faFloppy0</code> (💾)	199	<code>\faHeart0</code> (♥)	200
<code>\faEnvelopeSquare</code> (✉)	201	<code>\faFolder</code> (📁)	199	<code>\faHistory</code> (🕒)	200
<code>\faEraser</code> (🧽)	202	<code>\faFolder0</code> (📁)	199		

<code>\faHome</code> (🏠)	200	<code>\faListUl</code> (☰)	201	<code>\Fannquantn</code> (⌠⏏⌡)	121
<code>\faHospitalO</code> (🏥)	200	<code>\fallingdotseq</code> (≐)	54	<code>\Fannquantnn</code> (⌠⏏⌡⏏⌡)	121
<code>\faHotel</code> (🏨)	202	<code>\fallingdotseq</code> (≐)	52	<code>\Fanoven</code> (🔥)	196
<code>\faHourglass</code> (🕒)	200	<code>\fallingdotseq</code> (≐)	60	<code>\Fanquant</code> (⌠⏏)	121
<code>\faHourglassEnd</code> (🕒)	200	<code>\fallingdotseq</code> (≐)	57	<code>\Fanquantn</code> (⌠⏏⌡)	121
<code>\faHourglassHalf</code> (🕒)	200	<code>\fallingdotseq</code> (≐)	55	<code>\Fanquantnn</code> (⌠⏏⌡⏏⌡)	121
<code>\faHourglassO</code> (🕒)	200	<code>\fallingdotseq</code> (≐)	61	<code>\faObjectGroup</code> (🗂)	201
<code>\faHourglassStart</code> (🕒)	200	<code>\FallingEdge</code> (⌋)	130	<code>\faObjectUngroup</code> (🗂)	201
<code>\faHouzz</code> (🏠)	200	<code>\faLocationArrow</code> (📍)	201	<code>\faOdnoklassniki</code> (🌐)	201
<code>\faHSquare</code> (🏠)	200	<code>\faLock</code> (🔒)	201	<code>\faOdnoklassnikiSquare</code> (🌐)	201
<code>\faHtml5</code> (🌐)	200	<code>\faLongArrowDown</code> (⬇)	140		
<code>\faICursor</code> (⌠)	200	<code>\faLongArrowLeft</code> (⬅)	140	<code>\faOpencart</code> (🛒)	201
<code>\faIls</code> (🇺🇦)	26	<code>\faLongArrowRight</code> (➡)	140	<code>\faOpenid</code> (🔑)	201
<code>\faIls</code> (🇺🇦)	26	<code>\faLongArrowUp</code> (⬆)	140	<code>\faOpera</code> (🌐)	201
<code>\faImage</code> (🖼)	202	<code>falsum</code>	<i>see</i> \bot	<code>\faOptinMonster</code> (👤)	201
<code>\faInbox</code> (📧)	200	<code>\faMagic</code> (🪄)	201	<code>\faOutdent</code> (☰)	201
<code>\faIndent</code> (☰)	200	<code>\faMagnet</code> (🧲)	201	<code>\faPagelines</code> (☰)	202
<code>\faIndustry</code> (🏭)	200	<code>\faMailForward</code> (➡)	202	<code>\faPaintBrush</code> (🖌)	202
<code>\faInfo</code> (i)	200	<code>\faMailReply</code> (↩)	202	<code>\faPaperclip</code> (📎)	202
<code>\faInfoCircle</code> (i)	200	<code>\faMailReplyAll</code> (↩)	202	<code>\faPaperPlane</code> (✉)	202
<code>\faInr</code> (₹)	26	<code>\faMale</code> (♂)	201	<code>\faPaperPlaneO</code> (✉)	202
<code>\faInr</code> (₹)	26	<code>\faMap</code> (🗺)	201	<code>\faParagraph</code> (¶)	202
<code>\faInstagram</code> (📷)	200	<code>\faMapMarker</code> (📍)	201	<code>\faPaste</code> (📋)	202
<code>\faInstitution</code> (🏛)	202	<code>\faMapO</code> (🗺)	201	<code>\faPause</code> (⏸)	202
<code>\faInternetExplorer</code> (🌐)	200	<code>\faMapPin</code> (📍)	201	<code>\faPaw</code> (🐾)	202
<code>\faIntersex</code> (♿)	136	<code>\faMapSigns</code> (🗺)	201	<code>\faPaypal</code> (👉)	202
<code>\faIoxhost</code> (🌐)	200	<code>\faMars</code> (♂)	132, 136	<code>\faPencil</code> (🖊)	141
<code>\faItalic</code> (I)	200	<code>\faMarsDouble</code> (♊)	136	<code>\faPencilSquare</code> (🖊)	141
<code>\faJoomla</code> (🌐)	200	<code>\faMarsStroke</code> (♂)	136	<code>\faPencilSquareO</code> (🖊)	141
<code>\faJpy</code> (¥)	26	<code>\faMarsStrokeH</code> (♂)	136	<code>\faPhone</code> (📞)	202
<code>\faJpy</code> (¥)	26	<code>\faMarsStrokeV</code> (♂)	136	<code>\faPhoneSquare</code> (📞)	202
<code>\faJsfiddle</code> (🎵)	200	<code>\faMaxcdn</code> (M)	201	<code>\faPhoto</code> (📷)	202
<code>\faKey</code> (🔑)	200	<code>\faMeanpath</code> (MP)	201	<code>\faPictureO</code> (📷)	202
<code>\faKeyboardO</code> (🗣)	200	<code>\faMedium</code> (📰)	201	<code>\faPieChart</code> (📊)	202
<code>\faKrw</code> (₩)	26	<code>\faMedkit</code> (🏠)	201	<code>\faPiedPiper</code> (👤)	202
<code>\faKrw</code> (₩)	26	<code>\faMehO</code> (☹)	201	<code>\faPiedPiperAlt</code> (👤)	202
<code>\faLanguage</code> (🗣)	200	<code>\faMercury</code> (♿)	132	<code>\faPinterest</code> (📌)	202
<code>\faLaptop</code> (📱)	200	<code>\faMicrophone</code> (🎤)	201	<code>\faPinterestP</code> (📌)	202
<code>\faLastfm</code> (🎵)	200	<code>\faMicrophoneSlash</code> (🎤)	201	<code>\faPinterestSquare</code> (📌)	202
<code>\faLastfmSquare</code> (🎵)	200	<code>\faMinus</code> (−)	201	<code>\faPlane</code> (✈)	199
<code>\faLeaf</code> (🍃)	200	<code>\faMinusCircle</code> (⊖)	201	<code>\faPlay</code> (▶)	199
<code>\faLeanpub</code> (📖)	200	<code>\faMinusSquare</code> (◻)	201	<code>\faPlayCircle</code> (▶)	199
<code>\faLegal</code> (⚖)	202	<code>\faMinusSquareO</code> (◻)	201	<code>\faPlayCircleO</code> (▶)	199
<code>\faLemonO</code> (🍋)	200	<code>\faMobile</code> (📱)	201	<code>\faPlug</code> (🔌)	199
<code>\faLevelDown</code> (⬇)	201	<code>\faMobilePhone</code> (📱)	202	<code>\faPlus</code> (+)	199
<code>\faLevelUp</code> (⬆)	201	<code>\faMoney</code> (💰)	201	<code>\faPlusCircle</code> (⊕)	199
<code>\faLifeBouy</code> (🚫)	202	<code>\faMoonO</code> (🌙)	132	<code>\faPlusSquare</code> (⊕)	199
<code>\faLifeRing</code> (🚫)	201	<code>\faMortarBoard</code> (🎓)	202	<code>\faPlusSquareO</code> (⊕)	199
<code>\faLifeSaver</code> (🚫)	202	<code>\faMotorcycle</code> (🏍)	201	<code>\faPowerOff</code> (🔌)	199
<code>\faLightbulbO</code> (💡)	201	<code>\faMousePointer</code> (🖱)	201	<code>\faPrint</code> (🖨)	199
<code>\faLineChart</code> (📈)	201	<code>\faMusic</code> (🎵)	201	<code>\faPuzzlePiece</code> (🧩)	199
<code>\faLink</code> (🔗)	201	<code>\faNavicon</code> (☰)	202	<code>\faQq</code> (👤)	199
<code>\faLinkedin</code> (in)	201	<code>\Fancontent</code> (⌠⏏)	121	<code>\faQrcode</code> (📱)	199
<code>\faLinkedinSquare</code> (in)	201	<code>fancy borders</code>	209–217	<code>\Faquant</code> (⌠⏏)	121
<code>\faLinux</code> (🐧)	201	<code>\faNeuter</code> (♿)	136	<code>\Faquantn</code> (⌠⏏⌡)	121
<code>\faList</code> (☰)	201	<code>\faNewspaperO</code> (📰)	201	<code>\Faquantnn</code> (⌠⏏⌡⏏⌡)	121
<code>\faListAlt</code> (☰)	201	<code>\Fanncontent</code> (⌠⏏)	121	<code>\faQuestion</code> (?)	199
<code>\faListOl</code> (☰)	201	<code>\Fannquant</code> (⌠⏏⌡)	121		

<code>\faQuestionCircle</code> (❓) ...	199	<code>\faSkype</code> (☎)	200	<code>\fatbslash</code> (\\)	32
<code>\faQuoteLeft</code> (❝)	199	<code>\faSlack</code> (♁)	200	<code>\fatbslash</code> (\\)	60
<code>\faQuoteRight</code> (❞)	199	<code>\faSliders</code> (⚙)	200	<code>\faTelevision</code> (📺)	201
<code>\faRa</code> (☎)	202	<code>\faSlideshare</code> (📄)	200	<code>\faTencentWeibo</code> (🐙)	201
<code>\faRandom</code> (🎲)	199	<code>\faSmile0</code> (☺)	200	<code>\faTerminal</code> (>_)	201
<code>\faRebel</code> (☘)	199	<code>\faSoccerBall0</code> (⚽)	202	<code>\faTextHeight</code> (Tl)	201
<code>\faRecycle</code> (♻)	199	<code>\faSort</code> (↕)	200	<code>\faTextWidth</code> (Tl)	201
<code>\faReddit</code> (👍)	199	<code>\faSortAlphaAsc</code> (↓½)	200	<code>\faTh</code> (⌘)	201
<code>\faRedditSquare</code> (👍)	199	<code>\faSortAlphaDesc</code> (↓½A)	200	<code>\faThLarge</code> (⌘)	201
<code>\faRefresh</code> (🔄)	199	<code>\faSortAmountAsc</code> (↓1)	200	<code>\faThList</code> (☰)	201
<code>\faRegistered</code> (®)	27	<code>\faSortAmountDesc</code> (↓1)	200	<code>\faThumbsDown</code> (👎)	142
<code>\faRemove</code> (✕)	144	<code>\faSortAsc</code> (↑)	200	<code>\faThumbsODown</code> (👎)	142
<code>\faRenren</code> (人)	199	<code>\faSortDesc</code> (↓)	200	<code>\faThumbsOUp</code> (👍)	142
<code>\faReorder</code> (☰)	202	<code>\faSortDown</code> (↓)	202	<code>\faThumbsUp</code> (👍)	142
<code>\faRepeat</code> (🔄)	140	<code>\faSortNumericAsc</code> (↓1½)	200	<code>\faThumbTack</code> (📌)	201
<code>\faRepeat</code> (🔄)	140	<code>\faSortNumericDesc</code> (↓1½)	200	<code>\faTicket</code> (🎫)	201
<code>\faReply</code> (↩)	199	<code>\faSortUp</code> (↑)	202	<code>\faTimes</code> (✕)	144
<code>\faReplyAll</code> (↩)	199	<code>\faSoundcloud</code> (☁)	200	<code>\faTimes</code> (✕)	144
<code>\faRetweet</code> (🔄)	199	<code>\faSpaceShuttle</code> (🚀)	200	<code>\faTimesCircle</code> (⊗)	144
<code>\faRmb</code> (¥)	26	<code>\faSpinner</code> (⌛)	200	<code>\faTimesCircle0</code> (⊕)	144
<code>\faRoad</code> (A)	199	<code>\faSpoon</code> (🥄)	200	<code>\faTint</code> (💧)	201
<code>\faRocket</code> (🚀)	199	<code>\faSpotify</code> (🎵)	200	<code>\faToggleDown</code> (▣)	202
<code>\faRotateLeft</code> (↶)	140	<code>\faSquare</code> (■)	151	<code>\faToggleLeft</code> (▣)	202
<code>\faRotateRight</code> (↷)	140	<code>\faSquare0</code> (□)	151	<code>\faToggleOff</code> (○)	201
<code>\faRouble</code> (₽)	26	<code>\faStackExchange</code> (☰)	200	<code>\faToggleOn</code> (○)	201
<code>\faRss</code> (RSS)	199	<code>\faStackOverflow</code> (☰)	200	<code>\faToggleRight</code> (▣)	202
<code>\faRssSquare</code> (RSS)	199	<code>\faStar</code> (★)	146	<code>\faToggleUp</code> (▣)	202
<code>\faRub</code> (₰)	26	<code>\faStarHalf</code> (★)	146	<code>\faTrademark</code> (™)	27
<code>\faRub</code> (₰)	26	<code>\faStarHalfEmpty</code> (★)	146	<code>\faTrain</code> (🚆)	201
<code>\faRuble</code> (₽)	26	<code>\faStarHalfFull</code> (★)	146	<code>\faTransgender</code> (♿)	136
<code>\faRupee</code> (₹)	26	<code>\faStarHalf0</code> (★)	146	<code>\faTransgender</code> (♿)	136
<code>\faSafari</code> (🦊)	199	<code>\faStarHalf0</code> (★)	146	<code>\faTransgenderAlt</code> (♿)	136
<code>\faSave</code> (💾)	202	<code>\faStar0</code> (☆)	146	<code>\faTrash</code> (🗑)	201
<code>\faScissors</code> (✂)	199	<code>\faStar0</code> (☆)	146	<code>\faTrash0</code> (🗑)	201
<code>\faSearch</code> (🔍)	199	<code>\faSteam</code> (🎮)	200	<code>\faTree</code> (🌲)	201
<code>\faSearchMinus</code> (🔍)	199	<code>\faSteamSquare</code> (🎮)	200	<code>\faTrello</code> (📋)	201
<code>\faSearchPlus</code> (🔍)	199	<code>\faStepBackward</code> (⏮)	200	<code>\faTripadvisor</code> (📍)	201
<code>\faSellsy</code> (👍)	199	<code>\faStepForward</code> (⏭)	200	<code>\faTrophy</code> (🏆)	201
<code>\faSend</code> (✉)	202	<code>\faStethoscope</code> (🩺)	200	<code>\faTruck</code> (🚚)	201
<code>\faSend0</code> (✉)	202	<code>\faStickyNote</code> (📌)	200	<code>\faTry</code> (🇹)	26
<code>\faServer</code> (🖨)	199	<code>\faStickyNote0</code> (📌)	200	<code>\faTry</code> (🇹)	26
<code>\faShare</code> (↗)	199	<code>\faStop</code> (■)	200	<code>\fatsemi</code> (;)	32
<code>\faShareAlt</code> (↗)	199	<code>\faStreetView</code> (📍)	200	<code>\fatsemi</code> (;)	35
<code>\faShareAltSquare</code> (↗)	199	<code>\faStrikethrough</code> (ABC)	200	<code>\fatslash</code> (/)	32
<code>\faShareSquare</code> (📦)	199	<code>\faStumbleupon</code> (🍻)	200	<code>\fatslash</code> (/)	60
<code>\faShareSquare0</code> (📦)	199	<code>\faStumbleuponCircle</code> (🍻)	200	<code>\faTty</code> (⌨)	201
<code>\faShekel</code> (₪)	26	<code>\faSubscript</code> (x₂)	200	<code>\faTumblr</code> (t)	201
<code>\faSheqel</code> (₪)	26	<code>\faSubway</code> (🚇)	200	<code>\faTumblrSquare</code> (t)	201
<code>\faShield</code> (🛡)	199	<code>\faSuitcase</code> (🧳)	200	<code>\faTurkishLira</code> (₺)	26
<code>\faShip</code> (🚢)	199	<code>\faSun0</code> (☀)	132	<code>\faTv</code> (📺)	202
<code>\faShirtsinbulk</code> (👕)	199	<code>\faSuperscript</code> (x²)	200	<code>\faTwitch</code> (📺)	201
<code>\faShoppingCart</code> (🛒)	200	<code>\faSupport</code> (🆘)	202	<code>\faTwitter</code> (🐦)	201
<code>\faSignal</code> (📶)	200	<code>\faTable</code> (📊)	200	<code>\faTwitterSquare</code> (🐦)	201
<code>\faSignIn</code> (👤)	200	<code>\faTablet</code> (📱)	200	<code>\faUmbrella</code> (☂)	201
<code>\faSignOut</code> (👤)	200	<code>\faTachometer</code> (📊)	200	<code>\faUnderline</code> (U)	201
<code>\faSimplybuilt</code> (🏠)	200	<code>\faTag</code> (🏷)	200	<code>\faUndo</code> (↶)	140
<code>\faSitemap</code> (🗺)	200	<code>\faTags</code> (🏷)	200	<code>\faUndo</code> (↶)	140
<code>\faSkyatlas</code> (🌌)	200	<code>\faTasks</code> (☑)	201	<code>\faUniversity</code> (🎓)	201
		<code>\faTaxi</code> (🚕)	201		













































<code>\faUnlink</code> (🔗)	202	<code>\fcscore</code> ()	185	<code>\feyn{m}</code> (≡)	137
<code>\faUnlock</code> (🔓)	201	<code>.fd files</code>	12, 238, 245	<code>\feyn{P}</code> (●)	137
<code>\faUnlockAlt</code> (🔓)	201	<code>\fdiagovnearrow</code> (↗)	88	<code>\feyn{p}</code> (⊗)	137
<code>\faUnsorted</code> (↕)	202	<code>\fdiagovrdiag</code> (✕)	126	<code>\feyn{x}</code> (⊗)	137
<code>\faUpload</code> (📶)	201	<code>fdsymbol</code> (package)	34, 35, 38, 39, 47, 48, 57–59, 66, 70, 74, 81–85, 94, 95, 99, 101, 106, 107, 111, 113, 120, 123, 125, 147, 151, 163, 247	<code>\FF</code> (⊘)	135
<code>\faUsd</code> (\$) (🇺🇸)	26	<code>feet</code>	<i>see</i> <code>\prime</code> and <code>\textquotesingle</code>	<code>fge</code> (package)	91, 102, 111, 122, 126, 247, 248
<code>\faUsd</code> (\$) (🇺🇸)	26	<code>\FEMALE</code> (♀)	136	<code>\fgeA</code> (∇)	102
<code>\faUser</code> (👤)	201	<code>\Female</code> (♀)	136	<code>\fgebackslash</code> (∖)	126
<code>\faUserMd</code> (👤)	201	<code>female</code>	18, 131–133, 136, 197–202, 206–209	<code>\fgebaracute</code> (⊥)	126
<code>\faUserPlus</code> (👤+)	201	<code>\female</code> (♀)	136	<code>\fgebarcap</code> (⊃)	126
<code>\faUsers</code> (👤)	201	<code>\female</code> (♀)	136	<code>\fgec</code> (∩)	102
<code>\faUserSecret</code> (👤)	201	<code>\FemaleFemale</code> (♀)	136	<code>\fgecap</code> (∩)	126
<code>\faUserTimes</code> (👤)	201	<code>\FemaleMale</code> (♀)	136	<code>\fgecapbar</code> (⊃)	126
<code>\faVenus</code> (♀)	132, 136	<code>\Ferli</code> (♁)	165	<code>\fgecup</code> (∪)	126
<code>\faVenusDouble</code> (♁)	136	<code>\fermata</code>	170	<code>\fgecupacute</code> (∪)	126
<code>\faVenusMars</code> (♁)	136	<code>\fermata</code> (∩)	168	<code>\fgecupbar</code> (∪)	126
<code>\faViacoin</code> (¥)	26	<code>\fermatadown</code> (∩)	164	<code>\fged</code> (p)	102
<code>\faVideoCamera</code> (📹)	201	<code>\fermataup</code> (∩)	164	<code>\fgee</code> (∩)	102
<code>\faVimeo</code> (📺)	201	<code>\Fermi</code> (♁)	165	<code>\fgeeszett</code> (g)	102
<code>\faVimeoSquare</code> (📺)	201	<code>\fermion</code> (♁)	137	<code>\fgeeta</code> (p)	102
<code>\faVine</code> (📺)	201	<code>fermions</code>	137–138	<code>\fgeF</code> (d)	102
<code>\faVk</code> (🇺🇸)	201	<code>feyn</code> (package)	137, 247, 248	<code>\fgef</code> (y)	102
<code>\faVolumeDown</code> (🔊)	201	<code>Feynman slashed character notation</code>	231	<code>\fgeinfty</code> (∞)	126
<code>\faVolumeOff</code> (🔊)	201	<code>Feynman-diagram symbols</code>	137	<code>\fangelangle</code> (∩)	126
<code>\faVolumeUp</code> (🔊)	201	<code>\feyn{a}</code> (⊗)	137	<code>\fgelb</code>	102
<code>\faWarning</code> (⚠)	202	<code>\feyn{c}</code> (⊙)	137	<code>\fgelb</code> (p)	102
<code>\faWechat</code> (👤)	202	<code>\feyn{fd}</code> (∩)	137	<code>\fgeleftB</code> (⊃)	102
<code>\faWeibo</code> (👤)	202	<code>\feyn{flS}</code> (∩)	137	<code>\fgeleftC</code> (⊃)	102
<code>\faWeixin</code> (👤)	202	<code>\feyn{fl}</code> (∩)	137	<code>\fgeN</code> (p)	102
<code>\faWhatsapp</code> (👤)	202	<code>\feyn{fs}</code> (∩)	137	<code>\fgeoverU</code> (p)	102
<code>\faWheelchair</code> (♿)	202	<code>\feyn{fu}</code> (∩)	137	<code>\fgerightarrow</code> (⇒)	91
<code>\faWifi</code> (📶)	202	<code>\feyn{fv}</code> (∩)	137	<code>\fgerightB</code> (⊃)	102
<code>\faWikipediaW</code> (W)	202	<code>\feyn{f}</code> (∩)	137	<code>\fges</code> (f)	102
<code>\faWindows</code> (🖥)	202	<code>\feyn{gl}</code> (∩)	137	<code>\fgestruckone</code> (1)	122
<code>\faWon</code> (₩)	26	<code>\feyn{gd}</code> (∩)	137	<code>\fgestruckzero</code> (0)	122
<code>\faWordpress</code> (W)	202	<code>\feyn{glB}</code> (∩)	137	<code>\fgeU</code> (U)	102
<code>\faWrench</code> (🔧)	202	<code>\feyn{glS}</code> (∩)	137	<code>\fgeuparrow</code> (↑)	91
<code>\FAX</code> (FAX)	136	<code>\feyn{glu}</code> (∩)	137	<code>\fgeupbracket</code> (∩)	126
<code>\fax</code> (📠)	136	<code>\feyn{gl}</code> (∩)	137	<code>field</code> (F)	<i>see</i> alphabets, math
<code>\faXing</code> (✕)	202	<code>\feyn{gu}</code> (∩)	137	<code>\file</code> (⇔)	186
<code>\faXingSquare</code> (✕)	202	<code>\feyn{gvs}</code> (∩)	137	<code>file extensions</code>	
<code>\faXmachine</code> (📠)	136	<code>\feyn{gv}</code> (∩)	137	<code>.dvi</code>	244
<code>\faYahoo</code> (Y)	202	<code>\feyn{g}</code> (∩)	137	<code>.fd</code>	12, 238, 245
<code>\faYc</code> (Y)	202	<code>\feyn{hd}</code> (∩)	137	<code>.mf</code>	12, 204, 236
<code>\faYCombinator</code> (Y)	202	<code>\feyn{hs}</code> (∩)	137	<code>.otf</code>	163
<code>\faYCombinatorSquare</code> (Y)	202	<code>\feyn{hu}</code> (∩)	137	<code>.pdf</code>	244
<code>\faYcSquare</code> (Y)	202	<code>\feyn{h}</code> (∩)	137	<code>.sty</code>	12
<code>\faYelp</code> (🍴)	202	<code>\feyn{ms}</code> (∩)	137	<code>.tex</code>	244, 245
<code>\faYen</code> (¥)	26			<code>.tfm</code>	12, 204, 226, 245
<code>\faYoutube</code> (📺)	202			<code>file symbols</code>	199–202
<code>\faYoutubePlay</code> (📺)	202			<code>\FilledBigCircle</code> (●)	149
<code>\faYoutubeSquare</code> (📺)	202			<code>\FilledBigDiamondshape</code> (◆)	150
<code>\fbowtie</code> (⋈)	61			<code>\FilledBigSquare</code> (■)	150
<code>fc</code> (package)	16, 21			<code>\FilledBigTriangleDown</code> (▼)	150
<code>\fcdice</code> (🎲)	184				
<code>fclfont</code> (package)	247				
<code>\fcmp</code> (;)	36				
<code>\Fcontent</code> (—)	121				

<code>\FilledBigTriangleLeft</code> (◀) 150	<code>\filledtriangleleft</code> (◀) 38, 73	<code>\flapr</code> (<i>r</i>) 19
<code>\FilledBigTriangleRight</code> (▶) 149	<code>\FilledTriangleRight</code> (▶) 149	<code>\Flasche</code> (♫) 196
<code>\FilledBigTriangleUp</code> (▲) 149	<code>\filledtriangleright</code> (▶) 38, 73	<code>\flat</code> (<i>b</i>) 163
<code>\FilledCircle</code> (●) 149	<code>\FilledTriangleUp</code> (▲) . . 150	<code>\flat</code> (<i>b</i>) 163
<code>\FilledCloud</code> (☁) 183	<code>\filledtriangleup</code> (▲) . 38, 73	<code>\flat</code> (<i>b</i>) 167
<code>\filledddiamond</code> (◆) 38	<code>\FilledWeakRainCloud</code> (☁) 183	<code>\flat</code> (<i>b</i>) 163
<code>\FilledDiamondShadowA</code> (◆) 149	finger, pointing <i>see</i> fists	<code>\flat</code> (<i>b</i>) 163
<code>\FilledDiamondShadowC</code> (◆) 149	finite field (\mathbb{F}) . . <i>see</i> alphabets, math	<code>\flatflat</code> (♭♭) 167
<code>\FilledDiamondshape</code> (◆) . 149	<code>\Finland</code> (🇫🇮) 194	<code>\Flatsteel</code> (♯) 136
<code>\FilledHut</code> (🏠) 183	<code>\finpartvoice</code> (🎵) 23	fletched arrows 91, 139
<code>\filledlargestar</code> (★) . . 147	<code>\finpartvoiceless</code> (🎵) . . . 23	fleurons 146, 152, 209–210
<code>\filledlozenge</code> (◊) 147	<code>\fint</code> (<i>f</i>) 44	<code>\Florin</code> (₣) 26
<code>\filledmedlozenge</code> (◊) . . 147	<code>\fint</code> (<i>f</i>) 45	florin <i>see</i> <code>\textflorin</code>
<code>\filledmedsquare</code> (■) 38	<code>\fint</code> (<i>f</i>) 47	flourishes 152, 213
<code>\filledmedtriangledown</code> (▼) 38, 73	<code>\fint</code> (<i>f</i>) 48	<code>\floweroneleft</code> (🌸) 146
<code>\filledmedtriangleleft</code> (◀) 38, 73	<code>\fintsl</code> (<i>f</i>) 50	<code>\floweroneright</code> (🌸) 146
<code>\filledmedtriangleright</code> (▶) 38, 73	<code>\fintup</code> (<i>f</i>) 50	flowers 145, 146, 197–198, 209–211
<code>\filledmedtriangleup</code> (▲) 38, 73	<code>\Finv</code> (∓) 100	<code>\fltms</code> (∟) 148
<code>\FilledRainCloud</code> (☁) . . . 183	<code>\Finv</code> (∓) 100	Flynn, Peter 230
<code>\FilledSectioningDiamond</code> (⬠) 183	<code>\Finv</code> (∓) 101	<code>\FM</code> (₣) 134
<code>\FilledSmallCircle</code> (●) . 149	<code>\Finv</code> (∓) 101	<code>\Fncontent</code> (⏏) 121
<code>\FilledSmallCircle</code> (●) . 150	<code>\Finv</code> (∓) 101	<code>\Fnncontent</code> (⏏) 121
<code>\FilledSmallDiamondshape</code> (◆) 149	<code>\Fire</code> (🔥) 183, 197	<code>\Fnnquant</code> (π) 121
<code>\FilledSmallSquare</code> (■) . 149	<code>\Fire</code> (🔥) 133	<code>\Fnnquantn</code> (π) 121
<code>\FilledSmallTriangleDown</code> (▼) 149	fish 210–211	<code>\Fnnquantnn</code> (π) 121
<code>\FilledSmallTriangleLeft</code> (◀) 149	fish hook <i>see</i> <code>\strictif</code>	<code>\Fnquant</code> (τ) 121
<code>\FilledSmallTriangleRight</code> (▶) 149	<code>\fisheye</code> (👁) 148	<code>\Fnquantn</code> (τ) 121
<code>\FilledSmallTriangleUp</code> (▲) 149	fists 142, 204	<code>\Fnquantnn</code> (τ) 121
<code>\FilledSnowCloud</code> (☁) . . . 183	<code>\fivedots</code> (⋮) 33, 120	<code>\fnsymbol</code> 185
<code>\FilledSquare</code> (■) 149	<code>\FiveFlowerOpen</code> (🌸) 145	<code>\Fog</code> (🌫) 183
<code>\filledsquare</code> (■) 38	<code>\FiveFlowerPetal</code> (🌸) . . . 145	font encodings 12, 14–17, 20, 21, 24, 229, 234, 241, 242, 244, 246
<code>\FilledSquareShadowA</code> (■) 149	<code>\FiveStar</code> (★) 145	7-bit 12
<code>\FilledSquareShadowC</code> (■) 149	<code>\FiveStarCenterOpen</code> (☆) . 145	8-bit 12
<code>\filledsquarewithdots</code> (■) 152	<code>\FiveStarConvex</code> (★) 145	ASCII 246
<code>\filledstar</code> (★) 38	<code>\FiveStarLines</code> (☆) 145	Cyrillic 21
<code>\FilledSunCloud</code> (☁) . . . 183	<code>\FiveStarOpen</code> (☆) 145	document 242, 244
<code>\FilledTriangleDown</code> (▼) . 149	<code>\FiveStarOpenCircled</code> (⊛) 145	Latin 1 246
<code>\filledtriangledown</code> (▼) 38, 73	<code>\FiveStarOpenDotted</code> (☆) . 145	limiting scope of 12
<code>\FilledTriangleLeft</code> (◀) . 149	<code>\FiveStarOutline</code> (☆) . . . 145	LY1 12
	<code>\FiveStarOutlineHeavy</code> (☆) 145	OT1 . 12, 15, 21, 234, 241, 242
	<code>\FiveStarShadow</code> (☆) 145	OT2 229
	<code>\Fixedbearing</code> (↗) 136	T1 . 12, 14, 15, 17, 21, 242, 244
	<code>\fixedddots</code> (⋯) 119	T2A 21, 229
	<code>\fixedvdots</code> (⋮) 119	T2B 21
	fixmath (package) 241	T2C 21
	<code>\fj</code> (fj) 20	T4 16, 20, 21, 24
	<code>\FL</code> (L) 134	T5 16, 21
	<code>\Flag</code> (↑) 183	TS1 229, 242
	<code>\flageolett</code> (ʹ) 164	U 229
	flags 197–198	X2 21
	<code>\flap</code> (<i>r</i>) 20	

fontawesome (package)	26, 27, 132, 136, 140–142, 144, 146, 151, 199, 202, 247, 248
fontdef.dtx (file)	230, 234
fontenc (package) 12, 15, 17, 21, 242, 244	
\fontencoding	12
fonts	
Calligra	128
Charter	26, 51
Computer Modern 92, 226, 228, 242	
CountriesOfEurope	195
Courier	26
Emmentaler	168
Garamond	26, 51
Helvetica	26
“pi”	229
Soyombo	193
Symbol	98, 229
Times Roman	26, 228
Type 1	239
Utopia	26, 51
Zapf Chancery	128
Zapf Dingbats	139, 144
\fontsize	226, 228
fontspec (package) 163, 245, 246	
\Football (⚽)	182
\forall (∀)	100
\forall (ℱ)	101
\forall (ℳ)	100
\forall (ℵ)	101
\Force (↓)	136
\Fork (t)	196
\forks (✂)	62
\forksnot (ψ)	61
\forkv (m)	60
\forkv (m)	61
forte (f)	168, 179
\Fortune (⊗)	133
\Forward (▶)	182
\ForwardToEnd (▶▶)	182
\ForwardToIndex (▶▶▶)	182
\FourAsterisk (✱)	145
\FourCloverOpen (♻)	145
\FourCloverSolid (♣)	145
\Fourier (—○)	64
fourier (package) 27, 64, 98, 102, 109, 115, 142, 146, 182, 247	
fourier (emf package option) 131	
\fourier (○—)	64
Fourier transform (ℱ) <i>see</i> alphabets, math	
\FourStar (◆)	145
\FourStarOpen (◇)	145
\fourth (////)	124
\fourvdots (⋮)	120
\Fquantn (—♠)	121
\Fquantnn (—♠♠)	121
\fracslash (/)	36
fractions	126
fraktur <i>see</i> alphabets, math	
\France (♣)	194
frcurive (emf package option)	131
Freemason’s cipher	191
frege (package)	121, 247, 248
Frege logic symbols 91, 102, 121, 122, 126	
Frege, Gottlob	121
\frown (∩)	52
\frown (∪)	60
\frown (∩)	57, 95
\frown (∪)	94
\frown (∩)	61
frown symbols	94, 95
\frowneq (≅)	57, 95
\frowneq (≈)	94
\frowneqsmile (⊖)	94
\frownie (☺)	181
\frownsmile (☺)	57, 95
\frownsmile (☺)	94
\frownsmileeq (☺)	94
\Frowny (☹)	182
frowny faces	135, 181, 182, 196–202
\fryingpan (—♣)	196
\FS (ℓ)	135
\fullmoon (○)	132
\fullmoon (○)	131
\fullnote (◦)	163
\fullouterjoin (⋈)	126
G	
\G (♠)	21
g (esvect package option)	115
g (X)	162
\Game (⊖)	100
\Game (⊖)	100
\Game (⊖)	101
\Game (⊖)	101
\Game (⊖)	101
game-related symbols	151, 183, 184, 186–188, 199–202, 223–226
\Gamma (Γ)	97
\gamma (γ)	97
\gammaup (γ)	98
\Ganz (⊖)	165
\GaPa (—)	165
Garamond (font)	26, 51
\Gasstove (♠)	196
\gcd (gcd)	96
\GD (∇)	134
\GE (≥)	134
\ge <i>see</i> \geq	
\ge (≥)	70
\ge (≥)	72
\Gemini (♊)	132
\Gemini (♊)	132
\Gemini (♊)	133
\gemini (♊)	131
genealogical symbols	181
\geneuro (€)	27
\geneuronarrow (€)	27
\geneurowide (€)	27
gensymb (package)	130
\Gentsroom (♠)	182
geometric shapes 133, 146–151, 173–178, 187, 188, 199–202, 204–206, 222	
\geq (≥)	68
\geq (≥)	67, 68
\geq (≥)	70
\geq (≥)	69
\geq (≥)	71, 72
\geqclosed (⊇)	70, 74
\geqclosed (⊇)	69, 73
\geqdot (≥)	70
\geqdot (≥)	69
\geqq (≥)	68
\geqq (≥)	67
\geqq (≥)	71
\geqq (≥)	70
\geqq (≥)	69
\geqq (≥)	71
\geqqslant (≥)	72
\geqslant (≥)	67
\geqslant (≥)	71
\geqslant (≥)	70
\geqslant (≥)	69
\geqslant (≥)	72
\geqslantdot (≥)	70
\geqslantdot (≥)	69
\geqslcc (≥)	70
german (keystroke package option)	134
Germanic runes	162
\Germany (♠)	195
\gescc (≥)	70
\gescc (≥)	72
\gesdot (≥)	70
\gesdot (≥)	72
\gesdoto (≥)	72
\gesdotol (≥)	72
\gesl (≥)	70
\gesles (≥)	72
\gets <i>see</i> \leftarrow	
\gets (←)	83
\gg (≫)	68
\gg (≫)	67
\gg (≫)	70
\gg (≫)	69
\gg (≫)	72
\ggcurly (≫)	54

<code>\ggcurly</code> (\gg)	60	Go stones	187, 188	<code>\gtrapprox</code> (\gtrapprox)	68
<code>\ggg</code> (\ggg)	68	goban	187, 188	<code>\gtrapprox</code> (\gtrapprox)	67
<code>\ggg</code> (\ggg)	67	<code>\Goofy</code>	189	<code>\gtrapprox</code> (\gtrapprox)	71
<code>\ggg</code> (\ggg vs. \gg)	227	<code>\graphene</code> ($\text{\textcircled{G}}$)	137	<code>\gtrapprox</code> (\gtrapprox)	70
<code>\ggg</code> (\ggg)	71	graphics (package)	91, 229	<code>\gtrapprox</code> (\gtrapprox)	69
<code>\ggg</code> (\ggg)	70	graphicx (package)	24, 226, 229	<code>\gtrapprox</code> (\gtrapprox)	71
<code>\ggg</code> (\ggg)	69	<code>\grater</code> ($\text{\textcircled{G}}$)	196	<code>\gtrarr</code> (\gtrarr)	71
<code>\ggg</code> (\ggg)	72	<code>\grave</code> (\grave)	111	<code>\gtrcc</code> (\gtrcc)	70
<code>\gggnest</code> (\ggg)	72	<code>\grave</code> (\grave)	110	<code>\gtrclosed</code> (\gtrclosed)	70, 74
<code>\gggtr</code>	<i>see</i> <code>\ggg</code>	grave (\grave)	<i>see</i> accents	<code>\gtrclosed</code> (\gtrclosed)	69, 73
<code>\gggtr</code> (\ggg)	70	<code>\gravis</code> (\grave)	24	<code>\gtrdot</code> (\gtrdot)	68
<code>\gggtr</code> (\ggg)	69	<code>\graviton</code> ($\text{\textcircled{g}}$)	137	<code>\gtrdot</code> (\gtrdot)	67
<code>\gggtr</code> (\ggg)	72	<code>\GreatBritain</code> ($\text{\textcircled{GB}}$)	195	<code>\gtrdot</code> (\gtrdot)	35
ghosts	40, 118, 191	greater-than signs	<i>see</i>	<code>\gtrdot</code> (\gtrdot)	70
Gibbons, Jeremy	249	inequalities		<code>\gtrdot</code> (\gtrdot)	69
<code>\gimel</code> ($\text{\textcircled{J}}$)	99	greatest lower bound	<i>see</i> <code>\sqcap</code>	<code>\gtrdot</code> (\gtrdot)	71
<code>\gimel</code> ($\text{\textcircled{J}}$)	100	<code>\greatpumpkin</code> ($\text{\textcircled{P}}$)	40	<code>\gtreqless</code> (\gtreqless)	68
<code>\gimel</code> (λ)	99	<code>\Greece</code> ($\text{\textcircled{€}}$)	195	<code>\gtreqless</code> (\gtreqless)	67
<code>\gimel</code> (λ)	99	Greek	16, 97, 98	<code>\gtreqless</code> (\gtreqless)	71
<code>\gimel</code> (λ)	100	blackboard bold	129	<code>\gtreqless</code> (\gtreqless)	70
<code>\girl</code> ($\text{\textcircled{G}}$)	132	bold	97, 240	<code>\gtreqless</code> (\gtreqless)	69
<code>\gla</code> (\times)	72	coins	27	<code>\gtreqless</code> (\gtreqless)	71
<code>\glE</code> (\gtrsim)	72	letters	16, 97, 98, 129, 159, 240	<code>\gtreqlessslant</code> (\gtreqlessslant)	71
<code>\gleichstark</code> ($\text{\textcircled{H}}$)	61	numerals	159	<code>\gtreqlessslant</code> (\gtreqlessslant)	69
<code>\glj</code> (\times)	71	polytonic	16, 97, 98	<code>\gtreqqlless</code> (\gtreqqlless)	68
<code>\glj</code> (\times)	72	upright	16, 98	<code>\gtreqqlless</code> (\gtreqqlless)	67
globe	182	greek (babel package option)	16, 97, 98, 159	<code>\gtreqqlless</code> (\gtreqqlless)	71
<code>\glotstop</code> ($\text{\textcircled{?}}$)	19	Green Dot	<i>see</i> <code>\Greenpoint</code> and <code>\PackingWaste</code>	<code>\gtreqqlless</code> (\gtreqqlless)	70
<code>\glottal</code> ($\text{\textcircled{Y}}$)	20	<code>\Greenpoint</code> ($\text{\textcircled{G}}$)	192	<code>\gtreqqlless</code> (\gtreqqlless)	70
<code>\Gloves</code> ($\text{\textcircled{G}}$)	196	greenpoint (package)	204, 247	<code>\gtreqqlless</code> (\gtreqqlless)	69
<code>\Gluon</code> (g)	137	Gregorian music	165	<code>\gtreqqlless</code> (\gtreqqlless)	71
<code>\gluon</code> ($\text{\textcircled{G}}$)	130	<code>\gregorianCclef</code> ($\text{\textcircled{C}}$)	165	<code>\gtreqqlless</code> (\gtreqqlless)	71
gluons	137	<code>\Greenpoint</code> ($\text{\textcircled{G}}$)	192	<code>\gtreqqlless</code> (\gtreqqlless)	70
<code>\gnapprox</code> (\gtrapprox)	68	gregorian (babel package option)	16, 97, 98, 159	<code>\gtreqqlless</code> (\gtreqqlless)	68
<code>\gnapprox</code> (\gtrapprox)	67	Green Dot	<i>see</i> <code>\Greenpoint</code> and <code>\PackingWaste</code>	<code>\gtrless</code> (\gtrless)	68
<code>\gnapprox</code> (\gtrapprox)	71	<code>\gregorianCclef</code> ($\text{\textcircled{C}}$)	165	<code>\gtrless</code> (\gtrless)	67
<code>\gnapprox</code> (\gtrapprox)	70	<code>\gregorianFclef</code> ($\text{\textcircled{FC}}$)	165	<code>\gtrless</code> (\gtrless)	71
<code>\gnapprox</code> (\gtrapprox)	69	Gregorio, Enrico	110, 231	<code>\gtrless</code> (\gtrless)	70
<code>\gnapprox</code> (\gtrapprox)	72	Griffith's separation vector ($\text{\textcircled{g}}$)	128	<code>\gtrless</code> (\gtrless)	69
<code>\gneq</code> (\gtrsim)	68	<code>\grimace</code> ($\text{\textcircled{G}}$)	182	<code>\gtrless</code> (\gtrless)	71
<code>\gneq</code> (\gtrsim)	67	Grüne Punkt	<i>see</i> <code>\Greenpoint</code> and <code>\PackingWaste</code>	<code>\gtrless</code> (\gtrless)	70
<code>\gneq</code> (\gtrsim)	71	<code>\GS</code> (\leftrightarrow)	135	<code>\gtrneqqless</code> (\gtrneqqless)	69
<code>\gneq</code> (\gtrsim)	70	<code>\gsime</code> (\gtrsim)	72	<code>\gtrsim</code> (\gtrsim)	68
<code>\gneq</code> (\gtrsim)	72	<code>\gsiml</code> (\gtrsim)	72	<code>\gtrsim</code> (\gtrsim)	67
<code>\gneqq</code> (\gtrsim)	68	<code>\Gt</code> (\gtrsim)	71	<code>\gtrsim</code> (\gtrsim)	71
<code>\gneqq</code> (\gtrsim)	67	<code>\Gt</code> (\gtrsim)	72	<code>\gtrsim</code> (\gtrsim)	70
<code>\gneqq</code> (\gtrsim)	71	<code>\gtcc</code> (\gtrsim)	71	<code>\gtrsim</code> (\gtrsim)	69
<code>\gneqq</code> (\gtrsim)	70	<code>\gtcc</code> (\gtrsim)	72	<code>\gtrsim</code> (\gtrsim)	71
<code>\gneqq</code> (\gtrsim)	69	<code>\gtccir</code> (\gtrsim)	71	<code>\GU</code> ($\text{\textcircled{G}}$)	134
<code>\gneqq</code> (\gtrsim)	72	<code>\gtccir</code> (\gtrsim)	72	<code>\guillemotleft</code> (\llcorner)	17, 243
<code>\gnsim</code> (\gtrsim)	68	<code>\gtlpar</code> (\gtrsim)	123	<code>\guillemotright</code> (\llcorner)	17, 243
<code>\gnsim</code> (\gtrsim)	67	<code>\gtlpar</code> (\gtrsim)	123	<code>\guilsinglleft</code> (\langle)	17, 244
<code>\gnsim</code> (\gtrsim)	71	<code>\gtquest</code> (\gtrsim)	71	<code>\guilsinglright</code> (\rangle)	17, 244
<code>\gnsim</code> (\gtrsim)	70	<code>\gtr</code> (\gtr)	70	<code>\gvcropped</code> ($\text{\textcircled{G}}$)	137
<code>\gnsim</code> (\gtrsim)	69	<code>\gtr</code> (\gtr)	69	<code>\gvertneqq</code> (\gtrsim)	68
<code>\gnsim</code> (\gtrsim)	72	<code>\gtr</code> (\gtr)	69	<code>\gvertneqq</code> (\gtrsim)	67
<code>\GO</code> (\leftrightarrow)	134	<code>\gtr</code> (\gtr)	69	<code>\gvertneqq</code> (\gtrsim)	71
go (package)	188, 247	<code>\gtr</code> (\gtr)	69	<code>\gvertneqq</code> (\gtrsim)	71
Go boards	187, 188	<code>\gtr</code> (\gtr)	69	<code>\gvertneqq</code> (\gtrsim)	69

H	
H (N)	162
\H (𐀀)	21
h (esvect package option)	115
\h (𐀀)	162
\h (𐀀)	21
h (H)	162
Hälsinge runes	<i>see</i> staveless runes
\HA (𐀀)	154
\Ha (𐀀)	154
háček (̣)	<i>see</i> accents
\Hades (𐀀)	133
\Hail (𐀀)	183
\Halb (𐀀)	165
half note	<i>see</i> musical symbols
\HalfCircleLeft (◐)	150
\HalfCircleRight (◑)	150
\HalfFilledHut (𐀀)	183
\halflength (˘)	25
\halfNote (𐀀)	166
\halfnote (𐀀)	163
\halfNoteDotted (𐀀)	166
\halfNoteDottedDouble (𐀀)	166
\halfNoteDottedDoubleDown (𐀀)	166
\halfNoteDottedDown (𐀀)	166
\halfNoteDown (𐀀)	166
\halfNoteRest (𐀀)	168
\halfNoteRestDotted (𐀀)	168
\HalfSun (☀)	183
halloweenmath (package)	40, 118, 247, 248
Hamiltonian (\mathcal{H})	<i>see</i> alphabets, math
\HandCuffLeft (𐀀)	142
\HandCuffLeftUp (𐀀)	142
\HandCuffRight (𐀀)	142
\HandCuffRightUp (𐀀)	142
\HandLeft (𐀀)	142
\HandLeftUp (𐀀)	142
\HandPencilLeft (𐀀)	142
\HandRight (𐀀)	142
\HandRightUp (𐀀)	142
hands	<i>see</i> fists
hands (package)	204, 247
\Handwash (𐀀)	182
\HaPa (𐀀)	165
harmony (package)	165, 247
harpoon (package)	91, 247, 248
harpoons	75–77, 80, 81, 85, 87, 90–92, 222
\hash (#)	124
\hash (#)	60
hash mark	<i>see</i> \#
\hat (̂)	111
\hat (̂)	110
\hatapprox (̂)	61
\hateq (̂)	58
\hateq (̂)	55
\hausab (̂)	20
\hausab (̂)	20
\hausad (̂)	20
\hausad (̂)	20
\hausak (̂)	20
\hausak (̂)	20
\HB (̂)	154
\Hb (̂)	154
\HBar (̂)	150
\hbar (̂)	100, 230
\hbar (̂)	101
\hbar (̂)	101
\hbar (̂)	101
\hbipropto (∞)	33
\hbond (⊕)	137
\HC (⊙)	154
\Hc (̂)	154
\hcrossing (∞)	55
\Hcthousand (̂)	154
\HD (̂)	154
\Hd (̂)	154
\hdotdot (⋯)	34, 120
\hdotdot (⋯)	33, 120
\hdots (⋯)	120
\hdots (⋯)	120
\Hdual (⋈)	154
\HE (̂)	154
\He (̂)	154
heads	<i>see</i> faces
\Heart (♥)	182
heartctrbull (bullcntr package option)	185
\heartctrbull	185
hearts	133, 151, 152, 197–202
\heartsuit (♥)	151
\heartsuit (♥)	151
\heartsuit (♥)	151
\heartsuit (♥)	151
\heartsuit (♥)	151
\heavyqtleft (⚡)	196
\heavyqtright (⚡)	196
Hebrew	99, 100, 129
Helvetica (font)	26
\hemibelion (c)	27
\Herd (̂)	196
\HERMAPHRODITE (♀)	136
\Hermaphrodite (♀)	136
\Hermaphrodite (♀)	136
\hermitmatrix (+)	125
\hermitmatrix (+)	126
\Heta (̂)	159
\heta (̂)	159
\hexagon (◻)	148
\hexagon (◻)	146
\hexagonblack (◼)	148
\Hexasteel (◼)	136
\hexstar (✱)	144
\HF (̂)	130
\HF (̂)	154
\Hf (̂)	154
\hfermion (̂)	137
\hfil	231
\HG (̂)	154
\Hg (̂)	154
\HH	165
\HH (̂)	154
\Hh (̂)	154
hhcount (package)	184, 185, 247, 248
\Hhundred (̂)	154
\HI (̂)	154
\Hi (̂)	154
\hiatus (̂)	189
\Hibl (̂)	154
\Hibp (̂)	154
\Hibs (̂)	154
\Hibw (̂)	154
\Hidalgo (̂)	133
hieroglf (package)	154, 247
hieroglyphics	154
\Higgsboson (̂)	137
Hilbert space (\mathcal{H})	<i>see</i> alphabets, math
\hill (̂)	23
\HJ (̂)	154
\Hj (̂)	154
\HK (̂)	154
\Hk (̂)	154
\hknearrow (↗)	83
\hknearrow (↗)	88
\hknwarrow (↖)	83
\hknwarrow (↖)	88
\hksearrow (↘)	88
\hksearrow (↘)	83
\hksqrt (√)	233
\hkswarrow (↙)	88
\hkswarrow (↙)	83
\HL (̂)	154
\Hl (̂)	154
\HM (̂)	154
\Hm (̂)	154
\Hman (̂)	154
\Hmillion (̂)	154
\Hms (̂)	154
\HN (̂)	154
\Hn (̂)	154
\HO (̂)	154

<code>\Ho</code> ()	154	<code>\HR</code> ()	154	<code>\ibar</code> (\bar{i})	20
<code>\hole</code> (h^+)	137	<code>\Hr</code> ()	154	IBM PC	135, 190, 242
<code>\HollowBox</code> ()	143	<code>\hrectangle</code> ()	148	<code>\IC</code> ()	133
Holmes, Sherlock	220	<code>\hrectangleblack</code> ()	148	<code>\Iceland</code> ()	195
Holt, Alexander	1, 246	<code>\HS</code> ()	154	Icelandic staves	190
<code>\holter</code> ()	119	<code>\Hs</code> ()	154	<code>\IceMountain</code> ()	183
holtpolt (package)	119, 247	<code>\hs</code> ()	164	<code>\iddots</code> ($\cdot\cdot\cdot$)	120
<code>\hom</code> (hom)	96	<code>\Hscribe</code> ()	154	<code>\iddots</code> ()	234
<code>\Home</code> ()	134	<code>\Hslash</code> (\backslash)	154	<code>\idotsint</code> ($\int \dots \int$)	42
<code>\Homer</code> ()	189	<code>\hslash</code> (\backslash)	154	<code>\idotsint</code> ($\int \dots \int$)	44
<code>\Hone</code> (I)	154	<code>\hslash</code> (\backslash)	100	<code>\idotsint</code> ($\int \dots \int$)	47, 48
hook accent ()	<i>see</i> accents	<code>\hslash</code> (\backslash)	101	<code>\idotsint</code> ($\int \dots \int$)	46
<code>\hookb</code> (b)	19	<code>\hslash</code> (\backslash)	101	<code>\iff</code> <i>see</i> <code>\Longleftarrow</code>	
<code>\hookd</code> (d)	20	<code>\hslash</code> (\backslash)	101	ifsym (package)	130, 149, 150, 183, 227, 229, 247
<code>\hookd</code> (d)	19	<code>\Hsv</code> ()	154	igo (package)	187, 247
<code>\hookdownarrow</code> (\downarrow)	82	<code>\HT</code> (o)	135	<code>\igocircle</code> ()	187
<code>\hookdownminus</code> (-)	125	<code>\HT</code> ()	154	<code>\igocircle</code> ()	187
<code>\hookdownminus</code> (-)	125	<code>\Ht</code> (a)	154	<code>\igocross</code> ()	187
<code>\hookg</code> (g)	19	<code>\Hten</code> (a)	154	<code>\igocross</code> ()	187
<code>\hookh</code> (h)	19	<code>\Hthousand</code> ()	154	<code>\igonone</code> ()	187
<code>\hookheng</code> (h)	19	<code>\Htongue</code> ()	154	<code>\igonone</code> (O)	187
<code>\hookleftarrow</code> (\leftarrow)	75	<code>\HU</code> (U)	154	<code>\igosquare</code> ()	187
<code>\hookleftarrow</code> (\leftarrow)	86	<code>\Hu</code> (U)	154	<code>\igosquare</code> (U)	187
<code>\hookleftarrow</code> (\leftarrow)	82	Hungarian umlaut ()	<i>see</i> accents	<code>\igotriangle</code> ()	187
<code>\hookleftarrow</code> (\leftarrow)	78	<code>\Hungary</code> (a)	195	<code>\igotriangle</code> (U)	187
<code>\hookleftarrow</code> (\leftarrow)	92	<code>\Hut</code> ()	183	<code>\iiiint</code> (\iiint)	42
<code>\hookleftarrow</code> (\leftarrow)	88	<code>\HV</code> ()	154	<code>\iiiint</code> (\iiint)	44
<code>\hooknearrow</code> (\nearrow)	82	<code>\Hv</code> ()	154	<code>\iiiint</code> (\iiint)	45
<code>\hooknarrow</code> (v)	82	<code>\hv</code> (v)	19	<code>\iiiint</code> (\iiint)	47
<code>\hookrepsilon</code> (e)	19	<code>\Hvbar</code> (v)	154	<code>\iiiint</code> (\iiint)	46
<code>\hookrightarrow</code> (\rightarrow)	75	<code>\HW</code> (e)	154	<code>\iiiint</code> (\iiint)	48
<code>\hookrightarrow</code> (\rightarrow)	86	<code>\Hw</code> ()	154	<code>\iiiintsl</code> (\iiint)	50
<code>\hookrightarrow</code> (\rightarrow)	82	<code>\HX</code> (e)	154	<code>\iiiintup</code> (\iiint)	50
<code>\hookrightarrow</code> (\rightarrow)	78	<code>\Hx</code> ()	154	<code>\iiint</code> (\iiint)	43
<code>\hookrightarrow</code> (\rightarrow)	92	<code>\HXthousand</code> ()	154	<code>\iiint</code> (\iiint)	42
<code>\hooksearrow</code> (\searrow)	82	<code>\HY</code> ()	154	<code>\iiint</code> (\iiint)	43
<code>\hookswarrow</code> (\swarrow)	82	<code>\Hy</code> ()	154	<code>\iiint</code> (\iiint)	44
<code>\hookuparrow</code> (\uparrow)	82	<code>\Hygia</code> ()	133	<code>\iiint</code> (\iiint)	45
<code>\hookupminus</code> (-)	35	hyphen, discretionary	244	<code>\iiint</code> (\iiint)	46
<code>\hookupminus</code> (-)	125	<code>\hyphenbullet</code> (•)	126	<code>\iiint</code> (\iiint)	49
Horn, Berthold	129	<code>\HZ</code> ()	154	<code>\iiintsl</code> (\iiint)	50
<code>\hoshi</code> (+)	188	<code>\Hz</code> ()	154	<code>\iiintup</code> (\iiint)	50
<code>\hourglass</code> (x)	35	<code>\hzigzag</code> (~)	126	<code>\iinfin</code> (∞)	125
<code>\hourglass</code> (x)	40			<code>\iinfin</code> (∞)	122
<code>\house</code> (A)	148			<code>\iint</code> (\iint)	43
<code>\HP</code> ()	154			<code>\iint</code> (\iint)	42
<code>\Hp</code> (A)	154			<code>\iint</code> (\iint)	43
<code>\hpause</code> ()	164			<code>\iint</code> (\iint)	44
<code>\Hplural</code> (u u u)	154			<code>\iint</code> (\iint)	45
<code>\Hplus</code> (+)	154			<code>\iint</code> (\iint)	48
<code>\HQ</code> ()	154			<code>\iint</code> (\iint)	46
<code>\Hq</code> ()	154			<code>\iint</code> (\iint)	49
<code>\Hquery</code> (!)	154			<code>\iintsl</code> (\iint)	50
				<code>\iintup</code> (\iint)	50

<code>\IJ</code> (IJ)	15	<code>\int</code> (\int)	42	<code>\invamp</code> (\wp)	32
<code>\ij</code> (ij)	15	<code>\int</code> (\int)	48	<code>\invamp</code> (\wp)	37
<code>\Im</code> (\Im)	100	<code>\int</code> (\int)	46	<code>\invbackneg</code> ($\bar{\leftarrow}$)	125
<code>\Im</code> (\Im)	101	<code>\int</code> (\int)	49	<code>\INVD</code> (∇)	135
<code>\im</code> (j)	101	<code>\intBar</code> (\int)	48	<code>\invdiameter</code> (\oslash)	181
<code>\imageof</code> ($\bullet\rightarrow$)	94	<code>\intBar</code> (\int)	49	<code>\inve</code> (\ominus)	20
<code>\imageof</code> ($\bullet\rightarrow$)	61	<code>\intbar</code> (\int)	48	inverse limit . <i>see</i> <code>\varprojlim</code>	
<code>\imath</code> (\imath)	100, 110	<code>\intbar</code> (\int)	49	<code>\inversebullet</code> (\blacksquare)	126
<code>\imath</code> (\imath)	101	<code>\intBarsl</code> (\int)	50	<code>\inversewhitecircle</code> (\odot)	148
<code>\imath</code> (\imath)	101	<code>\intbarsl</code> (\int)	50	<code>\InversTransformHoriz</code> ($\bullet\rightarrow$)	64
<code>\impliedby</code> . <i>see</i> <code>\Longleftarrow</code>		<code>\intBarup</code> (\int)	50	<code>\InversTransformVert</code> (\updownarrow)	64
<code>\implies</code> . <i>see</i> <code>\Longrightarrow</code>		<code>\intbarup</code> (\int)	50	inverted symbols	17–20, 24, 229–230
<i>and</i> <code>\vdash</code>		<code>\intcap</code> (\int)	49	inverters	135
impulse train	<i>see</i> sha	<code>\intcapsl</code> (\int)	51	<code>\invf</code> (\int)	19
<code>\in</code> (\in)	100	<code>\intcapup</code> (\int)	51	<code>\invglotstop</code> (\flat)	19
<code>\in</code> (\in)	100	<code>\intclockwise</code> (\int)	48	<code>\invh</code> (η)	19
<code>\in</code> (\in)	57, 101	<code>\intclockwise</code> (\int)	51	<code>\INVl</code> (∇)	135
<code>\in</code> (\in)	101	<code>\intclockwise</code> (\int)	49	<code>\invlazys</code> (∞)	36
<code>\in</code> (\in)	100	<code>\intclockwisesl</code> (\int)	50	<code>\invlegr</code> (\int)	19
<code>\in</code> (\in)	61	<code>\intclockwiseup</code> (\int)	50	<code>\invm</code> (μ)	19
inches	<i>see</i> <code>\second</code> <i>and</i>	<code>\intctrckwise</code> (\int)	48	<code>\invneg</code> (\neg)	53
<code>\textquotedbl</code>		<code>\intcup</code> (ψ)	49	<code>\invneg</code> (\neg)	125
<code>\incoh</code> (\asymp)	64	<code>\intcupsl</code> (ψ)	51	<code>\invneg</code> (\neg)	125
<code>\increment</code> (Δ)	126	<code>\intcupup</code> (ψ)	51	<code>\invnot</code> (\neg)	125
independence		<code>\INTEGER</code> (\mathbb{Z})	96	<code>\invnot</code> (\neg)	125
probabilistic	232	<code>\Integer</code> (\mathbb{Z})	96	<code>\invnot</code> (\neg)	126
statistical	232	integers (\mathbb{Z}) . <i>see</i> alphabets, math		<code>\INVR</code> (∇)	135
stochastic	<i>see</i> <code>\bot</code>	integrals	41–52, 125, 232	<code>\invr</code> (\int)	19
<code>\independent</code> (\perp)	233	product	52	<code>\invscr</code> (\mathcal{B})	19
<code>\Industry</code> (☰)	182	integrals (wasysym package op-		<code>\invscripta</code> (\mathfrak{v})	19
inequalities	14, 67–72	tion)	43	<code>\invsmileface</code> (☺)	196
inexact differential . . . <i>see</i> <code>\dbar</code>		<code>\interaction</code> (\Leftrightarrow)	137	<code>\INVu</code> (∇)	135
<code>\inf</code> (inf)	96	<code>\intercal</code> (\intercal)	31	<code>\invv</code> (Λ)	19
infimum . <i>see</i> <code>\inf</code> <i>and</i> <code>\sqcap</code>		<code>\intercal</code> (\intercal)	35, 101	<code>\invw</code> (\mathfrak{M})	19
infinity	122, 124–126, 232	<code>\intercal</code> (\intercal)	34	<code>\invwhitelowerhalfcircle</code> (\smile)	
<code>\Info</code> (\mathbb{I})	182	<code>\intercal</code> (\intercal)	100	148
<code>\Info</code> (\mathbb{I})	192	<code>\intercal</code> (\intercal)	36, 101	<code>\invwhiteupperhalfcircle</code> (\frown)	
information symbols	182	interior <i>see</i> <code>\mathring</code>		148
informer symbols	186	<code>\interleave</code> (\lll)	32	<code>\invy</code> (Λ)	19
<code>\infty</code> (∞)	124	<code>\interleave</code> (\lll)	36	<code>\IO</code> (\mathfrak{r})	134
<code>\infty</code> (∞)	124	<code>\internalsym</code> (\boxplus)	137	<code>\ion</code> (⓪)	137
<code>\infty</code> (∞)	125	intersection <i>see</i> <code>\cap</code>		<code>\ionicbond</code> (\oplus)	137
<code>\infty</code> (∞)	125	<code>\Interval</code> (⓪)	183	<code>\Iota</code> (I)	97
<code>\infty</code> (∞)	122	<code>\intlarhk</code> (\int)	49	<code>\iota</code> (ι)	97
<code>\ING</code> (ϕ)	162	<code>\intlarhksl</code> (\int)	51	iota, upside-down	229
<code>\Ing</code> (\int)	162	<code>\intlarhkup</code> (\int)	51	<code>\iotaup</code> (ι)	98
<code>\ing</code> (\int)	162	<code>\intprod</code> (\rightarrow)	34, 35, 125	<code>\ipagamma</code> (γ)	19
<code>\inipartvoice</code> (☑)	23	<code>\intprod</code> (\rightarrow)	36	<code>\ipercatal</code> (†)	189
<code>\inipartvoiceless</code> (☐)	23	<code>\intprodr</code> (\leftarrow)	34, 35, 125	<code>\Ireland</code> (☉)	195
<code>\injlim</code> (injlim)	96	<code>\intprodr</code> (\leftarrow)	36	<code>\IroningI</code> (☰)	182
<code>\Innocey</code> (☺)	196	<code>\intpsl</code> (\int)	50	<code>\IroningII</code> (☰)	182
<code>\inplus</code> (€)	53	<code>\intup</code> (\int)	48	<code>\IroningIII</code> (☰)	182
<code>\inplus</code> (€)	60	<code>\intup</code> (\int)	50	irony mark (⸆)	229
<code>\inputenc</code> (package)	245	<code>\intx</code> (\int)	49		
<code>\Ins</code> (☑)	134	<code>\intxsl</code> (\int)	51		
<code>\int</code> (\int)	44	<code>\intxup</code> (\int)	51		
<code>\int</code> (\int)	43	<code>\inva</code> (e)	19		
<code>\int</code> (\int)	43				

irrational numbers (\mathbb{J}) *see*
 alphabets, math
 \backslash Irritant (\mathbf{X}) 183
 \backslash isindot ($\acute{\epsilon}$) 61
 \backslash isinE (ϵ) 61
 \backslash isinobar ($\bar{\epsilon}$) 61
 \backslash isins (ϵ) 61
 \backslash isinvb ($\underline{\epsilon}$) 61
 \backslash ismodeledby (\Rightarrow) 230
 ISO character entities 244
 isoent (package) 244
 Isthmian script 160–161
 italic . 14, 15, 27, 236, 238–240,
 242
 \backslash Italy (\mathfrak{I}) 195

J

\mathbb{J} (\mathfrak{J}) 162
 \mathbb{j} (\mathfrak{j}) 162
 \backslash j (\mathfrak{j}) 21
 \mathbb{j} (\mathfrak{j}) 162
 \backslash JackStar (\clubsuit) 145
 \backslash JackStarBold (\clubsuit) 145
 Jewish star 144, 145
 \backslash jmath (\mathfrak{j}) 100, 110
 \backslash jmath (\mathfrak{j}) 101
 \backslash jmath (\mathfrak{j}) 101
 \backslash Joch (\mathfrak{H}) 183
 \backslash Join (\bowtie) 52, 53
 \backslash Join (\bowtie) 35, 58
 \backslash Join (\bowtie) 34
 \backslash Join (\bowtie) 126
 \backslash joinrel 230
 joint denial *see* \backslash downarrow
 \backslash Jpsimeson (\mathcal{Y}) 137
 junicode (package) 245, 247
 Junicode.ttf (file) 245
 \backslash Juno (\mathfrak{J}) 133
 \backslash Jupiter (\mathfrak{J}) 132
 \backslash Jupiter (\mathfrak{J}) 132
 \backslash Jupiter (\mathfrak{J}) 133
 \backslash jupiter (\mathfrak{J}) 131

K


\backslash K (\mathfrak{K}) 162
 \backslash k (\mathfrak{K}) 162
 \backslash k (\mathfrak{K}) 24
 \backslash k (\mathfrak{K}) 21
 \mathbb{k} (\mathfrak{K}) 162
 \backslash Kaonminus (K^-) 137
 \backslash Kaonnull (K^0) 138
 \backslash Kaonplus (K^+) 138
 \backslash Kappa (\mathbb{K}) 97
 \backslash kappa (κ) 97
 \backslash kappaup (κ) 98
 \backslash ker (ker) 96
 \backslash kernelcontraction (\simeq) 60
 \backslash kernelcontraction (\simeq) 61
 ket 103

\backslash Keyboard (\mathfrak{K}) 134
 keyboard symbols 134
 keys, computer 134
 keystroke (package) 134, 247
 \backslash keystroke (\mathfrak{K}) 134
 king 187, 224–226
 \backslash Knife (\mathfrak{K}) 196
 knight 187, 224–226
 knitting (package) 193, 247, 248
 knitting symbols 193
 knot (package) 213, 217, 247
 knots 213–217
 Knuth, Donald E. 12, 92, 242,
 249
 symbols by 181
 \backslash Kochtopf (\mathfrak{K}) 196
 \backslash Koppa (\mathfrak{K}) 159
 \backslash koppa (\mathfrak{K}) 159
 \backslash Kr (\mathfrak{K}) 165
 \backslash kreuz (\mathfrak{K}) 181
 Kronecker product *see* \backslash otimes
 Kronecker sum *see* \backslash oplus
 \backslash Kronos (\mathfrak{K}) 133
 kroužek (\mathfrak{K}) *see* accents
 \backslash kside (\gg) 186

L

\backslash L (\mathfrak{L}) 15
 \backslash l (\mathfrak{L}) 15
 \mathbb{l} (\mathfrak{L}) 162
 \backslash labdentalnas (\mathfrak{L}) 19
 \backslash labvel 23
 \backslash Ladiesroom (\mathfrak{L}) 182
 Lagrangian (\mathcal{L}) *see* alphabets,
 math
 \backslash Lambda (Λ) 97
 \backslash lambda (λ) 97
 \backslash lambdabar ($\bar{\lambda}$) 124
 \backslash lambdabar (λ) 125
 \backslash lambdash (λ) 124
 \backslash lambdash (λ) 125
 \backslash lambdaup (λ) 98
 Lamport, Leslie 246, 249
 \backslash land *see* \backslash wedge
 \backslash land (\wedge) 35
 \backslash land (\wedge) 36
 land masses 194
 \backslash landdownint (\int) 45
 \backslash landdownint (\int) 48
 \backslash landdownint (\int) 46
 \backslash landupint (\int) 45
 \backslash landupint (\int) 47, 48
 \backslash landupint (\int) 46
 \backslash Langle (\langle) 129
 \backslash LAngle ($\langle\rangle$) 109
 \backslash LAngle ($\langle\rangle$) 106

\backslash LAngle ($\langle\rangle$) 107
 \backslash langle (\langle) 30, 103
 \backslash langle (\langle) 106
 \backslash langle (\langle) 105
 \backslash langle (\langle) 108
 \backslash langlebar ($\langle\rangle$) 105
 \backslash langledot ($\langle\cdot$) 106
 \backslash langledot ($\langle\cdot$) 103
 \backslash laplac (\square) 126
 \backslash Laplace ($\bullet\text{---}\circ$) 64
 \backslash laplace ($\circ\text{---}\bullet$) 64
 Laplace transform (\mathcal{L}) *see*
 alphabets, math
 Laplacian (Δ) *see* \backslash Delta
 Laplacian (∇^2) *see* \backslash nabla
 \backslash largeblackcircle (\bullet) 147
 \backslash largeblacksquare (\blacksquare) 147
 \backslash largeblackstar (\blackstar) 147
 \backslash largecircle (\bigcirc) 147
 \backslash largecircle (\bigcirc) 147
 largectrbull (bullcntr package op-
 tion) 185
 \backslash largectrbull 185
 \backslash largediamond (\blacklozenge) 147
 \backslash largelozenge (\blacklozenge) 147




\backslash largepencil (\mathfrak{P}) 141
 \backslash largepentagram (\mathfrak{P}) 147
 \backslash LargerOrEqual (\supseteq) 122
 \backslash largesquare (\square) 147
 \backslash largesquare (\square) 147
 \backslash largestar (\mathfrak{P}) 147
 \backslash largestaroofdavid (\mathfrak{P}) 147
 \backslash largetriangledown (∇) 74,
 147
 \backslash largetriangledown (∇) 73
 \backslash largetriangleleft (\triangleleft) 73
 \backslash largetriangleright (\triangleright) 73
 \backslash largetriangleup (\triangleup) 74, 147
 \backslash largetriangleup (\triangleup) 73
 \backslash largewhitestar (\mathfrak{P}) 147
 \backslash LArrow (\mathfrak{L}) 134
 \backslash larrowfill 117
 \backslash Laserbeam (\mathfrak{L}) 136
 \backslash lat (\geq) 71
 \backslash late (\geq) 71
 \mathbb{L}^{ATEX} 1, 12, 21, 52,
 96, 103, 119, 124, 139, 185,

204, 225, 226, 229–236, 239, 240, 242, 244–246, 248, 249	\lceil	107	\leftarrowapprox (\leftarrowapprox)	88
L ^A T _E X 2 _ε	\lceil	1	\leftarrowbackapprox (\leftarrowbackapprox)	88
12, 14, 15, 27, 31, 52, 64, 75, 112, 119, 124, 129, 151, 163, 204, 225–227, 229, 230, 232, 234, 238–244, 249	\lceil	1, 12, 14, 15, 27, 31, 52, 64, 75, 112, 119, 124, 129, 151, 163, 204, 225–227, 229, 230, 232, 234, 238–244, 249	\leftarrowbsimilar (\leftarrowbsimilar)	88
latexsym (package)	\lceil	31, 52, 64, 75, 124, 226, 247	\leftarrowless (\leftarrowless)	71
\lceil	\lceil	19	\leftarrowonoplus (\leftarrowonoplus)	88
Latin 1	\lceil	12, 242–244, 246	\leftarrowplus (\leftarrowplus)	88
\lceil	\lceil	194	$\leftarrowshortrightarrow$ ($\leftarrowshortrightarrow$)	88
\lceil	\lceil	196	\leftarrowsimilar (\leftarrowsimilar)	88
laundry symbols	\lceil	182	\leftarrowsubset (\leftarrowsubset)	67
\lceil	\lceil	134	\leftarrowtail (\leftarrowtail)	75
\lceil	\lceil	102	\leftarrowtail (\leftarrowtail)	86
\lceil	\lceil	102	\leftarrowtail (\leftarrowtail)	81
\lceil	\lceil	35	\leftarrowtail (\leftarrowtail)	78
\lceil	\lceil	103	\leftarrowtail (\leftarrowtail)	88
\lceil	\lceil	35	\leftarrowTriangle (\leftarrowTriangle)	86
\lceil	\lceil	103	\leftarrowtriangle (\leftarrowtriangle)	76
\lceil	\lceil	35	\leftarrowtriangle (\leftarrowtriangle)	86
\lceil	\lceil	103	\leftarrowtriangle (\leftarrowtriangle)	88
\lceil	\lceil	103	\leftarrowwx (\leftarrowwx)	88
\lceil	\lceil	103	\leftAssert (\leftAssert)	57
\lceil	\lceil	134	\leftassert (\leftassert)	57
\lceil	\lceil	104	\leftbarharpoon (\leftbarharpoon)	77
\lceil	\lceil	119	\leftbkarrow (\leftbkarrow)	81
\lceil	\lceil	120	\leftbkarrow (\leftbkarrow)	89
\lceil	\lceil	119	\leftblackarrow (\leftblackarrow)	86
\lceil	\lceil	82	\leftblackspoon (\leftblackspoon)	94
\lceil	\lceil	88	\LEFTCIRCLE (\LEFTCIRCLE)	146
\lceil	\lceil	134	\LEFTcircle (\LEFTcircle)	146
\lceil	\lceil	<i>see</i> \leq	\Leftcircle (\Leftcircle)	146
\lceil	\lceil	71	\leftcurvedarrow (\leftcurvedarrow)	83
\lceil	\lceil	72	\leftcurvedarrow (\leftcurvedarrow)	89
\lceil	\lceil	53, 75	\leftdasharrow (\leftdasharrow)	86
\lceil	\lceil	83	\leftdasharrow (\leftdasharrow)	89
\lceil	\lceil	78	\leftdasharrow (\leftdasharrow)	89
\lceil	\lceil	89	\leftdasharrow (\leftdasharrow)	89
\lceil	\lceil	<i>see</i> leaf	\leftdbkarrow (\leftdbkarrow)	89
\lceil	\lceil	146	\leftdbltail (\leftdbltail)	61
\lceil	\lceil	146	\leftdotarrow (\leftdotarrow)	89
\lceil	\lceil	146	\leftdowncurvedarrow (\leftdowncurvedarrow)	83
\lceil	\lceil	146	\leftdowncurvedarrow (\leftdowncurvedarrow)	89
\lceil	\lceil	146, 152, 209–210	\lefttevw (\lefttevw)	108
\lceil	\lceil	<i>see</i> \mathcal{L}	\leftfilledspoon (\leftfilledspoon)	93
\lceil	\lceil	alphabets, math	\leftfishtail (\leftfishtail)	61
\lceil	\lceil	189	\leftfootline (\leftfootline)	57
\lceil	\lceil	103, 104, 108, 109, 226, 228	\leftfootline (\leftfootline)	55
\lceil	\lceil	181	\leftfree (\leftfree)	55
\lceil	\lceil	30, 75	\lefthalfcap (\lefthalfcap)	33
\lceil	\lceil	82	\lefthalfcup (\lefthalfcup)	33
\lceil	\lceil	78	\lefthand (\lefthand)	142
\lceil	\lceil	88	\leftharpoonaccent (\leftharpoonaccent)	111
\lceil	\lceil	76	\leftharpoonccw (\leftharpoonccw)	80
\lceil	\lceil	75	\leftharpooncw (\leftharpooncw)	80
\lceil	\lceil	81	\leftharpoondown (\leftharpoondown)	77
\lceil	\lceil	78	\leftharpoondown (\leftharpoondown)	75
\lceil	\lceil	92	\leftharpoondown (\leftharpoondown)	87
\lceil	\lceil	88	\leftharpoondown (\leftharpoondown)	85
\lceil	\lceil	111	\leftharpoondown (\leftharpoondown)	90
\lceil	\lceil		\leftharpoondownbar (\leftharpoondownbar)	90

<code>\leftharpoonsupdown</code> (\rightleftharpoons)	90	<code>\leftrightharpoonup</code> (\leftrightharpoonup)	86	<code>\leftthreetimes</code> (\times)	124
<code>\leftharpoonup</code> (\leftarrow)	77	<code>\leftrightharpoonup</code> (\leftrightharpoonup)	89	<code>\leftthreetimes</code> (\times)	31
<code>\leftharpoonup</code> (\leftarrow)	75	<code>\leftrightharpoonup</code> (\leftrightharpoonup)	86	<code>\leftthreetimes</code> (\times)	35
<code>\leftharpoonup</code> (\leftarrow)	87	<code>\leftrightharpoonup</code> (\leftrightharpoonup)	94	<code>\leftthreetimes</code> (\times)	34
<code>\leftharpoonup</code> (\leftarrow)	85	<code>\leftrightharpoonup</code> (\leftrightharpoonup)	83	<code>\leftthreetimes</code> (\times)	33
<code>\leftharpoonup</code> (\leftarrow)	90	<code>\leftrightharpoonup</code> (\leftrightharpoonup)	77	<code>\leftthreetimes</code> (\times)	36
<code>\leftharpoonupbar</code> (\leftarrow)	90	<code>\leftrightharpoonupdown</code> (\leftarrow)	91	<code>\leftthumbsdown</code> ($\left\downarrow$)	142
<code>\leftharpoonupdash</code> (\rightleftharpoons)	90	<code>\leftrightharpoonupdown</code> (\leftarrow)	85	<code>\leftthumbsup</code> ($\left\uparrow$)	142
<code>\leftlcurvedarrow</code> (\curvearrowleft)	83	<code>\leftrightharpoonupdown</code> (\leftarrow)	80	<code>\lefttorightarrow</code> (\rightarrow)	76
<code>\leftleftarrows</code> (\rightleftarrows)	76	<code>\leftrightharpoonupdown</code> (\leftarrow)	91	<code>\lefttorightarrow</code> (\rightarrow)	86
<code>\leftleftarrows</code> (\rightleftarrows)	75	<code>\leftrightharpoons</code> (\rightleftharpoons)	77	<code>\lefttorque</code> (\curvearrowright)	136
<code>\leftleftarrows</code> (\rightleftarrows)	86	<code>\leftrightharpoons</code> (\rightleftharpoons)	76	<code>\leftturn</code> (\curvearrowright)	181
<code>\leftleftarrows</code> (\rightleftarrows)	81	<code>\leftrightharpoons</code> (\rightleftharpoons)	87	<code>\leftupcurvedarrow</code> (\curvearrowleft)	82
<code>\leftleftarrows</code> (\rightleftarrows)	78	<code>\leftrightharpoons</code> (\rightleftharpoons)	85	<code>\leftVDash</code> (\dashv)	57
<code>\leftleftarrows</code> (\rightleftarrows)	89	<code>\leftrightharpoons</code> (\rightleftharpoons)	80	<code>\leftVdash</code> (\dashv)	57
<code>\leftleftharpoons</code> (\rightleftharpoons)	77	<code>\leftrightharpoons</code> (\rightleftharpoons)	90	<code>\leftVdash</code> (\dashv)	55
<code>\leftlsquigarrow</code> (\leftleftarrows)	83	<code>\leftrightharpoons</code> (\rightleftharpoons)	87	<code>\leftvdash</code> (\dashv)	57
<code>\leftlsquigarrow</code> (\leftleftarrows)	78	<code>\leftrightharpoons</code> (\rightleftharpoons)	85	<code>\leftvdash</code> (\dashv)	57
<code>\Leftmapsto</code> (\mapsto)	81	<code>\leftrightharpoons</code> (\rightleftharpoons)	80	<code>\leftvdash</code> (\dashv)	55
<code>\leftmapsto</code> (\mapsto)	81	<code>\leftrightharpoons</code> (\rightleftharpoons)	90	<code>\leftwave</code> ($\left\{\!\!\!\left\{\right.\right.$)	108
<code>\leftmapsto</code> (\mapsto)	78	<code>\leftrightharpoonsdown</code> (\rightleftharpoons)	90	<code>\leftwavearrow</code> (\leftleftarrows)	81
<code>\leftModels</code> (\models)	55	<code>\leftrightharpoonsdown</code> (\rightleftharpoons)	117	<code>\leftwavearrow</code> (\leftleftarrows)	89
<code>\leftmodels</code> (\models)	57	<code>\leftrightharpoonssup</code> (\rightleftharpoons)	90	<code>\leftwhitearrow</code> (\leftarrow)	86
<code>\leftmodels</code> (\models)	55	<code>\leftrightharpoonsupdown</code> (\rightleftharpoons)	85	<code>\leftwhitearrow</code> (\rightleftarrows)	89
<code>\leftmoon</code> (\mathbb{C})	132	<code>\leftrightharpoonupdown</code> (\leftarrow)	80	<code>\leftwhiteroundarrow</code> (\rightleftarrows)	86
<code>\leftmoon</code> (\mathbb{C})	132	<code>\leftrightharpoonupdown</code> (\leftarrow)	90	<code>\leftY</code> (\leftarrow)	34
<code>\leftmoon</code> (\mathbb{C})	131	<code>\leftrightharpoonupdown</code> (\leftarrow)	80	<code>\leftY</code> (\leftarrow)	33
<code>\leftouterjoin</code> (\bowtie)	126	<code>\leftrightharpoonupdown</code> (\leftarrow)	90	<code>\leftzigzagarrow</code> ($\left\{\!\!\!\left\{\right.\right.$)	86
<code>\leftp</code> (\leftarrow)	25	<code>\leftrightharpoonupup</code> (\leftarrow)	90	legal symbols 14, 15, 27, 28, 243	
<code>\leftpitchfork</code> (\leftarrow)	95	<code>\Leftrightline</code> (\rightleftharpoons)	55	<code>\legm</code> (\uparrow)	19
<code>\leftpitchfork</code> (\leftarrow)	93	<code>\Leftrightline</code> (\rightleftharpoons)	55	<code>\legr</code> (\uparrow)	19
<code>\leftpointright</code> (\rightarrow)	142	<code>\leftrightspoon</code> (\rightarrow)	94	<code>\length</code> ($\!:$)	25
<code>\leftpropto</code> (\propto)	55	<code>\leftrightsquigarrow</code> (\rightleftarrows)	76	<code>\Leo</code> (\mathcal{L})	132
<code>\leftrcurvearrow</code> (\curvearrowright)	83	<code>\leftrightsquigarrow</code> (\rightleftarrows)	75	<code>\Leo</code> (\mathcal{L})	133
<code>\Leftrightarrow</code> (\rightleftarrows)	75	<code>\leftrightsquigarrow</code> (\rightleftarrows)	86	<code>\leo</code> (\mathcal{L})	131
<code>\Leftrightarrow</code> (\rightleftarrows)	81	<code>\leftrightsquigarrow</code> (\rightleftarrows)	82	<code>\leq</code> (\leq)	68
<code>\Leftrightarrow</code> (\rightleftarrows)	78	<code>\leftrightsquigarrow</code> (\rightleftarrows)	78	<code>\leq</code> (\leq)	67, 68
<code>\Leftrightarrow</code> (\rightleftarrows)	89	<code>\leftrightsquigarrow</code> (\rightleftarrows)	89	<code>\leq</code> (\leq)	70
<code>\leftrightarrow</code> (\rightleftarrows)	76	<code>\leftrightsquigarrow</code> (\rightleftarrows)	81	<code>\leq</code> (\leq)	69
<code>\leftrightarrow</code> (\rightleftarrows)	75	<code>\leftrightsquigarrow</code> (\rightleftarrows)	82	<code>\leq</code> (\leq)	72
<code>\leftrightarrow</code> (\rightleftarrows)	81	<code>\leftscurrowarrow</code> (\rightleftarrows)	78	<code>\leqclosed</code> (\leq)	70, 74
<code>\leftrightarrow</code> (\rightleftarrows)	78	<code>\LeftScissors</code> ($\left\{\!\!\!\left\{\right.\right.$)	141	<code>\leqdot</code> (\leq)	69, 73
<code>\leftrightarrow</code> (\rightleftarrows)	89	<code>\leftslice</code> (\triangleleft)	32	<code>\leqdot</code> (\leq)	70
<code>\leftrightarrowaccent</code> (\rightleftarrows)	111	<code>\leftslice</code> (\triangleleft)	35	<code>\leqq</code> (\leqq)	68
<code>\leftrightarrowcircle</code> (\rightleftarrows)	89	<code>\leftslice</code> (\triangleleft)	55	<code>\leqq</code> (\leqq)	67
<code>\leftrightarroweq</code> (\rightleftharpoons)	76	<code>\leftspoon</code> (\rightarrow)	94	<code>\leqq</code> (\leqq)	71
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftspoon</code> (\rightarrow)	93	<code>\leqq</code> (\leqq)	70
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftsquigarrow</code> (\rightleftarrows)	76	<code>\leqq</code> (\leqq)	69
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftsquigarrow</code> (\rightleftarrows)	76	<code>\leqq</code> (\leqq)	72
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftsquigarrow</code> (\rightleftarrows)	82	<code>\leqqslant</code> (\leqq)	72
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftsquigarrow</code> (\rightleftarrows)	89	<code>\leqslant</code> (\leq)	67
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\lefttt</code> (\rightarrow)	25	<code>\leqslant</code> (\leq)	71
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftttail</code> (\rightarrow)	61	<code>\leqslant</code> (\leq)	70
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftttherefore</code> (\therefore)	120	<code>\leqslant</code> (\leq)	69
<code>\leftrightarroweq</code> (\rightleftharpoons)	86	<code>\leftttherefore</code> (\therefore)	33, 120	<code>\leqslant</code> (\leq)	72







































































<code>\leqslantdot</code> (\leqslant)	70	<code>\lesssim</code> (\lesssim)	69	<code>\hookdownarrow</code> (\Downarrow)	82
<code>\leqslantdot</code> (\leqslant)	69	<code>\lesssim</code> (\lesssim)	72	<code>\hookdownarrow</code> (\Downarrow)	78
<code>\leqslcc</code> (\leqslcc)	70	<code>\Letter</code> (\boxtimes)	136	<code>\hookleftarrow</code> (\hookleftarrow)	82
<code>\lescc</code> (\lescc)	71	<code>\Letter</code> (\boxtimes)	183	<code>\hookleftarrow</code> (\hookleftarrow)	78
<code>\lescc</code> (\lescc)	72	<code>\Letter</code> (\boxtimes vs. \boxtimes)	227	<code>\hooknearrow</code> (\nearrow)	82
<code>\lesdot</code> (\lesdot)	70	letter-like symbols	100–102, 199–202	<code>\hooknearrow</code> (\nearrow)	78
<code>\lesdot</code> (\lesdot)	72	letters	<i>see</i> alphabets, 230, 231	<code>\hooknarrow</code> (\curvearrowright)	82
<code>\lesdoto</code> (\lesdoto)	72	barred	230	<code>\hooknarrow</code> (\curvearrowright)	78
<code>\lesdotor</code> (\lesdotor)	72	non-ASCII	15	<code>\hookrightarrow</code> (\hookrightarrow)	82
<code>\lesg</code> (\lesg)	70	slashed	231	<code>\hookrightarrow</code> (\hookrightarrow)	78
<code>\lesges</code> (\lesges)	72	variant Greek	99	<code>\hooksearrow</code> (\searrow)	82
<code>\less</code> ($<$)	70	variant Latin	99	<code>\hooksearrow</code> (\searrow)	78
<code>\less</code> ($<$)	69			<code>\hookswarrow</code> (\swarrow)	82
less-than signs	<i>see</i> inequalities			<code>\hookswarrow</code> (\swarrow)	78
<code>\lessapprox</code> (\lessapprox)	68	<code>\levaw</code> ($\left. \vphantom{\left. \right.} \right\}$)	108	<code>\hookuparrow</code> (\Uparrow)	82
<code>\lessapprox</code> (\lessapprox)	67	<code>\LF</code> (\blacksquare)	135	<code>\hookuparrow</code> (\Uparrow)	78
<code>\lessapprox</code> (\lessapprox)	71	<code>\lfbowtie</code> (\bowtie)	61	<code>\Libra</code> (Ω)	132
<code>\lessapprox</code> (\lessapprox)	70	<code>\lfilet</code> ($\left. \vphantom{\left. \right.} \right\}$)	104	<code>\Libra</code> (Ω)	133
<code>\lessapprox</code> (\lessapprox)	69	<code>\lFloor</code> (\lfloor)	109	<code>\libra</code> (Ω)	131
<code>\lessapprox</code> (\lessapprox)	72	<code>\lfloor</code> (\lfloor)	103	Lie derivative (\mathcal{L})	<i>see</i> alphabets, math
<code>\lesscc</code> (\lesscc)	70	<code>\lfloor</code> (\lfloor)	106	<code>\Lichtenstein</code> (\L)	194
<code>\lessclosed</code> (\lessclosed)	70, 74	<code>\lfloor</code> (\lfloor)	105	life-insurance symbols	116, 235
<code>\lessclosed</code> (\lessclosed)	69, 73	<code>\lfloor</code> (\lfloor)	107	<code>\lightbulb</code> (\L)	239
<code>\lessdot</code> (\lessdot)	68	<code>\lftborder</code> ($\left $)	188	<code>lightbulb.mf</code> (file)	236–238
<code>\lessdot</code> (\lessdot)	67	<code>\lftbotcorner</code> (\llcorner)	188	<code>lightbulb.sty</code> (file)	239
<code>\lessdot</code> (\lessdot)	35	<code>\lftimes</code> (\ltimes)	61	<code>lightbulb10.2602gf</code> (file)	238
<code>\lessdot</code> (\lessdot)	70	<code>\lfttopcorner</code> (\lrcorner)	188	<code>lightbulb10.dvi</code> (file)	238
<code>\lessdot</code> (\lessdot)	69	<code>\LG</code> (\L)	134	<code>lightbulb10.mf</code> (file)	236–238
<code>\lessdot</code> (\lessdot)	72	<code>\lg</code> (\lg)	96	<code>lightbulb10.tfm</code> (file)	239
<code>\lesseqgtr</code> (\lesseqgtr)	68	<code>\lgblkcircle</code> (\bullet)	147	<code>\Lightning</code> (\L)	136
<code>\lesseqgtr</code> (\lesseqgtr)	67	<code>\lgblkcircle</code> (\bullet)	148	<code>\Lightning</code> (\L)	183
<code>\lesseqgtr</code> (\lesseqgtr)	71	<code>\lgblksquare</code> (\blacksquare)	147	<code>\Lightning</code> (\L vs. \L)	227
<code>\lesseqgtr</code> (\lesseqgtr)	70	<code>\lgblksquare</code> (\blacksquare)	148	<code>\lightning</code> (\L)	76
<code>\lesseqgtr</code> (\lesseqgtr)	69	<code>\lgE</code> (\lesseqgtr)	72	<code>\lightning</code> (\L vs. \L)	227
<code>\lesseqgtr</code> (\lesseqgtr)	72	<code>\lgroup</code> ($\left($)	104	<code>\lightning</code> (\L)	81
<code>\lesseqgtrslant</code> (\lesseqgtrslant)	70	<code>\lgroup</code> ($\left($)	106	<code>\lightning</code> (\L)	78
<code>\lesseqgtrslant</code> (\lesseqgtrslant)	69	<code>\lgroup</code> ($\left($)	105	<code>\lightning</code> (\L)	181
<code>\lesseqqgtr</code> (\lesseqqgtr)	68	<code>\lgroup</code> ($\left($)	107	<code>\Lilith</code> (\L)	133
<code>\lesseqqgtr</code> (\lesseqqgtr)	67	<code>\lgwhtcircle</code> (\circ)	147	<code>\lilyAccent</code> (\L)	168
<code>\lesseqqgtr</code> (\lesseqqgtr)	71	<code>\lgwhtcircle</code> (\circ)	148	<code>\lilyDynamics{f}</code> (\L)	168
<code>\lesseqqgtr</code> (\lesseqqgtr)	70	<code>\lgwhtsquare</code> (\square)	147	<code>\lilyDynamics{m}</code> (\L)	168
<code>\lesseqqgtr</code> (\lesseqqgtr)	69	<code>\lgwhtsquare</code> (\square)	148	<code>\lilyDynamics{p}</code> (\L)	168
<code>\lesseqqgtr</code> (\lesseqqgtr)	72	<code>\LHD</code> (\blacktriangleleft)	32	<code>\lilyDynamics{r}</code> (\L)	168
<code>\lesseqslantgtr</code> (\lesseqslantgtr)	70	<code>\lhd</code> (\triangleleft)	31, 32	<code>\lilyDynamics{s}</code> (\L)	168
<code>\lessgtr</code> (\lessgtr)	68	<code>\lhd</code> (\triangleleft)	70	<code>\lilyDynamics{z}</code> (\L)	168
<code>\lessgtr</code> (\lessgtr)	67	<code>\lhd</code> (\triangleleft)	69, 73	<code>\lilyEspressivo</code> (\L)	168
<code>\lessgtr</code> (\lessgtr)	71	<code>\lhd</code> (\triangleleft)	36, 149	<code>\lilyGlyph{...}</code> (\L)	178
<code>\lessgtr</code> (\lessgtr)	70	<code>\lhd</code> (\triangleleft)	181	<code>\lilyGlyph{...}</code> (\L)	178
<code>\lessgtr</code> (\lessgtr)	69	<code>\lhook</code> (\L)	96	<code>\lilyGlyph{...}</code> (\L)	178
<code>\lessgtr</code> (\lessgtr)	72			<code>\lilyGlyph{...}</code> (\L)	178
<code>\lessneqqgtr</code> (\lessneqqgtr)	69			<code>\lilyGlyph{...}</code> (\L)	178
<code>\LessOrEqual</code> (\leq)	122			<code>\lilyGlyph{...}</code> (\L)	178
<code>\lesssim</code> (\lesssim)	68			<code>\lilyGlyph{...}</code> (\L)	178
<code>\lesssim</code> (\lesssim)	67			<code>\lilyGlyph{...}</code> (\L)	178
<code>\lesssim</code> (\lesssim)	71			<code>\lilyGlyph{...}</code> (\L)	178
<code>\lesssim</code> (\lesssim)	70			<code>\lilyGlyph{...}</code> (\L)	178

<code>\lilyGlyph{...}</code> (Φ)	169	<code>\lilyGlyph{...}</code> (\mathfrak{S})	170	Linear A	154
<code>\lilyGlyph{...}</code> (\cdot)	169	<code>\lilyGlyph{...}</code> (\mathfrak{V})	170	Linear B	157, 158
<code>\lilyGlyph{...}</code> (\smile)	169	<code>\lilyGlyph{...}</code> (\mathfrak{M})	170	linear implication	<i>see</i> <code>\multimap</code>
<code>\lilyGlyph{...}</code> (\sqcup)	169	<code>\lilyGlyph{...}</code> (\mathfrak{H})	170	linear logic symbols	30–32, 37, 38, 42, 46–48, 52, 64, 100, 101
<code>\lilyGlyph{...}</code> (\vee)	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	170	linearA (package)	154, 247, 248
<code>\lilyGlyph{...}</code> (\sqcap)	169	<code>\lilyGlyph{...}</code> (\mathfrak{U})	170	<code>\LinearAC</code> (\mathfrak{P})	154
<code>\lilyGlyph{...}</code> (\mathfrak{W})	169	<code>\lilyGlyph{...}</code> (\mathfrak{Y})	179	<code>\LinearACC</code> (\mathfrak{M})	154
<code>\lilyGlyph{...}</code> (\mathfrak{W})	169	<code>\lilyGlyph{...}</code> ($\mathfrak{6}$)	179	<code>\LinearACCC</code> (\mathfrak{V})	154
<code>\lilyGlyph{...}</code> (\mathfrak{n})	169	<code>\lilyGlyph{...}</code> (\mathfrak{s})	179	<code>\LinearACCCI</code> (\mathfrak{F})	154
<code>\lilyGlyph{...}</code> (\wedge)	169	<code>\lilyGlyph{...}</code> ($\mathfrak{3}$)	179	<code>\LinearACCCII</code> (\mathfrak{M})	154
<code>\lilyGlyph{...}</code> (τ)	169	<code>\lilyGlyph{...}</code> (\neg)	180	<code>\LinearACCCIII</code> (\mathfrak{F})	154
<code>\lilyGlyph{...}</code> (\cdot)	169	<code>\lilyGlyph{...}</code> (\neg)	180	<code>\LinearACCCIV</code> (\mathfrak{V})	155
<code>\lilyGlyph{...}</code> (\mathfrak{V})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCCIX</code> (\mathfrak{V})	155
<code>\lilyGlyph{...}</code> (\mathfrak{S})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCL</code> ($\mathfrak{?}$)	155
<code>\lilyGlyph{...}</code> (\mathfrak{u})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLI</code> ($\mathfrak{2T}$)	155
<code>\lilyGlyph{...}</code> (\mathfrak{E})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLII</code> (\mathfrak{LT})	155
<code>\lilyGlyph{...}</code> ($\langle \rangle$)	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLIII</code> (\mathfrak{T})	156
<code>\lilyGlyph{...}</code> (\circ)	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLIV</code> (\mathfrak{b})	156
<code>\lilyGlyph{...}</code> (\emptyset)	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLIX</code> ($\mathfrak{2L}$)	156
<code>\lilyGlyph{...}</code> (\cdot)	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLV</code> ($\mathfrak{?}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{i})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLVI</code> ($\mathfrak{L+}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLVII</code> ($\mathfrak{L\mathfrak{C}}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{y})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLVIII</code> (\mathfrak{D})	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLX</code> ($\mathfrak{L+}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{o})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXI</code> ($\mathfrak{T\mathfrak{C}}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXII</code> ($\mathfrak{+}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXIII</code> (\mathfrak{C})	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXIV</code> ($\mathfrak{+}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXIX</code> (\mathfrak{E})	156
<code>\lilyGlyph{...}</code> (\mathfrak{y})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXV</code> ($\mathfrak{?C}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{s})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXVI</code> (\mathfrak{S})	156
<code>\lilyGlyph{...}</code> (\mathfrak{y})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXVII</code> ($\mathfrak{d\mathfrak{d}}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{S})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXVIII</code> ($\mathfrak{+}$)	156
<code>\lilyGlyph{...}</code> ($\mathfrak{>}$)	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXX</code> ($\mathfrak{+}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{o})	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXXI</code> ($\mathfrak{?E}$)	156
<code>\lilyGlyph{...}</code> (\cdot)	169	<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\LinearACCLXXII</code> ($\mathfrak{S+}$)	156
<code>\lilyGlyph{...}</code> ($\mathfrak{+}$)	169	<code>\lilyGlyph{...}</code> ($\mathfrak{2}$)	179	<code>\LinearACCLXXIII</code> ($\mathfrak{d\mathfrak{C}}$)	156
<code>\lilyGlyph{...}</code> (\neg)	169	<code>\lilyGlyph{...}</code> ($\mathfrak{0}$)	179	<code>\LinearACCLXXIV</code> ($\mathfrak{?}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{y})	169	<code>\lilyGlyph{...}</code> (\mathfrak{z})	179	<code>\LinearACCLXXIX</code> ($\mathfrak{E\mathfrak{d}}$)	156
<code>\lilyGlyph{...}</code> (\checkmark)	169	<code>\lilyglyphs</code> (package)	163, 166–173, 178–180	<code>\LinearACCLXXV</code> (\mathfrak{E})	156
<code>\lilyGlyph{...}</code> (\mathfrak{s})	169	<code>\lilyglyphs</code> (package)	247	<code>\LinearACCLXXVI</code> ($\mathfrak{H\mathfrak{E}}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{r})	169	<code>\lilyPrintMoreDots</code>	168	<code>\LinearACCLXXVII</code> ($\mathfrak{?E}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{s})	169	<code>\lilyRF</code> (\mathfrak{rf})	168	<code>\LinearACCLXXVIII</code> ($\mathfrak{S\mathfrak{d}}$)	156
<code>\lilyGlyph{...}</code> (\cdot)	169	<code>\lilyRFZ</code> (\mathfrak{rfz})	168	<code>\LinearACCLXXX</code> ($\mathfrak{?}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\lilyStaccato</code> (\cdot)	168	<code>\LinearACCLXXXI</code> (\mathfrak{E})	156
<code>\lilyGlyph{...}</code> (\mathfrak{C})	169	<code>\lilyText</code>	179	<code>\LinearACCLXXXII</code> (\mathfrak{E})	156
<code>\lilyGlyph{...}</code> (\mathfrak{A})	169	<code>\lilyThumb</code> (\mathfrak{y})	168	<code>\LinearACCLXXXIII</code> ($\mathfrak{?h}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{V})	169	<code>\lilyTime</code> (\mathfrak{C})	167	<code>\LinearACCLXXXIV</code> ($\mathfrak{L?}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{u})	169	<code>\lilyTimeC</code> (\mathfrak{C})	167	<code>\LinearACCLXXXIX</code> ($\mathfrak{L2}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{v})	169	<code>\lilyTimeCHalf</code> (\mathfrak{C})	167	<code>\LinearACCLXXXV</code> ($\mathfrak{?}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\lilyTimeSignature</code>	167	<code>\LinearACCLXXXVI</code> ($\mathfrak{+}$)	156
<code>\lilyGlyph{...}</code> (\mathfrak{z})	170	<code>\lim</code> (\lim)	96, 240	<code>\LinearACCLXXXVII</code> (\mathfrak{E})	156
<code>\lilyGlyph{...}</code> (\mathfrak{W})	170	<code>\liminf</code> (\liminf)	96, 240	<code>\LinearACCLXXXVIII</code> ($\mathfrak{?T}$)	156
<code>\lilyGlyph{...}</code> (\cdot)	170	limits	96	<code>\LinearACCCV</code> ($\mathfrak{?}$)	155
<code>\lilyGlyph{...}</code> (\mathfrak{A})	170	<code>\limsup</code> (\limsup)	96, 240	<code>\LinearACCCVI</code> (\mathfrak{V})	155
<code>\lilyGlyph{...}</code> (\mathfrak{A})	170	<code>\linbfamily</code>	157, 158	<code>\LinearACCCVII</code> (\mathfrak{E})	155
				<code>\LinearACCCVIII</code> (\mathfrak{E})	155

<code>\LinearACLXXXII</code> ($\overline{\text{II}}$)	156	<code>\LinearACXXXV</code> (\AA)	155	<code>\LinearAXCII</code> (\AA)	156
<code>\LinearACLXXXIII</code> ($\overline{\text{III}}$)	156	<code>\LinearACXXXVI</code> (\AA)	155	<code>\LinearAXCIII</code> (\AA)	156
<code>\LinearACLXXXIV</code> ($\overline{\text{IV}}$)	156	<code>\LinearACXXXVII</code> (\AA)	155	<code>\LinearAXCIV</code> (\AA)	156
<code>\LinearACLXXXIX</code> ($\overline{\text{IX}}$)	156	<code>\LinearACXXXVIII</code> (\AA)	155	<code>\LinearAXCIX</code> (\AA)	154
<code>\LinearACLXXXV</code> (\AA)	156	<code>\LinearAI</code> (\AA)	154	<code>\LinearAXCV</code> (\AA)	156
<code>\LinearACLXXXVI</code> (\AA)	156	<code>\LinearAII</code> (\AA)	154	<code>\LinearAXCVI</code> (\AA)	156
<code>\LinearACLXXXVII</code> (\AA)	156	<code>\LinearAIII</code> (\AA)	154	<code>\LinearAXCVII</code> (\AA)	156
<code>\LinearACLXXXVIII</code> (\AA)	156	<code>\LinearAIV</code> (\AA)	154	<code>\LinearAXCVIII</code> (\AA)	156
<code>\LinearACLXXXX</code> (\AA)	156	<code>\LinearAIX</code> (\AA)	154	<code>\LinearAXI</code> (\AA)	155
<code>\LinearACV</code> (\AA)	154	<code>\LinearAL</code> (\AA)	155	<code>\LinearAXII</code> (\AA)	155
<code>\LinearACVII</code> (\AA)	154	<code>\LinearALI</code> (\AA)	155	<code>\LinearAXIII</code> (\AA)	155
<code>\LinearACVIII</code> (\AA)	155	<code>\LinearALII</code> (\AA)	155	<code>\LinearAXIV</code> (\AA)	155
<code>\LinearACX</code> (\AA)	155	<code>\LinearALIII</code> (\AA)	155	<code>\LinearAXIX</code> (\AA)	155
<code>\LinearACXCI</code> (\AA)	156	<code>\LinearALIV</code> (\AA)	155	<code>\LinearAXL</code> (\AA)	155
<code>\LinearACXCII</code> (\AA)	156	<code>\LinearALIX</code> (\AA)	156	<code>\LinearAXLI</code> (\AA)	155
<code>\LinearACXCIII</code> (\AA)	156	<code>\LinearALV</code> (\AA)	155	<code>\LinearAXLII</code> (\AA)	155
<code>\LinearACXCIV</code> (\AA)	156	<code>\LinearALVI</code> (\AA)	155	<code>\LinearAXLIII</code> (\AA)	155
<code>\LinearACXCIX</code> (\AA)	154	<code>\LinearALVII</code> (\AA)	155	<code>\LinearAXLIV</code> (\AA)	155
<code>\LinearACXCV</code> (\AA)	156	<code>\LinearALVIII</code> (\AA)	155	<code>\LinearAXLIX</code> (\AA)	155
<code>\LinearACXCVI</code> (\AA)	156	<code>\LinearALX</code> (\AA)	156	<code>\LinearAXLV</code> (\AA)	155
<code>\LinearACXCVII</code> (\AA)	154	<code>\LinearALXI</code> (\AA)	156	<code>\LinearAXLVI</code> (\AA)	155
<code>\LinearACXCVIII</code> (\AA)	154	<code>\LinearALXII</code> (\AA)	156	<code>\LinearAXLVII</code> (\AA)	155
<code>\LinearACXI</code> (\AA)	155	<code>\LinearALXIII</code> (\AA)	156	<code>\LinearAXLVIII</code> (\AA)	155
<code>\LinearACXII</code> (\AA)	155	<code>\LinearALXIV</code> (\AA)	156	<code>\LinearAXV</code> (\AA)	155
<code>\LinearACXIII</code> (\AA)	155	<code>\LinearALXIX</code> (\AA)	156	<code>\LinearAXVI</code> (\AA)	155
<code>\LinearACXIV</code> (\AA)	155	<code>\LinearALXV</code> (\AA)	156	<code>\LinearAXVII</code> (\AA)	155
<code>\LinearACXIX</code> (\AA)	155	<code>\LinearALXVI</code> (\AA)	156	<code>\LinearAXVIII</code> (\AA)	155
<code>\LinearACXL</code> (\AA)	155	<code>\LinearALXVII</code> (\AA)	156	<code>\LinearAXX</code> (\AA)	155
<code>\LinearACXLI</code> (\AA)	155	<code>\LinearALXVIII</code> (\AA)	156	<code>\LinearAXXI</code> (\AA)	155
<code>\LinearACXLII</code> (\AA)	155	<code>\LinearALXX</code> (\AA)	156	<code>\LinearAXXII</code> (\AA)	155
<code>\LinearACXLIII</code> (\AA)	155	<code>\LinearALXXI</code> (\AA)	156	<code>\LinearAXXIII</code> (\AA)	155
<code>\LinearACXLIV</code> (\AA)	155	<code>\LinearALXXII</code> (\AA)	156	<code>\LinearAXXIV</code> (\AA)	155
<code>\LinearACXLIX</code> (\AA)	155	<code>\LinearALXXIII</code> (\AA)	156	<code>\LinearAXXIX</code> (\AA)	155
<code>\LinearACXLV</code> (\AA)	155	<code>\LinearALXXIV</code> (\AA)	156	<code>\LinearAXXV</code> (\AA)	155
<code>\LinearACXLVI</code> (\AA)	155	<code>\LinearALXXIX</code> (\AA)	156	<code>\LinearAXXVI</code> (\AA)	155
<code>\LinearACXLVII</code> (\AA)	155	<code>\LinearALXXV</code> (\AA)	156	<code>\LinearAXXVII</code> (\AA)	155
<code>\LinearACXLVIII</code> (\AA)	155	<code>\LinearALXXVI</code> (\AA)	156	<code>\LinearAXXVIII</code> (\AA)	155
<code>\LinearACXV</code> (\AA)	155	<code>\LinearALXXVII</code> (\AA)	156	<code>\LinearAXXX</code> (\AA)	155
<code>\LinearACXVI</code> (\AA)	155	<code>\LinearALXXVIII</code> (\AA)	156	<code>\LinearAXXXI</code> (\AA)	155
<code>\LinearACXVII</code> (\AA)	155	<code>\LinearALXXX</code> (\AA)	156	<code>\LinearAXXXII</code> (\AA)	155
<code>\LinearACXVIII</code> (\AA)	155	<code>\LinearALXXXI</code> (\AA)	156	<code>\LinearAXXXIII</code> (\AA)	155
<code>\LinearACXX</code> (\AA)	155	<code>\LinearALXXXII</code> (\AA)	156	<code>\LinearAXXXIV</code> (\AA)	155
<code>\LinearACXXI</code> (\AA)	155	<code>\LinearALXXXIII</code> (\AA)	156	<code>\LinearAXXXIX</code> (\AA)	155
<code>\LinearACXXII</code> (\AA)	155	<code>\LinearALXXXIV</code> (\AA)	156	<code>\LinearAXXXV</code> (\AA)	155
<code>\LinearACXXIII</code> (\AA)	155	<code>\LinearALXXXIX</code> (\AA)	156	<code>\LinearAXXXVI</code> (\AA)	155
<code>\LinearACXXIV</code> (\AA)	155	<code>\LinearALXXXV</code> (\AA)	156	<code>\LinearAXXXVII</code> (\AA)	155
<code>\LinearACXXIX</code> (\AA)	155	<code>\LinearALXXXVI</code> (\AA)	156	<code>\LinearAXXXVIII</code> (\AA)	155
<code>\LinearACXXV</code> (\AA)	155	<code>\LinearALXXXVII</code> (\AA)	156	<code>linearb</code> (package)	157, 158, 247, 248
<code>\LinearACXXVI</code> (\AA)	155	<code>\LinearALXXXVIII</code> (\AA)	156	<code>\linefeed</code> (\AA)	86
<code>\LinearACXXVII</code> (\AA)	155	<code>\LinearALXXXIX</code> (\AA)	156	<code>\linefeed</code> (\AA)	89
<code>\LinearACXXVIII</code> (\AA)	155	<code>\LinearAV</code> (\AA)	154	<code>\LineLoad</code> (\AA)	136
<code>\LinearACXXX</code> (\AA)	155	<code>\LinearAVI</code> (\AA)	154	linguistic symbols	17–20
<code>\LinearACXXXI</code> (\AA)	155	<code>\LinearAVII</code> (\AA)	154		
<code>\LinearACXXXII</code> (\AA)	155	<code>\LinearAVIII</code> (\AA)	154	<code>\Lisa</code> (\AA)	189
<code>\LinearACXXXIII</code> (\AA)	155	<code>\LinearAX</code> (\AA)	155	<code>\Lithuania</code> (\AA)	194
<code>\LinearACXXXIV</code> (\AA)	155	<code>\LinearAXCI</code> (\AA)	156		
<code>\LinearACXXXIX</code> (\AA)	155				

liturgical music	165	\lrcorner	107	\Longleftarrow (\Leftarrow)	77
\lJoin (\bowtie)	53	\ln (\ln)	96	\Longleftarrow (\Leftarrow)	81
\lJoin (\bowtie)	35	\lnapprox (\approx)	68	\Longleftarrow (\Leftarrow)	89
\LK (\vdash)	134	\lnapprox (\approx)	67	\longleftarrow (\leftarrow)	77
\ll (\ll)	68	\lnapprox (\approx)	71	\longleftarrow (\leftarrow)	75
\ll (\ll)	67	\lnapprox (\approx)	70	\longleftarrow (\leftarrow)	81
\ll (\ll)	70	\lnapprox (\approx)	69	\longleftarrow (\leftarrow)	92
\ll (\ll)	69	\lnapprox (\approx)	72	\longleftarrow (\leftarrow)	89
\ll (\ll)	72	\lneq (\lesssim)	68	\longleftarrow (\leftarrow)	57
\llangle (\llcorner)	105	\lneq (\lesssim)	67	\longleftarrow (\leftarrow)	92
\llangle (\llcorner)	103	\lneq (\lesssim)	71	\longleftarrow (\leftarrow)	92
\llap	25, 233	\lneq (\lesssim)	70	\Longleftarrow (\Leftarrow)	75
\llarc (\lrcorner)	126	\lneq (\lesssim)	72	\Longleftarrow (\Leftarrow)	77
\llblacktriangle (\blacktriangleleft)	148	\lneqq (\lesseqgtr)	68	\Longleftarrow (\Leftarrow)	81
\llbracket (\llbracket)	104	\lneqq (\lesseqgtr)	67	\Longleftarrow (\Leftarrow)	89
\llbracket (\llbracket)	109	\lneqq (\lesseqgtr)	71	\longleftarrow (\leftarrow)	77
\llceil (\lceil)	102	\lneqq (\lesseqgtr)	70	\longleftarrow (\leftarrow)	81
\llcorner (\llcorner)	102	\lneqq (\lesseqgtr)	69	\longleftarrow (\leftarrow)	92
\llcorner (\llcorner)	102	\lneqq (\lesseqgtr)	72	\longleftarrow (\leftarrow)	89
\llcorner (\llcorner)	106	\lnot	<i>see</i> \neg	\longleftarrow (\leftarrow)	82
\llcorner (\llcorner)	105	\lnot (\neg)	125	\longleftarrow (\leftarrow)	89
\llcorner (\llcorner)	103	\lnot (\neg)	125	\longleftarrow (\leftarrow)	81
\llcurly (\llcorner)	54	\lnot (\neg)	126	\Longmapsfrom (\Leftrightarrow)	76
\llcurly (\llcorner)	60	\lnsim (\sim)	68	\Longmapsfrom (\Leftrightarrow)	58, 81
\Lleftarrow (\Leftarrow)	89	\lnsim (\sim)	67	\Longmapsfrom (\Leftrightarrow)	89
\Lleftarrow (\Leftarrow)	75	\lnsim (\sim)	71	\longmapsfrom (\leftarrow)	76
\Lleftarrow (\Leftarrow)	86	\lnsim (\sim)	70	\longmapsfrom (\leftarrow)	58, 81
\Lleftarrow (\Leftarrow)	81	\lnsim (\sim)	69	\longmapsfrom (\leftarrow)	92
\Lleftarrow (\Leftarrow)	78	\lnsim (\sim)	71	\longmapsfrom (\leftarrow)	89
\Lleftarrow (\Leftarrow)	89	\LO (\circ)	134	\Longmapsto (\Rightarrow)	76
\lllfloor (\llcorner)	102	local ring (\mathcal{O})	<i>see</i> alphabets, math	\Longmapsto (\Rightarrow)	81
\lll (\lll)	68	\log (\log)	96, 240	\Longmapsto (\Rightarrow)	87
\lll (\lll)	67	log-like symbols	96, 240	\longmapsto (\rightarrow)	77
\lll (\lll vs. \lll)	227	logic (package)	135	\longmapsto (\rightarrow)	75
\lll (\lll)	71	logic gates	135	\longmapsto (\rightarrow)	81
\lll (\lll)	70	logical operators		\longmapsto (\rightarrow)	92
\lll (\lll)	70	and	<i>see</i> \wedge	\longmapsto (\rightarrow)	87
\lll (\lll)	69	not	<i>see</i> \neg and \sim	\LongPulseHigh (\sqcup)	130
\lll (\lll)	72	or	<i>see</i> \vee	\LongPulseLow (\sqcap)	130
\lllless	<i>see</i> \lll	\logof (\otimes)	53	\Longrightarrow (\Rightarrow)	75
\lllless (\lll)	70	lollipop	<i>see</i> \multimap	\Longrightarrow (\Rightarrow)	77
\lllless (\lll)	69	long s (f)	229	\Longrightarrow (\Rightarrow)	81
\lllless (\lll)	72	long division	112, 114	\Longrightarrow (\Rightarrow)	87
\lllless (\lll)	70	long-branch runes	<i>see</i> normal runes	\longrightarrow (\rightarrow)	77
\lllnest (\lll)	72	\longa (H)	164	\longrightarrow (\rightarrow)	75
\llparenthesis (\lll)	102	\longa (—)	189	\longrightarrow (\rightarrow)	81
\llparenthesis (\lll)	103	\longcastling (O-O-O)	186	\longrightarrow (\rightarrow)	87
\lltriangle (\blacktriangleleft)	148	\longdashv (\dashv)	58	\longrightarrow (\rightarrow)	77
\lmoustache (\int)	104	\longdashv (\dashv)	61	\longrightarrow (\rightarrow)	81
\lmoustache (\int)	106	\longdiv (package)	112	\longrightarrow (\rightarrow)	92
\lmoustache (\int)	105	$\longdiv.tex$ (file)	112	\longrightarrow (\rightarrow)	81
		\longdivision ($\overline{\quad}$)	112, 114	\longrightarrow (\rightarrow)	87
		\longhookrightarrow (\hookrightarrow)	92	\longrightarrow (\rightarrow)	76
		\longleadsto (\rightsquigarrow)	82	\looparrowleft (\looparrowleft)	87
		\Longleftarrow (\Leftarrow)	75	\looparrowleft (\looparrowleft)	76

<code>\looparrowdownright</code> (\Downarrow)	87	<code>\lsem</code> (\llbracket)	105	<code>\lwavy</code> ($\})$	105
<code>\looparrowleft</code> (\Leftarrow)	76	<code>\lsemantic</code>	<i>see</i> <code>\ldbrack</code>	<code>\lz</code> (\mathfrak{k})	19
<code>\looparrowleft</code> (\Leftarrow)	75	<code>\lsf</code> (\blacktriangleright)	164	M	
<code>\looparrowleft</code> (\Leftarrow)	87	<code>\lsfz</code> (\blacktriangledown)	164	<code>\M</code>	16
<code>\looparrowleft</code> (\Leftarrow)	81	<code>\Lsh</code> (\leftarrow)	76	<code>\M</code> (\triangleleft)	188
<code>\looparrowleft</code> (\Leftarrow)	77	<code>\Lsh</code> (\curvearrowright)	75	<code>\m</code>	16
<code>\looparrowleft</code> (\Leftarrow)	87	<code>\Lsh</code> (\curvearrowright)	86	<code>\m</code> ($-$)	188
<code>\looparrowright</code> (\rightarrow)	76	<code>\Lsh</code> (\curvearrowright)	82	<code>m</code> (\mathfrak{M})	162
<code>\looparrowright</code> (\rightarrow)	75	<code>\Lsh</code> (\curvearrowright)	77	<code>\ma</code> (\bar{x})	188
<code>\looparrowright</code> (\rightarrow)	87	<code>\Lsh</code> (\curvearrowright)	87	<code>\Macedonia</code> (\cdot)	194
<code>\looparrowright</code> (\rightarrow)	82	<code>\lsime</code> (\lesssim)	71	<code>\macron</code> ($\bar{\square}$)	24
<code>\looparrowright</code> (\rightarrow)	77	<code>\lsimg</code> (\lesgtrsim)	71	<code>macron</code> ($\bar{\square}$)	<i>see</i> accents
<code>\looparrowright</code> (\rightarrow)	87	<code>\lsqhook</code> (\sqcap)	61	<code>\Maggie</code> ($\text{\textcircled{M}}$)	189
<code>\Loosebearing</code> (\triangle)	136	<code>\Lsteel</code> (\mathbf{L})	136	<code>magic</code> (package)	224, 247
<code>\lor</code>	<i>see</i> <code>\vee</code>	<code>\Lt</code> (\ll)	71	<i>Magic: The Gathering</i> symbols	
<code>\lor</code> (\vee)	35	<code>\Lt</code> (\ll)	71	224
<code>\lor</code> (\vee)	36	<code>\ltcc</code> (\triangleleft)	71	<code>magical signs</code>	190
<code>\LowerDiamond</code> (\blacklozenge)	150	<code>\ltcc</code> (\triangleleft)	71	<code>\magnon</code> (\blacklozenge)	138
<code>lowering</code>	<i>see</i> <code>\textlowering</code>	<code>\ltcir</code> (\triangleleft)	71	<code>majuscules</code>	97
<code>\lowint</code> (\int)	49	<code>\ltcir</code> (\triangleleft)	71	<code>\makeatletter</code>	233
<code>\lowintsl</code> (\int)	51	<code>\ltimes</code> (\times)	33	<code>\makeatother</code>	233
<code>\lowintup</code> (\int)	51	<code>\ltimes</code> (\times)	31	<code>\MALE</code> (\blacklozenge)	136
<code>\lozenge</code> (\diamond)	124	<code>\ltimes</code> (\times)	35	<code>\Male</code> (σ)	136
<code>\lozenge</code> (\diamond)	147	<code>\ltimes</code> (\times)	34, 35	<code>male</code>	131–133, 136, 197–202,
<code>\lozenge</code> (\diamond)	147	<code>\ltimes</code> (\times)	33	206–209	
<code>\lozenge</code> (\diamond)	147	<code>\ltimes</code> (\times)	36	<code>\male</code> (δ)	136
<code>\lozenge</code> (\diamond)	149	<code>\ltimesblack</code> (\blacktimes)	35	<code>\male</code> (σ)	136
<code>\lozengedot</code> (\diamond)	147	<code>\ltlarr</code> (\lesssim)	71	<code>\MaleMale</code> (σ)	136
<code>\lozengeminus</code> (\diamond)	147	<code>\ltquest</code> (\lesreq)	71	<code>\Malta</code> (\cdot)	194
<code>\lozengeminus</code> (\diamond)	40	<code>\ltriple</code>	109	<code>\maltese</code> (\blacktimes)	15
<code>lozenges</code> 124, 147–149, 173–178,	181	<code>\ltrivb</code> (\triangleleft)	74	<code>\maltese</code> (\blacktimes)	125
<code>\Lparen</code> (\llparenthesis)	129	<code>\LU</code> (\mathcal{D})	134	<code>\maltese</code> (\blacktimes)	125
<code>\lParen</code> (\llparenthesis)	108	<code>Lua^LTeX</code>	163	<code>\maltese</code> (\blacktimes)	125
<code>\lparen</code> ($\left($)	107	<code>Luecking, Dan</code>	233	<code>\maltese</code> (\blacktimes)	126
<code>\lparen</code> ($\left($)	107	<code>\Luxembourg</code> (\cdot)	194	<code>man</code>	153, 182, 197, 204–206,
<code>\lparen</code> ($\left($)	107	<code>\lVert</code> (\llbracket)	104	217–221	
<code>\lparen</code> ($\left($)	103	<code>\lVert</code> (\llbracket)	109	<code>\manboldkidney</code> (\blacktriangleleft)	181
<code>\lparen</code> ($\left($)	103	<code>\lVert</code> (\llbracket)	106	<code>\manconcentriccircles</code> ($\text{\textcircled{\textcircled{0}}}$)	181
<code>\lrcorner</code> (\urcorner)	126	<code>\lVert</code> (\llbracket)	104	181
<code>\lrlblacktriangle</code> (\blacktriangleleft)	148	<code>\lVert</code> (\llbracket)	106	<code>\manconcentricdiamond</code> ($\text{\textcircled{\textcircled{\blacklozenge}}}$)	181
<code>\lrcorner</code> (\urcorner)	102	<code>\lVert</code> (\llbracket)	106	<code>\mancone</code> (\triangleleft)	181
<code>\lrcorner</code> (\urcorner)	102	<code>\lvrtneqq</code> ($\not\approx$)	68	<code>\mancube</code> ($\text{\textcircled{\textcircled{\textcircled{0}}}}$)	181
<code>\lrcorner</code> (\urcorner)	102	<code>\lvrtneqq</code> ($\not\approx$)	67	<code>\manerrarrow</code> (\blacktriangleleft)	181
<code>\lrcorner</code> (\urcorner)	106	<code>\lvrtneqq</code> ($\not\approx$)	71	<code>\ManFace</code> ($\text{\textcircled{\textcircled{\textcircled{0}}}}$)	182
<code>\lrcorner</code> (\urcorner)	105	<code>\lvrtneqq</code> ($\not\approx$)	71	<code>\manfilledquartercircle</code> (\blacktriangleleft)	181
<code>\lrcorner</code> (\urcorner)	103	<code>\lvrtneqq</code> ($\not\approx$)	69	<code>manfnt</code> (package)	181, 247
<code>\lRJoin</code>	<i>see</i> <code>\Join</code>	<code>\lvrtneqq</code> ($\not\approx$)	71	<code>\manhpennib</code> (\blacktriangleleft)	181
<code>\lRtimes</code> (\blacktimes)	53	<code>\lVvert</code> (\llbracket)	106	<code>\manimpossiblecube</code> ($\text{\textcircled{\textcircled{\textcircled{\textcircled{0}}}}}$)	181
<code>\lRtimes</code> (\blacktimes)	35	<code>\Lvzigzag</code> ($\text{\textcircled{\textcircled{\textcircled{\textcircled{0}}}}}$)	103	<code>\mankidney</code> (\triangleleft)	181
<code>\lRtriangle</code> (\blacktriangleleft)	148	<code>\lvzigzag</code> ($\text{\textcircled{\textcircled{\textcircled{\textcircled{0}}}}}$)	103	<code>\manlhpenkidney</code> (\triangleleft)	181
<code>\lRtriangleeq</code> (\triangleleft)	74	<code>\lwave</code> ($\text{\textcircled{\textcircled{\textcircled{\textcircled{0}}}}}$)	108	<code>\manpenkidney</code> (\triangleleft)	181
<code>\lsem</code> (\llbracket)	107	<code>\lWavy</code> ($\text{\textcircled{\textcircled{\textcircled{\textcircled{\textcircled{0}}}}}}$)	105	<code>\manquadrifolium</code> ($\text{\textcircled{\textcircled{\textcircled{\textcircled{\textcircled{0}}}}}}$)	181
				<code>\manquartercircle</code> (\curvearrowright)	181

<code>\manrotatedquadrifolium</code> ()	<code>\markerb</code> (O) 186	<code>\mathghost</code> () 40
. 181	married <i>see</i> <code>\textmarried</code>	<code>\mathit</code> 128
<code>\manrotatedquartercircle</code> (r)	<code>\Mars</code> (♃) 132	<code>\mathleftghost</code> () 40
. 181	<code>\Mars</code> (♃) 132	<code>\mathnormal</code> 128
<code>\manstar</code> () 181	<code>\Mars</code> (♃) 133	<code>\mathop</code> 239
<code>\mantilt pennib</code> () 181	<code>\mars</code> (♃) 131	<code>\mathopen</code> 239
<code>\mantriangledown</code> () 181	marvosym (package) 25,	<code>\mathord</code> 239
<code>\mantriangleright</code> () 181	26, 122, 132, 134, 136, 141,	<code>\mathpalette</code> 232, 233
<code>\mantriangleup</code> () 181	143, 182, 192, 227	<code>\mathparagraph</code> () 30
<code>\manvpennib</code> () 181	masonic cipher 191	<code>\mathparagraph</code> () 101
map symbols 204–206	<code>\mate</code> (#) 186	<code>\mathpunct</code> 239
<code>\Mappedfromchar</code> () 95	material biconditional	<code>\mathratio</code> (:) 120
<code>\Mappedfromchar</code> () 95	<i>see</i> <code>\leftrightharrow</code> and	<code>\mathrel</code> 230, 239
maps 194	<code>\equiv</code>	<code>\mathrightghost</code> () 40
<code>\Mapsdown</code> () 82	material conditional <i>see</i>	<code>\mathring</code> () 111
<code>\mapsdown</code> () 86	<code>\rightarrow</code> and <code>\supset</code>	<code>\mathring</code> () 110, 112
<code>\mapsdown</code> () 82	material equivalence	<code>\mathrm</code> 128
<code>\mapsdown</code> () 87	<i>see</i> <code>\leftrightharrow</code> and	mathrsfs (package) 128, 247
<code>\Mapsfrom</code> () 76	<code>\equiv</code>	mathscr (euscript package option)
<code>\Mapsfrom</code> () 86	material implication <i>see</i> 128
<code>\Mapsfrom</code> () 82	<code>\rightarrow</code> and <code>\supset</code>	mathscr (urwchancal package option)
<code>\Mapsfrom</code> () 87	material nonimplication 128
<code>\mapsfrom</code> () 76 <i>see</i> <code>\rightarrow</code> and	<code>\mathscr</code> 128
<code>\mapsfrom</code> () 86	<code>\nsupset</code>	<code>\mathsection</code> (§) 30
<code>\mapsfrom</code> () 82	math alphabets 128	<code>\mathsection</code> (§) 126
<code>\mapsfrom</code> () 92	mathabx (package) 30, 33, 37,	<code>\mathslash</code> () 106
<code>\mapsfrom</code> () 87	43, 54, 65, 68, 73, 76, 77,	<code>\mathslash</code> () 107
<code>\Mapsfromchar</code> () 95	95, 100, 102, 104, 110, 114,	mathspec (package) 97
<code>\Mapsfromchar</code> () 95	122, 124, 132, 186, 226, 227,	mathspec.sty (file) 97
<code>\mapsfromchar</code> () 95	247	<code>\mathsterling</code> (£) 100
<code>\mapsfromchar</code> () 95	<code>\mathaccent</code> 230, 231	<code>\mathsterling</code> (£) 30
<code>\mapsfromchar</code> () 95	<code>\mathbb</code> 128, 129	<code>\mathsterling</code> (£) 101
<code>\mapsfromchar</code> () 96	<code>\mathbbm</code> 128	mathtools (package) 30, 62, 92,
<code>\Mapsto</code> () 76	<code>\mathbbmss</code> 128	114, 116, 247
<code>\Mapsto</code> () 86	<code>\mathbbmtt</code> 128	<code>\mathunderscore</code> () 30
<code>\Mapsto</code> () 83	mathbbol (package) 128, 129	<code>\mathvisiblespace</code> () 126
<code>\Mapsto</code> () 87	<code>\mathbf</code> 241	<code>\mathwitch</code> () 40
<code>\mapsto</code> () 75	<code>\mathbin</code> 239	<code>\mathwitch*</code> () 40
<code>\mapsto</code> () 86	<code>\mathbold</code> 241	<code>\max</code> (max) 96
<code>\mapsto</code> () 82	mathcal (euscript package option)	<code>\maxima</code> () 164
<code>\mapsto</code> () 78 128	Maxwell-Stefan diffusion coefficient
<code>\mapsto</code> () 92	<code>\mathcal</code> 128, 131 <i>see</i>
<code>\mapsto</code> () 87	<code>\mathcent</code> (¢) 100	<code>\DH</code>
<code>\Mapstochar</code> () 95	<code>\mathchoice</code> 232	<code>\maxwellDistrib</code> (m) 138
<code>\Mapstochar</code> () 95	<code>\mathclose</code> 239	<code>\maya</code> 122
<code>\mapstochar</code> () 95	<code>\mathcloud</code> () 40	Mayan numerals 122
<code>\mapstochar</code> () 96	<code>\mathcolon</code> (:) 120	<code>\Mb</code> () 188
<code>\Mapsup</code> () 83	mathcomp (package) 121	<code>\mb</code> () 188
<code>\mapsup</code> () 86	mathdesign (package) 26, 37, 51,	<code>\Mbb</code> () 188
<code>\mapsup</code> () 83	101, 108, 127, 247	<code>\MBb</code> () 188
<code>\mapsup</code> () 87	<code>\mathdollar</code> (\$) 30	<code>\mbB</code> () 188
<code>\marcato</code> (A) 168	<code>\mathdollar</code> (\$) 101	<code>\mbb</code> () 188
<code>\marcatoDown</code> (v) 168	mathdots (package) 110, 119,	mbboard (package) 128, 129, 247
	120, 234, 247	<code>\mbbx</code> () 188
<code>\Marge</code> () 189	<code>\mathds</code> 128	<code>\mbox</code> 232, 233
<code>\markera</code> (X) 186	<code>\mathellipsis</code> (...) 30	<code>\MC</code> (M€) 133
	<code>\mathellipsis</code> (...) 120	<code>\mdblkcircle</code> (●) 148
	mathematical symbols 30–129	
	<code>\mathfrak</code> 128	

<code>\mdblkdiamond</code> (◆)	39	<code>\medbackslash</code> (∖)	33, 34	<code>metre</code> (package)	24, 110, 188, 247
<code>\mdblkdiamond</code> (◆)	148	<code>\medblackcircle</code> (●)	39	<code>metre</code>	188
<code>\mdblkllozenge</code> (◇)	147	<code>\medblackdiamond</code> (◆)	39	<code>metrical symbols</code>	188, 189
<code>\mdblkllozenge</code> (◇)	148	<code>\medblacklozenge</code> (◇)	147	<code>mezzo</code> (<i>m</i>)	168, 179
<code>\mdblksquare</code> (■)	39	<code>\medblacksquare</code> (■)	39	<code>.mf files</code>	12, 204, 236
<code>\mdblksquare</code> (■)	148	<code>\medblackstar</code> (★)	39	<code>\mglgwhtcircle</code> (○)	149
<code>\mdlgbkcircle</code> (●)	39	<code>\medblackstar</code> (★)	149	<code>\mglgwhtlozenge</code> (◇)	149
<code>\mdlgbkcircle</code> (●)	148	<code>\medblacktriangledown</code> (▼)	38, 74	<code>\mho</code> (Ω)	124
<code>\mdlgbkldiamond</code> (◆)	39	<code>\medblacktriangleleft</code> (◀)	38, 74	<code>\mho</code> (Ω)	99
<code>\mdlgbkldiamond</code> (◆)	148	<code>\medblacktriangleright</code> (▶)	38, 74	<code>mima</code> (emf package option)	131
<code>\mdlgbkllozenge</code> (◇)	147	<code>\medblacktriangleup</code> (▲)	38, 74	<code>micro</code>	<i>see</i> <code>\textmu</code>
<code>\mdlgbkllozenge</code> (◇)	40, 149	<code>\medbullet</code> (●)	32	<code>\micro</code> (μ)	130
<code>\mdlgbblksquare</code> (■)	39	<code>\medcirc</code> (○)	32	<code>Microsoft® Windows®</code>	244
<code>\mdlgbblksquare</code> (■)	148, 149	<code>\medcircle</code> (○)	38	<code>\mid</code> ()	52, 105
<code>\mdlgwhtcircle</code> (○)	39	<code>\medcircle</code> (○)	33	<code>\mid</code> ()	58
<code>\mdlgwhtcircle</code> (○)	40	<code>\meddiamond</code> (◇)	38	<code>\mid</code> ()	61
<code>\mdlgwhtdiamond</code> (◇)	39	<code>\meddiamond</code> (◇)	38	<code>\midbarvee</code> (∨)	36
<code>\mdlgwhtdiamond</code> (◇)	148	<code>\meddiamond</code> (◇)	38	<code>\midbarwedge</code> (⋈)	36
<code>\mdlgwhtlozenge</code> (◇)	147	<code>media control symbols</code>	182, 199–202	<code>\midcir</code> (Ⓞ)	94
<code>\mdlgwhtlozenge</code> (◇)	148	<code>medieval runes</code>	162	<code>\midcir</code> (Ⓞ)	61
<code>\mdlgwhtsquare</code> (□)	39	<code>\medlozenge</code> (◇)	147	<code>\middle</code>	103
<code>\mdlgwhtsquare</code> (□)	148, 149	<code>\medlozenge</code> (◇)	147	<code>\middlebar</code> (≡)	111
<code>\mdsmbkcircle</code> (●)	148	<code>\medslash</code> (∕)	34, 35, 38	<code>\middleslash</code> (≡)	111
<code>\mdsmbklsquare</code> (■)	148	<code>\medslash</code> (∕)	33	<code>\midtilde</code> (˜)	25
<code>\mdsmwhtcircle</code> (○)	148	<code>\medsquare</code> (□)	38	<code>MIL-STD-806</code>	135
<code>\mdsmwhtsquare</code> (□)	148	<code>\medsquare</code> (□)	38	<code>millesimal sign</code>	<i>see</i> <code>\textperthousand</code>
<code>\mdwhtcircle</code> (○)	148	<code>\medstar</code> (★)	39	<code>milstd</code> (package)	135, 247, 248
<code>\mdwhtdiamond</code> (◇)	39	<code>\medstar</code> (☆)	38	<code>\min</code> (min)	96, 240
<code>\mdwhtdiamond</code> (◇)	148	<code>\medstarof david</code> (☆)	147	<code>\MineSign</code> (⚡)	182
<code>\mdwhtlozenge</code> (◇)	147	<code>\medtriangledown</code> (▼)	38, 74	<code>minim</code>	<i>see</i> musical symbols
<code>\mdwhtlozenge</code> (◇)	148	<code>\medtriangledown</code> (▼)	38, 73	<code>\minim</code> (j)	166
<code>\mdwhtsquare</code> (□)	39	<code>\medtriangleleft</code> (◀)	38, 73	<code>\minimDotted</code> (j̇)	166
<code>\mdwhtsquare</code> (□)	149	<code>\medtriangleleft</code> (◀)	38, 73	<code>\minimDottedDouble</code> (j̇̇)	166
<code>mdwmath</code> (package)	116, 247, 248	<code>\medtriangleright</code> (▶)	38, 74	<code>\minimDottedDoubleDown</code> (j̇̇̇)	166
<code>\measangledltosw</code> (↙)	123	<code>\medtriangleright</code> (▶)	38, 73	<code>\minimDottedDown</code> (j̇̇)	166
<code>\measangledrtose</code> (↘)	123	<code>\medtriangleright</code> (▶)	38, 73	<code>\minimDown</code> (f)	166
<code>\measangleldtosw</code> (↙)	123	<code>\medtriangleup</code> (▲)	38, 74	<code>Minkowski space</code> (M)	<i>see</i> alphabets, math
<code>\measanglelultonw</code> (↖)	123	<code>\medtriangleup</code> (▲)	38, 73	<code>minus</code>	<i>see</i> <code>\textminus</code>
<code>\measanglerdtose</code> (↘)	123	<code>\medvert</code> ()	33, 34	<code>\minus</code> (−)	34
<code>\measanglerutone</code> (↗)	123	<code>\medvertdot</code> (⋅)	33	<code>\minus</code> (−)	33
<code>\measangleultonw</code> (↖)	123	<code>\medwhitestar</code> (☆)	38	<code>\minus</code> (−)	33
<code>\measangleurtone</code> (↗)	123	<code>\medwhitestar</code> (☆)	149	<code>minus, double-dotted</code> (÷)	<i>see</i> <code>\div</code>
<code>\measeq</code> (≡)	61	<code>Mellin transform</code> (M)	<i>see</i> alphabets, math	<code>\minuscolon</code> (−:)	64
<code>\measuredangle</code> (∠)	124	<code>membership</code>	<i>see</i> <code>\in</code>	<code>\minuscoloncolon</code> (−::)	64
<code>\measuredangle</code> (∠)	123	<code>\Mercury</code> (☿)	132	<code>\minusdot</code> (⊖)	34
<code>\measuredangle</code> (∠)	123	<code>\Mercury</code> (♁)	132	<code>\minusdot</code> (⊖)	33
<code>\measuredangle</code> (∠)	123	<code>\Mercury</code> (♂)	133	<code>\minusdot</code> (⊖)	36
<code>\measuredangleleft</code> (∠)	123	<code>\mercury</code> (♁)	131	<code>\minusdots</code> (⋮)	34
<code>\measuredangleleft</code> (∠)	123	<code>\merge</code> (⋈)	32	<code>\minusdots</code> (⋮)	36
<code>\measuredrightangle</code> (⊥)	123	<code>\merge</code> (⋈)	35	<code>\minushookdown</code> (⌋)	125
<code>\measuredrightangle</code> (⊥)	123	<code>METAfont</code>	12, 129, 236–239	<code>\minushookdown</code> (⌋)	125
<code>\measuredrightangle</code> (⊥)	123	<code>METAfontbook symbols</code>	181	<code>\minushookup</code> (⌌)	35
<code>\measuredrightangledot</code> (⊥̇)	123	<code>\metalbond</code> (⚓)	138	<code>\minushookup</code> (⌌)	125
<code>mechanical scaling</code>	236, 239	<code>\meterplus</code> (⊕)	164	<code>\minuso</code> (⊖)	32, 231
<code>\medbackslash</code> (∖)	34, 35	<code>\method</code> (M)	138	<code>\minuso</code> (⊖)	35

\backslash minusrdots ($\dot{-}$) 34
 \backslash minusrdots ($\dot{+}$) 36
minutes, angular .. *see* \backslash prime
miscellaneous symbols 124, 125,
127, 152, 181–198, 203
“Missing \$ inserted” ... 30
 \backslash mlcp (\mathfrak{h}) 61
 \backslash Mmappedfromchar (\mathfrak{H}) 95
 \backslash mmappedfromchar (\mathfrak{H}) 95
 \backslash Mmapstochar (\mathfrak{H}) 95
 \backslash mmapstochar (\mathfrak{H}) 95
MnSymbol (package) 30, 33, 34,
38, 46, 47, 55–57, 66, 69, 73,
77–81, 93, 94, 99, 100, 105,
111–113, 120, 123, 125, 147,
151, 163, 247
 \backslash Moai (\mathfrak{M}) 197
 \backslash Mobilefone (\mathfrak{M}) 136
 \backslash mod 96
 \backslash models (\mathfrak{M}) 52, 230
 \backslash models (\mathfrak{F}) 58
 \backslash models (\mathfrak{E}) 56
 \backslash models (\mathfrak{F}) 61
 \backslash modtwosum (\mathfrak{M}) 48
 \backslash modtwosum (\mathfrak{M}) 49
moduli space ... *see* alphabets,
math
 \backslash Moldova (\mathfrak{M}) 194
monetary symbols . 26, 27, 129
 \backslash Montenegro (\mathfrak{M}) 194
monus *see* \backslash dotdiv
 \backslash moo (\mathfrak{M}) 32
 \backslash moo (\mathfrak{M}) 35
 \backslash Moon (\mathfrak{C}) 132
 \backslash Moon (\mathfrak{D}) 132
 \backslash Moon (\mathfrak{D}) 133
moon .. 131–133, 191, 206–209
 \backslash MoonPha 191
moonphase (package) . 206, 247
 \backslash Mordent (\mathfrak{M}) 164
 \backslash mordent (\mathfrak{M}) 164
 \backslash morepawns (\mathfrak{M}) 186
 \backslash moreroom (\mathfrak{M}) 186
 \backslash Mountain (\mathfrak{M}) 183
mouse ... *see* \backslash ComputerMouse
 \backslash MoveDown (\mathfrak{M}) 182
 \backslash moverlay 233
 \backslash MoveUp (\mathfrak{M}) 182
 \backslash mp (\mathfrak{M}) 31
 \backslash mp (\mathfrak{M}) 35
 \backslash mp (\mathfrak{M}) 34
 \backslash mp (\mathfrak{M}) 34
 \backslash mp (\mathfrak{M}) 36
 \backslash Mu (\mathfrak{M}) 97
 \backslash mu (μ) 97
multiline braces 115
 \backslash multimap (\multimap) 52, 53
 \backslash multimap (\multimap) 60
 \backslash multimap (\multimap) 94

\backslash multimap (\multimap) 93
 \backslash multimap (\multimap) 61
 \backslash multimapboth (\multimap) 53
 \backslash multimapboth (\multimap) 60
 \backslash multimapboth (\multimap) 64
 \backslash multimapbothvert (\multimap) ... 53
 \backslash multimapbothvert (\multimap) ... 60
 \backslash multimapdot (\multimap) 53
 \backslash multimapdot (\multimap) 60
 \backslash multimapdotboth (\multimap) ... 53
 \backslash multimapdotboth (\multimap) ... 60
 \backslash multimapdotbothA (\multimap) .. 53
 \backslash multimapdotbothA (\multimap) .. 60
 \backslash multimapdotbothAvert (\multimap) 53
 \backslash multimapdotbothAvert (\multimap) 60
 \backslash multimapdotbothB (\multimap) .. 53
 \backslash multimapdotbothB (\multimap) .. 60
 \backslash multimapdotbothBvert (\multimap) 53
 \backslash multimapdotbothBvert (\multimap) 60
 \backslash multimapdotbothvert (\multimap) . 53
 \backslash multimapdotbothvert (\multimap) 60
 \backslash multimapdotinv (\multimap) 53
 \backslash multimapdotinv (\multimap) 60
 \backslash multimapinv (\multimap) 53
 \backslash multimapinv (\multimap) 60
 \backslash multimapinv (\multimap) 94
 \backslash multimapinv (\multimap) 61
multiple accents per character .
..... 234
 \backslash MultiplicationDot (\cdot) .. 122
multiplicative disjunction
..... *see* \backslash bindnasrepma,
 \backslash invamp, and \backslash parr
 \backslash Mundus (\mathfrak{M}) 182
 \backslash muon (μ^-) 138
Museum of Icelandic Sorcery and
Witchcraft 191
musical symbols . 28, 163–180,
197–202
musixgre (package) 165
musixlit (package) 165
musixper (package) 165
MusiX \TeX 164, 165
musixtex (package) ... 247, 248
 \backslash muup (μ) 98
 \backslash MVat (\mathfrak{M}) 182
 \backslash MVComma (\mathfrak{M}) 122
 \backslash MVDivision (\mathfrak{M}) 122
 \backslash MVEight (\mathfrak{M}) 122
 \backslash MVFive (\mathfrak{M}) 122
 \backslash MVFour (\mathfrak{M}) 122
 \backslash MVLeftBracket (\mathfrak{M}) 122
 \backslash MVMinus (\mathfrak{M}) 122
 \backslash MVMultiplication (\mathfrak{M}) ... 122
 \backslash MVNine (\mathfrak{M}) 122
 \backslash MVOne (\mathfrak{M}) 122
 \backslash MVPeriod (\mathfrak{M}) 122
 \backslash MVPlus (\mathfrak{M}) 122
 \backslash MVRightArrow (\mathfrak{M}) 122

\backslash MVRightBracket (\mathfrak{M}) 122
 \backslash MVSeven (\mathfrak{M}) 122
 \backslash MVSix (\mathfrak{M}) 122
 \backslash MVThree (\mathfrak{M}) 122
 \backslash MVTwo (\mathfrak{M}) 122
 \backslash MVZero (\mathfrak{M}) 122

N

n (\mathfrak{N}) 162
 \backslash nabla (∇) 124
 \backslash nabla (∇) 125
 \backslash nabla (∇) 126
 \backslash nacwcirclearrowdown (\curvearrowright) 83
 \backslash nacwcirclearrowleft (\curvearrowleft) 83
 \backslash nacwcirclearrowright (\curvearrowright) 83
 \backslash nacwcirclearrowup (\curvearrowleft) . 83
 \backslash nacwgapcirclearrow (\curvearrowright) 84
 \backslash nacwleftarccarrow (\curvearrowleft) ... 83
 \backslash nacwnearccarrow (\curvearrowleft) 83
 \backslash nacwnwarccarrow (\curvearrowleft) 83
 \backslash nacwopencirclearrow (\curvearrowright) 84
 \backslash nacwoverarccarrow (\curvearrowleft) .. 83
 \backslash nacwrightarccarrow (\curvearrowright) .. 83
 \backslash nacwsearccarrow (\curvearrowright) 83
 \backslash nacwswarccarrow (\curvearrowleft) 83
 \backslash nacwunderarccarrow (\curvearrowleft) .. 83
 \backslash NAK (\mathfrak{N}) 135
NAND gates 135
 \backslash NANDd (\mathfrak{N}) 135
 \backslash NAND1 (\mathfrak{N}) 135
 \backslash NANDr (\mathfrak{N}) 135
 \backslash NANDu (\mathfrak{N}) 135
 \backslash napprox (\approx) 54
 \backslash napprox (\approx) 59
 \backslash napprox (\approx) 56
 \backslash napprox (\approx) 62
 \backslash napproxeq (\approx) 54
 \backslash napproxeq (\approx) 59
 \backslash napproxeq (\approx) 56
 \backslash napproxeqq (\approx) 62
 \backslash napproxident (\approx) 59
 \backslash narceq (\approx) 59, 95
 \backslash nAssert (\mathfrak{N}) 59
 \backslash nassert (\mathfrak{N}) 59
 \backslash nasymp (\asymp) 54
 \backslash nasymp (\asymp) 59, 95
 \backslash nasymp (\asymp) 94
 \backslash nasymp (\asymp) 62
 \backslash Natal (\mathfrak{N}) 133
nath (package) ... 103, 109, 247
 \backslash NATURAL (\mathfrak{N}) 96
 \backslash Natural (\mathfrak{N}) 96

<code>\natural</code> (\natural)	163	<code>\ncurlyeqprec</code> (\curlyeqprec)	54	<code>\nddtstile</code> (\dagger)	63
<code>\natural</code> (\natural)	163	<code>\ncurlyeqprec</code> (\curlyeqprec)	59	<code>\ndiagdown</code> (\times)	57
<code>\natural</code> (\natural)	163	<code>\ncurlyeqprec</code> (\curlyeqprec)	56	<code>\ndiagup</code> (\times)	57
<code>\natural</code> (\natural)	167	<code>\ncurlyeqsucc</code> (\curlyeqsucc)	54	<code>\ndivides</code> (\div)	57
<code>\natural</code> (\natural)	163	<code>\ncurlyeqsucc</code> (\curlyeqsucc)	59	<code>\nDoteq</code> (\doteq)	59
<code>\natural</code> (\natural)	163	<code>\ncurlyeqsucc</code> (\curlyeqsucc)	56	<code>\nDoteq</code> (\doteq)	56
natural numbers (\mathbb{N})	<i>see</i>	<code>\ncurvearrowdownup</code> (\curvearrowright)	79	<code>\ndoteq</code> (\doteq)	59
alphabets, math		<code>\ncurvearrowleft</code> (\curvearrowleft)	84	<code>\ndoteq</code> (\doteq)	56
<code>\nbackapprox</code> (\backapprox)	56	<code>\ncurvearrowleft</code> (\curvearrowleft)	80	<code>\ndoublefrown</code> (\frown)	94
<code>\nbackapproxeq</code> (\backapproxeq)	56	<code>\ncurvearrowleft</code> (\curvearrowleft)	79	<code>\ndoublefrown</code> (\frown)	94
<code>\nbackcong</code> (\backcong)	59	<code>\ncurvearrowleft</code> (\curvearrowleft)	79	<code>\ndoublesmile</code> (\smile)	94
<code>\nbackcong</code> (\backcong)	56	<code>\ncurvearrowleft</code> (\curvearrowleft)	79	<code>\ndoublesmile</code> (\smile)	94
<code>\nbackeqsim</code> (\backeqsim)	56	<code>\ncurvearrowright</code> (\curvearrowright)	84	<code>\nDownarrow</code> (\Downarrow)	84
<code>\nbacksim</code> (\backsim)	54	<code>\ncurvearrowright</code> (\curvearrowright)	80	<code>\nDownarrow</code> (\Downarrow)	79
<code>\nbacksim</code> (\backsim)	59	<code>\ncurvearrowright</code> (\curvearrowright)	79	<code>\ndownarrow</code> (\downarrow)	84
<code>\nbacksim</code> (\backsim)	56	<code>\ncurvearrowright</code> (\curvearrowright)	79	<code>\ndownarrow</code> (\downarrow)	79
<code>\nbacksimeq</code> (\backsimeq)	54	<code>\ncurvearrowright</code> (\curvearrowright)	79	<code>\ndownarrowtail</code> (\downarrowtail)	84
<code>\nbacksimeq</code> (\backsimeq)	59	<code>\ncurvearrowright</code> (\curvearrowright)	79	<code>\ndownarrowtail</code> (\downarrowtail)	79
<code>\nbacksimeq</code> (\backsimeq)	56	<code>\ncurvearrowright</code> (\curvearrowright)	79	<code>\ndownAssert</code> (\Downarrow)	59
<code>\nbacktriplesim</code> (\backtriplesim)	56	<code>\ncwcirclearrowdown</code> (\circlearrowleft)	83	<code>\ndownassert</code> (\Downarrow)	59
<code>\nBarv</code> (\bar{v})	59	<code>\ncwcirclearrowleft</code> (\circlearrowleft)	83	<code>\ndownbkarrow</code> (\Downarrow)	84
<code>\nbarV</code> (\bar{V})	59	<code>\ncwcirclearrowright</code> (\circlearrowright)	83	<code>\ndownblackspoon</code> (\spoon)	94
<code>\nbdleftarccarrow</code> (\leftarccarrow)	83	<code>\ncwcirclearrowup</code> (\circlearrowup)	83	<code>\ndowndownarrows</code> (\Downarrow)	84
<code>\nbdnearccarrow</code> (\nearccarrow)	83	<code>\ncwgapcirclearrow</code> (\circlearrowleft)	84	<code>\ndowndownarrows</code> (\Downarrow)	79
<code>\nbdnwarccarrow</code> (\nwarccarrow)	83	<code>\ncwleftarccarrow</code> (\leftarccarrow)	83	<code>\ndownfilledspoon</code> (\spoon)	93
<code>\nbdoverarccarrow</code> (\overarccarrow)	83	<code>\ncwnwarccarrow</code> (\nwarccarrow)	83	<code>\ndownfootline</code> (\pm)	56
<code>\nbdrightarccarrow</code> (\rightarccarrow)	83	<code>\ncwopencirclearrow</code> (\circlearrowleft)	84	<code>\ndownfree</code> (\pm)	56
<code>\nbdsearccarrow</code> (\searccarrow)	83	<code>\ncwoverarccarrow</code> (\overarccarrow)	83	<code>\ndownharpoonccw</code> (\harpoonright)	81
<code>\nbdswarccarrow</code> (\swarccarrow)	83	<code>\ncwrightarccarrow</code> (\rightarccarrow)	84	<code>\ndownharpooncw</code> (\harpoonright)	81
<code>\nbdunderarccarrow</code> (\underarccarrow)	83	<code>\ncwsearccarrow</code> (\searccarrow)	84	<code>\ndownharpoonleft</code> (\harpoonleft)	85
<code>\nblackwhitespoon</code> (\spoon)	94	<code>\ncwswarccarrow</code> (\swarccarrow)	84	<code>\ndownharpoonright</code> (\harpoonright)	85
<code>\NBSP</code> ($\text{\textbackslash}NBSP$)	135	<code>\ncwunderarccarrow</code> (\underarccarrow)	84	<code>\ndownlcurvearrow</code> (\curvearrowleft)	84
<code>\NBSP</code> ($\text{\textbackslash}NBSP$)	135	<code>\ndasharrow</code> (\dashrightarrow)	84	<code>\ndownleftcurvedarrow</code> (\curvearrowleft)	84
<code>\nBumpeq</code> (\bumpeq)	54	<code>\ndasharrow</code> (\dashrightarrow)	80	<code>\ndownlsquigarrow</code> (\curvearrowright)	84
<code>\nBumpeq</code> (\bumpeq)	59	<code>\ndasheddownarrow</code> (\downdownarrows)	79	<code>\ndownlsquigarrow</code> (\curvearrowright)	79
<code>\nBumpeq</code> (\bumpeq)	56	<code>\ndashedleftarrow</code> (\dashleftarrow)	79	<code>\nDownmapsto</code> (\Downarrow)	84
<code>\nBumpeq</code> (\bumpeq)	62	<code>\ndashednearrow</code> (\dashrightarrow)	79	<code>\ndownmapsto</code> (\Downarrow)	84
<code>\nbumpeq</code> (\bumpeq)	54	<code>\ndashednwarrow</code> (\dashrightarrow)	79	<code>\ndownmapsto</code> (\Downarrow)	79
<code>\nbumpeq</code> (\bumpeq)	59	<code>\ndashedrightarrow</code> (\dashrightarrow)	79	<code>\ndownModels</code> (\Downarrow)	56
<code>\nbumpeq</code> (\bumpeq)	56	<code>\ndashedsearrow</code> (\dashrightarrow)	79	<code>\ndownmodels</code> (\Downarrow)	59
<code>\nbumpeq</code> (\bumpeq)	62	<code>\ndashedswarrow</code> (\dashrightarrow)	79	<code>\ndownmodels</code> (\Downarrow)	56
<code>\nbumpeqq</code> (\bumpeqq)	59	<code>\ndasheduparrow</code> (\dashrightarrow)	79	<code>\ndownpitchfork</code> (\pitchfork)	95
<code>\ncirceq</code> (\circeq)	59	<code>\ndashleftarrow</code> (\dashleftarrow)	84	<code>\ndownpitchfork</code> (\pitchfork)	93
<code>\ncirceq</code> (\circeq)	56	<code>\ndashleftarrow</code> (\dashleftarrow)	80	<code>\ndownrcurvearrow</code> (\curvearrowright)	84
<code>\ncirclearrowleft</code> (\circlearrowleft)	84	<code>\ndashrightarrow</code> (\dashrightarrow)	84	<code>\ndownrightcurvedarrow</code> (\curvearrowright)	84
<code>\ncirclearrowleft</code> (\circlearrowleft)	80	<code>\ndashrightarrow</code> (\dashrightarrow)	80	84
<code>\ncirclearrowright</code> (\circlearrowright)	84	<code>\nDashV</code> (\dashv)	54	<code>\ndownrsquigarrow</code> (\curvearrowleft)	84
<code>\ncirclearrowright</code> (\circlearrowright)	80	<code>\nDashV</code> (\dashv)	59	<code>\ndownrsquigarrow</code> (\curvearrowleft)	79
<code>\ncirmid</code> (\cirmid)	94	<code>\nDashv</code> (\dashv)	54	<code>\ndownspoon</code> (\spoon)	94
<code>\nclosedequal</code> (\closedequal)	56	<code>\nDashv</code> (\dashv)	59	<code>\ndownspoon</code> (\spoon)	93
<code>\nclosure</code> (ϕ)	59, 95	<code>\ndashV</code> (\dashv)	54	<code>\ndownuparrows</code> (\Uparrow)	84
<code>\ncong</code> (\cong)	54	<code>\ndashV</code> (\dashv)	59	<code>\ndownuparrows</code> (\Uparrow)	79
<code>\ncong</code> (\cong)	53	<code>\ndashv</code> (\dashv)	54	<code>\ndownupcurvedarrow</code> (\curvearrowright)	84
<code>\ncong</code> (\cong)	60	<code>\ndashv</code> (\dashv)	59	<code>\ndownupharpoons</code> (\harpoonright)	85
<code>\ncong</code> (\cong)	59	<code>\ndashv</code> (\dashv)	57	<code>\ndownupharpoons</code> (\harpoonright)	81
<code>\ncong</code> (\cong)	56	<code>\ndashVv</code> (\dashv)	54	<code>\ndownupharpoonsleftright</code>	
<code>\ncong</code> (\cong)	62	<code>\ndashVv</code> (\dashv)	59	(\harpoonright)	85
<code>\ncongdot</code> (\congdot)	62	<code>\nDdashv</code> (\dashv)	59	<code>\ndownupsquigarrow</code> (\curvearrowleft)	84
		<code>\nDdownarrow</code> (\Downarrow)	84	<code>\ndownVDash</code> (\Downarrow)	59

<code>\downVdash</code> ($\bar{\nabla}$)	59	<code>\neq</code> (\neq)	60	<code>\neutron</code> (n^0)	138
<code>\downVdash</code> ($\bar{\nabla}$)	56	<code>\neq</code> (\neq)	59	<code>\neVdash</code> (∇)	55
<code>\downvDash</code> (∇)	59	<code>\neq</code> (\neq)	57	<code>\nevdash</code> (∇)	55
<code>\downvDash</code> (∇)	59	<code>\neq</code> (\neq)	62	new (old-arrows package option)	
<code>\downvDash</code> (∇)	56	<code>\neqbump</code> (\neq)	56 92	
<code>\downwvearrow</code> (\Downarrow)	84	<code>\neqcirc</code> (\neq)	59	<code>\newextarrow</code>	117
<code>\ndststile</code> (\equiv)	63	<code>\neqcirc</code> (\neq)	56	<code>\newmetrics</code>	189
<code>\ndtstile</code> (\equiv)	63	<code>\neqdot</code> (\neq)	59	<code>\newmoon</code> (\bullet)	132
<code>\ndttstile</code> (\equiv)	63	<code>\neqdot</code> (\neq)	56	<code>\newmoon</code> (\bullet)	131
<code>\ndualmap</code> (\leftrightarrow)	94	<code>\neqfrown</code> (\frown)	94	<code>\newtie</code> (\char"2013)	21
<code>\NE</code> (\neq)	134	<code>\neqsim</code> (\neq)	59	<code>\nexists</code> (\nexists)	100
<code>\ne</code>	<i>see</i> <code>\neq</code>	<code>\neqsim</code> (\neq)	56	<code>\nexists</code> (\nexists)	100
<code>\ne</code> (\neq)	59	<code>\neqsim</code> (\neq)	62	<code>\nexists</code> (\nexists)	101
<code>\ne</code> (\neq)	57	<code>\neqslantgtr</code> (\gtr)	68	<code>\nexists</code> (\nexists)	101
<code>\ne</code> (\neq)	62	<code>\neqslantgtr</code> (\gtr)	70	<code>\nexists</code> (\nexists)	100
<code>\Nearrow</code> (\nearrow)	76	<code>\neqslantgtr</code> (\gtr)	69	<code>\nexists</code> (\nexists)	101
<code>\Nearrow</code> (\nearrow)	86	<code>\neqslantgtr</code> (\gtr)	71	<code>\nfallingdotseq</code> (\fallingdotseq)	59
<code>\Nearrow</code> (\nearrow)	82	<code>\neqslantless</code> (\lessgtr)	68	<code>\nfallingdotseq</code> (\fallingdotseq)	57
<code>\Nearrow</code> (\nearrow)	77	<code>\neqslantless</code> (\lessgtr)	70	<code>\nforksnot</code> ($\not\bowtie$)	62
<code>\Nearrow</code> (\nearrow)	87	<code>\neqslantless</code> (\lessgtr)	69	<code>\nfrown</code> (\frown)	59, 95
<code>\nearrow</code> (\nearrow)	76	<code>\neqslantless</code> (\lessgtr)	71	<code>\nfrown</code> (\frown)	94
<code>\nearrow</code> (\nearrow)	75, 233	<code>\neqsmile</code> (\smile)	94	<code>\nfrown</code> (\neq)	59, 95
<code>\nearrow</code> (\nearrow)	82	<code>\nequal</code> (\neq)	59	<code>\nfrown</code> (\neq)	94
<code>\nearrow</code> (\nearrow)	77	<code>\nequal</code> (\neq)	57	<code>\nfrown</code> (\neq)	94
<code>\nearrow</code> (\nearrow)	92	<code>\nequalclosed</code> (\neq)	57	<code>\nfrown</code> (\neq)	59, 95
<code>\nearrow</code> (\nearrow)	88	<code>\nequiv</code> (\neq)	54	<code>\nfrown</code> (\neq)	94
<code>\nearrowcorner</code> (\nearrow)	86	<code>\nequiv</code> (\neq)	60	<code>\nfrown</code> (\neq)	94
<code>\nearrowtail</code> (\nearrow)	82	<code>\nequiv</code> (\neq)	59	<code>\ng</code> (\neg)	134
<code>\nearrowtail</code> (\nearrow)	77	<code>\nequiv</code> (\neq)	57	<code>\ng</code> (\square)	162
<code>\nekkarrow</code> (\nearrow)	82	<code>\nequiv</code> (\neq)	62	<code>\ng</code> (\square)	15
<code>\nefilledspoon</code> (\nearrow)	93	<code>\nequivclosed</code> (\neq)	57	<code>\ng</code> (\diamond)	162
<code>\nefootline</code> (\nearrow)	55	<code>\nercurvearrow</code> (\curvearrowright)	83	<code>\ng</code> (η)	15
<code>\nefree</code> (\nearrow)	55	<code>\nersquigarrow</code> (\curvearrowright)	77	<code>\nge</code> (\neq)	72
<code>\neg</code> (\neg)	124	<code>\nespoon</code> (\nearrow)	93	<code>\ngeq</code> (\neq)	68
<code>\neg</code> (\neg)	125	<code>\Neswarrow</code> (\nearrow)	82	<code>\ngeq</code> (\neq)	67, 68
<code>\neg</code> (\neg)	125	<code>\Neswarrow</code> (\nearrow)	77	<code>\ngeq</code> (\neq)	71
<code>\neg</code> (\neg)	126	<code>\neswarrow</code> (\nearrow)	233	<code>\ngeq</code> (\neq)	70
negation	<i>see</i> <code>\neg</code> and <code>\sim</code>	<code>\neswarrow</code> (\nearrow)	82	<code>\ngeq</code> (\neq)	69
<code>\neharpoonccw</code> (\nearrow)	80	<code>\neswarrow</code> (\nearrow)	77	<code>\ngeq</code> (\neq)	71, 72
<code>\neharpooncw</code> (\nearrow)	80	<code>\neswarrow</code> (\nearrow)	88	<code>\ngeqclosed</code> (\neq)	70, 74
<code>\neharpoonnw</code> (\nearrow)	85	<code>\neswarrows</code> (\nearrow)	82	<code>\ngeqclosed</code> (\neq)	69, 73
<code>\neharpoonse</code> (\nearrow)	85	<code>\neswarrows</code> (\nearrow)	77	<code>\ngeqdot</code> (\neq)	70
<code>\nelcurvearrow</code> (\nearrow)	83	<code>\neswbipropto</code> (\propto)	34	<code>\ngeqdot</code> (\neq)	69
<code>\nelsquigarrow</code> (\nearrow)	77	<code>\neswcrossing</code> (\nearrow)	57	<code>\ngeqq</code> (\neq)	68
<code>\nemapsto</code> (\nearrow)	77	<code>\neswcurvearrow</code> (\nearrow)	83	<code>\ngeqq</code> (\neq)	67
<code>\neModels</code> (∇)	55	<code>\neswharpoonnwse</code> (\nearrow)	85	<code>\ngeqq</code> (\neq)	71
<code>\nemodels</code> (∇)	55	<code>\neswharpoonnwse</code> (\nearrow)	80	<code>\ngeqq</code> (\neq)	70
<code>\nenearrows</code> (\nearrow)	82	<code>\neswharpoons</code> (\nearrow)	85	<code>\ngeqq</code> (\neq)	69
<code>\nenearrows</code> (\nearrow)	77	<code>\neswharpoons</code> (\nearrow)	80	<code>\ngeqq</code> (\neq)	72
<code>\neovnwarrow</code> (\nearrow)	88	<code>\neswharpoons</code> (\nearrow)	80	<code>\ngeqq</code> (\neq)	72
<code>\neovsearrow</code> (\nearrow)	88	<code>\neswharpoons</code> (\nearrow)	85	<code>\ngeqq</code> (\neq)	72
<code>\nepitchfork</code> (\nearrow)	93	<code>\neswharpoons</code> (\nearrow)	80	<code>\ngeqq</code> (\neq)	72
<code>\Neptune</code> (Ψ)	132	<code>\neswharpoons</code> (\nearrow)	80	<code>\ngeqq</code> (\neq)	72
<code>\Neptune</code> (Ψ)	132	<code>\neswharpoons</code> (\nearrow)	85	<code>\ngeqq</code> (\neq)	72
<code>\Neptune</code> (Ψ)	133	<code>\neswharpoons</code> (\nearrow)	80	<code>\ngeqq</code> (\neq)	72
<code>\neptune</code> (Ψ)	131	<code>\neswline</code> (\nearrow)	55	<code>\ngeqq</code> (\neq)	72
<code>\neq</code> (\neq)	54	<code>\neswline</code> (\nearrow)	55	<code>\ngeqq</code> (\neq)	72
<code>\neq</code> (\neq)	67	<code>\Netherlands</code> (\ast)	194	<code>\ngeqq</code> (\neq)	72
		neumes	165	<code>\ngeqq</code> (\neq)	72
		<code>\neuter</code> (\varnothing)	136	<code>\ngeqq</code> (\neq)	72
		<code>\Neutral</code> (\circ)	136	<code>\ngeqq</code> (\neq)	72
		<code>\Neutrey</code> (\ominus)	196	<code>\ngeqq</code> (\neq)	72
		<code>\neutrino</code> (ν)	138	<code>\ngeqq</code> (\neq)	72

<code>\ngesdot</code> (𐄂)	71	<code>\nhookswarrow</code> (↘)	84	<code>\nleadsto</code> (↠)	85
<code>\ngesl</code> (𐄃)	71	<code>\nhookuparrow</code> (↗)	84	<code>\nleadsto</code> (↠)	80
<code>\ngets</code> (↵)	84	<code>\nhpar</code> (‖)	62	<code>\nLeftarrow</code> (⇐)	76
<code>\ngets</code> (↵)	80	<code>\nHuparrow</code> (⤴)	87	<code>\nLeftarrow</code> (⇐)	75
<code>\ngets</code> (↵)	90	<code>\nHuparrow</code> (⤴)	90	<code>\nLeftarrow</code> (⇐)	87
<code>\ngg</code> (↘)	68	<code>\nhVvert</code> (≡)	36	<code>\nLeftarrow</code> (⇐)	83
<code>\ngg</code> (↘)	70	<code>\ni</code> (∋)	100, 231	<code>\nLeftarrow</code> (⇐)	79
<code>\ngg</code> (↘)	69	<code>\ni</code> (∋)	58	<code>\nLeftarrow</code> (⇐)	90
<code>\ngg</code> (↘)	72	<code>\ni</code> (∋)	101	<code>\nleftarrow</code> (↵)	76
<code>\nggg</code> (↘↘)	70	<code>\ni</code> (∋)	100	<code>\nleftarrow</code> (↵)	75
<code>\nggg</code> (↘↘)	69	<code>\ni</code> (∋)	61, 62	<code>\nleftarrow</code> (↵)	87
<code>\ngtcc</code> (⊘)	70	<code>\nialpha</code> (α)	19	<code>\nleftarrow</code> (↵)	83
<code>\ngtr</code> (↗)	68	<code>\nibar</code>	<i>see</i> <code>\ownsbar</code>	<code>\nleftarrow</code> (↵)	79
<code>\ngtr</code> (↗)	67	<code>\nibeta</code> (β)	19	<code>\nleftarrow</code> (↵)	90
<code>\ngtr</code> (↗)	71	<code>\NibLeft</code> (↵)	141	<code>\nleftarrowtail</code> (↵)	83
<code>\ngtr</code> (↗)	70	<code>\NibRight</code> (↵)	141	<code>\nleftarrowtail</code> (↵)	79
<code>\ngtr</code> (↗)	69	nibs	141, 142	<code>\nleftAssert</code> (≡)	59
<code>\ngtr</code> (↗)	72	<code>\NibSolidLeft</code> (↵)	141	<code>\nleftassert</code> (≡)	59
<code>\ngtrapprox</code> (≈)	68	<code>\NibSolidRight</code> (↵)	141	<code>\nleftbkarrow</code> (↵)	83
<code>\ngtrapprox</code> (≈)	68	<code>\nicefrac</code> (package)	126, 247, 248	<code>\nleftblackspoon</code> (☛)	94
<code>\ngtrapprox</code> (≈)	70	<code>\niceframe</code> (package)	210–213, 217	<code>\nleftcurvedarrow</code> (↵)	85
<code>\ngtrcc</code> (⊘)	70	<code>\NiceReapey</code> (☞)	196	<code>\nleftdowncurvedarrow</code> (↘)	84
<code>\ngtrclosed</code> (⊘)	70, 74	<code>\nich</code> (χ)	19	<code>\nleftfilledspoon</code> (☛)	93
<code>\ngtrclosed</code> (⊘)	69, 73	<code>\niepsilon</code> (ε)	19	<code>\nleftfootline</code> (†)	59
<code>\ngtrdot</code> (⋅)	70	<code>\nigamma</code> (γ)	19	<code>\nleftfootline</code> (†)	56
<code>\ngtrdot</code> (⋅)	69	<code>\niota</code> (ι)	19	<code>\nleftfree</code> (↵)	56
<code>\ngtreqlless</code> (≲)	70	<code>\nilambda</code> (λ)	19	<code>\nlefttharpoonccw</code> (↵)	81
<code>\ngtreqlless</code> (≲)	69	<code>\nimageof</code> (↗)	94	<code>\nlefttharpooncw</code> (↵)	81
<code>\ngtreqllessslant</code> (≲)	70	<code>\nin</code> (∈)	59, 101	<code>\nlefttharpoondown</code> (↵)	85
<code>\ngtreqllessslant</code> (≲)	69	<code>\nin</code> (∈)	100	<code>\nlefttharpoonup</code> (↵)	85
<code>\ngtreqlless</code> (≲)	70	<code>\Ninja</code> (☛)	196	<code>\nleftlcurvedarrow</code> (↵)	84
<code>\ngtreqlless</code> (≲)	69	<code>\niobar</code> (̄)	61	<code>\nleftleftarrows</code> (⇄)	83
<code>\ngtreqlslantless</code> (≲)	70	<code>\niomega</code> (ω)	19	<code>\nleftleftarrows</code> (⇄)	79
<code>\ngtrless</code> (≰)	68	<code>\nipheri</code> (φ)	19	<code>\nleftlsquigarrow</code> (↵)	84
<code>\ngtrless</code> (≰)	70	<code>\niplus</code> (∋)	53	<code>\nleftlsquigarrow</code> (↵)	79
<code>\ngtrless</code> (≰)	69	<code>\niplus</code> (∋)	60	<code>\nLeftmapsto</code> (⇨)	83
<code>\ngtrless</code> (≰)	72	<code>\nis</code> (∋)	61	<code>\nLeftmapsto</code> (⇨)	83
<code>\ngtrsim</code> (≈)	68	<code>\nisd</code> (∋)	60	<code>\nleftmapsto</code> (⇨)	79
<code>\ngtrsim</code> (≈)	68	<code>\nisd</code> (∋)	61	<code>\nleftModels</code> (≡)	56
<code>\ngtrsim</code> (≈)	70	<code>\nisigma</code> (σ)	19	<code>\nleftmodels</code> (≡)	59
<code>\ngtrsim</code> (≈)	72	<code>\nitheta</code> (θ)	19	<code>\nleftmodels</code> (≡)	56
<code>\nhateq</code> (≠)	59	<code>\niupsilon</code> (υ)	19	<code>\nleftpitchfork</code> (≠)	95
<code>\nhateq</code> (≠)	57	<code>\niv</code> (ℓ)	103	<code>\nleftpitchfork</code> (≠)	93
<code>\nHdownarrow</code> (⤵)	87	<code>\nj</code> (j)	19	<code>\nleftrcurvedarrow</code> (↵)	84
<code>\nHdownarrow</code> (⤵)	90	<code>\nkarta</code> (package)	204, 247	<code>\nLeftrightarrow</code> (⇨)	87
<code>\nhknearrow</code> (↗)	84	<code>\nlcirclearrowdown</code> (⤵)	79	<code>\nLeftrightarrow</code> (⇨)	76
<code>\nhknwarrow</code> (↖)	84	<code>\nlcirclearrowleft</code> (⤵)	79	<code>\nLeftrightarrow</code> (⇨)	75
<code>\nhksearrow</code> (↗)	84	<code>\nlcirclearrowright</code> (⤵)	79	<code>\nLeftrightarrow</code> (⇨)	87
<code>\nhkswarrow</code> (↖)	84	<code>\nlcirclearrowup</code> (⤵)	79	<code>\nLeftrightarrow</code> (⇨)	83
<code>\nhookdownarrow</code> (⤵)	84	<code>\nlcurvearrowdown</code> (⤵)	79	<code>\nLeftrightarrow</code> (⇨)	79
<code>\nhookleftarrow</code> (↵)	84	<code>\nlcurvearrowleft</code> (↵)	79	<code>\nLeftrightarrow</code> (⇨)	90
<code>\nhookleftarrow</code> (↵)	80	<code>\nlcurvearrowne</code> (↗)	79	<code>\nLeftrightarrow</code> (⇨)	76
<code>\nhooknearrow</code> (↗)	84	<code>\nlcurvearrownw</code> (↖)	79	<code>\nLeftrightarrow</code> (⇨)	30, 75
<code>\nhooknwarrow</code> (↖)	84	<code>\nlcurvearrowright</code> (↗)	79	<code>\nLeftrightarrow</code> (⇨)	87
<code>\nhookrightarrow</code> (↵)	84	<code>\nlcurvearrowse</code> (↘)	79	<code>\nLeftrightarrow</code> (⇨)	83
<code>\nhookrightarrow</code> (↵)	80	<code>\nlcurvearrowsw</code> (↖)	79	<code>\nLeftrightarrow</code> (⇨)	79
<code>\nhooksearrow</code> (↘)	84	<code>\nlcurvearrowup</code> (⤵)	79	<code>\nLeftrightarrow</code> (⇨)	90
		<code>\nle</code> (ℓ)	72	<code>\nleftrightarrow</code> (⇨)	83
				<code>\nleftrightarrow</code> (⇨)	79

<code>\nletrightblackspoon</code> (◐) 94	<code>\nless</code> (≠) 68	<code>\nlongmapsto</code> (↦) 83
<code>\nletrightcurvedarrow</code> (↷) 84	<code>\nless</code> (≠) 67	<code>\nLongrightarrow</code> (⇒) .. 83
<code>\nletrighttharpoondownup</code> (↕) 85	<code>\nless</code> (≠) 71	<code>\nlongrightarrow</code> (→) .. 83
<code>\nletrighttharpoondownup</code> (↕) 81	<code>\nless</code> (≠) 70	<code>\nlongrightfootline</code> (↦) 59
<code>\nletrighttharpoons</code> (⇌) . 85	<code>\nless</code> (≠) 69	<code>\nlongrightsquigarrow</code> (↗) 84
<code>\nletrighttharpoons</code> (⇌) . 81	<code>\nless</code> (≠) 72	<code>\nlongrightwvearrow</code> (↗) 83
<code>\nletrighttharpoonupdown</code> (↕) 85	<code>\nlessapprox</code> (≲) 68	<code>\nltcc</code> (⊄) 71
<code>\nletrighttharpoonupdown</code> (↕) 81	<code>\nlessapprox</code> (≲) 68	<code>\nMapsdown</code> (⌞) 84
<code>\nLeftrightline</code> (⇔) 56	<code>\nlessapprox</code> (≲) 70	<code>\nmapsdown</code> (⌞) 84
<code>\nletrightline</code> (→) 56	<code>\nlesscc</code> (⊄) 70	<code>\nMapsfrom</code> (⇨) 84
<code>\nletrightspoon</code> (◐) ... 94	<code>\nlessclosed</code> (⊄) 70, 74	<code>\nmapsfrom</code> (⇨) 84
<code>\nletrightsquigarrow</code> (↗) 84	<code>\nlessclosed</code> (⊄) 69, 73	<code>\nMapsto</code> (⇒) 84
<code>\nletrightsquigarrow</code> (↗) 80	<code>\nlessdot</code> (≠) 70	<code>\nmapsto</code> (↦) 84
<code>\nletrightwvearrow</code> (↗) 83	<code>\nlessdot</code> (≠) 69	<code>\nmapsto</code> (↦) 80
<code>\nleftsquigarrow</code> (↖) .. 84	<code>\nlesseqgtr</code> (≳) 70	<code>\nMapsup</code> (⇧) 84
<code>\nleftsquigarrow</code> (↖) ... 79	<code>\nlesseqgtr</code> (≳) 69	<code>\nmapsup</code> (⇧) 84
<code>\nleftspoon</code> (◐) 94	<code>\nlesseqgtrslant</code> (≳) 71	<code>\nmid</code> () 53
<code>\nleftspoon</code> (◐) 93	<code>\nlesseqgtrslant</code> (≳) 69	<code>\nmid</code> () 60
<code>\nleftsquigarrow</code> (↖) ... 84	<code>\nlesseqqtr</code> (≳) 70	<code>\nmid</code> () 59
<code>\nleftupcurvedarrow</code> (↶) 84	<code>\nlesseqqtr</code> (≳) 69	<code>\nmid</code> () 57
<code>\nleftVDash</code> (≠) 59	<code>\nlesseqslantgtr</code> (≳) 70	<code>\nmid</code> () 62
<code>\nleftVdash</code> (≠) 59	<code>\nlessgtr</code> (≠) 68	<code>\nmidcir</code> (⊘) 94
<code>\nleftvDash</code> (≠) 59	<code>\nlessgtr</code> (≠) 70	<code>\nmodels</code> (≡) 59
<code>\nleftvdash</code> (≠) 59	<code>\nlessgtr</code> (≠) 69	<code>\nmodels</code> (≡) 57
<code>\nleftvdash</code> (≠) 56	<code>\nlessgtr</code> (≠) 72	<code>\nmultimap</code> (↗) 94
<code>\nleftwvearrow</code> (↖) 83	<code>\nlessssim</code> (≲) 68	<code>\nmultimap</code> (↗) 93
<code>\nleq</code> (≲) 68	<code>\nlessssim</code> (≲) 68	<code>\nmultimapinv</code> (↖) 94
<code>\nleq</code> (≲) 67, 68	<code>\nlessssim</code> (≲) 70	<code>\NN</code> (N) 134
<code>\nleq</code> (≲) 71	<code>\nlessssim</code> (≲) 70	<code>\nndtstile</code> (▣) 63
<code>\nleq</code> (≲) 70	<code>\nlessssim</code> (≲) 72	<code>\nNarrow</code> (↗) 83
<code>\nleq</code> (≲) 69	<code>\nlhookdownarrow</code> (⤵) 79	<code>\nNarrow</code> (↗) 79
<code>\nleq</code> (≲) 72	<code>\nlhookleftarrow</code> (↶) 80	<code>\nnearrow</code> (↗) 76
<code>\nleqclosed</code> (⊄) 70, 74	<code>\nlhooknearrow</code> (↗) 80	<code>\nnearrow</code> (↗) 86
<code>\nleqclosed</code> (⊄) 69, 73	<code>\nlhooknarrow</code> (↗) 79	<code>\nnearrow</code> (↗) 83
<code>\nleqdot</code> (≲) 70	<code>\nlhookrightarrow</code> (↷) ... 79	<code>\nnearrow</code> (↗) 79
<code>\nleqdot</code> (≲) 69	<code>\nlhooksearrow</code> (↗) 79	<code>\nnearrowtail</code> (↗) 83
<code>\nleqq</code> (≲) 68	<code>\nlhookswarrow</code> (↖) 79	<code>\nnearrowtail</code> (↗) 79
<code>\nleqq</code> (≲) 67	<code>\nlhookuparrow</code> (⤴) 79	<code>\nnebkarrow</code> (↗) 84
<code>\nleqq</code> (≲) 71	<code>\nll</code> (≠) 68	<code>\nnefilledspoon</code> (◐) 93
<code>\nleqq</code> (≲) 70	<code>\nll</code> (≠) 70	<code>\nnefootline</code> (↗) 56
<code>\nleqq</code> (≲) 69	<code>\nll</code> (≠) 69	<code>\nnefree</code> (↗) 56
<code>\nleqq</code> (≲) 72	<code>\nll</code> (≠) 72	<code>\nneharpocccw</code> (↗) 81
<code>\nleqslant</code> (≲) 67	<code>\nLleftarrow</code> (⇐) 83	<code>\nneharpocnw</code> (↗) 81
<code>\nleqslant</code> (≲) 71	<code>\nLleftarrow</code> (⇐) 79	<code>\nneharpocnw</code> (↗) 85
<code>\nleqslant</code> (≲) 70	<code>\nlll</code> (≠) 70	<code>\nneharpocnw</code> (↗) 85
<code>\nleqslant</code> (≲) 69	<code>\nlll</code> (≠) 69	<code>\nnelcurvedarrow</code> (↗) 84
<code>\nleqslant</code> (≲) 72	<code>\nlongdashv</code> (⊣) 59	<code>\nnelsquigarrow</code> (↗) 79
<code>\nleqslantdot</code> (≲) 70	<code>\nlongleadsto</code> (↗) 84	<code>\nnemapsto</code> (↗) 79
<code>\nleqslantdot</code> (≲) 69	<code>\nLongleftarrow</code> (⇐) ... 83	<code>\nneModels</code> (≡) 56
<code>\nleqslcc</code> (⊄) 70	<code>\nlongleftarrow</code> (←) ... 83	<code>\nnemodels</code> (≡) 56
<code>\nlesscc</code> (⊄) 70	<code>\nlongleftfootline</code> (↦) 59	<code>\nnenearrows</code> (↗) 84
<code>\nlesdot</code> (≲) 70	<code>\nLongleftfootline</code> (↦) 59	<code>\nnenearrows</code> (↗) 79
<code>\nlesg</code> (≲) 70	<code>\nLongleftrightarrow</code> (⇨) 83	<code>\nnepitchfork</code> (↗) 93
	<code>\nlongleftrightarrow</code> (↗) 83	<code>\nnercurvedarrow</code> (↗) 84
	<code>\nlongleftsquigarrow</code> (↗) 84	<code>\nnersquigarrow</code> (↗) 79
	<code>\nlongleftwvearrow</code> (↗) 83	<code>\nnespoon</code> (↗) 93
	<code>\nLongmapsfrom</code> (⇨) .. 59, 83	<code>\nNeswarrow</code> (↗) 84
	<code>\nlongmapsfrom</code> (↗) .. 59, 83	
	<code>\nLongmapsto</code> (⇒) 83	





<code>\nNeswarrow</code> (\nearrow)	79	<code>\nnwseharpoons</code> (\bowtie)	81	<code>\notslash</code> ($\not/$)	133
<code>\nneswarrow</code> (\nwarrow)	84	<code>\nnwseharpoonswne</code> (\times)	85	<code>\notsmallin</code> (\notin)	101
<code>\nneswarrow</code> (\nearrow)	79	<code>\nnwseharpoonswne</code> (\times)	81	<code>\notsmallowns</code> (\notin)	101
<code>\nneswarrows</code> (\bowtie)	84	<code>\nNwseline</code> (\bowtie)	56	<code>\nottop</code> ($\not\top$)	100
<code>\nneswarrows</code> (\bowtie)	79	<code>\nnwseline</code> (\times)	56	<code>\nottop</code> ($\not\top$)	125
<code>\nneswcurvearrow</code> (\curvearrowright)	84	<code>\nnwspoon</code> (\curvearrowright)	93	<code>\NoTumbler</code> (\boxtimes)	182
<code>\nneswharpoonnwse</code> (\nwarrow)	85	<code>\nnwVdash</code> (\Vdash)	56	<code>\novelty</code> (\mathbb{N})	186
<code>\nneswharpoonnwse</code> (\nwarrow)	81	<code>\nnwvdash</code> (\vDash)	56	<code>\noway</code> (\bullet)	182
<code>\nneswharpoons</code> (\bowtie)	85	no entry	<i>see</i> <code>\noway</code>	<code>\nowns</code> (\notin)	59, 101
<code>\nneswharpoons</code> (\bowtie)	81	<code>\NoBleech</code> (\triangle)	182	<code>\nowns</code> (\ni)	101
<code>\nneswharpoonsenw</code> (\nwarrow)	85	<code>\NoChemicalCleaning</code> (\odot)	182	<code>\nowns</code> (\ni)	100
<code>\nneswharpoonsenw</code> (\nwarrow)	81	nointegrals (wasysym package option)	43	<code>\nparallel</code> (\parallel)	53
<code>\nNeswline</code> (\nearrow)	56	<code>\NoIroning</code> (\triangle)	182	<code>\nparallel</code> (\parallel)	60
<code>\nneswline</code> (\times)	56	non-commutative division	119	<code>\nparallel</code> (\parallel)	59
<code>\nneVdash</code> (\Vdash)	56	nonbreaking space	135	<code>\nparallel</code> (\parallel)	57
<code>\nnevDash</code> (\vDash)	56	NOR gates	135	<code>\nparallelslant</code> ($\#$)	64
<code>\nni</code> (\ni)	59	<code>\NORd</code> (\cup)	135	<code>\nperp</code> (\perp)	59
<code>\nni</code> (\ni)	101	<code>\norigof</code> (\circ)	94	<code>\nperp</code> (\perp)	57
<code>\nni</code> (\ni)	62	<code>\NORl</code> (\cap)	135	<code>\npitchfork</code> (\pitchfork)	95
<code>\nnststile</code> (\blacksquare)	63	norm	<i>see</i> <code>\lVert</code> and <code>\rVert</code>	<code>\npitchfork</code> (\pitchfork)	93
<code>\nntstile</code> (\blacksquare)	63	normal runes	162	<code>\nplus</code> (\oplus)	32
<code>\nnttstile</code> (\blacksquare)	63	<code>\NORr</code> (\cup)	135	<code>\nplus</code> (\oplus)	35
<code>\nNwarrow</code> (\nwarrow)	84	<code>\NorthNode</code> (\circ)	133	<code>\npolint</code> (\int)	49
<code>\nNwarrow</code> (\nwarrow)	79	<code>\NORu</code> (\cap)	135	<code>\npolintsl</code> (\int)	51
<code>\nnwarrow</code> (\nwarrow)	76	<code>\Norway</code> (\curvearrowright)	194	<code>\npolintup</code> (\int)	51
<code>\nnwarrow</code> (\nwarrow)	86	<code>\NoSun</code> (\bullet)	183	<code>\nprec</code> (\prec)	54
<code>\nnwarrow</code> (\nwarrow)	84	<code>\Not</code> (\neg)	61	<code>\nprec</code> (\prec)	53
<code>\nnwarrow</code> (\nwarrow)	79	not	<i>see</i> <code>\neg</code>	<code>\nprec</code> (\prec)	60
<code>\nnwarrowtail</code> (\nwarrow)	84	<code>\not</code>	54, 232	<code>\nprec</code> (\prec)	59
<code>\nnwarrowtail</code> (\nwarrow)	79	not equal (\neq vs. \neq)	54	<code>\nprec</code> (\prec)	56
<code>\nnwbkarrow</code> (\nwarrow)	84	<code>\notasymp</code> (\asymp)	54	<code>\nprec</code> (\prec)	62
<code>\nnwfilledspoon</code> (\curvearrowright)	93	<code>\notbackslash</code> (∇)	133	<code>\nprecapprox</code> (\approx)	54
<code>\nnwfootline</code> (\nwarrow)	56	<code>\notbot</code> (\perp)	100	<code>\nprecapprox</code> (\approx)	54
<code>\nnwfree</code> (\nwarrow)	56	<code>\notbot</code> (\perp)	125	<code>\nprecapprox</code> (\approx)	59
<code>\nnwharpoonccw</code> (\nwarrow)	81	<code>\notchar</code> (γ)	61	<code>\nprecapprox</code> (\approx)	56
<code>\nnwharpooncw</code> (\nwarrow)	81	<code>\NotCongruent</code> (\equiv)	122	<code>\nprecapprox</code> (\approx)	56
<code>\nnwharpoonne</code> (\nwarrow)	85	<code>\notdivides</code> (\nmid)	54	<code>\nprecapprox</code> (\approx)	54
<code>\nnwharpoonsw</code> (\nwarrow)	85	<code>\notequiv</code> ($\not\equiv$)	54	<code>\nprecapprox</code> (\approx)	54
<code>\nnwlcurearrow</code> (\curvearrowright)	84	<code>\notin</code> (\notin)	100	<code>\nprecapprox</code> (\approx)	54
<code>\nnwlsquigarrow</code> (\curvearrowright)	79	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwmapsto</code> (\rightsquigarrow)	79	<code>\notin</code> (\notin)	59	<code>\nprecapprox</code> (\approx)	54
<code>\nnwModels</code> (\bowtie)	56	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwmodels</code> (\bowtie)	56	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwnwarrows</code> (\bowtie)	84	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwnwarrows</code> (\bowtie)	79	<code>\notin</code> (\notin)	59	<code>\nprecapprox</code> (\approx)	54
<code>\nnwpitchfork</code> (\pitchfork)	93	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwrcurvearrow</code> (\curvearrowright)	85	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwrsquigarrow</code> (\rightsquigarrow)	79	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nNwsearrow</code> (\nwarrow)	84	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nNwsearrow</code> (\nwarrow)	79	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwsearrow</code> (\nwarrow)	84	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwsearrow</code> (\nwarrow)	79	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwsearrows</code> (\bowtie)	84	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwsearrows</code> (\bowtie)	79	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwsecurvearrow</code> (\curvearrowright)	85	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwseharpoonnesw</code> (\nwarrow)	85	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwseharpoonnesw</code> (\nwarrow)	81	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
<code>\nnwseharpoons</code> (\bowtie)	85	<code>\notin</code> (\notin)	101	<code>\nprecapprox</code> (\approx)	54
		<code>\notni</code> (\ni)	100	<code>\nprecapprox</code> (\approx)	54
		<code>\notowns</code>	<i>see</i> <code>\notowner</code> and <code>\notni</code>	<code>\nprecapprox</code> (\approx)	54
		<code>\notperp</code> (\perp)	54	<code>\nprecapprox</code> (\approx)	54

<code>\nrcurvearrowleft</code> (\curvearrowleft)	79	<code>\nrightmapsto</code> (\mapsto)	79	<code>\nseVdash</code> (\searrow)	56
<code>\nrcurvearrowne</code> (\curvearrowne)	79	<code>\nrightModels</code> (\models)	57	<code>\nsevdash</code> (\searrow)	56
<code>\nrcurvearrownw</code> (\curvearrownw)	79	<code>\nrightmodels</code> (\models)	59	<code>\nshortdowntack</code> (\Uparrow)	59
<code>\nrcurvearrowright</code> (\curvearrowright)	79	<code>\nrightmodels</code> (\models)	57	<code>\nshortlefttack</code> (\Downarrow)	59
<code>\nrcurvearrowse</code> (\curvearrowse)	79	<code>\nrightpitchfork</code> (\pitchfork)	95	<code>\nshortmid</code> (\dagger)	53
<code>\nrcurvearrowsw</code> (\curvearrowsw)	79	<code>\nrightpitchfork</code> (\pitchfork)	93	<code>\nshortmid</code> (\dagger)	60
<code>\nrcurvearrowup</code> (\curvearrowup)	79	<code>\nrightrcurvearrow</code> (\curvearrowright)	84	<code>\nshortmid</code> (\dagger)	59
<code>\nRelbar</code> (\equiv)	57	<code>\nrightrightarrow</code> (\rightarrow)	84	<code>\nshortmid</code> (\dagger)	56
<code>\nrelbar</code> (\equiv)	57	<code>\nrightrightarrow</code> (\rightarrow)	79	<code>\nshortmid</code> (\dagger)	62
<code>\nrestriction</code> (\upharpoonright)	85	<code>\nrightrightarrow</code> (\rightarrow)	84	<code>\nshortparallel</code> (\parallel)	53
<code>\nrestriction</code> (\upharpoonright)	81	<code>\nrightrightarrow</code> (\rightarrow)	79	<code>\nshortparallel</code> (\parallel)	60
<code>\nrhookdownarrow</code> (\downdownarrows)	79	<code>\nrightrightarrow</code> (\rightarrow)	94	<code>\nshortparallel</code> (\parallel)	59
<code>\nrhookleftarrow</code> (\leftarrow)	79	<code>\nrightrightarrow</code> (\rightarrow)	93	<code>\nshortparallel</code> (\parallel)	56
<code>\nrhooknearrow</code> (\nearrow)	79	<code>\nrightrightarrow</code> (\rightarrow)	84	<code>\nshortparallel</code> (\parallel)	62
<code>\nrhooknwarrow</code> (\nwarrow)	79	<code>\nrightrightarrow</code> (\rightarrow)	80	<code>\nshortrightarrow</code> (\rightarrow)	59
<code>\nrhookrightarrow</code> (\rightarrow)	79	<code>\nrightupcurvedarrow</code> (\curvearrowright)	84	<code>\nshortuptack</code> (\Uparrow)	59
<code>\nrhooksearrow</code> (\searrow)	79	<code>\nrightVDash</code> (\Vdash)	59	<code>\nsim</code> (\sim)	54
<code>\nrhookswarrow</code> (\swarrow)	79	<code>\nrightVdash</code> (\Vdash)	59	<code>\nsim</code> (\sim)	53
<code>\nrhookuparrow</code> (\uparrow)	79	<code>\nrightVdash</code> (\Vdash)	57	<code>\nsim</code> (\sim)	60
<code>\nRightarrow</code> (\Rightarrow)	76	<code>\nrightVdash</code> (\Vdash)	59	<code>\nsim</code> (\sim)	59
<code>\nRightarrow</code> (\Rightarrow)	75	<code>\nrightvdash</code> (\Vdash)	59	<code>\nsim</code> (\sim)	56
<code>\nRightarrow</code> (\Rightarrow)	87	<code>\nrightvdash</code> (\Vdash)	57	<code>\nsim</code> (\sim)	62
<code>\nRightarrow</code> (\Rightarrow)	84	<code>\nrightwvearrow</code> (\rightsquigarrow)	84	<code>\nsime</code> (\approx)	59
<code>\nRightarrow</code> (\Rightarrow)	80	<code>\nrisingdotseq</code> (\doteq)	59	<code>\nsime</code> (\approx)	62
<code>\nRightarrow</code> (\Rightarrow)	90	<code>\nrisingdotseq</code> (\doteq)	56	<code>\nsimeq</code> (\approx)	54
<code>\nrightarrow</code> (\rightarrow)	76	<code>\nRrightarrow</code> (\Rrightarrow)	83	<code>\nsimeq</code> (\approx)	54
<code>\nrightarrow</code> (\rightarrow)	75	<code>\nRrightarrow</code> (\Rrightarrow)	79	<code>\nsimeq</code> (\approx)	59
<code>\nrightarrow</code> (\rightarrow)	87	<code>\nsdtstile</code> ($\mathbb{ }$)	63	<code>\nsimeq</code> (\approx)	56
<code>\nrightarrow</code> (\rightarrow)	84	<code>\nSearrow</code> (\searrow)	83	<code>\nsimeq</code> (\approx)	62
<code>\nrightarrow</code> (\rightarrow)	79	<code>\nSearrow</code> (\searrow)	79	<code>\nsmile</code> (\smile)	59, 95
<code>\nrightarrow</code> (\rightarrow)	90	<code>\nsearrow</code> (\searrow)	83	<code>\nsmile</code> (\smile)	94
<code>\nrightarrowtail</code> (\rightarrowtail)	84	<code>\nsearrow</code> (\searrow)	79	<code>\nsmileeq</code> (\smile)	59, 95
<code>\nrightarrowtail</code> (\rightarrowtail)	80	<code>\nsearrowtail</code> (\searrowtail)	83	<code>\nsmileeq</code> (\smile)	94
<code>\nrightAssert</code> (\Vdash)	59	<code>\nsearrowtail</code> (\searrowtail)	79	<code>\nsmileeqfrown</code> (\frown)	94
<code>\nrightAssert</code> (\Vdash)	59	<code>\nsebkarrow</code> (\curvearrowright)	83	<code>\nsmilefrown</code> (\frown)	59, 95
<code>\nrightbkarrow</code> (\curvearrowright)	84	<code>\nseffilledspoon</code> (\searrow)	93	<code>\nsmilefrown</code> (\frown)	94
<code>\nrightblackspoon</code> (\searrow)	94	<code>\nseffootline</code> (\searrow)	56	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightcurvedarrow</code> (\curvearrowright)	84	<code>\nseffree</code> (\searrow)	56	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightdowncurvedarrow</code> (\curvearrowright)	84	<code>\nseharpoonccw</code> (\searrow)	81	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightfilledspoon</code> (\searrow)	93	<code>\nseharpooncw</code> (\searrow)	81	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightfootline</code> (\rightarrow)	59	<code>\nseharpoonne</code> (\searrow)	85	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightfootline</code> (\rightarrow)	57	<code>\nseharpoonsw</code> (\searrow)	85	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightfree</code> (\rightarrow)	57	<code>\nselcurvedarrow</code> (\searrow)	84	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightharpoonccw</code> (\searrow)	81	<code>\nselfsquigarrow</code> (\searrow)	79	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightharpooncw</code> (\searrow)	81	<code>\nsemapsto</code> (\searrow)	79	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightharpoondown</code> (\searrow)	85	<code>\nseModels</code> (\searrow)	56	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightharpoonup</code> (\searrow)	85	<code>\nsemodels</code> (\searrow)	56	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightlcurvearrow</code> (\curvearrowright)	84	<code>\nsewarrows</code> (\searrow)	83	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightleftarrows</code> (\leftrightarrow)	84	<code>\nsewarrows</code> (\searrow)	79	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightleftarrows</code> (\leftrightarrow)	79	<code>\nsewcurvedarrow</code> (\searrow)	84	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightleftcurvedarrow</code> (\curvearrowright)	84	<code>\nsewharpoons</code> (\searrow)	85	<code>\nsmilefrowneq</code> (\frown)	94
<code>\nrightleftharpoons</code> (\leftrightarrow)	85	<code>\nsewharpoons</code> (\searrow)	81	<code>\nSsubset</code> (\Subset)	66
<code>\nrightleftharpoons</code> (\leftrightarrow)	81	<code>\nsepitchfork</code> (\searrow)	93	<code>\nSsubset</code> (\Subset)	66
<code>\nrightleftsquigarrow</code> (\rightsquigarrow)	84	<code>\nsercurvearrow</code> (\searrow)	84	<code>\nSsubset</code> (\Subset)	65
<code>\nrightlsquigarrow</code> (\rightsquigarrow)	84	<code>\nsersquigarrow</code> (\searrow)	79	<code>\nSsubset</code> (\Subset)	65
<code>\nrightlsquigarrow</code> (\rightsquigarrow)	79	<code>\nsesearrows</code> (\searrow)	83	<code>\nSsubset</code> (\Subset)	65
<code>\nRightmapsto</code> (\mapsto)	84	<code>\nsesearrows</code> (\searrow)	79	<code>\nSsubset</code> (\Subset)	66
<code>\nrightmapsto</code> (\mapsto)	84	<code>\nsespoon</code> (\searrow)	93	<code>\nSsubset</code> (\Subset)	66
				<code>\nSsubset</code> (\Subset)	67

<code>\nqssubseteq</code> (⊄)	65	<code>\nsubseteqq</code> (⊈)	67	<code>\nswfree</code> (↯)	56
<code>\nqssubseteq</code> (⊅)	65	<code>\nsucc</code> (⋈)	54	<code>\nswharpoonccw</code> (↷)	81
<code>\nqssubseteq</code> (⊆)	66	<code>\nsucc</code> (⋉)	53	<code>\nswharpooncw</code> (↶)	81
<code>\nqssubseteq</code> (⊇)	66	<code>\nsucc</code> (⋊)	60	<code>\nswharpoonnw</code> (↷)	85
<code>\nqssubseteq</code> (⊈)	67	<code>\nsucc</code> (⋋)	59	<code>\nswharpoonse</code> (↷)	85
<code>\nqssubseteqq</code> (⊄)	65	<code>\nsucc</code> (⋌)	56	<code>\nswlcurvearrow</code> (↷)	84
<code>\nqssubseteqq</code> (⊅)	66	<code>\nsucc</code> (⋍)	62	<code>\nswlsquigarrow</code> (↷)	79
<code>\nqssubseteqq</code> (⊆)	66	<code>\nsuccapprox</code> (⋎)	54	<code>\nswmapsto</code> (↷)	79
<code>\nSsupset</code> (⊃)	66	<code>\nsuccapprox</code> (⋏)	54	<code>\nswModels</code> (⋈)	56
<code>\nSsupset</code> (⊄)	66	<code>\nsuccapprox</code> (⋐)	59	<code>\nswmodels</code> (⋉)	56
<code>\nSqSupset</code> (⊃)	65	<code>\nsuccapprox</code> (⋑)	56	<code>\nswnearrows</code> (↷)	83
<code>\nSqsupset</code> (⊃)	65	<code>\nsucccurlyeq</code> (⋐)	54	<code>\nswnearrows</code> (↶)	79
<code>\nSqsupset</code> (⊄)	65	<code>\nsucccurlyeq</code> (⋑)	54	<code>\nswnecurvearrow</code> (↷)	84
<code>\nSqsupset</code> (⊅)	66	<code>\nsucccurlyeq</code> (⋒)	59	<code>\nswneharpoons</code> (↷)	85
<code>\nSqsupset</code> (⊆)	66	<code>\nsucccurlyeq</code> (⋓)	56	<code>\nswneharpoons</code> (↶)	81
<code>\nSqsupset</code> (⊇)	67	<code>\nsucccurlyeq</code> (⋔)	62	<code>\nswpitchfork</code> (⋈)	93
<code>\nSqsupseteq</code> (⊃)	65	<code>\nsucceq</code> (⋐)	54	<code>\nswrcurvearrow</code> (↷)	84
<code>\nSqsupseteq</code> (⊄)	65	<code>\nsucceq</code> (⋑)	53	<code>\nswrsquigarrow</code> (↷)	79
<code>\nSqsupseteq</code> (⊅)	66	<code>\nsucceq</code> (⋒)	60	<code>\nswspoon</code> (↷)	93
<code>\nSqsupseteq</code> (⊆)	66	<code>\nsucceq</code> (⋓)	59	<code>\nswswarrows</code> (↷)	83
<code>\nSqsupseteq</code> (⊇)	67	<code>\nsucceq</code> (⋔)	56	<code>\nswswarrows</code> (↶)	79
<code>\nSqsupseteqq</code> (⊃)	65	<code>\nsucceq</code> (⋕)	62	<code>\nswVdash</code> (⋈)	56
<code>\nSqsupseteqq</code> (⊄)	66	<code>\nsucceqq</code> (⋐)	54	<code>\nswvdash</code> (⋉)	56
<code>\nSqsupseteqq</code> (⊅)	66	<code>\nsucceqq</code> (⋑)	59	<code>\NT</code> (∼)	134
<code>\nSqsupseteqq</code> (⊆)	66	<code>\nsucceqq</code> (⋒)	54	<code>\ntdtstile</code> (≡)	63
<code>\nSqsupseteqq</code> (⊇)	67	<code>\nsucceqq</code> (⋓)	54	<code>ntheorem</code> (package)	124
<code>\nqtriplefrown</code> (⋈)	94	<code>\nsucceqq</code> (⋔)	59	<code>\nthickapprox</code> (⋈)	54
<code>\nqtriplemile</code> (⋉)	94	<code>\nsucceqq</code> (⋕)	56	<code>\nto</code> (→)	84
<code>\nquigarrowdownup</code> (↷)	79	<code>\nsucceqq</code> (⋖)	54	<code>\nto</code> (↔)	80
<code>\nquigarrowleftright</code> (↔)	79	<code>\nsucceqq</code> (⋗)	54	<code>\ntriangleeq</code> (≠)	74
<code>\nquigarrownesw</code> (↖)	79	<code>\nsucceqq</code> (⋘)	54	<code>\ntriangleeq</code> (≠)	73
<code>\nquigarrownwse</code> (↗)	79	<code>\nSupset</code> (⊃)	65	<code>\ntriangleleft</code> (⊃)	73
<code>\nquigarrowrightleft</code> (↔)	79	<code>\nSupset</code> (⊄)	65	<code>\ntriangleleft</code> (⊄)	72
<code>\nquigarrowswenw</code> (↖)	79	<code>\nSupset</code> (⊅)	66	<code>\ntriangleleft</code> (⊅)	74
<code>\nquigarrowswne</code> (↗)	79	<code>\nSupset</code> (⊆)	66	<code>\ntriangleleft</code> (⊆)	74
<code>\nquigarrowwupdown</code> (↕)	79	<code>\nSupset</code> (⊇)	66	<code>\ntriangleleft</code> (⊇)	69, 73
<code>\nststile</code> (≡)	63	<code>\nsupset</code> (⊃)	65	<code>\ntriangleleft</code> (⊈)	73
<code>\nstareq</code> (≠)	59	<code>\nsupset</code> (⊄)	66	<code>\ntriangleleft</code> (⊉)	72
<code>\nststile</code> (≡)	63	<code>\nsupset</code> (⊅)	66	<code>\ntriangleleft</code> (⊊)	74
<code>\nsttstile</code> (≡)	63	<code>\nsupset</code> (⊆)	66	<code>\ntriangleleft</code> (⊋)	69, 73
<code>\nSubset</code> (⊄)	65	<code>\nsupset</code> (⊇)	67	<code>\ntriangleleft</code> (⊌)	73
<code>\nSubset</code> (⊅)	65	<code>\nsupseteq</code> (⊃)	65	<code>\ntriangleleft</code> (⊍)	74
<code>\nSubset</code> (⊆)	66	<code>\nsupseteq</code> (⊄)	65	<code>\ntriangleleft</code> (⊎)	74
<code>\nSubset</code> (⊇)	66	<code>\nsupseteq</code> (⊅)	66	<code>\ntriangleleft</code> (⊏)	74
<code>\nSubset</code> (⊈)	66	<code>\nsupseteq</code> (⊆)	66	<code>\ntriangleleft</code> (⊐)	69, 73
<code>\nSubset</code> (⊉)	66	<code>\nsupseteq</code> (⊇)	67	<code>\ntriangleleft</code> (⊑)	74
<code>\nSubset</code> (⊊)	66	<code>\nsupseteqq</code> (⊃)	65	<code>\ntriangleright</code> (⊃)	73
<code>\nSubset</code> (⊋)	66	<code>\nsupseteqq</code> (⊄)	65	<code>\ntriangleright</code> (⊄)	72
<code>\nSubset</code> (⊌)	66	<code>\nsupseteqq</code> (⊅)	66	<code>\ntriangleright</code> (⊅)	74
<code>\nSubset</code> (⊍)	66	<code>\nsupseteqq</code> (⊆)	66	<code>\ntriangleright</code> (⊆)	74
<code>\nSubset</code> (⊎)	67	<code>\nsupseteqq</code> (⊇)	66	<code>\ntriangleright</code> (⊇)	69, 73
<code>\nsubseteq</code> (⊄)	65	<code>\nsupseteqq</code> (⊈)	66	<code>\ntriangleright</code> (⊈)	73
<code>\nsubseteq</code> (⊅)	65	<code>\nSwarrow</code> (↷)	83	<code>\ntriangleright</code> (⊉)	72
<code>\nsubseteq</code> (⊆)	66	<code>\nSwarrow</code> (↶)	79	<code>\ntriangleright</code> (⊊)	74
<code>\nsubseteq</code> (⊇)	66	<code>\nswarrow</code> (↷)	83	<code>\ntriangleright</code> (⊋)	74
<code>\nsubseteq</code> (⊈)	67	<code>\nswarrow</code> (↶)	79	<code>\ntriangleright</code> (⊌)	69, 73
<code>\nsubseteqq</code> (⊄)	65	<code>\nswarrow</code> (↷)	79	<code>\ntriangleright</code> (⊍)	74
<code>\nsubseteqq</code> (⊅)	65	<code>\nswarrowtail</code> (↷)	83	<code>\ntriangleright</code> (⊎)	74
<code>\nsubseteqq</code> (⊆)	66	<code>\nswarrowtail</code> (↶)	79	<code>\ntriangleright</code> (⊏)	72
<code>\nsubseteqq</code> (⊇)	66	<code>\nswbkarrow</code> (↷)	83	<code>\ntriplefrown</code> (⋈)	94
<code>\nsubseteqq</code> (⊈)	66	<code>\nswfilledspoon</code> (↷)	93	<code>\ntriplesim</code> (≐)	59
<code>\nsubseteqq</code> (⊉)	66	<code>\nswfootline</code> (↷)	56	<code>\ntriplesim</code> (≑)	56

<code>\ntriplesmile</code> (☺)	94	<code>\nupdownarrow</code> (‡)	83	<code>\nvargeq</code> (≥)	68
<code>\ntststile</code> (≡)	63	<code>\nupdownarrow</code> (‡)	79	<code>\nvarhookdownarrow</code> (⤵)	84
<code>\nttstile</code> (≡)	63	<code>\nupdownarrows</code> (‡)	83	<code>\nvarhookleftarrow</code> (↵)	84
<code>\ntttstile</code> (≡)	63	<code>\nupdownarrows</code> (‡)	79	<code>\nvarhooknearrow</code> (↗)	84
<code>\ntwoheaddownarrow</code> (↓)	83	<code>\nupdowncurvearrow</code> (↷)	84	<code>\nvarhooknwarrow</code> (↖)	84
<code>\ntwoheaddownarrow</code> (↓)	79	<code>\nupdownharpoonleft</code> (↵)	85	<code>\nvarhookrightarrow</code> (↶)	84
<code>\ntwoheadleftarrow</code> (←)	54	<code>\nupdownharpoonleft</code> (↵)	81	<code>\nvarhooksearrow</code> (↘)	84
<code>\ntwoheadleftarrow</code> (←)	83	<code>\nupdownharpoonright</code> (↶)	81	<code>\nvarhookswarrow</code> (↙)	84
<code>\ntwoheadleftarrow</code> (←)	79	<code>\nupdownharpoonright</code> (↶)	85	<code>\nvarhookuparrow</code> (↑)	84
<code>\ntwoheadnearrow</code> (↗)	83	<code>\nupdownharpoonright</code> (↶)	81	<code>\nvarisinobar</code> (≧)	62
<code>\ntwoheadnearrow</code> (↗)	79	<code>\nupdownharpoonright</code> (↶)	81	<code>\nvarleftrightarrow</code> (↠)	84
<code>\ntwoheadnwarrow</code> (↖)	83	<code>\nupdownharpoons</code> (‡)	85	<code>\nvarleftwvearrow</code> (↠)	84
<code>\ntwoheadnwarrow</code> (↖)	79	<code>\nupdownharpoons</code> (‡)	81	<code>\nvarleq</code> (≤)	68
<code>\ntwoheadrightarrow</code> (→)	54	<code>\nupdownharpoonsleft</code> (‡)	85	<code>\nvarniobar</code> (≧)	62
<code>\ntwoheadrightarrow</code> (→)	83	<code>\nupdownharpoonsleft</code> (‡)	85	<code>\nvarparallel</code> (∥)	54
<code>\ntwoheadrightarrow</code> (→)	79	<code>\nUpdownline</code> (‡)	56	<code>\nvarparallelinv</code> (∥)	54
<code>\ntwoheadsearrow</code> (↘)	83	<code>\nupdownline</code> (‡)	56	<code>\nvarrightarrow</code> (↗)	84
<code>\ntwoheadsearrow</code> (↘)	79	<code>\nupdownsquivarrow</code> (≍)	84	<code>\nvartriangleleft</code> (◁)	74
<code>\ntwoheadswarrow</code> (↙)	83	<code>\nupdownwavearrow</code> (⤵)	84	<code>\nvartriangleright</code> (▷)	74
<code>\ntwoheadswarrow</code> (↙)	79	<code>\nupfilledspoon</code> (‡)	93	<code>\nvarupdownwavearrow</code> (⤵)	84
<code>\ntwoheaduparrow</code> (↑)	83	<code>\nupfootline</code> (‡)	56	<code>\nvarupwvearrow</code> (⤵)	84
<code>\ntwoheaduparrow</code> (↑)	79	<code>\nupfree</code> (‡)	56	<code>\nVbar</code> (±)	59
<code>\Nu</code> (N)	97	<code>\nupharpoonccw</code> (‡)	81	<code>\nVDash</code> (∥)	54
<code>\nu</code> (ν)	97	<code>\nupharpooncw</code> (‡)	81	<code>\nVDash</code> (∥)	53
nuclear power plant	<i>see</i> <code>\SNPP</code>	<code>\nupharpoonleft</code> (‡)	85	<code>\nVDash</code> (∥)	60
<code>\nucleus</code> (☉)	138	<code>\nupharpoonright</code> (‡)	85	<code>\nVDash</code> (∥)	59
<code>\Nudelholz</code> (☞)	196	<code>\nuplcurvearrow</code> (↷)	84	<code>\nVDash</code> (∥)	57
<code>\NUL</code> (☒)	135	<code>\nupleftcurvedarrow</code> (↶)	84	<code>\nVDash</code> (∥)	62
<code>\NUL</code> (☒)	135	<code>\nuplsquigarrow</code> (≍)	84	<code>\nVDash</code> (∥)	54
null infinity	<i>see</i> alphabets, math	<code>\nupplsquigarrow</code> (≍)	79	<code>\nVDash</code> (∥)	54
null set	123–125	<code>\nUpmapsto</code> (↗)	84	<code>\nVDash</code> (∥)	60
number sets	<i>see</i> alphabets, math	<code>\nupmapsto</code> (↗)	84	<code>\nVDash</code> (∥)	59
number sign	<i>see</i> <code>\textnumero</code>	<code>\nupmapsto</code> (↗)	79	<code>\nVDash</code> (∥)	57
numbers	<i>see</i> numerals	<code>\nupModels</code> (±)	56	<code>\nVDash</code> (∥)	62
numerals 28, 122, 130, 144, 179, 187, 188, 204–206, 224		<code>\nupmodels</code> (±)	59	<code>\nVDash</code> (∥)	57
circled	144, 187, 188, 224	<code>\nupmodels</code> (±)	57	<code>\nvDash</code> (≠)	54
Epi-Olmec	161	<code>\nuppitchfork</code> (‡)	95	<code>\nvDash</code> (≠)	60
Isthmian	161	<code>\nuppitchfork</code> (‡)	93	<code>\nvDash</code> (≠)	59
LCD	130	<code>\nuprcurvearrow</code> (↷)	84	<code>\nvDash</code> (≠)	57
Linear B	157	<code>\nuprightcurvearrow</code> (↶)	84	<code>\nvDash</code> (≠)	62
Mayan	122	<code>\nuprsquigarrow</code> (≍)	85	<code>\nvDash</code> (≠)	54
old-style	28	<code>\nuprsquigarrow</code> (≍)	79	<code>\nvDash</code> (≠)	53
segmented	130	<code>\nupspoon</code> (‡)	94	<code>\nvDash</code> (≠)	60
<code>\NumLock</code> (☒)	134	<code>\nupspoon</code> (‡)	93	<code>\nvDash</code> (≠)	59
<code>\nUparrow</code> (↑)	83	<code>\nupuparrows</code> (↗)	84	<code>\nvDash</code> (≠)	57
<code>\nUparrow</code> (↑)	79	<code>\nupuparrows</code> (↗)	80	<code>\nvDash</code> (≠)	62
<code>\nuparrow</code> (↑)	83	<code>\nupVDash</code> (±)	59	<code>\nvDdash</code> (≠)	59
<code>\nuparrow</code> (↑)	79	<code>\nupVdash</code> (±)	59	<code>\nveeeq</code> (≐)	59
<code>\nuparrowtail</code> (↗)	83	<code>\nupVdash</code> (±)	57	<code>\nvinfty</code> (∞)	122
<code>\nuparrowtail</code> (↗)	79	<code>\nupvDash</code> (±)	59	<code>\nVleftarrow</code> (←)	87
<code>\nupAssert</code> (±)	59	<code>\nupvDash</code> (±)	59	<code>\nVleftarrow</code> (←)	90
<code>\nupassert</code> (±)	59	<code>\nupvDash</code> (±)	57	<code>\nvLeftarrow</code> (←)	90
<code>\nupbkarrow</code> (↗)	83	<code>\nupwvearrow</code> (⤵)	84	<code>\nvleftarrow</code> (←)	90
<code>\nupblackspoon</code> (‡)	94	<code>\Nursey</code> (☉)	196	<code>\nVleftarrowtail</code> (↖)	90
<code>\nUpdownarrow</code> (‡)	83	<code>\nuup</code> (ν)	98	<code>\nvleftarrowtail</code> (↖)	90
<code>\nUpdownarrow</code> (‡)	79	<code>\nUuparrow</code> (↑)	84	<code>\nVleftrightarrow</code> (→)	90
		<code>\nvardownwvearrow</code> (⤵)	84	<code>\nvLeftrightarrow</code> (→)	90

<code>\nvleftrightharrow</code> (\leftrightarrow)	90	<code>\nwsearrow</code> (\swarrow)	233	<code>\Octosteel</code> (\bullet)	136
<code>\nvlongdash</code> (\dashv)	59	<code>\nwsearrow</code> (\swarrow)	82	<code>\od</code> (\ominus)	23
<code>\nVrightarrow</code> (\Rightarrow)	87	<code>\nwsearrow</code> (\swarrow)	77	<code>\odash</code> (\ominus)	39
<code>\nVrightarrow</code> (\Rightarrow)	90	<code>\nwsearrow</code> (\swarrow)	88	<code>\odiv</code> (\oplus)	37
<code>\nvrightarrow</code> (\Rightarrow)	90	<code>\nwsearrows</code> (\curvearrowright)	82	<code>\odiv</code> (\oplus)	40
<code>\nVrightarrowtail</code> (\Rightarrow)	90	<code>\nwsearrows</code> (\curvearrowright)	77	<code>\odot</code> (\odot)	37
<code>\nvrightarrowtail</code> (\Rightarrow)	90	<code>\nwsebipropto</code> (\curvearrowright)	34	<code>\odot</code> (\odot)	31
<code>\nVtwoheadleftarrow</code> (\Leftrightarrow)	90	<code>\nwsecrossing</code> (\times)	55	<code>\odot</code> (\odot)	39
<code>\nvtwoheadleftarrow</code> (\Leftrightarrow)	90	<code>\nwsecurvearrow</code> (\curvearrowright)	83	<code>\odot</code> (\odot)	38
<code>\nVtwoheadleftarrowtail</code> (\Leftrightarrow)	90	<code>\nwseharpoonnesw</code> (\curvearrowright)	85	<code>\odot</code> (\odot)	40
<code>\nvtwoheadleftarrowtail</code> (\Leftrightarrow)	90	<code>\nwseharpoonnesw</code> (\curvearrowright)	80	<code>\odotslashdot</code> (\odot)	40
<code>\nVtwoheadrightarrow</code> (\Rrightarrow)	90	<code>\nwseharpoons</code> (\curvearrowright)	85	<code>\odplus</code> (\oplus)	37
<code>\nvtwoheadrightarrow</code> (\Rrightarrow)	90	<code>\nwseharpoons</code> (\curvearrowright)	80	<code>\OE</code> ($\text{\textcircled{E}}$)	15, 244
<code>\nVtwoheadrightarrowtail</code> (\Rrightarrow)	90	<code>\nwseharpoonswne</code> (\curvearrowright)	85	<code>\oe</code> ($\text{\textcircled{o}}$)	15, 244
<code>\nvtwoheadrightarrowtail</code> (\Rrightarrow)	90	<code>\nwseharpoonswne</code> (\curvearrowright)	80	<code>\oequal</code> ($\text{\textcircled{=}}$)	39
<code>\nVvash</code> ($\text{\textcircled{#}}$)	54	<code>\Nwseline</code> ($\text{\textcircled{N}}$)	55	<code>\Ofen</code> ($\text{\textcircled{F}}$)	196
<code>\nVvdash</code> ($\text{\textcircled{\#}}$)	59	<code>\nwseline</code> ($\text{\textcircled{N}}$)	55	<code>\officialeuro</code> ($\text{\textcircled{€}}$)	27
<code>\Nwarrow</code> ($\text{\textcircled{N}}$)	76	<code>\nwspoon</code> ($\text{\textcircled{N}}$)	93	<code>\offinterlineskip</code>	231
<code>\Nwarrow</code> ($\text{\textcircled{N}}$)	86	<code>\nwVdash</code> ($\text{\textcircled{N}}$)	55	<code>ogonek</code> (package)	24, 247, 248
<code>\Nwarrow</code> ($\text{\textcircled{N}}$)	82	<code>\nwvdash</code> ($\text{\textcircled{N}}$)	55	<code>ogonek</code> ($\text{\textcircled{N}}$)	<i>see accents</i>
<code>\Nwarrow</code> ($\text{\textcircled{N}}$)	77			<code>\ogreaterthan</code> ($\text{\textcircled{>}}$)	32
<code>\Nwarrow</code> ($\text{\textcircled{N}}$)	88	O		<code>\ogreaterthan</code> ($\text{\textcircled{>}}$)	39
<code>\nwarrow</code> (\swarrow)	76	<code>\O</code> ($\text{\textcircled{O}}$)	15	<code>\ogreaterthan</code> ($\text{\textcircled{>}}$)	40
<code>\nwarrow</code> (\swarrow)	75, 233	<code>\o</code> ($\text{\textcircled{o}}$)	15	<code>\ohill</code> ($\text{\textcircled{h}}$)	23
<code>\nwarrow</code> (\swarrow)	82	<code>o</code> ($\text{\textcircled{o}}$)	97	<code>ohm</code>	<i>see \texttohm</i>
<code>\nwarrow</code> (\swarrow)	77	<code>o</code> ($\text{\textcircled{o}}$)	162	<code>\ohm</code> ($\text{\textcircled{\Omega}}$)	130
<code>\nwarrow</code> (\swarrow)	88	<code>\oast</code> ($\text{\textcircled{O}}$)	38	<code>\Ohne</code> ($\text{\textcircled{h}}$)	165
<code>\nwarrow</code> (\swarrow)	82	<code>\oast</code> ($\text{\textcircled{O}}$)	38	<code>\OHORN</code> ($\text{\textcircled{O}}$)	16
<code>\nwarrow</code> (\swarrow)	92	<code>\oasterisk</code> ($\text{\textcircled{*}}$)	37	<code>\ohorn</code> ($\text{\textcircled{o}}$)	16
<code>\nwarrow</code> (\swarrow)	88	<code>\obackslash</code> ($\text{\textcircled{/}}$)	37	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	44
<code>\narrowcorner</code> ($\text{\textcircled{N}}$)	86	<code>\obackslash</code> ($\text{\textcircled{/}}$)	38	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	47
<code>\narrowtail</code> ($\text{\textcircled{N}}$)	82	<code>\obackslash</code> ($\text{\textcircled{/}}$)	38	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	51
<code>\narrowtail</code> ($\text{\textcircled{N}}$)	77	<code>\obar</code> ($\text{\textcircled{O}}$)	32	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	48
<code>\nwbkarrow</code> ($\text{\textcircled{N}}$)	82	<code>\obar</code> ($\text{\textcircled{O}}$)	39	<code>\oiintclockwise</code> ($\text{\textcircled{\iint}}$)	44
<code>\nwedgeq</code> ($\text{\textcircled{=}}$)	59	<code>\obar</code> ($\text{\textcircled{O}}$)	40	<code>\oiintctrlockwise</code> ($\text{\textcircled{\iint}}$)	44
<code>\nwfilledspoon</code> ($\text{\textcircled{N}}$)	93	<code>\Obelus</code> ($\text{\textcircled{—}}$)	188	<code>\oiintsl</code> ($\text{\textcircled{\iint}}$)	50
<code>\nwfootline</code> ($\text{\textcircled{N}}$)	55	<code>\obelus</code> ($\text{\textcircled{—}}$)	188	<code>\oiintsup</code> ($\text{\textcircled{\iint}}$)	50
<code>\nwfree</code> ($\text{\textcircled{N}}$)	55	<code>\Obelus*</code> ($\text{\textcircled{÷}}$)	188	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	44
<code>\nwharpoonccw</code> ($\text{\textcircled{N}}$)	80	<code>\obelus*</code> ($\text{\textcircled{÷}}$)	188	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	43
<code>\nwharpooncw</code> ($\text{\textcircled{N}}$)	80	<code>\oblong</code> ($\text{\textcircled{\square}}$)	32	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	45
<code>\nwharpoonne</code> ($\text{\textcircled{N}}$)	85	<code>\oblong</code> ($\text{\textcircled{\square}}$)	39	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	45
<code>\nwharpoonsw</code> ($\text{\textcircled{N}}$)	85	<code>\obot</code> ($\text{\textcircled{\oplus}}$)	37	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	45
<code>\nwhiteblackspoon</code> ($\text{\textcircled{N}}$)	94	<code>\obot</code> ($\text{\textcircled{\oplus}}$)	39	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	47
<code>\nwlcurvearrow</code> ($\text{\textcircled{N}}$)	83	<code>\obot</code> ($\text{\textcircled{\oplus}}$)	40	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	51
<code>\nwlsquigarrow</code> ($\text{\textcircled{N}}$)	77	<code>\obrbrak</code> ($\text{\textcircled{\text{—}}}$)	126	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	46
<code>\nwmapsto</code> ($\text{\textcircled{N}}$)	77	<code>\obslash</code> ($\text{\textcircled{/}}$)	32	<code>\oiint</code> ($\text{\textcircled{\iint}}$)	48
<code>\nwModels</code> ($\text{\textcircled{N}}$)	55	<code>\obslash</code> ($\text{\textcircled{/}}$)	39	<code>\oiintclockwise</code> ($\text{\textcircled{\iint}}$)	45
<code>\nwmodels</code> ($\text{\textcircled{N}}$)	55	<code>\obslash</code> ($\text{\textcircled{/}}$)	39	<code>\oiintctrlockwise</code> ($\text{\textcircled{\iint}}$)	45
<code>\nwnwarrows</code> ($\text{\textcircled{N}}$)	82	<code>\obslash</code> ($\text{\textcircled{/}}$)	40	<code>\oiintsl</code> ($\text{\textcircled{\iint}}$)	50
<code>\nwnwarrows</code> ($\text{\textcircled{N}}$)	77	<code>\oc</code> ($\text{\textcircled{O}}$)	30	<code>\oiintup</code> ($\text{\textcircled{\iint}}$)	50
<code>\nwovnearrow</code> ($\text{\textcircled{N}}$)	88	<code>\ocirc</code> ($\text{\textcircled{\circ}}$)	37	<code>\oint</code> ($\text{\textcircled{\oint}}$)	44
<code>\nwpitchfork</code> ($\text{\textcircled{N}}$)	93	<code>\ocirc</code> ($\text{\textcircled{\circ}}$)	38	<code>\oint</code> ($\text{\textcircled{\oint}}$)	43
<code>\nwrcurvearrow</code> ($\text{\textcircled{N}}$)	83	<code>\ocirc</code> ($\text{\textcircled{\circ}}$)	38	<code>\oint</code> ($\text{\textcircled{\oint}}$)	43
<code>\nwrsquigarrow</code> ($\text{\textcircled{N}}$)	77	<code>\ocircle</code> ($\text{\textcircled{\circ}}$)	32	<code>\oint</code> ($\text{\textcircled{\oint}}$)	42
<code>\Nwsearrow</code> ($\text{\textcircled{N}}$)	82	<code>\ocoasterisk</code> ($\text{\textcircled{*}}$)	37	<code>\oint</code> ($\text{\textcircled{\oint}}$)	47
<code>\Nwsearrow</code> ($\text{\textcircled{N}}$)	77	<code>\ocommatopright</code> ($\text{\textcircled{N}}$)	111	<code>\oint</code> ($\text{\textcircled{\oint}}$)	46
		<code>\octagon</code> ($\text{\textcircled{O}}$)	146	<code>\oint</code> ($\text{\textcircled{\oint}}$)	48
		<code>oclonions</code> ($\text{\textcircled{O}}$)	<i>see alphabets, math</i>		

<code>\ointclockwise</code> (\oint)	44	<code>\operp</code> (\oplus)	40	<code>\otop</code> (\oplus)	39
<code>\ointclockwise</code> (\oint)	45	<code>\oplus</code> (\oplus)	37	<code>\otriangle</code> (\otimes)	39
<code>\ointclockwise</code> (\oint)	48	<code>\oplus</code> (\oplus)	30, 31, 229	<code>\otriangle</code> (\otimes)	38, 73
<code>\ointclockwise</code> (\oint)	51	<code>\oplus</code> (\oplus)	39	<code>\otriangleup</code> (\otimes)	37
<code>\ointctrlockwise</code> (\oint)	44	<code>\oplus</code> (\oplus)	38	<code>\oturnedcomma</code> (\otimes)	111
<code>\ointctrlockwise</code> (\oint)	45	<code>\oplus</code> (\oplus)	38	outer joins	126
<code>\ointctrlockwise</code> (\oint)	48	<code>\oplus</code> (\oplus)	40	ovals	150, 173–178, 204–206, 210–211, 222
<code>\ointctrlockwise</code> (\oint)	51	<code>\opluslhrim</code> (\oplus)	36	<code>\ovee</code> (\oslash)	32
<code>\ointctrlockwise</code> (\oint)	48	<code>\oplusrhrim</code> (\oplus)	36	<code>\ovee</code> (\oslash)	39
<code>\ointctrlockwise1</code> (\oint)	50	<code>\opposbishops</code> (\oplus)	186	<code>\Oven</code> (\oslash)	196
<code>\ointctrlockwiseup</code> (\oint)	50	<code>\Opposition</code> (\oslash)	133	<code>\oven</code> (\oslash)	196
<code>\oints1</code> (\oint)	50	<code>\Opposition</code> (\oslash)	131	<code>\overarc</code> (\oslash)	24
<code>\ointup</code> (\oint)	50	optical scaling	236	<code>\overbrace</code> ($\overbrace{\square}$)	114
<code>\olcross</code> (\otimes)	40	options	<i>see</i> package options	<code>\overbrace</code> ($\overbrace{\square}$)	113
old-arrows (package)	92, 247	<code>\OR</code> (\vee)	134	<code>\overbrace</code> ($\overbrace{\square}$)	113
old-style numerals	28	or	<i>see</i> <code>\vee</code>	<code>\overbrace</code> ($\overbrace{\square}$)	114
<code>\olddWinkey</code> (\oslash)	197	OR gates	135	<code>\overbrace</code> ($\overbrace{\square}$)	114
<code>\oldGclef</code> (\oslash)	165	<code>\orbit</code> (\oslash)	138	<code>\overbrace</code> ($\overbrace{\square}$)	114
<code>\oldstylenums</code>	28			<code>\overbrace</code> ($\overbrace{\square}$)	112
<code>\oldWinkey</code> (\oslash)	196	<code>\ORd</code> (\oslash)	135	<code>\overbrace</code> ($\overbrace{\square}$)	114
<code>\oleft</code> (\oplus)	37	<code>\oright</code> (\oplus)	37	<code>\overbracket</code> ($\overbracket{\square}$)	114
<code>\oleft</code> (\oplus)	39	<code>\oright</code> (\oplus)	39	<code>\overbracket</code> ($\overbracket{\square}$)	114
<code>\olessthan</code> (\otimes)	32	<code>\origof</code> (\oslash)	94	<code>\overbracket</code> ($\overbracket{\square}$)	114
<code>\olessthan</code> (\otimes)	39	<code>\origof</code> (\oslash)	61	<code>\overbracket</code> ($\overbracket{\square}$)	235, 236
<code>\olessthan</code> (\otimes)	40	oriscus	<i>see</i> <code>musixgre</code>	<code>\overbridge</code> ($\overbridge{\square}$)	23
Olschok, Marc	229			<code>\overgroup</code> ($\overgroup{\square}$)	114
<code>\OM</code> (ω)	134	<code>\OR1</code> (\oslash)	135	<code>\overgroup</code> ($\overgroup{\square}$)	113
<code>\Omega</code> (Ω)	97	<code>\OrnamentDiamondSolid</code> (\oslash)	152	<code>\overgroup</code> ($\overgroup{\square}$)	113
<code>\omega</code> (ω)	97	ornaments	145, 146, 152, 209–211, 213–217	<code>\overleftarrow</code> ($\overleftarrow{\square}$)	114
<code>\omegaaup</code> (ω)	98			<code>\overleftarrow</code> ($\overleftarrow{\square}$)	92, 112
<code>\Omicron</code> (O)	97	<code>\ORr</code> (\oslash)	135	<code>\overleftharp</code> ($\overleftharp{\square}$)	91
<code>\omicron</code> (o)	97	orthogonal to	<i>see</i> <code>\bot</code>	<code>\overleftharpdown</code> ($\overleftharpdown{\square}$)	91
<code>\ominus</code> (\ominus)	37			<code>\overleftharpoon</code> ($\overleftharpoon{\square}$)	113
<code>\ominus</code> (\ominus)	31	<code>\ORu</code> (\oslash)	135	<code>\overleftharpoon</code> ($\overleftharpoon{\square}$)	113
<code>\ominus</code> (\ominus)	39	<code>\oslash</code> (\oslash)	37	<code>\overleftharpoon</code> ($\overleftharpoon{\square}$)	114
<code>\ominus</code> (\ominus)	39	<code>\oslash</code> (\oslash)	31	<code>\overleftharpoon</code> ($\overleftharpoon{\square}$)	114
<code>\ominus</code> (\ominus)	38	<code>\oslash</code> (\oslash)	39	<code>\overleftrightharp</code> ($\overleftrightharp{\square}$)	92, 113
<code>\ominus</code> (\ominus)	40	<code>\oslash</code> (\oslash)	38	<code>\overleftswishingghost</code> ($\overleftswishingghost{\square}$)	118
<code>\onlymove</code> (\square)	186	<code>\oslash</code> (\oslash)	38	<code>\overleftwitonbroom</code> ($\overleftwitonbroom{\square}$)	118
<code>\oo</code> (\oslash)	188	<code>\oslash</code> (\oslash)	40	<code>\overleftwitonbroom*</code> ($\overleftwitonbroom*{\square}$)	118
<code>\oo</code> (\oslash)	19	<code>\ostar</code> (\oslash)	38	<code>\overline</code> ($\overline{\square}$)	30, 110, 112
<code>\ooalign</code>	231	<code>\osum</code> (\oslash)	47, 48	<code>\overlinesegment</code> ($\overlinesegment{\square}$)	113
<code>\open</code> (\oslash)	25	.otf files	163	<code>\overlinesegment</code> ($\overlinesegment{\square}$)	113
open unit disk (\mathbb{D})	<i>see</i> alphabets, math	<code>\Otimes</code> (\otimes)	40	<code>\overparen</code> ($\overparen{\square}$)	114
<code>\openJoin</code> (\otimes)	53	<code>\Otimes</code> (\otimes)	37	<code>\overparenthesis</code> ($\overparenthesis{\square}$)	235, 236
<code>\openo</code> (\oslash)	20	<code>\otimes</code> (\otimes)	37	<code>\Overrightarrow</code> ($\overrightarrow{\square}$)	112
<code>\openo</code> (\oslash)	19	<code>\otimes</code> (\otimes)	31	overrightarrow (package)	112, 247
<code>\openo</code> (\oslash)	20	<code>\otimes</code> (\otimes)	39	<code>\overrightarrow</code> ($\overrightarrow{\square}$)	114
<code>\opentimes</code> (\otimes)	53	<code>\otimes</code> (\otimes)	38	<code>\overrightarrow</code> ($\overrightarrow{\square}$)	92, 112
OpenType	163	<code>\otimes</code> (\otimes)	38	<code>\overrightarrowtharp</code> ($\overrightarrowtharp{\square}$)	91
operators	30–33, 37, 38	<code>\otimes</code> (\otimes)	38		
binary	31–40	<code>\otimes</code> (\otimes)	40		
logical	<i>see</i> logical operators	<code>\otimes</code> (\otimes)	40		
set	<i>see</i> set operators	<code>\otimes</code> (\otimes)	36		
unary	30	<code>\otimes</code> (\otimes)	36		
		<code>\otimes</code> (\otimes)	37		

$\overrightarrow{\text{tharpharpoonright}}$ (↷) .. 91
 $\overrightarrow{\text{tharpoonright}}$ (↶) .. 113
 $\overrightarrow{\text{tharpoonright}}$ (↷) .. 113
 $\overrightarrow{\text{tharpoonright}}$ (↶) .. 114
 $\overrightarrow{\text{wishingghost}}$ (↷) .. 118
 $\overrightarrow{\text{witchonbroom}}$ (↷) .. 118
 $\overrightarrow{\text{witchonbroom*}}$ (↷) .. 118
 $\overrightarrow{\text{ring}}$ (°) .. 25
 $\overscriptleftarrow{\text{}}$ (↶) 118
 $\overscriptleftarrow{\text{rightarrow}}$ (↶) .. 118
 $\overscriptrightarrow{\text{}}$ (↷) 118
 $\overset{\text{}}$.. 230
 $\overrightarrow{\text{t}}$ (Ⓣ) .. 38
 $\overrightarrow{\text{t}}$ (Ⓣ) .. 38
 $\overrightarrow{\text{hook}}$ (↷) .. 111
 $\overrightarrow{\text{void}}$ (Ⓞ) .. 37
 $\overrightarrow{\text{wedge}}$ (⊖) .. 32
 $\overrightarrow{\text{wedge}}$ (⊖) .. 39
 $\overrightarrow{\text{owns}}$.. *see* $\backslash\text{ni}$
 $\overrightarrow{\text{owns}}$ (⊃) .. 100
 $\overrightarrow{\text{owns}}$ (⊃) .. 58, 101
 $\overrightarrow{\text{owns}}$ (⊃) .. 101
 $\overrightarrow{\text{owns}}$ (⊃) .. 100
 $\overrightarrow{\text{owns}}$ (⊃) .. 62
 $\overrightarrow{\text{ownsbar}}$ (⊃) .. 100

P




























P (ℙ) .. 162
 $\backslash\text{P}$ (ℙ) .. 15, 243
 $\backslash\text{P}$ (ℙ) .. 15
 $\backslash\text{p}$ (ℙ) .. 162
 $\backslash\text{p}$ (.) .. 188
 p (ℙ) .. 162
 $\backslash\text{p@}$.. 234
package options
 a (esvect) .. 115
 arrows (boisik) .. 87
 b (esvect) .. 115
 bbgreekl (mathbbol) .. 129
 boondox (emf) .. 131
 c (esvect) .. 115
 cal (emf) .. 131
 calligra (emf) .. 131
 chorus (emf) .. 131
 cmr (emf) .. 131
 crescent (fge) .. 111
 d (esvect) .. 115
 e (esvect) .. 115
 f (esvect) .. 115
 fourier (emf) .. 131
 frursive (emf) .. 131
 g (esvect) .. 115
 german (keystroke) .. 134
 greek (babel) 16, 97, 98, 159

h (esvect) .. 115
heartctrbull (bullcntr) .. 185
integrals (wasysym) .. 43
largectrbull (bullcntr) .. 185
mathcal (euscript) .. 128
mathscr (euscript) .. 128
mathscr (urwchancal) .. 128
miama (emf) .. 131
new (old-arrows) .. 92
nointegrals (wasysym) .. 43
polutonikogreek (babel) 16, 97, 98
rsfs (emf) .. 131
sans (dsfont) .. 128
scaled (CountriesOfEurope) .. 195
scr (rsfso) .. 128
smallctrbull (bullcntr) .. 185
smartctrbull (bullcntr) .. 185
upint (stix) .. 41, 42, 49, 51
utf8x (inputenc) .. 245
varg (txfonts/pxfonts) .. 99
packages
 abraces .. 115, 247, 248
 accents .. 110, 234, 247, 248
 actuarialangle 116, 235, 247
 adorn .. 140, 145, 146, 152, 247, 248
 adfsymbols .. 140, 143, 145, 150, 247
 allrunes .. 162, 247
 \mathcal{AMS} .. 12, 15, 31, 42, 52, 53, 65, 67, 72, 75, 76, 92, 96, 97, 99, 100, 102, 104, 110, 113, 116, 119, 123, 124, 129, 226, 227, 246
 amsbsy .. 241
 amsfonts .. 124, 128
 amsmath 12, 96, 110, 230, 240
 amssymb 12, 110, 124, 128, 159, 247
 amstext .. 232, 233
 apl .. 134, 247
 ar .. 130, 247
 arcs .. 24, 247
 arev 140–144, 151, 163, 196, 247
 ascii .. 135, 242, 247
 astrosym .. 206, 247
 babel .. 16, 97, 98, 159
 bartel-chess-fonts .. 224, 225, 247
 bbding .. 139, 141–143, 145, 150, 152, 227, 247
 bbm .. 128, 247
 bbold .. 128, 247
 bclogo .. 197, 198, 247, 248
 begriff .. 121, 247

bigints .. 46, 247, 248
bm .. 241, 247, 248
boisik .. 35, 39, 48, 60, 66, 71, 74, 86, 87, 99–102, 111, 123, 125, 147, 151, 159, 163, 247
braket .. 103
bullcntr .. 185, 247, 248
bullenum .. 185
calligra .. 128, 247, 248
calrfs .. 128
cancel .. 112
ccicons .. 28, 247, 248
ccllicenses .. 28, 247
centernot .. 232
chancery .. 247
chemarr .. 116, 247
chemarrow .. 91, 117, 247
china2e 26, 96, 129, 191, 192
china2e .. 128, 247, 248
clock .. 184, 247, 248
cml 30, 37, 52, 64, 102, 247
colonequals 30, 64, 247, 248
combelow .. 25, 247, 248
cookingsymbols .. 196, 247, 248
CountriesOfEurope 194, 247, 248
cryst .. 222, 247
cypriot .. 158, 247, 248
dancers .. 217, 247
dblaccnt .. 234
dice .. 223, 247
dictsym .. 189, 247
dingbat 141, 142, 152, 213, 227, 247
DotArrow .. 117, 247, 248
dozenal 122, 185, 247, 248
dsfont .. 128, 247
emf .. 131, 247, 248
epiolmec 160, 161, 247, 248
epsdice .. 184, 247, 248
esint .. 45, 247
esrelation .. 92, 118, 247
esvect .. 115, 247
eufrak .. 128
eurosymb .. 27, 247
euscript .. 128, 247
extarrows .. 117, 247
extpfeil .. 117, 247
extraipa .. 23, 247
fc .. 16, 21
fclfont .. 247
fdsymbol .. 34, 35, 38, 39, 47, 48, 57–59, 66, 70, 74, 81–85, 94, 95, 99, 101, 106, 107, 111, 113, 120, 123, 125, 147, 151, 163, 247
feyn .. 137, 247, 248

fge . 91, 102, 111, 122, 126,
 247, 248
 fixmath 241
 fontawesome 26,
 27, 132, 136, 140–142, 144,
 146, 151, 199, 202, 247, 248
 fontenc 12, 15, 17, 21, 242,
 244
 fontspec 163, 245, 246
 fourier 27, 64, 98, 102, 109,
 115, 142, 146, 182, 247
 frege 121, 247, 248
 gensymb 130
 go 188, 247
 graphics 91, 229
 graphicx 24, 226, 229
 greenpoint 204, 247
 halloweenmath 40, 118, 247,
 248
 hands 204, 247
 harmony 165, 247
 harpoon 91, 247, 248
 hhcount 184, 185, 247, 248
 hieroglf 154, 247
 holtplt 119, 247
 ifsym . . 130, 149, 150, 183,
 227, 229, 247
 igo 187, 247
 inputenc 245
 isoent 244
 unicode 245, 247
 keystroke 134, 247
 knitting 193, 247, 248
 knot 213, 217, 247
 latexsym 31, 52, 64, 75, 124,
 226, 247
*lily&lyp*bs . 163, 166–173,
 178–180
 lilyglyphs 247
 linearA 154, 247, 248
 linearb . 157, 158, 247, 248
 logic 135
 longdiv 112
 magic 224, 247
 manfnt 181, 247
 marvosym 25,
 26, 122, 132, 134, 136, 141,
 143, 182, 192, 227
 mathabx 30, 33, 37, 43, 54,
 65, 68, 73, 76, 77, 95, 100,
 102, 104, 110, 114, 122, 124,
 132, 186, 226, 227, 247
 mathbbol 128, 129
 mathcomp 121
 mathdesign 26, 37, 51, 101,
 108, 127, 247
 mathdots . . 110, 119, 120,
 234, 247
 mathrfs 128, 247
 mathspec 97
 mathtools . 30, 62, 92, 114,
 116, 247
 mbboard 128, 129, 247
 mdwmath . . . 116, 247, 248
 metre . . . 24, 110, 188, 247
 milstd 135, 247, 248
 MnSymbol 30, 33, 34,
 38, 46, 47, 55–57, 66, 69, 73,
 77–81, 93, 94, 99, 100, 105,
 111–113, 120, 123, 125, 147,
 151, 163, 247
 moonphase 206, 247
 musixgre 165
 musixlit 165
 musixer 165
 musixtex 247, 248
 nath 103, 109, 247
 nicefrac 126, 247, 248
 niceframe . . . 210–213, 217
 nkarta 204, 247
 ntheorem 124
 ogonek 24, 247, 248
 old-arrows 92, 247
 overrightarrow . . . 112, 247
 phaistos 153, 247
 phonetic . . 20, 23, 229, 247
 pict2e 131
 pifont 17, 139, 141–145, 150,
 152, 204, 210, 221, 229, 247
 pigpen 191, 247, 248
 pmbboxdraw . . 190, 247, 248
 polynom 112
 prodint 52, 247
 protosem 153, 247
 psnfss 144
 PSTricks 198
 pxfonts . 30, 32, 44, 53, 54,
 65, 68, 76, 95, 98–100, 124,
 128, 151, 226, 242
 recycle 192, 247
 relsize 24
 rotating 28, 134
 rsfso 128, 247
 rubikcube . . . 203, 247, 248
 sarabian 159, 247, 248
 savesym 226
 semaphor . . . 220, 221, 247
 semtrans 20, 24, 247
 shuffle 37, 247, 248
 simplewick 236
 simpsons 189, 247
 skak 186, 187, 247
 skull 186, 247
 slashed 231, 232
 soyombo 193, 247, 248
 starfont 133, 247, 248
 staves 190, 247
 steinmetz . . . 131, 247, 248
 stix 36, 40, 41, 48,
 50, 61, 62, 67, 71, 72, 74,
 87, 89–91, 96, 99–101, 103,
 107, 111, 114, 120, 122, 123,
 126, 132, 134, 136, 148, 149,
 151, 163, 184, 247, 248
 stmaryrd 32, 42, 53,
 65, 72, 76, 92, 95, 102, 104,
 227, 231, 246, 247
 svrsymbols . . 137, 247, 248
 t4phonet 20, 24, 247
 teubner 27, 121, 159, 189,
 247, 248
 textcomp 12, 14, 15, 21, 25–
 28, 75, 110, 126, 130, 163,
 181, 226, 242, 244, 247
 textgreek . 16, 98, 247, 248
 tfrupee 27, 247, 248
 TikZ 196–198, 203
 tikzsymbols . 196, 197, 247,
 248
 timing 130
 tipa 17, 18, 20, 21, 23, 24,
 229, 247
 tipx 18, 247
 trfsigns . . 64, 101, 118, 247
 trsym 64, 247
 turnstile 63, 247, 248
 txfonts . 30, 32, 44, 53, 54,
 65, 68, 76, 95, 98–100, 124,
 128, 151, 226, 228, 242, 247
 type1cm 226
 ucs 245
 ulsy 37, 95, 229, 247
 umranda 210, 211, 247
 umrandb 211, 212, 247
 underscore 14
 undertilde 115, 247
 units 126
 universa 150, 182, 247
 upgreek 16, 98, 247
 upquote 242
 url 242
 urwchancal 128, 247
 ushort 116, 247, 248
 vietnam 247
 vntex 16, 21
 wasysym 20, 26, 28,
 32, 43, 53, 65, 68, 119, 124,
 130, 131, 133, 136, 143, 144,
 146, 163, 181, 227, 247
 webomints . . 209, 210, 247
 wsuipa 19, 23, 25, 227, 229,
 234, 247
 xfrac 126
 yfonts 128, 129, 247
 yhmth 112, 113, 115, 121,
 234, 247
























































<code>\PackingWaste</code> (♻️)	192	<code>\partialvartlcircleleftint</code>		<code>percussion</code>	165
<code>\Pakin</code> , Scott	1, 233, 235, 246	(◌)	78	<code>\permil</code> (‰)	28
<code>\Pallas</code> (♀)	133	<code>\partialvartlcirclerightint</code>		<code>\Perp</code> (⊥)	53
<code>\pan</code> (⇔)	196	(◌)	125	<code>\Perp</code> (⊥)	60
<code>\paperclip</code>	197–198	<code>\partialvartlcirclerightint</code>		<code>\perp</code> (⊥)	64
<code>\PaperLandscape</code> (🖼️)	183	(◌)	78	<code>\perp</code> (⊥)	52, 233
<code>\PaperPortrait</code> (🖼️)	183	<code>\partialvartoint</code> (◌)	125	<code>\perp</code> (⊥)	58
<code>\par</code>	<i>see</i> <code>\bindnasrepma</code> ,	<code>\partialvartoint</code> (◌)	125	<code>\perp</code> (⊥)	56
	<code>\invamp</code> , and <code>\parr</code>	<code>\partialvarttrcircleleftint</code>		<code>\perp</code> (⊥)	61
<code>\paragraph mark</code>	<i>see</i> <code>\P</code>	(◌)	125	<code>\perps</code> (⊥)	126
<code>\parallel</code> ()	52, 105	<code>\partialvarttrcircleleftint</code>		<code>\perthousand</code> (‰)	130
<code>\parallel</code> ()	58	(◌)	78	<code>\Pfanne</code> (🍷)	196
<code>\parallel</code> ()	56	<code>\partialvarttrcirclerightint</code>		<code>\Pfund</code> (ℳ)	26
<code>\parallel</code> ()	61	(◌)	125	<code>\PgDown</code> (📄)	134
<code>\parallelogram</code> (▭)	149	<code>\partialvarttrcirclerightint</code>		<code>\PgUp</code> (📄)	134
<code>\parallelogramblack</code> (▬)	149	(◌)	78	<code>\phaistos</code> (package)	153, 247
<code>\parallelograms</code>	148–149, 222	<code>\partialvartstrokedint</code> (–)	125	<code>\Phaistos disk</code>	153
<code>\ParallelPort</code> (🔌)	134	<code>\partialvartsumint</code> (∑)	125	<code>\pharmaceutical prescription</code>	<i>see</i>
<code>\parallelslant</code> (//)	64	<code>\particle-physics symbols</code> 137–138		<code>\textrecipe</code>	
<code>\parr</code> (⌘)	37	<code>\partof</code> (3)	229	⏴	
<code>\parsim</code> (⌘)	61	<code>\parts per thousand</code>	<i>see</i>	<code>\PHarrow</code> (↵)	153
<code>\partial</code> (∂)	100	<code>\textperthousand</code>		<code>\phase</code> (∠)	131
<code>\partial</code> (∂)	100	<code>\partvoice</code> (🗣️)	23	<code>\phasor</code>	131
<code>\partial</code> (∂)	102	<code>\partvoiceless</code> (🗣️)	23	<code>\PHbee</code> (🐝)	153
<code>\partialmeetcontraction</code> (≤)	72	<code>\passedpaw</code> (♟️)	186	<code>\PHbeehive</code> (🐝)	153
<code>\partialslash</code> (∂)	100	<code>\PAUSE</code> (⏸️)	164	<code>\PHboomerang</code> (🪃)	153
<code>\partialvardint</code> (⋯)	125	<code>\PAuse</code> ()	164	<code>\PHbow</code> (🏹)	153
<code>\partialvardlanddownint</code> (∩)	125	<code>\pause</code> (⏸️)	164	<code>\PHbullLeg</code> (🐮)	153
<code>\partialvardlandupint</code> (∪)	125	<code>\pawn</code>	187, 224–226	<code>\PHcaptive</code> (👤)	153
<code>\partialvardlcircleleftint</code>		<code>\PD</code> (📄)	134	<code>\PHcarpentryPlane</code> (🔪)	153
(◌)	125	<code>\PDF</code>	163	<code>\PHcat</code> (🐱)	153
<code>\partialvardlcircleleftint</code>		<code>\.pdf files</code>	244	<code>\PHchild</code> (👦)	153
(◌)	77	<code>\pdfLATEX</code>	245	<code>\PHclub</code> (♣️)	153
<code>\partialvardlcirclerightint</code>		<code>\Peace</code> (☮️)	152	<code>\PHcolumn</code> ()	153
(◌)	125	<code>\PeaceDove</code> (🕊️)	182	<code>\PHcomb</code> (🪄)	153
<code>\partialvardlcirclerightint</code>		<code>\Ped</code> (👣)	164	<code>\PHdolio</code> (👤)	153
(◌)	77	<code>\peeler</code> (🔪)	196	<code>\PHdove</code> (🕊️)	153
<code>\partialvardoint</code> (◌)	125	<code>\pencil</code> (🖋️)	141	<code>\PHeagle</code> (🦅)	153
<code>\partialvardoint</code> (◌)	125	<code>\PencilLeft</code> (🖋️)	141	<code>\PHflute</code> (🎷)	153
<code>\partialvardrcircleleftint</code>		<code>\PencilLeftDown</code> (🖋️)	141	<code>\PHgauntlet</code> (👤)	153
(◌)	125	<code>\PencilLeftUp</code> (🖋️)	141	<code>\PHgrater</code> (🧂)	153
<code>\partialvardrcircleleftint</code>		<code>\PencilRight</code> (🖋️)	141	<code>\PHhelmet</code> (🛡️)	153
(◌)	77	<code>\PencilRightDown</code> (🖋️)	141	<code>\PHhide</code> (👤)	153
<code>\partialvardrcirclerightint</code>		<code>\PencilRightUp</code> (🖋️)	141	<code>\PHhorn</code> (🐉)	153
(◌)	125	<code>\pencils</code>	141, 142		
<code>\partialvardrcirclerightint</code>		<code>\pentagon</code> (⬠)	149		
(◌)	78	<code>\pentagon</code> (◻)	146		
<code>\partialvardstrokedint</code> (–)	125	<code>\pentagonblack</code> (◼)	149		
<code>\partialvardsumint</code> (∑)	125	<code>\Pentagram</code> (★)	133		
<code>\partialvartint</code> (⋯)	125	<code>\pentagram</code> (☆)	38		
<code>\partialvartlanddownint</code> (∩)	125	<code>\pentam</code> (—∩—∩— —∪∪—∪∪—)	189		
<code>\partialvartlandupint</code> (∪)	125	<code>\pentdot</code> (⋅)	162		
<code>\partialvartlcircleleftint</code>		<code>\penteye</code> (⊕)	162		
(◌)	125	<code>\people</code>	<i>see</i> faces		
		<code>\percent sign</code>	<i>see</i> <code>\%</code>		

\backslash Phi (Φ) 97
 \backslash phi (ϕ) 97
 \backslash phimeson (ϕ) 138
 \backslash phimesonnull (ϕ^ν) 138
 \backslash phiup (ϕ) 98
 \backslash PHlid () 153
 \backslash PHlily () 153
 \backslash PHmanacles () 153
 \backslash PHmattock () 153
 \backslash Phone () 152
 \backslash phone () 181
 \backslash PhoneHandset () 152
phonetic (package) . 20, 23, 229, 247
phonetic symbols 17–20
 \backslash phonon (\mathcal{F}) 138
 \backslash photon () 130
photons 130, 137–138
 \backslash PHoxBack () 153
 \backslash PHpapyrus () 153
 \backslash PHpedestrian () 153
 \backslash PHplaneTree () 153
 \backslash PHplumedHead () 153
 \backslash PHram () 153
 \backslash PHrosette () 153
 \backslash PHsaw () 153
 \backslash PHshield () 153
 \backslash PHship () 153
 \backslash PHsling () 153
 \backslash PHsmallAxe () 153
 \backslash PHstrainer () 153
 \backslash PHtattooedHead () 153
 \backslash PHtiara () 153
 \backslash PHtunny () 153
 \backslash PHvine () 153
 \backslash PHwavyBand () 153
 \backslash PHwoman () 153
physical symbols 130
 \backslash Pi (Π) 97
 \backslash pi (π) 97
 \backslash pi (π) 98
“pi” fonts 229
piano (\mathfrak{p}) 168, 179
 \backslash Pickup (ω) 136




































































































pict2e (package) 131
pifont (package) 17, 139, 141–145, 150, 152, 204, 210, 221, 229, 247
pigpen (package) . 191, 247, 248
pigpen cipher 191
 $\{ \backslash$ pigpenfont A} (\lrcorner) 191
 $\{ \backslash$ pigpenfont B} (\sqcup) 191
 $\{ \backslash$ pigpenfont C} (\llcorner) 191
 $\{ \backslash$ pigpenfont D} (\sqsupset) 191
 $\{ \backslash$ pigpenfont E} (\square) 191
 $\{ \backslash$ pigpenfont F} (\sqsubset) 191
 $\{ \backslash$ pigpenfont G} (\ulcorner) 191
 $\{ \backslash$ pigpenfont H} (\sqcap) 191
 $\{ \backslash$ pigpenfont I} (\lrcorner) 191
 $\{ \backslash$ pigpenfont J} (\lrcorner) 191
 $\{ \backslash$ pigpenfont K} (\sqcup) 191
 $\{ \backslash$ pigpenfont L} (\llcorner) 191
 $\{ \backslash$ pigpenfont M} (\sqsupset) 191
 $\{ \backslash$ pigpenfont N} (\square) 191
 $\{ \backslash$ pigpenfont O} (\sqsubset) 191
 $\{ \backslash$ pigpenfont P} (\ulcorner) 191
 $\{ \backslash$ pigpenfont Q} (\sqcap) 191
 $\{ \backslash$ pigpenfont R} (\lrcorner) 191
 $\{ \backslash$ pigpenfont S} (\vee) 191
 $\{ \backslash$ pigpenfont T} (\triangleright) 191
 $\{ \backslash$ pigpenfont U} (\triangleleft) 191
 $\{ \backslash$ pigpenfont V} (\wedge) 191
 $\{ \backslash$ pigpenfont W} (\vee) 191
 $\{ \backslash$ pigpenfont X} (\triangleright) 191
 $\{ \backslash$ pigpenfont Y} (\triangleleft) 191
 $\{ \backslash$ pigpenfont Z} (\wedge) 191
pilcrow *see* \backslash P
 \backslash pionminus (π^-) 138
 \backslash pionnull (π^ν) 138
 \backslash pionplus (π^+) 138
pipe *see* \backslash textpipe
 \backslash Pisces (\mathfrak{H}) 132
 \backslash Pisces (\mathfrak{H}) 133
 \backslash Pisces (\mathfrak{H}) 132
 \backslash pisces (\succ) 131
 \backslash Pisymbol 204–225, 229
 \backslash Pisymbol{astroSYM}{0} (\odot) .
..... 206
 \backslash Pisymbol{astroSYM}{1} (\mathfrak{F}) .
..... 206
 \backslash Pisymbol{astroSYM}{2} (\mathfrak{F}) .
..... 206
 \backslash Pisymbol{astroSYM}{3} (\odot) .
..... 206














































































































\backslash Pisymbol{astroSYM}{4} (\odot) .
..... 206
 \backslash Pisymbol{astroSYM}{5} (\mathfrak{H}) ..
..... 206
 \backslash Pisymbol{astroSYM}{6} (\mathfrak{H}) ..
..... 206
 \backslash Pisymbol{astroSYM}{7} (\odot) .
..... 206
 \backslash Pisymbol{astroSYM}{8} (\mathfrak{H})
..... 206
 \backslash Pisymbol{astroSYM}{9} (\mathfrak{P}) .
..... 206
 \backslash Pisymbol{astroSYM}{10} (\mathfrak{C})
..... 206
 \backslash Pisymbol{astroSYM}{11} (\mathfrak{V})
..... 206
 \backslash Pisymbol{astroSYM}{12} (\mathfrak{S})
..... 206
 \backslash Pisymbol{astroSYM}{13} (\mathfrak{I})
..... 206
 \backslash Pisymbol{astroSYM}{14} (\mathfrak{S})
..... 206
 \backslash Pisymbol{astroSYM}{15} (\mathfrak{O})
..... 206
 \backslash Pisymbol{astroSYM}{16} (\mathfrak{M})
..... 206
 \backslash Pisymbol{astroSYM}{17} (\mathfrak{A})
..... 206
 \backslash Pisymbol{astroSYM}{18} (\mathfrak{M})
..... 206
 \backslash Pisymbol{astroSYM}{19} (\mathfrak{S})
..... 206
 \backslash Pisymbol{astroSYM}{20} (\mathfrak{O})
..... 207
 \backslash Pisymbol{astroSYM}{21} (\mathfrak{S})
..... 207
 \backslash Pisymbol{astroSYM}{22} (\mathfrak{H})
..... 207
 \backslash Pisymbol{astroSYM}{23} (\mathfrak{S}) .
..... 207
 \backslash Pisymbol{astroSYM}{24} (\mathfrak{P})
..... 207
 \backslash Pisymbol{astroSYM}{25} (\mathfrak{H})
..... 207
 \backslash Pisymbol{astroSYM}{26} (\mathfrak{A})
..... 207
 \backslash Pisymbol{astroSYM}{27} (\mathfrak{A})
..... 207
 \backslash Pisymbol{astroSYM}{28} (\mathfrak{S})
..... 207
 \backslash Pisymbol{astroSYM}{29} (\mathfrak{A})
..... 207

<code>\Pisymbol{dancers}{205}</code>  218	<code>\Pisymbol{dancers}{234}</code>  219	<code>\Pisymbol{dice3d}{100}</code>  223
<code>\Pisymbol{dancers}{206}</code>  218	<code>\Pisymbol{dancers}{235}</code>  219	<code>\Pisymbol{dice3d}{101}</code>  223
<code>\Pisymbol{dancers}{207}</code>  218	<code>\Pisymbol{dancers}{236}</code>  219	<code>\Pisymbol{dice3d}{102}</code>  223
<code>\Pisymbol{dancers}{208}</code>  218	<code>\Pisymbol{dancers}{237}</code>  219	<code>\Pisymbol{dice3d}{103}</code>  223
<code>\Pisymbol{dancers}{209}</code>  218	<code>\Pisymbol{dancers}{238}</code>  219	<code>\Pisymbol{dice3d}{104}</code>  223
<code>\Pisymbol{dancers}{210}</code>  218	<code>\Pisymbol{dancers}{239}</code>  219	<code>\Pisymbol{dice3d}{105}</code>  223
<code>\Pisymbol{dancers}{211}</code>  218	<code>\Pisymbol{dancers}{240}</code>  219	<code>\Pisymbol{dice3d}{106}</code>  223
<code>\Pisymbol{dancers}{212}</code>  218	<code>\Pisymbol{dancers}{241}</code>  219	<code>\Pisymbol{dice3d}{107}</code>  223
<code>\Pisymbol{dancers}{213}</code>  218	<code>\Pisymbol{dancers}{242}</code>  219	<code>\Pisymbol{dice3d}{108}</code>  223
<code>\Pisymbol{dancers}{214}</code>  218	<code>\Pisymbol{dancers}{243}</code>  219	<code>\Pisymbol{dice3d}{109}</code>  223
<code>\Pisymbol{dancers}{215}</code>  218	<code>\Pisymbol{dancers}{244}</code>  219	<code>\Pisymbol{dice3d}{110}</code>  223
<code>\Pisymbol{dancers}{216}</code>  218	<code>\Pisymbol{dancers}{245}</code>  219	<code>\Pisymbol{dice3d}{111}</code>  223
<code>\Pisymbol{dancers}{217}</code>  218	<code>\Pisymbol{dancers}{246}</code>  219	<code>\Pisymbol{dice3d}{112}</code>  223
<code>\Pisymbol{dancers}{218}</code>  218	<code>\Pisymbol{dancers}{247}</code>  219	<code>\Pisymbol{dice3d}{113}</code>  223
<code>\Pisymbol{dancers}{219}</code>  218	<code>\Pisymbol{dancers}{248}</code>  219	<code>\Pisymbol{dice3d}{114}</code>  223
<code>\Pisymbol{dancers}{220}</code>  218	<code>\Pisymbol{dancers}{249}</code>  219	<code>\Pisymbol{dice3d}{115}</code>  223
<code>\Pisymbol{dancers}{221}</code>  219	<code>\Pisymbol{dancers}{250}</code>  219	<code>\Pisymbol{dice3d}{116}</code>  223
<code>\Pisymbol{dancers}{222}</code>  219	<code>\Pisymbol{dancers}{251}</code>  219	<code>\Pisymbol{dice3d}{117}</code>  223
<code>\Pisymbol{dancers}{223}</code>  219	<code>\Pisymbol{dancers}{252}</code>  219	<code>\Pisymbol{dice3d}{118}</code>  223
<code>\Pisymbol{dancers}{224}</code>  219	<code>\Pisymbol{dancers}{253}</code>  220	<code>\Pisymbol{dice3d}{119}</code>  223
<code>\Pisymbol{dancers}{225}</code>  219	<code>\Pisymbol{dancers}{254}</code>  220	<code>\Pisymbol{dice3d}{120}</code>  223
<code>\Pisymbol{dancers}{226}</code>  219	<code>\Pisymbol{dancers}{255}</code>  220	<code>\Pisymbol{dingbat}{69}</code>
<code>\Pisymbol{dancers}{227}</code>  219	<code>\Pisymbol{dice3d}{49}</code>  223	) 213
<code>\Pisymbol{dancers}{228}</code>  219	<code>\Pisymbol{dice3d}{50}</code>  223	<code>\Pisymbol{dingbat}{70}</code>
<code>\Pisymbol{dancers}{229}</code>  219	<code>\Pisymbol{dice3d}{51}</code>  223	) 213
<code>\Pisymbol{dancers}{230}</code>  219	<code>\Pisymbol{dice3d}{52}</code>  223	<code>\Pisymbol{dingbat}{71}</code>
<code>\Pisymbol{dancers}{231}</code>  219	<code>\Pisymbol{dice3d}{53}</code>  223	
<code>\Pisymbol{dancers}{232}</code>  219	<code>\Pisymbol{dice3d}{54}</code>  223	
<code>\Pisymbol{dancers}{233}</code>  219	<code>\Pisymbol{dice3d}{97}</code>  223	
	<code>\Pisymbol{dice3d}{98}</code>  223	
	<code>\Pisymbol{dice3d}{99}</code>  223	

 213	<code>\Pisymbol{dingbat}{72}</code>	 213	<code>\Pisymbol{dingbat}{74}</code>	 213	<code>\Pisymbol{dingbat}{75}</code>	 213	<code>\Pisymbol{dingbat}{76}</code>	 213	<code>\Pisymbol{dingbat}{77}</code>	 213	<code>\Pisymbol{dingbat}{97}</code> () 213	<code>\Pisymbol{dingbat}{98}</code> () 213	<code>\Pisymbol{dingbat}{99}</code> () 213	<code>\Pisymbol{dingbat}{100}</code>	 213	<code>\Pisymbol{dingbat}{101}</code>	 213	<code>\Pisymbol{dingbat}{102}</code>	 213	<code>\Pisymbol{dingbat}{103}</code>	 213	<code>\Pisymbol{dingbat}{104}</code>	 213	<code>\Pisymbol{fselch}{0}</code> ()	224	<code>\Pisymbol{fselch}{1}</code> ()	224	<code>\Pisymbol{fselch}{2}</code> ()	224	<code>\Pisymbol{fselch}{3}</code> ()	224	<code>\Pisymbol{fselch}{4}</code> ()	224	<code>\Pisymbol{fselch}{5}</code> ()	224	<code>\Pisymbol{fselch}{6}</code> ()	224	<code>\Pisymbol{fselch}{7}</code> ()	224	<code>\Pisymbol{fselch}{8}</code> ()	224	<code>\Pisymbol{fselch}{9}</code> ()	224	<code>\Pisymbol{fselch}{10}</code> () 224	<code>\Pisymbol{fselch}{11}</code> () 224	<code>\Pisymbol{fselch}{12}</code> () 224	<code>\Pisymbol{fselch}{13}</code> () 224	<code>\Pisymbol{fselch}{14}</code> () 224	<code>\Pisymbol{fselch}{15}</code> () 224	<code>\Pisymbol{fselch}{16}</code> () 225	<code>\Pisymbol{fselch}{17}</code> () 225	<code>\Pisymbol{fselch}{18}</code> () 225	<code>\Pisymbol{fselch}{19}</code> () 225	<code>\Pisymbol{fselch}{20}</code> () 225	<code>\Pisymbol{fselch}{21}</code> () 225	<code>\Pisymbol{fselch}{22}</code> () 225	<code>\Pisymbol{fselch}{23}</code> () 225	<code>\Pisymbol{fselch}{24}</code> () 225	<code>\Pisymbol{fselch}{25}</code> () 225	<code>\Pisymbol{fselch}{26}</code> () 225	<code>\Pisymbol{fselch}{27}</code> () 225	<code>\Pisymbol{fselch}{28}</code> () 225	<code>\Pisymbol{fselch}{29}</code> () 225	<code>\Pisymbol{fselch}{30}</code> () 225	<code>\Pisymbol{fselch}{31}</code> () 225	<code>\Pisymbol{fselch}{32}</code> () 225	<code>\Pisymbol{fselch}{33}</code> () 225	<code>\Pisymbol{fselch}{34}</code> () 225	<code>\Pisymbol{fselch}{35}</code> () 225	<code>\Pisymbol{fselch}{36}</code> () 225	<code>\Pisymbol{fselch}{37}</code> () 225	<code>\Pisymbol{fselch}{38}</code> () 225	<code>\Pisymbol{fselch}{39}</code> () 225	<code>\Pisymbol{fselch}{40}</code> () 225	<code>\Pisymbol{fselch}{41}</code> () 225	<code>\Pisymbol{fselch}{42}</code> () 225	<code>\Pisymbol{fselch}{43}</code> () 225	<code>\Pisymbol{fselch}{44}</code> () 225	<code>\Pisymbol{fselch}{45}</code> () 225	<code>\Pisymbol{fselch}{46}</code> () 225	<code>\Pisymbol{fselch}{47}</code> () 225	<code>\Pisymbol{fselch}{48}</code> () 225	<code>\Pisymbol{fselch}{49}</code> () 225	<code>\Pisymbol{fselch}{50}</code> () 225	<code>\Pisymbol{fselch}{51}</code> () 225	<code>\Pisymbol{fselch}{52}</code> () 225	<code>\Pisymbol{fselch}{53}</code> () 225	<code>\Pisymbol{fselch}{54}</code> () 225	<code>\Pisymbol{fselch}{55}</code> () 224	<code>\Pisymbol{fselch}{56}</code> () 224	<code>\Pisymbol{fselch}{57}</code> () 224	<code>\Pisymbol{fselch}{58}</code> () 224	<code>\Pisymbol{fselch}{59}</code> () 224	<code>\Pisymbol{fselch}{60}</code> () 224	<code>\Pisymbol{fselch}{61}</code> () 224
---	-----------	-------------------------------------	---	-----------	-------------------------------------	---	-----------	-------------------------------------	---	-----------	-------------------------------------	---	-----------	-------------------------------------	---	-----------	---	-----------	---	-----------	--	-----------	--------------------------------------	---	-----------	--------------------------------------	---	-----------	--------------------------------------	---	-----------	--------------------------------------	---	-----------	--------------------------------------	---	-----------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------

<code>\Pisymbol{fselch}{140}</code>  .	<code>\Pisymbol{knot1}{49}</code>  213	<code>\Pisymbol{knot1}{98}</code>  214
..... 225	<code>\Pisymbol{knot1}{50}</code>  213	<code>\Pisymbol{knot1}{99}</code>  214
<code>\Pisymbol{fselch}{141}</code>  .	<code>\Pisymbol{knot1}{51}</code> (◆) 213	<code>\Pisymbol{knot1}{100}</code>  .
..... 225	<code>\Pisymbol{knot1}{52}</code> (●) 213 214
<code>\Pisymbol{fselch}{142}</code>  .	<code>\Pisymbol{knot1}{53}</code>  213	<code>\Pisymbol{knot1}{101}</code>  .
..... 225	<code>\Pisymbol{knot1}{58}</code>  213 214
<code>\Pisymbol{fselch}{143}</code>  .	<code>\Pisymbol{knot1}{59}</code>  214	<code>\Pisymbol{knot1}{102}</code>  .
..... 225	<code>\Pisymbol{knot1}{60}</code>  214 214
<code>\Pisymbol{fselch}{144}</code>  .	<code>\Pisymbol{knot1}{61}</code>  214	<code>\Pisymbol{knot1}{103}</code>  .
..... 225	<code>\Pisymbol{knot1}{62}</code>  214 214
<code>\Pisymbol{fselch}{145}</code> (○) .	<code>\Pisymbol{knot1}{63}</code>  214	<code>\Pisymbol{knot1}{104}</code>  .
..... 225	<code>\Pisymbol{knot1}{64}</code>  214 214
<code>\Pisymbol{fselch}{151}</code> (●) .	<code>\Pisymbol{knot1}{65}</code>  214	<code>\Pisymbol{knot1}{105}</code>  .
..... 225	<code>\Pisymbol{knot1}{66}</code>  214 214
<code>\Pisymbol{fselch}{163}</code>  .	<code>\Pisymbol{knot1}{67}</code>  214	<code>\Pisymbol{knot2}{48}</code>  214
..... 225	<code>\Pisymbol{knot1}{68}</code>  213	<code>\Pisymbol{knot2}{49}</code>  214
<code>\Pisymbol{fselch}{169}</code>  .	<code>\Pisymbol{knot1}{69}</code>  213	<code>\Pisymbol{knot2}{50}</code>  214
..... 225	<code>\Pisymbol{knot1}{70}</code>  213	<code>\Pisymbol{knot2}{51}</code> (◆) 214
<code>\Pisymbol{fselch}{175}</code>  .	<code>\Pisymbol{knot1}{71}</code>  213	<code>\Pisymbol{knot2}{52}</code> (●) 214
..... 225	<code>\Pisymbol{knot1}{72}</code>  213	<code>\Pisymbol{knot2}{53}</code>  214
<code>\Pisymbol{fselch}{180}</code> (⊗) .	<code>\Pisymbol{knot1}{73}</code>  213	<code>\Pisymbol{knot2}{58}</code>  214
..... 225	<code>\Pisymbol{knot1}{74}</code>  213	<code>\Pisymbol{knot2}{59}</code>  214
<code>\Pisymbol{fselch}{186}</code> (⊗) .	<code>\Pisymbol{knot1}{75}</code>  214	<code>\Pisymbol{knot2}{60}</code>  214
..... 225	<code>\Pisymbol{knot1}{76}</code>  214	<code>\Pisymbol{knot2}{61}</code>  214
<code>\Pisymbol{fselch}{192}</code> (⊗) .	<code>\Pisymbol{knot1}{77}</code>  214	<code>\Pisymbol{knot2}{62}</code>  214
..... 225	<code>\Pisymbol{knot1}{78}</code>  214	<code>\Pisymbol{knot2}{63}</code>  214
<code>\Pisymbol{fselch}{198}</code> (⊗) .	<code>\Pisymbol{knot1}{79}</code>  214	<code>\Pisymbol{knot2}{64}</code>  214
..... 225	<code>\Pisymbol{knot1}{80}</code>  214	<code>\Pisymbol{knot2}{65}</code>  214
<code>\Pisymbol{fselch}{204}</code> (⊗) .	<code>\Pisymbol{knot1}{81}</code>  214	<code>\Pisymbol{knot2}{66}</code>  214
..... 225	<code>\Pisymbol{knot1}{82}</code>  214	<code>\Pisymbol{knot2}{67}</code>  214
<code>\Pisymbol{fselch}{210}</code> (⊗) .	<code>\Pisymbol{knot1}{83}</code>  214	<code>\Pisymbol{knot2}{68}</code>  214
..... 225	<code>\Pisymbol{knot1}{84}</code>  213	<code>\Pisymbol{knot2}{69}</code>  214
<code>\Pisymbol{fselch}{216}</code> (⊗) .	<code>\Pisymbol{knot1}{85}</code>  213	<code>\Pisymbol{knot2}{70}</code>  214
..... 225	<code>\Pisymbol{knot1}{86}</code>  213	<code>\Pisymbol{knot2}{71}</code>  214
<code>\Pisymbol{fselch}{222}</code> (⊗) .	<code>\Pisymbol{knot1}{87}</code>  213	<code>\Pisymbol{knot2}{72}</code>  214
..... 225	<code>\Pisymbol{knot1}{88}</code>  213	<code>\Pisymbol{knot2}{73}</code>  214
<code>\Pisymbol{fselch}{228}</code> (⊗) .	<code>\Pisymbol{knot1}{96}</code>  213	<code>\Pisymbol{knot2}{74}</code>  214
..... 225	<code>\Pisymbol{knot1}{97}</code>  213	<code>\Pisymbol{knot2}{75}</code>  214
<code>\Pisymbol{fselch}{234}</code> (⊗) .		<code>\Pisymbol{knot2}{76}</code>  214
..... 225		<code>\Pisymbol{knot2}{77}</code>  214
<code>\Pisymbol{fselch}{240}</code> (⊗) .		<code>\Pisymbol{knot2}{78}</code>  214
..... 225		
<code>\Pisymbol{fselch}{246}</code> (⊗) .		
..... 225		
<code>\Pisymbol{greenpoint}{71}</code> (●) 204		
<code>\Pisymbol{hands}{65}</code>  204		
<code>\Pisymbol{hands}{66}</code>  204		
<code>\Pisymbol{hands}{67}</code>  204		
<code>\Pisymbol{hands}{68}</code>  204		
<code>\Pisymbol{knot1}{48}</code>  213		

<code>\Pisymbol{knot2}{79}</code>		214	<code>\Pisymbol{knot3}{67}</code>		215	<code>\Pisymbol{knot4}{51}</code>		215
<code>\Pisymbol{knot2}{80}</code>		214	<code>\Pisymbol{knot3}{68}</code>		214	<code>\Pisymbol{knot4}{52}</code>		215
<code>\Pisymbol{knot2}{81}</code>		214	<code>\Pisymbol{knot3}{69}</code>		214	<code>\Pisymbol{knot4}{53}</code>		215
<code>\Pisymbol{knot2}{82}</code>		214	<code>\Pisymbol{knot3}{70}</code>		214	<code>\Pisymbol{knot4}{58}</code>		215
<code>\Pisymbol{knot2}{83}</code>		214	<code>\Pisymbol{knot3}{71}</code>		214	<code>\Pisymbol{knot4}{59}</code>		215
<code>\Pisymbol{knot2}{84}</code>		214	<code>\Pisymbol{knot3}{72}</code>		214	<code>\Pisymbol{knot4}{60}</code>		215
<code>\Pisymbol{knot2}{85}</code>		214	<code>\Pisymbol{knot3}{73}</code>		214	<code>\Pisymbol{knot4}{61}</code>		215
<code>\Pisymbol{knot2}{86}</code>		214	<code>\Pisymbol{knot3}{74}</code>		214	<code>\Pisymbol{knot4}{62}</code>		215
<code>\Pisymbol{knot2}{87}</code>		214	<code>\Pisymbol{knot3}{75}</code>		214	<code>\Pisymbol{knot4}{63}</code>		215
<code>\Pisymbol{knot2}{88}</code>		214	<code>\Pisymbol{knot3}{76}</code>		214	<code>\Pisymbol{knot4}{64}</code>		215
<code>\Pisymbol{knot2}{96}</code>		214	<code>\Pisymbol{knot3}{77}</code>		214	<code>\Pisymbol{knot4}{65}</code>		215
<code>\Pisymbol{knot2}{97}</code>		214	<code>\Pisymbol{knot3}{78}</code>		215	<code>\Pisymbol{knot4}{66}</code>		215
<code>\Pisymbol{knot2}{98}</code>		214	<code>\Pisymbol{knot3}{79}</code>		215	<code>\Pisymbol{knot4}{67}</code>		215
<code>\Pisymbol{knot2}{99}</code>		214	<code>\Pisymbol{knot3}{80}</code>		215	<code>\Pisymbol{knot4}{68}</code>		215
<code>\Pisymbol{knot2}{100}</code>		.	<code>\Pisymbol{knot3}{81}</code>		215	<code>\Pisymbol{knot4}{69}</code>		215
.....		214	<code>\Pisymbol{knot3}{82}</code>		215	<code>\Pisymbol{knot4}{70}</code>		215
<code>\Pisymbol{knot2}{101}</code>		.	<code>\Pisymbol{knot3}{83}</code>		215	<code>\Pisymbol{knot4}{71}</code>		215
.....		214	<code>\Pisymbol{knot3}{84}</code>		214	<code>\Pisymbol{knot4}{72}</code>		215
<code>\Pisymbol{knot2}{102}</code>		.	<code>\Pisymbol{knot3}{85}</code>		214	<code>\Pisymbol{knot4}{73}</code>		215
.....		214	<code>\Pisymbol{knot3}{86}</code>		214	<code>\Pisymbol{knot4}{74}</code>		215
<code>\Pisymbol{knot2}{103}</code>		.	<code>\Pisymbol{knot3}{87}</code>		214	<code>\Pisymbol{knot4}{75}</code>		215
.....		214	<code>\Pisymbol{knot3}{88}</code>		214	<code>\Pisymbol{knot4}{76}</code>		215
<code>\Pisymbol{knot2}{104}</code>		.	<code>\Pisymbol{knot3}{96}</code>		214	<code>\Pisymbol{knot4}{77}</code>		215
.....		214	<code>\Pisymbol{knot3}{97}</code>		214	<code>\Pisymbol{knot4}{78}</code>		215
<code>\Pisymbol{knot2}{105}</code>		.	<code>\Pisymbol{knot3}{98}</code>		214	<code>\Pisymbol{knot4}{79}</code>		215
.....		214	<code>\Pisymbol{knot3}{99}</code>		214	<code>\Pisymbol{knot4}{80}</code>		215
<code>\Pisymbol{knot3}{48}</code>		214	<code>\Pisymbol{knot3}{100}</code>		.	<code>\Pisymbol{knot4}{81}</code>		215
<code>\Pisymbol{knot3}{49}</code>		214		214	<code>\Pisymbol{knot4}{82}</code>		215
<code>\Pisymbol{knot3}{50}</code>		214	<code>\Pisymbol{knot3}{101}</code>		.	<code>\Pisymbol{knot4}{83}</code>		215
<code>\Pisymbol{knot3}{51}</code>		214		215	<code>\Pisymbol{knot4}{84}</code>		215
<code>\Pisymbol{knot3}{52}</code>		214	<code>\Pisymbol{knot3}{102}</code>		.	<code>\Pisymbol{knot4}{85}</code>		215
<code>\Pisymbol{knot3}{53}</code>		214		215	<code>\Pisymbol{knot4}{86}</code>		215
<code>\Pisymbol{knot3}{58}</code>		214	<code>\Pisymbol{knot3}{103}</code>		.	<code>\Pisymbol{knot4}{87}</code>		215
<code>\Pisymbol{knot3}{59}</code>		214		215	<code>\Pisymbol{knot4}{88}</code>		215
<code>\Pisymbol{knot3}{60}</code>		214	<code>\Pisymbol{knot3}{104}</code>		.	<code>\Pisymbol{knot4}{96}</code>		215
<code>\Pisymbol{knot3}{61}</code>		214		215	<code>\Pisymbol{knot4}{97}</code>		215
<code>\Pisymbol{knot3}{62}</code>		215	<code>\Pisymbol{knot3}{105}</code>		.	<code>\Pisymbol{knot4}{98}</code>		215
<code>\Pisymbol{knot3}{63}</code>		215		215	<code>\Pisymbol{knot4}{99}</code>		215
<code>\Pisymbol{knot3}{64}</code>		215	<code>\Pisymbol{knot4}{48}</code>		215			
<code>\Pisymbol{knot3}{65}</code>		215	<code>\Pisymbol{knot4}{49}</code>		215			
<code>\Pisymbol{knot3}{66}</code>		215	<code>\Pisymbol{knot4}{50}</code>		215			































<code>\Pisymbol{knot4}{100}</code>  .	<code>\Pisymbol{knot5}{81}</code>  216	<code>\Pisymbol{knot6}{69}</code>  216
..... 215	<code>\Pisymbol{knot5}{82}</code>  216	<code>\Pisymbol{knot6}{70}</code>  216
<code>\Pisymbol{knot4}{101}</code>  .	<code>\Pisymbol{knot5}{83}</code>  216	<code>\Pisymbol{knot6}{71}</code>  216
..... 215	<code>\Pisymbol{knot5}{84}</code>  215	<code>\Pisymbol{knot6}{72}</code>  216
<code>\Pisymbol{knot4}{102}</code>  .	<code>\Pisymbol{knot5}{85}</code>  215	<code>\Pisymbol{knot6}{73}</code>  216
..... 215	<code>\Pisymbol{knot5}{86}</code>  215	<code>\Pisymbol{knot6}{74}</code>  216
<code>\Pisymbol{knot4}{103}</code>  .	<code>\Pisymbol{knot5}{87}</code>  215	<code>\Pisymbol{knot6}{75}</code>  216
..... 215	<code>\Pisymbol{knot5}{88}</code>  215	<code>\Pisymbol{knot6}{76}</code>  216
<code>\Pisymbol{knot4}{104}</code>  .	<code>\Pisymbol{knot5}{96}</code>  215	<code>\Pisymbol{knot6}{77}</code>  216
..... 215	<code>\Pisymbol{knot5}{97}</code>  215	<code>\Pisymbol{knot6}{78}</code>  216
<code>\Pisymbol{knot4}{105}</code>  .	<code>\Pisymbol{knot5}{98}</code>  215	<code>\Pisymbol{knot6}{79}</code>  216
..... 215	<code>\Pisymbol{knot5}{99}</code>  215	<code>\Pisymbol{knot6}{80}</code>  216
<code>\Pisymbol{knot5}{48}</code>  215	<code>\Pisymbol{knot5}{100}</code>  .	<code>\Pisymbol{knot6}{81}</code>  216
<code>\Pisymbol{knot5}{49}</code>  215 215	<code>\Pisymbol{knot6}{82}</code>  216
<code>\Pisymbol{knot5}{50}</code>  215	<code>\Pisymbol{knot5}{101}</code>  .	<code>\Pisymbol{knot6}{83}</code>  216
<code>\Pisymbol{knot5}{51}</code>  215 215	<code>\Pisymbol{knot6}{84}</code>  216
<code>\Pisymbol{knot5}{52}</code>  215	<code>\Pisymbol{knot5}{102}</code>  .	<code>\Pisymbol{knot6}{85}</code>  216
<code>\Pisymbol{knot5}{53}</code>  215 215	<code>\Pisymbol{knot6}{86}</code>  216
<code>\Pisymbol{knot5}{58}</code>  215	<code>\Pisymbol{knot5}{103}</code>  .	<code>\Pisymbol{knot6}{87}</code>  216
<code>\Pisymbol{knot5}{59}</code>  215 215	<code>\Pisymbol{knot6}{88}</code>  216
<code>\Pisymbol{knot5}{60}</code>  215	<code>\Pisymbol{knot5}{104}</code>  .	<code>\Pisymbol{knot6}{96}</code>  216
<code>\Pisymbol{knot5}{61}</code>  215 216	<code>\Pisymbol{knot6}{97}</code>  216
<code>\Pisymbol{knot5}{62}</code>  215	<code>\Pisymbol{knot5}{105}</code>  .	<code>\Pisymbol{knot6}{98}</code>  216
<code>\Pisymbol{knot5}{63}</code>  215 216	<code>\Pisymbol{knot6}{99}</code>  216
<code>\Pisymbol{knot5}{64}</code>  215	<code>\Pisymbol{knot6}{48}</code>  216	<code>\Pisymbol{knot6}{100}</code>  .
<code>\Pisymbol{knot5}{65}</code>  216	<code>\Pisymbol{knot6}{49}</code>  216 216
<code>\Pisymbol{knot5}{66}</code>  216	<code>\Pisymbol{knot6}{50}</code>  216	<code>\Pisymbol{knot6}{101}</code>  .
<code>\Pisymbol{knot5}{67}</code>  216	<code>\Pisymbol{knot6}{51}</code>  216 216
<code>\Pisymbol{knot5}{68}</code>  215	<code>\Pisymbol{knot6}{52}</code>  216	<code>\Pisymbol{knot6}{102}</code>  .
<code>\Pisymbol{knot5}{69}</code>  215	<code>\Pisymbol{knot6}{53}</code>  216 216
<code>\Pisymbol{knot5}{70}</code>  215	<code>\Pisymbol{knot6}{58}</code>  216	<code>\Pisymbol{knot6}{103}</code>  .
<code>\Pisymbol{knot5}{71}</code>  215	<code>\Pisymbol{knot6}{59}</code>  216 216
<code>\Pisymbol{knot5}{72}</code>  215	<code>\Pisymbol{knot6}{60}</code>  216	<code>\Pisymbol{knot6}{104}</code>   .
<code>\Pisymbol{knot5}{73}</code>  215	<code>\Pisymbol{knot6}{61}</code>  216 216
<code>\Pisymbol{knot5}{74}</code>  215	<code>\Pisymbol{knot6}{62}</code>  216	<code>\Pisymbol{knot6}{105}</code>   .
<code>\Pisymbol{knot5}{75}</code>  215	<code>\Pisymbol{knot6}{63}</code>  216 216
<code>\Pisymbol{knot5}{76}</code>  215	<code>\Pisymbol{knot6}{64}</code>  216	<code>\Pisymbol{knot7}{48}</code>  216
<code>\Pisymbol{knot5}{77}</code>  215	<code>\Pisymbol{knot6}{65}</code>  216	<code>\Pisymbol{knot7}{49}</code>  216
<code>\Pisymbol{knot5}{78}</code>  215	<code>\Pisymbol{knot6}{66}</code>  216	<code>\Pisymbol{knot7}{50}</code>  216
<code>\Pisymbol{knot5}{79}</code>  215	<code>\Pisymbol{knot6}{67}</code>  216	<code>\Pisymbol{knot7}{51}</code>   216
<code>\Pisymbol{knot5}{80}</code>  215	<code>\Pisymbol{knot6}{68}</code>  216	<code>\Pisymbol{knot7}{52}</code>   216

<code>\Pisymbol{knot7}{53}</code>		216	<code>\Pisymbol{knot7}{101}</code>		.	<code>\Pisymbol{nkarta}{45}</code>		205
<code>\Pisymbol{knot7}{58}</code>		216	216		<code>\Pisymbol{nkarta}{46}</code>		205
<code>\Pisymbol{knot7}{59}</code>		216	<code>\Pisymbol{knot7}{102}</code>		.	<code>\Pisymbol{nkarta}{47}</code>		205
<code>\Pisymbol{knot7}{60}</code>		216	216		<code>\Pisymbol{nkarta}{48}</code>		205
<code>\Pisymbol{knot7}{61}</code>		216	<code>\Pisymbol{knot7}{103}</code>		.	<code>\Pisymbol{nkarta}{49}</code>		205
<code>\Pisymbol{knot7}{62}</code>		216	216		<code>\Pisymbol{nkarta}{50}</code>		205
<code>\Pisymbol{knot7}{63}</code>		216	<code>\Pisymbol{knot7}{104}</code>		.	<code>\Pisymbol{nkarta}{51}</code>		205
<code>\Pisymbol{knot7}{64}</code>		216	216		<code>\Pisymbol{nkarta}{52}</code>		205
<code>\Pisymbol{knot7}{65}</code>		216	<code>\Pisymbol{knot7}{105}</code>		.	<code>\Pisymbol{nkarta}{53}</code>		205
<code>\Pisymbol{knot7}{66}</code>		216	216		<code>\Pisymbol{nkarta}{54}</code>		205
<code>\Pisymbol{knot7}{67}</code>		217	<code>\Pisymbol{magic}{48}</code>		224	<code>\Pisymbol{nkarta}{55}</code>		205
<code>\Pisymbol{knot7}{68}</code>		216	<code>\Pisymbol{magic}{49}</code>		224	<code>\Pisymbol{nkarta}{56}</code>		205
<code>\Pisymbol{knot7}{69}</code>		216	<code>\Pisymbol{magic}{50}</code>		224	<code>\Pisymbol{nkarta}{57}</code>		205
<code>\Pisymbol{knot7}{70}</code>		216	<code>\Pisymbol{magic}{51}</code>		224	<code>\Pisymbol{nkarta}{58}</code>		205
<code>\Pisymbol{knot7}{71}</code>		216	<code>\Pisymbol{magic}{52}</code>		224	<code>\Pisymbol{nkarta}{59}</code>		205
<code>\Pisymbol{knot7}{72}</code>		216	<code>\Pisymbol{magic}{53}</code>		224	<code>\Pisymbol{nkarta}{60}</code>		205
<code>\Pisymbol{knot7}{73}</code>		216	<code>\Pisymbol{magic}{54}</code>		224	<code>\Pisymbol{nkarta}{61}</code>		205
<code>\Pisymbol{knot7}{74}</code>		216	<code>\Pisymbol{magic}{55}</code>		224	<code>\Pisymbol{nkarta}{62}</code>		205
<code>\Pisymbol{knot7}{75}</code>		216	<code>\Pisymbol{magic}{56}</code>		224	<code>\Pisymbol{nkarta}{63}</code>		205
<code>\Pisymbol{knot7}{76}</code>		216	<code>\Pisymbol{magic}{57}</code>		224	<code>\Pisymbol{nkarta}{64}</code>		205
<code>\Pisymbol{knot7}{77}</code>		216	<code>\Pisymbol{magic}{66}</code>		224	<code>\Pisymbol{nkarta}{65}</code>		205
<code>\Pisymbol{knot7}{78}</code>		216	<code>\Pisymbol{magic}{71}</code>		224	<code>\Pisymbol{nkarta}{66}</code>		205
<code>\Pisymbol{knot7}{79}</code>		216	<code>\Pisymbol{magic}{76}</code>		224	<code>\Pisymbol{nkarta}{67}</code>		205
<code>\Pisymbol{knot7}{80}</code>		216	<code>\Pisymbol{magic}{82}</code>		224	<code>\Pisymbol{nkarta}{68}</code>		205
<code>\Pisymbol{knot7}{81}</code>		216	<code>\Pisymbol{magic}{84}</code>		224	<code>\Pisymbol{nkarta}{69}</code>		205
<code>\Pisymbol{knot7}{82}</code>		216	<code>\Pisymbol{magic}{85}</code>		224	<code>\Pisymbol{nkarta}{70}</code>		205
<code>\Pisymbol{knot7}{83}</code>		217	<code>\Pisymbol{magic}{87}</code>		224	<code>\Pisymbol{nkarta}{71}</code>		205
<code>\Pisymbol{knot7}{84}</code>		216	<code>\Pisymbol{magic}{88}</code>		224	<code>\Pisymbol{nkarta}{72}</code>		..
<code>\Pisymbol{knot7}{85}</code>		216	<code>\Pisymbol{magic}{90}</code>		224	205	
<code>\Pisymbol{knot7}{86}</code>		216	<code>\Pisymbol{moonphase}{0}</code>		206	<code>\Pisymbol{nkarta}{73}</code>		205
<code>\Pisymbol{knot7}{87}</code>		216	206		<code>\Pisymbol{nkarta}{74}</code>		205
<code>\Pisymbol{knot7}{88}</code>		216	<code>\Pisymbol{moonphase}{1}</code>		206	<code>\Pisymbol{nkarta}{75}</code>		205
<code>\Pisymbol{knot7}{96}</code>		216	206		<code>\Pisymbol{nkarta}{76}</code>		..
<code>\Pisymbol{knot7}{97}</code>		216	<code>\Pisymbol{moonphase}{2}</code>		206	205	
<code>\Pisymbol{knot7}{98}</code>		216	<code>\Pisymbol{moonphase}{3}</code>		206	<code>\Pisymbol{nkarta}{77}</code>		205
<code>\Pisymbol{knot7}{99}</code>		216	206		<code>\Pisymbol{nkarta}{78}</code>		205
<code>\Pisymbol{knot7}{100}</code>		<code>\Pisymbol{nkarta}{33}</code>		204	<code>\Pisymbol{nkarta}{79}</code>		..
.....	216		<code>\Pisymbol{nkarta}{34}</code>		204	205	
			<code>\Pisymbol{nkarta}{35}</code>		204	<code>\Pisymbol{nkarta}{80}</code>		..
			<code>\Pisymbol{nkarta}{36}</code>		204	205	
			<code>\Pisymbol{nkarta}{37}</code>		204	<code>\Pisymbol{nkarta}{81}</code>		205
			<code>\Pisymbol{nkarta}{38}</code>		..	<code>\Pisymbol{nkarta}{82}</code>		205
			204		<code>\Pisymbol{nkarta}{83}</code>		205
			<code>\Pisymbol{nkarta}{39}</code>		204	<code>\Pisymbol{nkarta}{84}</code>		205
			<code>\Pisymbol{nkarta}{40}</code>		204	<code>\Pisymbol{nkarta}{85}</code>		..
			<code>\Pisymbol{nkarta}{41}</code>		204	205	
			<code>\Pisymbol{nkarta}{42}</code>		..	<code>\Pisymbol{nkarta}{86}</code>		205
			204		<code>\Pisymbol{nkarta}{87}</code>		205
			<code>\Pisymbol{nkarta}{43}</code>		204	<code>\Pisymbol{nkarta}{88}</code>		205
			<code>\Pisymbol{nkarta}{44}</code>		204	<code>\Pisymbol{nkarta}{89}</code>		205
			204		<code>\Pisymbol{nkarta}{90}</code>		205
			<code>\Pisymbol{nkarta}{93}</code>		206	<code>\Pisymbol{nkarta}{91}</code>		205
			204		<code>\Pisymbol{nkarta}{92}</code>		206
						206	
						<code>\Pisymbol{nkarta}{93}</code>		206


<code>\Pisymbol{nkarta}{94}</code> (✧) 206	<code>\Pisymbol{nkarta}{126}</code> (♣) 205	<code>\Pisymbol{nkarta}{190}</code> (×) 206
<code>\Pisymbol{nkarta}{95}</code> (♠) 206	<code>\Pisymbol{nkarta}{161}</code> (♥) 205	<code>\Pisymbol{nkarta}{191}</code> (○) 206
<code>\Pisymbol{nkarta}{96}</code> (♠) 204	<code>\Pisymbol{nkarta}{162}</code> (♦) 205	<code>\Pisymbol{nkarta}{192}</code> (*). 206
<code>\Pisymbol{nkarta}{97}</code> (♠) 204	<code>\Pisymbol{nkarta}{163}</code> (▲) 205	<code>\Pisymbol{nkarta}{193}</code> (●) 204
<code>\Pisymbol{nkarta}{98}</code> (♠) 204	<code>\Pisymbol{nkarta}{164}</code> (—) 205	<code>\Pisymbol{nkarta}{194}</code> (□) 204
<code>\Pisymbol{nkarta}{99}</code> (♠) 204	<code>\Pisymbol{nkarta}{165}</code> (→) 205	<code>\Pisymbol{nkarta}{195}</code> (♠) 204
<code>\Pisymbol{nkarta}{100}</code> (▲) 204	<code>\Pisymbol{nkarta}{166}</code> (→) 205	<code>\Pisymbol{nkarta}{196}</code> (♠) 204
<code>\Pisymbol{nkarta}{101}</code> (★) 204	<code>\Pisymbol{nkarta}{167}</code> (→) 205	<code>\Pisymbol{nkarta}{197}</code> (♠) 204
<code>\Pisymbol{nkarta}{102}</code> (♠) 204	<code>\Pisymbol{nkarta}{168}</code> (♠) 205	<code>\Pisymbol{nkarta}{198}</code> (♠) 204
<code>\Pisymbol{nkarta}{103}</code> (♠) 204	<code>\Pisymbol{nkarta}{169}</code> (♠) 205	<code>\Pisymbol{nkarta}{199}</code> (♠) 204
<code>\Pisymbol{nkarta}{104}</code> (♠) 204	<code>\Pisymbol{nkarta}{170}</code> (♠) 205	<code>\Pisymbol{nkarta}{200}</code> (→) 204
<code>\Pisymbol{nkarta}{105}</code> (♠) 204	<code>\Pisymbol{nkarta}{171}</code> (★) 205	<code>\Pisymbol{nkarta}{201}</code> (♠) 204
<code>\Pisymbol{nkarta}{106}</code> (♠) 204	<code>\Pisymbol{nkarta}{172}</code> (□) 205	<code>\Pisymbol{nkarta}{202}</code> (♠) 204
<code>\Pisymbol{nkarta}{107}</code> (♠) 204	<code>\Pisymbol{nkarta}{173}</code> (♠) 205	<code>\Pisymbol{nkarta}{203}</code> (♠) 204
<code>\Pisymbol{nkarta}{108}</code> (□) 205	<code>\Pisymbol{nkarta}{174}</code> (+) 205	<code>\Pisymbol{nkarta}{204}</code> (♠) 204
<code>\Pisymbol{nkarta}{109}</code> (♠) 205	<code>\Pisymbol{nkarta}{175}</code> (□) 205	<code>\Pisymbol{nkarta}{205}</code> (♠) 205
<code>\Pisymbol{nkarta}{110}</code> (♠) 205	<code>\Pisymbol{nkarta}{176}</code> (●) 205	<code>\Pisymbol{nkarta}{206}</code> (♠) 205
<code>\Pisymbol{nkarta}{111}</code> (○) 205	<code>\Pisymbol{nkarta}{177}</code> (♠) 205	<code>\Pisymbol{nkarta}{207}</code> (♠) 205
<code>\Pisymbol{nkarta}{112}</code> (◇) 205	<code>\Pisymbol{nkarta}{178}</code> (f) 205	<code>\Pisymbol{nkarta}{208}</code> (×) 205
<code>\Pisymbol{nkarta}{113}</code> (♠) 205	<code>\Pisymbol{nkarta}{179}</code> (×) 205	<code>\Pisymbol{nkarta}{209}</code> (♠) 205
<code>\Pisymbol{nkarta}{114}</code> (♠) 205	<code>\Pisymbol{nkarta}{180}</code> (□) 205	<code>\Pisymbol{nkarta}{210}</code> (♠) 205
<code>\Pisymbol{nkarta}{115}</code> (♠) 205	<code>\Pisymbol{nkarta}{181}</code> (♠) 205	<code>\Pisymbol{nkarta}{211}</code> (←) 205
<code>\Pisymbol{nkarta}{116}</code> (♠) 205	<code>\Pisymbol{nkarta}{182}</code> (♠) 205	<code>\Pisymbol{nkarta}{212}</code> (↓) 205
<code>\Pisymbol{nkarta}{117}</code> (♠) 205	<code>\Pisymbol{nkarta}{183}</code> (★) 205	<code>\Pisymbol{nkarta}{213}</code> (↑) 205
<code>\Pisymbol{nkarta}{118}</code> (♠) 205	<code>\Pisymbol{nkarta}{184}</code> (♠) 205	<code>\Pisymbol{nkarta}{214}</code> (↖) 205
<code>\Pisymbol{nkarta}{119}</code> (♠) 205	<code>\Pisymbol{nkarta}{185}</code> (♠) 205	<code>\Pisymbol{nkarta}{215}</code> (♠) 205
<code>\Pisymbol{nkarta}{120}</code> (♠) 205	<code>\Pisymbol{nkarta}{186}</code> (♠) 205	<code>\Pisymbol{nkarta}{216}</code> (●) 205
<code>\Pisymbol{nkarta}{121}</code> (♠) 205	<code>\Pisymbol{nkarta}{187}</code> (♠) 205	<code>\Pisymbol{nkarta}{217}</code> (♠) 205
<code>\Pisymbol{nkarta}{122}</code> (f) 205	<code>\Pisymbol{nkarta}{188}</code> (f) 205	<code>\Pisymbol{nkarta}{218}</code> (●) 205
<code>\Pisymbol{nkarta}{123}</code> (—) 205	<code>\Pisymbol{nkarta}{189}</code> (♠) 206	
<code>\Pisymbol{nkarta}{124}</code> (♠) 205		
<code>\Pisymbol{nkarta}{125}</code> (♠) 205		

<code>\Pisymbol{nkarta}{219}</code> (♥) 205	<code>\Pisymbol{nkarta}{249}</code> (♣) 205	<code>\Pisymbol{smfpr10}{73}</code> (𐌶) 220
<code>\Pisymbol{nkarta}{220}</code> (■) 205	<code>\Pisymbol{nkarta}{250}</code> (♂) 205	<code>\Pisymbol{smfpr10}{74}</code> (𐌷) 220
<code>\Pisymbol{nkarta}{221}</code> (●) 205	<code>\Pisymbol{nkarta}{251}</code> (✕) 205	<code>\Pisymbol{smfpr10}{75}</code> (𐌸) 220
<code>\Pisymbol{nkarta}{222}</code> (●) 205	<code>\Pisymbol{nkarta}{252}</code> (♣) 206	<code>\Pisymbol{smfpr10}{76}</code> (𐌹) 220
<code>\Pisymbol{nkarta}{223}</code> (♣) 205	<code>\Pisymbol{nkarta}{253}</code> (▼) 206	<code>\Pisymbol{smfpr10}{77}</code> (𐌺) 220
<code>\Pisymbol{nkarta}{224}</code> (■) 205	<code>\Pisymbol{nkarta}{254}</code> (▶) 206	<code>\Pisymbol{smfpr10}{78}</code> (♣) 221
<code>\Pisymbol{nkarta}{225}</code> (♣) 205	<code>\Pisymbol{smfpr10}{34}</code> () 220	<code>\Pisymbol{smfpr10}{79}</code> (𐌻) 221
<code>\Pisymbol{nkarta}{226}</code> (♣) 205	<code>\Pisymbol{smfpr10}{35}</code> (𐌷) 220	<code>\Pisymbol{smfpr10}{80}</code> (𐌼) 221
<code>\Pisymbol{nkarta}{227}</code> (•) 205	<code>\Pisymbol{smfpr10}{36}</code> (𐌸) 220	<code>\Pisymbol{smfpr10}{81}</code> (𐌽) 221
<code>\Pisymbol{nkarta}{228}</code> (★) 205	<code>\Pisymbol{smfpr10}{42}</code> (♣) 220	<code>\Pisymbol{smfpr10}{82}</code> (𐌾) 221
<code>\Pisymbol{nkarta}{229}</code> (★) 205	<code>\Pisymbol{smfpr10}{46}</code> (♣) 220	<code>\Pisymbol{smfpr10}{83}</code> (𐌿) 221
<code>\Pisymbol{nkarta}{230}</code> (◦) 205	<code>\Pisymbol{smfpr10}{48}</code> (𐌷𐌸) 220	<code>\Pisymbol{smfpr10}{84}</code> (𐍀) 221
<code>\Pisymbol{nkarta}{231}</code> (◻) 205	<code>\Pisymbol{smfpr10}{49}</code> (𐌷𐌹) 220	<code>\Pisymbol{smfpr10}{85}</code> (𐍁) 221
<code>\Pisymbol{nkarta}{232}</code> (♥) 205	<code>\Pisymbol{smfpr10}{50}</code> (𐌷𐌺) 220	<code>\Pisymbol{smfpr10}{86}</code> (𐍂) 221
<code>\Pisymbol{nkarta}{233}</code> (♠) 205	<code>\Pisymbol{smfpr10}{51}</code> (𐌷𐌻) 220	<code>\Pisymbol{smfpr10}{87}</code> (𐍃) 221
<code>\Pisymbol{nkarta}{234}</code> (♠) 205	<code>\Pisymbol{smfpr10}{52}</code> (𐌷𐌼) 220	<code>\Pisymbol{smfpr10}{88}</code> (𐍄) 221
<code>\Pisymbol{nkarta}{235}</code> (♣) 205	<code>\Pisymbol{smfpr10}{53}</code> (𐌷𐌽) 220	<code>\Pisymbol{smfpr10}{89}</code> (𐌾) 221
<code>\Pisymbol{nkarta}{236}</code> (♣) 205	<code>\Pisymbol{smfpr10}{54}</code> (𐌷𐌿) 220	<code>\Pisymbol{smfpr10}{90}</code> (𐍅) 221
<code>\Pisymbol{nkarta}{237}</code> (◊) 205	<code>\Pisymbol{smfpr10}{55}</code> (𐌷𐍀) 220	<code>\Pisymbol{smfpr10}{97}</code> (𐍆) 221
<code>\Pisymbol{nkarta}{238}</code> (◊) 205	<code>\Pisymbol{smfpr10}{56}</code> (𐌷𐍁) 220	<code>\Pisymbol{smfpr10}{98}</code> (𐍇) 221
<code>\Pisymbol{nkarta}{239}</code> (♣) 205	<code>\Pisymbol{smfpr10}{57}</code> (𐌷𐍂) 220	<code>\Pisymbol{smfpr10}{99}</code> (𐍈) 221
<code>\Pisymbol{nkarta}{240}</code> (♣) 205	<code>\Pisymbol{smfpr10}{65}</code> (𐍇) 220	<code>\Pisymbol{smfpr10}{100}</code> (𐍉) 221
<code>\Pisymbol{nkarta}{241}</code> (⊗) 205	<code>\Pisymbol{smfpr10}{66}</code> (𐍈) 220	<code>\Pisymbol{smfpr10}{101}</code> (𐍊) 221
<code>\Pisymbol{nkarta}{242}</code> (⊕) 205	<code>\Pisymbol{smfpr10}{67}</code> (𐍉) 220	<code>\Pisymbol{smfpr10}{102}</code> (𐍋) 221
<code>\Pisymbol{nkarta}{243}</code> (⊗) 205	<code>\Pisymbol{smfpr10}{68}</code> (𐍊) 220	<code>\Pisymbol{smfpr10}{103}</code> (𐍌) 221
<code>\Pisymbol{nkarta}{244}</code> (⊕) 205	<code>\Pisymbol{smfpr10}{69}</code> (𐍋) 220	<code>\Pisymbol{smfpr10}{104}</code> (𐍍) 221
<code>\Pisymbol{nkarta}{245}</code> (⊕) 205	<code>\Pisymbol{smfpr10}{70}</code> (𐍌) 220	<code>\Pisymbol{smfpr10}{105}</code> (𐍎) 221
<code>\Pisymbol{nkarta}{246}</code> (♣) 205	<code>\Pisymbol{smfpr10}{71}</code> (𐍍) 220	<code>\Pisymbol{smfpr10}{106}</code> (𐍏) 221
<code>\Pisymbol{nkarta}{247}</code> (⊕) 205	<code>\Pisymbol{smfpr10}{72}</code> (𐍎) 220	<code>\Pisymbol{smfpr10}{107}</code> (𐍐) 221
<code>\Pisymbol{nkarta}{248}</code> (♣) 205		

<code>\Pisymbol{smfpr10}{108}</code> (ㄐ)	<code>\Pisymbol{smfpr10}{142}</code> (ㄱ)	<code>\Pisymbol{smfpr10}{174}</code> (ㄱ)
..... 221 220 221
<code>\Pisymbol{smfpr10}{109}</code> (ㄑ)	<code>\Pisymbol{smfpr10}{143}</code> (ㄒ)	<code>\Pisymbol{smfpr10}{175}</code> (ㄒ)
..... 221 220 221
<code>\Pisymbol{smfpr10}{110}</code> (ㄓ)	<code>\Pisymbol{smfpr10}{144}</code> (ㄓ)	<code>\Pisymbol{smfpr10}{176}</code> (ㄓ)
..... 221 220 221
<code>\Pisymbol{smfpr10}{111}</code> (ㄴ)	<code>\Pisymbol{smfpr10}{145}</code> (ㄴ)	<code>\Pisymbol{smfpr10}{177}</code> (ㄴ)
..... 221 220 221
<code>\Pisymbol{smfpr10}{112}</code> (ㄷ)	<code>\Pisymbol{smfpr10}{146}</code> (ㄷ)	<code>\Pisymbol{smfpr10}{178}</code> (ㄷ)
..... 221 220 221
<code>\Pisymbol{smfpr10}{113}</code> (ㄸ)	<code>\Pisymbol{smfpr10}{147}</code> (ㄸ)	<code>\Pisymbol{smfpr10}{179}</code> (ㄸ)
..... 221 220 221
<code>\Pisymbol{smfpr10}{114}</code> (ㄹ)	<code>\Pisymbol{smfpr10}{148}</code> (ㄹ)	<code>\Pisymbol{smfpr10}{180}</code> (ㄹ)
..... 221 220 221
<code>\Pisymbol{smfpr10}{115}</code> (ㄺ)	<code>\Pisymbol{smfpr10}{149}</code> (ㄹ)	<code>\Pisymbol{smfpr10}{181}</code> (ㄹ)
..... 221 221 221
<code>\Pisymbol{smfpr10}{116}</code> (ㄻ)	<code>\Pisymbol{smfpr10}{150}</code> (ㄺ)	<code>\Pisymbol{smfpr10}{182}</code> (ㄺ)
..... 220 221 221
<code>\Pisymbol{smfpr10}{117}</code> (ㄼ)	<code>\Pisymbol{smfpr10}{151}</code> (ㄻ)	<code>\Pisymbol{smfpr10}{183}</code> (ㄻ)
..... 220 221 221
<code>\Pisymbol{smfpr10}{118}</code> (ㄽ)	<code>\Pisymbol{smfpr10}{152}</code> (ㄼ)	<code>\Pisymbol{smfpr10}{184}</code> (ㄼ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{119}</code> (ㄾ)	<code>\Pisymbol{smfpr10}{153}</code> (ㄽ)	<code>\Pisymbol{smfpr10}{185}</code> (ㄽ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{120}</code> (ㄿ)	<code>\Pisymbol{smfpr10}{154}</code> (ㄾ)	<code>\Pisymbol{smfpr10}{186}</code> (ㄾ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{121}</code> (ㅀ)	<code>\Pisymbol{smfpr10}{155}</code> (ㄿ)	<code>\Pisymbol{smfpr10}{187}</code> (ㄿ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{122}</code> (ㅁ)	<code>\Pisymbol{smfpr10}{157}</code> (ㅀ)	<code>\Pisymbol{smfpr10}{192}</code> (ㅁ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{126}</code> (ㅂ)	<code>\Pisymbol{smfpr10}{158}</code> (ㅁ)	<code>\Pisymbol{smfpr10}{193}</code> (ㅁ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{128}</code> (ㅃ)	<code>\Pisymbol{smfpr10}{160}</code> (ㅂ)	<code>\Pisymbol{smfpr10}{194}</code> (ㅂ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{129}</code> (ㅄ)	<code>\Pisymbol{smfpr10}{161}</code> (ㅃ)	<code>\Pisymbol{smfpr10}{195}</code> (ㅃ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{130}</code> (ㅅ)	<code>\Pisymbol{smfpr10}{162}</code> (ㅄ)	<code>\Pisymbol{smfpr10}{196}</code> (ㅄ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{131}</code> (ㅆ)	<code>\Pisymbol{smfpr10}{163}</code> (ㅅ)	<code>\Pisymbol{smfpr10}{197}</code> (ㅅ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{132}</code> (ㅇ)	<code>\Pisymbol{smfpr10}{164}</code> (ㅆ)	<code>\Pisymbol{smfpr10}{199}</code> (ㅇ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{133}</code> (ㅈ)	<code>\Pisymbol{smfpr10}{165}</code> (ㅈ)	<code>\Pisymbol{smfpr10}{200}</code> (ㅈ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{134}</code> (ㅊ)	<code>\Pisymbol{smfpr10}{166}</code> (ㅊ)	<code>\Pisymbol{smfpr10}{201}</code> (ㅊ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{135}</code> (ㅋ)	<code>\Pisymbol{smfpr10}{167}</code> (ㅋ)	<code>\Pisymbol{smfpr10}{202}</code> (ㅊ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{136}</code> (ㆁ)	<code>\Pisymbol{smfpr10}{168}</code> (ㆁ)	<code>\Pisymbol{smfpr10}{203}</code> (ㆁ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{137}</code> (ㆂ)	<code>\Pisymbol{smfpr10}{169}</code> (ㆂ)	<code>\Pisymbol{smfpr10}{204}</code> (ㆂ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{138}</code> (ㆃ)	<code>\Pisymbol{smfpr10}{170}</code> (ㆃ)	<code>\Pisymbol{smfpr10}{205}</code> (ㆂ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{139}</code> (ㆄ)	<code>\Pisymbol{smfpr10}{171}</code> (ㆄ)	<code>\Pisymbol{smfpr10}{206}</code> (ㆃ)
..... 220 221 220
<code>\Pisymbol{smfpr10}{140}</code> (ㆅ)	<code>\Pisymbol{smfpr10}{172}</code> (ㆅ)	<code>\Pisymbol{smfpr10}{207}</code> (ㆃ)
..... 220 221 220

<code>\Pisymbol{umranda}{43}</code> 	<code>\Pisymbol{umranda}{67}</code> 	<code>\Pisymbol{umranda}{91}</code> 
..... 210 211 211
<code>\Pisymbol{umranda}{44}</code> 	<code>\Pisymbol{umranda}{68}</code> 	<code>\Pisymbol{umranda}{92}</code> 
..... 210 210 211
<code>\Pisymbol{umranda}{45}</code> 	<code>\Pisymbol{umranda}{69}</code> 	<code>\Pisymbol{umranda}{93}</code> 
..... 210 210 211
<code>\Pisymbol{umranda}{46}</code> 	<code>\Pisymbol{umranda}{70}</code> 	<code>\Pisymbol{umranda}{94}</code> 
..... 210 210 211
<code>\Pisymbol{umranda}{47}</code> 	<code>\Pisymbol{umranda}{71}</code> 	<code>\Pisymbol{umranda}{95}</code> 
..... 210 210 211
<code>\Pisymbol{umranda}{48}</code> 	<code>\Pisymbol{umranda}{72}</code> 	<code>\Pisymbol{umranda}{96}</code> 
..... 210 210 211
<code>\Pisymbol{umranda}{49}</code> 	<code>\Pisymbol{umranda}{73}</code> 	<code>\Pisymbol{umranda}{97}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{50}</code> 	<code>\Pisymbol{umranda}{74}</code> 	<code>\Pisymbol{umranda}{98}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{51}</code> 	<code>\Pisymbol{umranda}{75}</code> 	<code>\Pisymbol{umranda}{99}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{52}</code> 	<code>\Pisymbol{umranda}{76}</code> 	<code>\Pisymbol{umranda}{100}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{53}</code> 	<code>\Pisymbol{umranda}{77}</code> 	<code>\Pisymbol{umranda}{101}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{54}</code> 	<code>\Pisymbol{umranda}{78}</code> 	<code>\Pisymbol{umrandb}{0}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{55}</code> 	<code>\Pisymbol{umranda}{79}</code> 	<code>\Pisymbol{umrandb}{1}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{56}</code> 	<code>\Pisymbol{umranda}{80}</code> 	<code>\Pisymbol{umrandb}{2}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{57}</code> 	<code>\Pisymbol{umranda}{81}</code> 	<code>\Pisymbol{umrandb}{3}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{58}</code> 	<code>\Pisymbol{umranda}{82}</code> 	<code>\Pisymbol{umrandb}{4}</code> 
..... 211 210 211
<code>\Pisymbol{umranda}{59}</code> 	<code>\Pisymbol{umranda}{83}</code> 	<code>\Pisymbol{umrandb}{5}</code> 
..... 211 211 211
<code>\Pisymbol{umranda}{60}</code> 	<code>\Pisymbol{umranda}{84}</code> 	<code>\Pisymbol{umrandb}{6}</code> 
..... 211 211 211
<code>\Pisymbol{umranda}{61}</code> 	<code>\Pisymbol{umranda}{85}</code> 	<code>\Pisymbol{umrandb}{7}</code> 
..... 211 211 211
<code>\Pisymbol{umranda}{62}</code> 	<code>\Pisymbol{umranda}{86}</code> 	<code>\Pisymbol{umrandb}{8}</code> 
..... 211 211 211
<code>\Pisymbol{umranda}{63}</code> 	<code>\Pisymbol{umranda}{87}</code> 	<code>\Pisymbol{umrandb}{9}</code> 
..... 211 211 212
<code>\Pisymbol{umranda}{64}</code> 	<code>\Pisymbol{umranda}{88}</code> 	<code>\Pisymbol{umrandb}{10}</code> 
..... 211 211 212
<code>\Pisymbol{umranda}{65}</code> 	<code>\Pisymbol{umranda}{89}</code> 	<code>\Pisymbol{umrandb}{11}</code> 
..... 211 211 212
<code>\Pisymbol{umranda}{66}</code> 	<code>\Pisymbol{umranda}{90}</code> 	<code>\Pisymbol{umrandb}{12}</code> 
..... 211 211 212
		<code>\Pisymbol{umrandb}{13}</code> 
	 212
		<code>\Pisymbol{umrandb}{14}</code> 
	 212

<code>\Pisymbol{WebOMintsGD}{111}</code>	<code>\plustrif</code> (✦) 36	<code>\Ppppp</code> (⋮) 188
(♁) 209	<code>\Pluto</code> (♇) 132	<code>\ppppp</code> (⋮) 188
<code>\Pisymbol{WebOMintsGD}{112}</code>	<code>\Pluto</code> (♁) 132	<code>\Pr</code> (Pr) 96
(♁) 209	<code>\Pluto</code> (♁) 133	<code>\Prec</code> (⋈) 61
<code>\Pisymbol{WebOMintsGD}{113}</code>	<code>\pluto</code> (♁) 131	<code>\prec</code> (⋈) 52
(♁) 210	<code>\pm</code> (±) 31	<code>\prec</code> (⋈) 58
<code>\Pisymbol{WebOMintsGD}{114}</code>	<code>\pm</code> (±) 35	<code>\prec</code> (⋈) 55
(♁) 210	<code>\pm</code> (±) 34	<code>\prec</code> (⋈) 61
<code>\Pisymbol{WebOMintsGD}{115}</code>	<code>\pm</code> (±) 34	<code>\precapprox</code> (⋈) 54
(♁) 210	<code>\pm</code> (±) 36	<code>\precapprox</code> (⋈) 52
<code>\Pisymbol{WebOMintsGD}{116}</code>	<code>\pm</code> (±) 188	<code>\precapprox</code> (⋈) 60
(♁) 210	<code>\pmb</code> 241	<code>\precapprox</code> (⋈) 58
<code>\Pisymbol{WebOMintsGD}{117}</code>	<code>pmboxdraw</code> (package) . 190, 247,	<code>\precapprox</code> (⋈) 55
(♁) 210	248	<code>\precapprox</code> (⋈) 61
<code>\Pisymbol{WebOMintsGD}{118}</code>	<code>\pmod</code> 96	<code>\preccurlyeq</code> (⋈) 54
(♁) 210	<code>\pod</code> 96	<code>\preccurlyeq</code> (⋈) 52
<code>\Pisymbol{WebOMintsGD}{119}</code>	<code>\pointer</code> (☞) 181	<code>\preccurlyeq</code> (⋈) 60
(♁) 210	pointing finger <i>see</i> fists	<code>\preccurlyeq</code> (⋈) 58
<code>\Pisymbol{WebOMintsGD}{120}</code>	<code>\PointingHand</code> (☞) 182	<code>\preccurlyeq</code> (⋈) 55
(♁) 210	<code>\pointint</code> (ϕ) 49	<code>\preccurlyeq</code> (⋈) 61
<code>\Pisymbol{WebOMintsGD}{121}</code>	<code>\pointintsl</code> (ϕ) 51	<code>\precdot</code> (⋈) 54
(♁) 210	<code>\pointintup</code> (ϕ) 51	<code>\preceq</code> (⋈) 52
<code>\Pisymbol{WebOMintsGD}{122}</code>	<code>\pointright</code> (☞) 142	<code>\preceq</code> (⋈) 58
(♁) 210	<code>\Poland</code> (☞) 194	<code>\preceq</code> (⋈) 55
<code>\pitchfork</code> (⋈) 124	<code>\polariton</code> (⋈) 138	<code>\preceq</code> (⋈) 61
<code>\pitchfork</code> (⋈) 52	<code>\polaron</code> (⋈) 138	<code>\preceqq</code> (⋈) 53
<code>\pitchfork</code> (⋈) 60	<code>\polishhook</code> (⋈) 25	<code>\preceqq</code> (⋈) 58
<code>\pitchfork</code> (⋈) 95	<code>\polter</code> (⋈) 119	<code>\preceqq</code> (⋈) 61
<code>\pitchfork</code> (⋈) 93	<code>polutonikogreek</code> (babel package	<code>\precnapprox</code> (⋈) 54
<code>\pitchfork</code> (⋈) 61	option) 16, 97, 98	<code>\precnapprox</code> (⋈) 53
pitchforks . 52, 93, 95, 118, 124	polygons . . . 146–149, 173–178,	<code>\precnapprox</code> (⋈) 60
Pitman’s base 12 symbols . 122,	204–206, 222	<code>\precnapprox</code> (⋈) 58
185	polynom (package) 112	<code>\precnapprox</code> (⋈) 57
<code>\piup</code> (π) 98	polynomial division 112	<code>\precnapprox</code> (⋈) 62
<code>\planck</code> (ħ) 20	polytonic Greek 16, 97, 98	<code>\precneq</code> (⋈) 54
<code>\Plane</code> (♁) 152	<code>\portato</code> (⋈) 168	<code>\precneq</code> (⋈) 58, 59
planets 131–133, 206–209	<code>\portatoDown</code> (⋈) 168	<code>\precneq</code> (⋈) 62
<code>\plasmon</code> (⋈) 138	<code>\Portugal</code> (⋈) 194	<code>\precneqq</code> (⋈) 53
playing cards 151	<code>\Poseidon</code> (⋈) 133	<code>\precneqq</code> (⋈) 60
Plimsoll line 231	<code>\positron</code> (e ⁺) 138	<code>\precneqq</code> (⋈) 58, 59
<code>\Plus</code> (⊕) 143	<code>\postalmark</code> (⋈) 126	<code>\precneqq</code> (⋈) 62
<code>\plus</code> (+) 162	<code>\Postbox</code> (⋈) 192	<code>\precnsim</code> (⋈) 54
<code>\plus</code> (+) 34	PostScript . 98, 129, 139, 229, 239	<code>\precnsim</code> (⋈) 53
<code>\plus</code> (+) 34	PostScript fonts 139	<code>\precnsim</code> (⋈) 60
plus-or-minus sign <i>see</i> <code>\pm</code>	<code>\pot</code> (⋈) 196	<code>\precnsim</code> (⋈) 58
<code>\PlusCenterOpen</code> (⊕) 143	<code>\pound</code> (⋈) 26	<code>\precnsim</code> (⋈) 57
<code>\pluscirc</code> (⊕) 33	<code>\pounds</code> 15	<code>\precnsim</code> (⋈) 62
<code>\pluscirc</code> (⊕) 35	<code>\pounds</code> (£) 242, 243	<code>\precsim</code> (⋈) 54
<code>\plusdot</code> (⊕) 34	power set <i>see</i> alphabets, math	<code>\precsim</code> (⋈) 52
<code>\plusdot</code> (⊕) 36	<code>\powerset</code> (⋈) 100	<code>\precsim</code> (⋈) 60
<code>\pluseqq</code> (±) 36	<code>\Pp</code> (:) 188	<code>\precsim</code> (⋈) 58
<code>\plushat</code> (⊕) 36	<code>\pp</code> (:) 188	<code>\precsim</code> (⋈) 55
<code>\PlusOutline</code> (⊕) 143	<code>\ppm</code> (⋈) 188	<code>\precsim</code> (⋈) 62
plusses 143, 204–206	<code>\Ppp</code> (:) 188	<code>\precsim</code> (⋈) 54
<code>\plussim</code> (±) 36	<code>\ppp</code> (:) 188	<code>\precsim</code> (⋈) 60
<code>\plussubtwo</code> (⊕) 36	<code>\Pppp</code> (:) 188	<code>\precsim</code> (⋈) 58
<code>\PlusThinCenterOpen</code> (⊕) . 143	<code>\Pppp</code> (:) 188	<code>\precsim</code> (⋈) 55
<code>\plustrif</code> (✦) 35	<code>\pppp</code> (:) 188	<code>\precsim</code> (⋈) 62

primes 122, 124, 125
`\Printer` () 134
 printer's fist *see* fists
 printer's flowers *see* fleurons *and*
 flowers
 probabilistic independence . 232
 probability limit (plim) . . . *see*
 $\lim_{n \rightarrow \infty}$
`\DeclareMathOperator`
`\prod` (\prod) 42
`\prod` (\prod) 47
`\prod` (\prod) 47
`\prod` (\prod) 49
`\PRODI` 52
 \prod
`\PRODI` (\prod) 52
`\Prodi` 52
`\Prodi` (\prod) 52
`\prodi` 52
`\prodi` (\prod) 52
 prodint (package) 52, 247
 product integrals 52
`\proflin` (\curvearrowright) 126
`\profsurf` (\triangle) 126
 Project Gutenberg 229
 projective space (\mathbb{P}) *see*
 alphabets, math
`\projlim` (projlim) 96
 pronunciation symbols *see*
 phonetic symbols
 proof, end of 124
 proper subset/superset *see*
`\subsetneq`/`\supsetneq`
 proper vertices 137
`\PropertyLine` (\mathbb{P}) 126
`\propfrom` (∞) 58
`\propto` (\propto) 124
`\propto` (\propto) 52
`\propto` (\propto) 58
`\propto` (\propto) 56
`\propto` (\propto) 62
`\protein` ($\text{\textcircled{P}}$) 137
 proto-Semitic symbols 153
`\proton` (p^+) 137
 protosem (package) . . . 153, 247
`\ProvidesPackage` 246
`\PrtSc` (`\PrtSc`) 134
`\prurel` (\rightarrow) 60
`\prurel` (\rightarrow) 62
`\ps` ($\text{\textcircled{P}}$) 188
 pseudographics 190
`\Psi` (Ψ) 97
`\psi` (ψ) 97
`\psiup` (ψ) 98
 psnfss (package) 144
 PSTricks (package) 198
`\Psyche` ($\text{\textcircled{P}}$) 133
`\Pu` (\cdot) 165

`\pullback` (\dashv) 34
`\pullback` (\dashv) 62
 pullback diagrams 233
 pulse diagram symbols 130
`\PulseHigh` (\sqcup) 130
`\PulseLow` (\sqcap) 130
`\pumpkin` ($\text{\textcircled{P}}$) 40
 pumpkins 40
 punctuation 17
 punctum *see* musixgre
`\Purierstab` ($\text{\textcircled{P}}$) 196
`\pushout` (Γ) 34
`\pushout` (Γ) 62
 pushout diagrams 233
`\pwnedge` (Δ) 20
 pxfonts (package) 30, 32, 44, 53,
 54, 65, 68, 76, 95, 98–100,
 124, 128, 151, 226, 242
`\Pxp` (\cdot) 188
`\pxp` (\cdot) 188

Q

Q.E.D. 124
`\QED` (\blacksquare) 126
`\Qoppa` ($\text{\textcircled{Q}}$) 159
`\qoppa` ($\text{\textcircled{q}}$) 159
`\qoppa` ($\text{\textcircled{q}}$) 159
 $\text{\textcircled{Q}}$
`\qp` ($\text{\textcircled{Q}}$) 164
`\qprime` ($\text{\textcircled{Q}}$) 122
`\QQ` ($\text{\textcircled{Q}}$) 134
 $\text{\textcircled{Q}}$
`\qqs` ($\text{\textcircled{Q}}$) 164
 $\text{\textcircled{Q}}$
`\qs` ($\text{\textcircled{Q}}$) 164
`\qside` (\ll) 186
`\quaddot` ($\text{\textcircled{Q}}$) 162
`\quadeye` ($\text{\textcircled{Q}}$) 162
`\Quadrat` ($\text{\textcircled{Q}}$) 110
`\quadrat` ($\text{\textcircled{Q}}$) 110
`\Quadrads` ($\text{\textcircled{Q}}$) 110
`\quadrads` ($\text{\textcircled{Q}}$) 110
`\quadrupole` ($\text{\textcircled{Q}}$) 137
`\quark` (q) 137
`\quarkb` (b) 137
`\quarkc` (c) 137
`\quarkd` (d) 137
`\quarks` (s) 137
`\quarkt` (t) 137
`\quarku` (u) 137
 quarter note *see* musical
 symbols
`\quarterNote` ($\text{\textcircled{Q}}$) 166
`\quarternote` ($\text{\textcircled{Q}}$) 163
`\quarternote` ($\text{\textcircled{Q}}$) 163
`\quarternote` ($\text{\textcircled{Q}}$) 163
`\quarterNoteDotted` ($\text{\textcircled{Q}}$) . . 166

`\quarterNoteDottedDouble` ($\text{\textcircled{Q}}$)
 166
`\quarterNoteDottedDoubleDown`
 ($\text{\textcircled{Q}}$) 166
`\quarterNoteDottedDown` ($\text{\textcircled{Q}}$) . .
 166
`\quarterNoteDown` ($\text{\textcircled{Q}}$) 166
 quasi-quotation marks ($\text{\textcircled{Q}}$) *see*
`\ulcorner` *and* `\urcorner`
 quaternions (\mathbb{H}) *see* alphabets,
 math
 quaver *see* musical symbols
`\quaver` ($\text{\textcircled{Q}}$) 166
`\quaverDotted` ($\text{\textcircled{Q}}$) 166
`\quaverDottedDouble` ($\text{\textcircled{Q}}$) 166
`\quaverDottedDoubleDown` ($\text{\textcircled{Q}}$)
 166
`\quaverDottedDown` ($\text{\textcircled{Q}}$) 166
`\quaverDown` ($\text{\textcircled{Q}}$) 166
`\quaverRest` ($\text{\textcircled{Q}}$) 168
`\quaverRestDotted` ($\text{\textcircled{Q}}$) 168
 queen 187, 224–226
`\questeq` ($\text{\textcircled{Q}}$) 62
`\Question` ($\text{\textcircled{Q}}$) 126
 quilisma *see* musixgre
`\Quincunx` ($\text{\textcircled{Q}}$) 133
 Quine corners ($\text{\textcircled{Q}}$) *see*
`\ulcorner` *and* `\urcorner`
 quotation marks 14, 17, 28, 196,
 241, 244
`\quotedblbase` ($\text{\textcircled{Q}}$) 17, 244
`\quotesinglbase` ($\text{\textcircled{Q}}$) 17, 244


































































































R



























\mathbb{R} (\mathbb{R}) 162
 \mathbb{R} (\mathbb{R}) 162
 \mathbb{R} (\sim) 188
 \mathbb{R} ($\text{\textcircled{R}}$) 21
 \mathbb{R} (\sim) 188
 \mathbb{R} (\mathbb{R}) 162
 \mathbb{R} ($\text{\textcircled{R}}$) 128
`\Radiation` ($\text{\textcircled{R}}$) 183
`\radiation` ($\text{\textcircled{R}}$) 196
 radicals *see* `\sqrt` *and* `\surd`
`\Radioactivity` ($\text{\textcircled{R}}$) 136
`\Radix` (\mathbb{R}^{ad}) 133
`\Rain` ($\text{\textcircled{R}}$) 183
`\RainCloud` ($\text{\textcircled{R}}$) 183
 raindrop 224
 raising *see* `\textraising`
`\RaisingEdge` ($\text{\textcircled{R}}$) 130
`\Rangle` ($\text{\textcircled{R}}$) 129
`\rAngle` ($\text{\textcircled{R}}$) 109
 $\text{\textcircled{R}}$
`\rAngle` ($\text{\textcircled{R}}$) 106
 $\text{\textcircled{R}}$
`\rAngle` ($\text{\textcircled{R}}$) 108

<code>\rangle</code> (\rangle)	30, 103	<code>\rbrbrak</code> ($\})$	108	recycling symbols	192, 196–202, 204
<code>\rangle</code> (\rangle)	106	<code>\rc</code> (\mathbb{R})	23	reduced quadrupole moment	<i>see</i>
<code>\rangle</code> (\rangle)	105	<code>\rCeil</code> (\mathbb{N})	109	<code>\rqm</code>	
<code>\rangle</code> (\rangle)	108	<code>\rceil</code> (\mathbb{N})	103	<code>\reference</code> (R)	137
<code>\rangle</code> (\rangle)	108	<code>\rceil</code> (\mathbb{N})	106	<code>\reflectbox</code>	229, 230
<code>\rangle</code> (\rangle)	105	<code>\rceil</code> (\mathbb{N})	105	registered trademark	14, 27, 243
<code>\rangle</code> (\rangle)	106	<code>\rceil</code> (\mathbb{N})	107	<code>\Reibe</code> (\mathbb{R})	196
<code>\rangle</code> (\rangle)	103	<code>\rcirclearrowdown</code> (\Downarrow)	78	relational database symbols	126
<code>\rangle</code> (\rangle)	123	<code>\rcirclearrowleft</code> (\Leftarrow)	78	relational symbols	52
<code>\rangle</code> (\rangle)	134	<code>\rcirclearrowright</code> (\Rightarrow)	78	binary	52–57, 60–72, 93–95
<code>\rangle</code> (\rangle)	117	<code>\rcirclearrowup</code> (\Uparrow)	78	negated binary	53, 54, 56–57, 59, 60, 62
<code>\rangle</code> (\rangle)	64	<code>\rcirclelefttint</code> (\mathcal{F})	47, 48	triangle	72–74
<code>\rangle</code> (\rangle)	96	<code>\rcirclelefttint</code> (\mathcal{F})	47	<code>\relationleftproject</code> (\dashv)	118
<code>\rangle</code> (\rangle)	96	<code>\rcirclearighttint</code> (\mathcal{F})	47, 48	<code>\relationlifting</code> (\dashv)	118
rational numbers (\mathbb{Q})	<i>see</i>	<code>\rcirclearighttint</code> (\mathcal{F})	47	<code>\relationrightproject</code> (\dashv)	118
alphabets, math		<code>\rcorners</code> (\ulcorner)	102	relations	118
rationalized Planck constant	<i>see</i>	<code>\rcurvearrowdown</code> (\Downarrow)	78	<code>\Relbar</code> ($=$)	95, 230
<code>\hbar</code>		<code>\rcurvearrowleft</code> (\Leftarrow)	78	<code>\Relbar</code> ($=$)	56
<code>\RB</code> ($\}$)	134	<code>\rcurvearrowne</code> (\nearrow)	78	<code>\Relbar</code> ($=$)	96
<code>\Rbag</code> ($\}$)	102	<code>\rcurvearrownw</code> (\nwarrow)	78	<code>\relbar</code> ($-$)	95, 230
<code>\rbag</code> ($\}$)	102	<code>\rcurvearrowright</code> (\rightarrow)	78	<code>\relbar</code> ($-$)	56
<code>\rbag</code> ($\}$)	35	<code>\rcurvearrowse</code> (\searrow)	78	<code>\relbar</code> ($-$)	96
<code>\rbag</code> ($\}$)	103	<code>\rcurvearrowsw</code> (\swarrow)	78	resize (package)	24
<code>\rblackbowtie</code> (\bowtie)	35	<code>\rcurvearrowup</code> (\Uparrow)	78	<code>\Request</code> ($?$)	192
<code>\rblkrbrak</code> ($\})$	103	<code>\rcurvyangle</code> (\rangle)	103	<code>\resistivity</code> (κ)	137
<code>\rBrace</code> ($\})$	108	<code>\rdbrack</code> ($\})$	104	<code>\resizebox</code>	91, 226
<code>\rbrace</code> ($\}$)	106	<code>\rdiagovfdiag</code> (\times)	126	<code>\Respondens</code> (\sim)	188
<code>\rbrace</code> ($\}$)	107	<code>\rdiagovsearrow</code> (\times)	88	<code>\respondens</code> (\sim)	188
<code>\rbrace</code> ($\}$)	105	<code>\Rdash</code> (\dashv)	82	response (\mathbb{R})	245, 246
<code>\rbrace</code> ($\}$)	108	<code>\Rdash</code> (\dashv)	88	<code>\restoresymbol</code>	226
<code>\Rbrack</code> ($\})$	129	<code>\Re</code> (\mathbb{R})	100	<code>\restrictbarb</code> (\downarrow)	92
<code>\rBrack</code> ($\})$	109	<code>\Re</code> (\mathbb{R})	101	<code>\restrictbarbup</code> (\uparrow)	92
<code>\rBrack</code> ($\})$	106	<code>\REAL</code> (\mathbb{R})	96	<code>\restriction</code> (\uparrow)	76
<code>\rBrack</code> ($\})$	107	<code>\Real</code> (\mathbb{R})	96	<code>\restriction</code> (\uparrow)	85
<code>\rBrack</code> ($\})$	108	real numbers (\mathbb{R})	<i>see</i> alphabets, math	<code>\restriction</code> (\uparrow)	80
<code>\rBrack</code> ($\})$	107	recipe	<i>see</i> <code>\textrecipe</code>	<code>\restriction</code> (\uparrow)	91
<code>\rBrack</code> ($\})$	106	<code>\recorder</code> (\odot)	181	restrictions	76, 80, 81, 85, 90–92
<code>\rBrack</code> ($\})$	107	<code>\Rectangle</code> (\blacksquare)	150	<code>\restrictmallet</code> (\downarrow)	92
<code>\rBrack</code> ($\})$	108	<code>\RectangleBold</code> (\blacksquare)	150	<code>\restrictmalletup</code> (\uparrow)	92
<code>\rbrack</code> ($\}$)	106	rectangles	150, 173–178, 204–206	<code>\restrictwand</code> (\downarrow)	92
<code>\rbrack</code> ($\}$)	107	<code>\RectangleThin</code> (\square)	150	<code>\restrictwandup</code> (\uparrow)	92
<code>\rbrack</code> ($\}$)	106	<code>\Rectpipe</code> (\square)	136	rests	<i>see</i> musical symbols
<code>\rbrack</code> ($\}$)	107	<code>\Rectsteel</code> (\blacksquare)	136	retracting	<i>see</i> <code>\textretracting</code>
<code>\rbrack</code> ($\}$)	103	recycle (package)	192, 247	<code>\Retrograde</code> (\mathbb{R})	133
<code>\rbrack</code> ($\}$)	103	<code>\recycle</code> ($\♻$)	196	<code>\Return</code> (\leftarrow)	134
<code>\Rbrbrak</code> ($\})$	103	<code>\recycle</code> ($\♻$)	192	return	<i>see</i> carriage return
		<code>\Recycling</code> ($\♻$)	192	<code>\revangle</code> (\triangleleft)	123
				<code>\revangle</code> (\triangleleft)	123
				<code>\revangleubar</code> (\triangleleft)	123
				<code>\revaw</code> ($\})$	108
				<code>\revD</code> (\mathbb{D})	20
				<code>\revdots</code> ($\cdot\cdot\cdot$)	234
				<code>\reve</code> (ϑ)	19








<code>\reveject</code> (⤵)	19	<code>\rhookleftarrow</code> (\leftarrow)	78	<code>\rightarrowtriangle</code> (\rightarrow) ..	86
<code>\reveltyset</code> (⊘)	125	<code>\rhooknearrow</code> (\nearrow)	83	<code>\rightarrowtriangle</code> (\rightarrow) ..	88
<code>\reveltyset</code> (⊙)	123	<code>\rhooknearrow</code> (\nearrow)	78	<code>\rightarrowx</code> (\rightarrow)	88
<code>\revepsilon</code> (3)	19	<code>\rhooknwarrow</code> (\nwarrow)	82	<code>\rightAssert</code> (⊨)	58
<code>\revepsilon</code> (3)	229	<code>\rhooknwarrow</code> (\nwarrow)	78	<code>\rightassert</code> (⊢)	58
reverse solidus	<i>see</i>	<code>\rhookrightarrow</code> (\rightarrow) ..	82	<code>\rightbarharpoon</code> (\Rightarrow) ..	77
<code>\textbackslash</code>		<code>\rhookrightarrow</code> (\rightarrow) ..	78	<code>\rightbkarrow</code> (\rightarrow)	82
<code>\reverseallabreve</code> (\AA) ..	164	<code>\rhooksearrow</code> (\searrow)	82	<code>\rightbkarrow</code> (\rightarrow)	88
<code>\reverseC</code> (\AA)	164	<code>\rhooksearrow</code> (\searrow)	78	<code>\rightblackarrow</code> (\rightarrow) ..	86
reversed symbols	229–230	<code>\rhooksearrow</code> (\searrow)	82	<code>\rightblackarrow</code> (\rightarrow) ..	94
<code>\reversedvideobend</code> (\AA) ..	181	<code>\rhookswarrow</code> (\swarrow)	77	<code>\RIGHTCIRCLE</code> (\AA)	146
<code>\reversemathcloud</code> (\AA) ..	40	<code>\rhookswarrow</code> (\swarrow)	82	<code>\RIGHTcircle</code> (\AA)	146
<code>\reversemathwitch</code> (\AA) ..	40	<code>\rhookuparrow</code> (\uparrow)	82	<code>\Rightcircle</code> (\AA)	146
<code>\reversemathwitch*</code> (\AA) ..	40	<code>\rhookuparrow</code> (\uparrow)	77	<code>\rightcurvedarrow</code> (\curvearrowright) ..	82
<code>\revglotstop</code> (̣)	19	<code>\rhoup</code> (ρ)	98	<code>\rightcurvedarrow</code> (\curvearrowright) ..	88
<code>\revmeasuredangle</code> (\sphericalangle) ..	123	<code>\right</code> 103, 104, 108, 109, 226, 228		<code>\righdasharrow</code> (\dashrightarrow)	86
<code>\revnmid</code> (\dagger)	62	<code>\rightangle</code> (L)	123	<code>\righdasharrow</code> (\dashrightarrow)	88
<code>\revsphericalangle</code> (\sphericalangle) ..	123	<code>\rightangle</code> (L)	123	<code>\rightdbltail</code> (\rightarrow)	62
<code>\Rewind</code> (\blacktriangleleft)	182	<code>\rightangle</code> (L)	127	<code>\RightDiamond</code> (\blacklozenge)	150
<code>\RewindToIndex</code> (\blacktriangleleft) ..	182	<code>\rightangle</code> (L)	123	<code>\rightdotarrow</code> ($\dot{\rightarrow}$)	88
<code>\RewindToStart</code> (\blacktriangleleft) ..	182	<code>\rightanglemdot</code> (\AA)	123	<code>\righdowncurvedarrow</code> (\curvearrowleft) ..	82
<code>\rfbowtie</code> (\bowtie)	62	<code>\rightanglemdot</code> (\AA)	123	<code>\righdowncurvedarrow</code> (\curvearrowleft) ..	88
<code>\rfilet</code> (\AA)	104	<code>\rightanglesqr</code> (\AA)	123	<code>\rightevaw</code> (\AA)	108
<code>\rFloor</code> (\lfloor)	109	<code>\rightanglesqr</code> (\AA)	123	<code>\rightfilledspoon</code> (\rightarrow) ..	93
<code>\rfloor</code> (\rfloor)	103	<code>\rightanglesqr</code> (\AA)	123	<code>\rightfishtail</code> (\rightarrow)	61
<code>\rfloor</code> (\rfloor)	106	<code>\rightanglesquare</code> (\AA) ..	123	<code>\rightfootline</code> (\rightarrow)	58
<code>\rfloor</code> (\rfloor)	105	<code>\RIGHTarrow</code> (\blacktriangleright)	181	<code>\rightfootline</code> (\rightarrow)	55
<code>\rfloor</code> (\rfloor)	107	<code>\Rightarrow</code> (\Rightarrow)	30, 75	<code>\rightfree</code> (\rightarrow)	55
<code>\rftimes</code> (\otimes)	62	<code>\Rightarrow</code> (\Rightarrow)	82	<code>\righthalfcap</code> (\Uparrow)	34
<code>\rgroup</code> (\AA)	104	<code>\Rightarrow</code> (\Rightarrow)	77	<code>\righthalfcup</code> (\Downarrow)	34
<code>\rgroup</code> (\AA)	106	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\righthand</code> (\AA)	142
<code>\rgroup</code> (\AA)	105	<code>\Rightarrow</code> (\Rightarrow)	76	<code>\rightharpoonaccent</code> (\AA) ..	111
<code>\rgroup</code> (\AA)	107	<code>\Rightarrow</code> (\Rightarrow)	75	<code>\rightharpoonccw</code> (\rightarrow) ..	80
<code>\RHD</code> (\blacktriangleright)	32	<code>\Rightarrow</code> (\Rightarrow)	82	<code>\rightharpooncw</code> (\rightarrow)	80
<code>\rhd</code> (\triangleright)	31, 32	<code>\Rightarrow</code> (\Rightarrow)	92	<code>\rightharpoondown</code> (\rightarrow) ..	77
<code>\rhd</code> (\triangleright)	71	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoondown</code> (\rightarrow) ..	75
<code>\rhd</code> (\triangleright)	69, 73	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoondown</code> (\rightarrow) ..	87
<code>\rhd</code> (\triangleright)	36, 149	<code>\Rightarrow</code> (\Rightarrow)	86	<code>\rightharpoondown</code> (\rightarrow) ..	85
<code>\Rho</code> (P)	97	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoondownbar</code> (\rightarrow) ..	90
<code>\rho</code> (ρ)	97	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoonsupdown</code> (\rightleftharpoons) ..	90
<code>\rho</code> (ρ)	98	<code>\Rightarrow</code> (\Rightarrow)	86	<code>\rightharpoonup</code> (\rightarrow)	77
<code>\rhomesonminus</code> (ρ^-)	137	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoonup</code> (\rightarrow)	75
<code>\rhomesonnull</code> (ρ^0)	137	<code>\Rightarrow</code> (\Rightarrow)	86	<code>\rightharpoonup</code> (\rightarrow)	87
<code>\rhomesonplus</code> (ρ^+)	137	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoonup</code> (\rightarrow)	85
<code>\rhook</code> (ρ)	96	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoonup</code> (\rightarrow)	90
<code>\rhookdownarrow</code> (\downarrow)	83	<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightharpoonupbar</code> (\rightarrow) ..	90
<code>\rhookdownarrow</code> (\downarrow)	78	<code>\Rightarrow</code> (\Rightarrow)	86	<code>\rightharpoonupdash</code> (\Rightarrow) ..	90
<code>\rhookleftarrow</code> (\leftarrow)	83	<code>\Rightarrow</code> (\Rightarrow)	75	<code>\rightimply</code> (\Rightarrow)	61
		<code>\Rightarrow</code> (\Rightarrow)	86	<code>\rightlcurvearrow</code> (\curvearrowright) ..	82
		<code>\Rightarrow</code> (\Rightarrow)	82	<code>\rightleftarrows</code> (\rightleftarrows) ..	76
		<code>\Rightarrow</code> (\Rightarrow)	86	<code>\rightleftarrows</code> (\rightleftarrows) ..	75
		<code>\Rightarrow</code> (\Rightarrow)	82	<code>\rightleftarrows</code> (\rightleftarrows) ..	86
		<code>\Rightarrow</code> (\Rightarrow)	77	<code>\rightleftarrows</code> (\rightleftarrows) ..	82
		<code>\Rightarrow</code> (\Rightarrow)	88	<code>\rightleftarrows</code> (\rightleftarrows) ..	77
		<code>\Rightarrow</code> (\Rightarrow)	86	<code>\rightleftarrows</code> (\rightleftarrows) ..	88
		<code>\Rightarrow</code> (\Rightarrow)	76	<code>\rightleftcurvearrow</code> (\curvearrowleft) ..	82































































































































<code>\rightleftharpoon</code> (\curvearrowright) .. 77	<code>\rightthreearrows</code> (\rightleftarrows) ... 86	<code>\rollingpin</code> (\rightleftharpoons) 196
<code>\rightleftharpoons</code> (\rightleftharpoons) .. 77	<code>\rightthreearrows</code> (\rightleftarrows) .. 88	Roman coins 27
<code>\rightleftharpoons</code> (\rightleftharpoons) .. 76	<code>\rightthreetimes</code> (\times) ... 124	<code>\Romania</code> (\Romania) 194
<code>\rightleftharpoons</code> (\rightleftharpoons) .. 75	<code>\rightthreetimes</code> (\times) ... 31	Romanian comma-belo accent ($\text{\RomanianCommaBelo}$) <i>see accents</i>
<code>\rightleftharpoons</code> (\rightleftharpoons) .. 87	<code>\rightthreetimes</code> (\times) 35	rook 187, 224–226
<code>\rightleftharpoons</code> (\rightleftharpoons) .. 85	<code>\rightthreetimes</code> (\times) 34	roots <i>see \sqrt</i>
<code>\rightleftharpoons</code> (\rightleftharpoons) .. 80	<code>\rightthreetimes</code> (\times) 33	roshambo 142
<code>\rightleftharpoons</code> (\rightleftharpoons) .. 90	<code>\rightthreetimes</code> (\times) ... 36	<code>\rotatebox</code> 24, 229, 230
<code>\rightleftharpoonsdown</code> (\rightleftharpoonsdown) 90	<code>\rightthumbsdown</code> (\rightthumbsdown) .. 142	rotated symbols 17–20, 24, 229–230
<code>\rightleftharpoonsfill</code> .. 117	<code>\rightthumbsup</code> (\rightthumbsup) 142	rotating (package) 28, 134
<code>\rightleftharpoonsup</code> (\rightleftharpoonsup) 90	<code>\righttoleftarrow</code> (\rightarrowleftarrow) .. 76	<code>\rotm</code> (\rotm) 20
<code>\rightleftsquigarrow</code> (\rightsquigarrowleft) 82	<code>\righttoleftarrow</code> (\rightarrowleftarrow) ... 86	<code>\rotOmega</code> (\rotOmega) 20
<code>\rightlsquigarrow</code> (\rightsquigarrow) .. 82	<code>\Righttorque</code> (\Righttorque) 136	<code>\rotr</code> (\rotr) 20
<code>\rightlsquigarrow</code> (\rightsquigarrow) ... 77	<code>\rightturn</code> (\rightturn) 181	<code>\rotv</code> (\rotv) 20
<code>\Rightmapsto</code> (\Rightarrow) 82	<code>\rightupcurvedarrow</code> (\curvearrowright) . 82	<code>\rotw</code> (\rotw) 20
<code>\rightmapsto</code> (\rightarrow) 82	<code>\rightVDash</code> (\Vdash) 57	<code>\roty</code> (\roty) 20
<code>\rightmapsto</code> (\rightarrow) 77	<code>\rightVdash</code> (\Vdash) 57	<code>\RoundedLsteel</code> (\RoundedLsteel) 136
<code>\rightModels</code> (\models) 55	<code>\rightVdash</code> (\Vdash) 55	<code>\RoundedLsteel</code> (\RoundedLsteel) 136
<code>\rightmodels</code> (\models) 57	<code>\rightvDash</code> (\vDash) 57	<code>\RoundedTsteel</code> (\RoundedTsteel) 136
<code>\rightmodels</code> (\models) 55	<code>\rightvdash</code> (\vDash) 55	<code>\RoundedTsteel</code> (\RoundedTsteel) 136
<code>\rightmoon</code> (\rightmoon) 132	<code>\rightvDash</code> (\vDash) 55	<code>\RoundedTsteel</code> (\RoundedTsteel) 136
<code>\rightmoon</code> (\rightmoon) 132	<code>\rightwave</code> (\rightwave) 108	<code>\RoundedTsteel</code> (\RoundedTsteel) 136
<code>\rightmoon</code> (\rightmoon) 131	<code>\rightwavearrow</code> (\rightsquigarrow) 81	<code>\RoundedTsteel</code> (\RoundedTsteel) 136
<code>\rightouterjoin</code> (\rightouterjoin) 126	<code>\rightwavearrow</code> (\rightsquigarrow) 88	<code>\Rparen</code> (\Rparen) 129
<code>\rightp</code> (\rightp) 25	<code>\rightwhitearrow</code> (\rightarrow) ... 86	<code>\rParen</code> (\rParen) 107
<code>\rightpentagon</code> (\rightpentagon) 149	<code>\rightwhitearrow</code> (\rightarrow) ... 88	<code>\rparen</code> (\rparen) 106
<code>\rightpentagonblack</code> ($\text{\rightpentagonblack}$) . 149	<code>\rightwhiteroundarrow</code> (\rightarrow) 86	<code>\rparen</code> (\rparen) 107
<code>\rightpitchfork</code> (\rightpitchfork) 95	<code>\rightY</code> (\rightY) 34	<code>\rparen</code> (\rparen) 107
<code>\rightpitchfork</code> (\rightpitchfork) 93	<code>\rightY</code> (\rightY) 33	<code>\rparen</code> (\rparen) 103
<code>\rightpointleft</code> (\rightarrowleftarrow) ... 142	<code>rinforzando</code> (\rinforzando) 168	<code>\Rparenless</code> (\Rparenless) 103
<code>\rightpointright</code> (\leftarrow) .. 142	<code>\ring</code> (\ring) 112	<code>\rppolint</code> (\rppolint) 49
<code>\rightpropto</code> (\propto) 55	<code>ring</code> (\ring) <i>see accents</i>	<code>\rppolintsl</code> (\rppolintsl) 50
<code>\rightrcurvearrow</code> (\rightsquigarrow) .. 82	<code>ring equal to</code> <i>see \circeq</i>	<code>\rppolintup</code> (\rppolintup) 50
<code>\rightrightarrow</code> (\rightarrow) .. 76	<code>ring in equal to</code> .. <i>see \eqcirc</i>	<code>\rqm</code> (\rqm) 232
<code>\rightrightarrow</code> (\rightarrow) .. 75	<code>\ringplus</code> (\ringplus) 36	<code>\RR</code> (\RR) 162
<code>\rightrightarrow</code> (\rightarrow) ... 86	<code>\riota</code> (\riota) 125	<code>\rrangle</code> (\rrangle) 105
<code>\rightrightarrow</code> (\rightarrow) .. 81	<code>\riota</code> (\riota) 20	<code>\rrangle</code> (\rrangle) 103
<code>\rightrightarrow</code> (\rightarrow) ... 77	<code>\rip</code> (\rip) 186	<code>\rrbracket</code> (\rrbracket) 104
<code>\rightrightarrow</code> (\rightarrow) .. 88	<code>\risingdotseq</code> (\doteq) 54	<code>\rrbracket</code> (\rrbracket) 109
<code>\rightrightarrow</code> (\rightarrow) .. 77	<code>\risingdotseq</code> (\doteq) 52	<code>\rrceil</code> (\rrceil) 102
<code>\rightrightarrow</code> (\rightarrow) .. 82	<code>\risingdotseq</code> (\doteq) 60	<code>\RRelbar</code> (\RRelbar) 96
<code>\rightrightarrow</code> (\rightarrow) ... 77	<code>\risingdotseq</code> (\doteq) 57	<code>\Rrelbar</code> (\Rrelbar) 96
<code>\rightrightarrow</code> (\rightarrow) .. 82	<code>\risingdotseq</code> (\doteq) 55	<code>\rrfloor</code> (\rrfloor) 102
<code>\rightrightarrow</code> (\rightarrow) .. 78	<code>\risingdotseq</code> (\doteq) 61	<code>\rrhD</code> (\rrhD) 203
<code>\rightrightarrow</code> (\rightarrow) .. 88, 89	<code>\rJoin</code> (\rJoin) 53	<code>\rrhDa</code> (\rrhDa) 203
<code>\rightt</code> (\rightt) 25	<code>\rJoin</code> (\rJoin) 35	<code>\rrhDap</code> (\rrhDap) 203
<code>\righttail</code> (\righttail) 61	<code>\RK</code> (\RK) 134	<code>\rrhDp</code> (\rrhDp) 203
<code>\righttherefore</code> (\therefore) 120	<code>\rlap</code> 25, 150, 233	<code>\rrhDs</code> (\rrhDs) 203
<code>\righttherefore</code> (\therefore) .. 33, 120	<code>\rmoustache</code> (\rmoustache) 104	<code>\rrhDsp</code> (\rrhDsp) 203
	<code>\rmoustache</code> (\rmoustache) 107	<code>\rrhDw</code> (\rrhDw) 203
	<code>\rmoustache</code> (\rmoustache) 105	
	<code>\rmoustache</code> (\rmoustache) 105	
	<code>\rmoustache</code> (\rmoustache) 107	
	<code>\RO</code> (\RO) 134	
	rock/paper/scissors 142	

<code>\rrhDwp</code> ()	203	<code>\rrhUwp</code> ()	203	<code>\rVert</code> ()	104
<code>\rrhE</code> ()	203	<code>\RRightarrow</code> ()	88	<code>\rVert</code> ()	106
<code>\rrhEp</code> ()	203	<code>\Rrightarrow</code> ()	76	<code>\rvert</code> ()	104
<code>\rrhF</code> ()	203	<code>\Rrightarrow</code> ()	86	<code>\rvert</code> ()	106
<code>\rrhFp</code> ()	203	<code>\Rrightarrow</code> ()	81	<code>\rvert</code> ()	106
<code>\rrhFw</code> ()	203	<code>\Rrightarrow</code> ()	77	<code>\rvert</code> ()	106
<code>\rrhFwp</code> ()	203	<code>\Rrightarrow</code> ()	88	<code>\rVvert</code> ()	106
<code>\rrhL</code> ()	203	<code>\rrparenthesis</code> ()	102	<code>\Rvzigzag</code> ()	103
<code>\rrhLa</code> ()	203	<code>\rrparenthesis</code> ()	103	<code>\rvzigzag</code> ()	103
<code>\rrhLap</code> ()	203	<code>\RS</code> ()	135	<code>\rWalley</code> ()	196
<code>\rrhLp</code> ()	203	<code>\rsem</code> ()	107	<code>\rwave</code> ()	108
<code>\rrhLs</code> ()	203	<code>\rsem</code> ()	105	<code>\rWavy</code> ()	105
<code>\rrhLsp</code> ()	203	<code>\rsemantic</code>	<i>see</i> <code>\rdbrack</code>	<code>\rWavy</code> ()	105
<code>\rrhLw</code> ()	203	<code>rsfs</code> (emf package option)	131	<code>\rWavy</code> ()	105
<code>\rrhLwp</code> ()	203	<code>rsfs</code> (package)	128, 247	<code>\rWavy</code> ()	105
<code>\rrhM</code> ()	203	<code>\Rsh</code> ()	76	<code>\rWavy</code> ()	105
<code>\rrhMp</code> ()	203	<code>\Rsh</code> ()	75		
<code>\rrhR</code> ()	203	<code>\Rsh</code> ()	86		
<code>\rrhRa</code> ()	203	<code>\Rsh</code> ()	81		
<code>\rrhRap</code> ()	203	<code>\Rsh</code> ()	77		
<code>\rrhRp</code> ()	203	<code>\Rsh</code> ()	88		
<code>\rrhRs</code> ()	203	<code>\Rsh</code> ()	36		
<code>\rrhRsp</code> ()	203	<code>\rsolbar</code> ()	61		
<code>\rrhRw</code> ()	203	<code>\rsqhook</code> ()	40		
<code>\rrhRwp</code> ()	203	<code>\rsub</code> ()	40		
<code>\rrhSd</code> ()	203	<code>\rtborder</code> ()	188		
<code>\rrhSdp</code> ()	203	<code>\rtbotcorner</code> ()	188		
<code>\rrhSl</code> ()	203	<code>\rtimes</code> ()	33		
<code>\rrhSlp</code> ()	203	<code>\rtimes</code> ()	31		
<code>\rrhSr</code> ()	203	<code>\rtimes</code> ()	35		
<code>\rrhSrp</code> ()	203	<code>\rtimes</code> ()	34, 35		
<code>\rrhSu</code> ()	203	<code>\rtimes</code> ()	33		
<code>\rrhSup</code> ()	203	<code>\rtimes</code> ()	33		
<code>\rrhU</code> ()	203	<code>\rtimes</code> ()	36		
<code>\rrhUa</code> ()	203	<code>\rtimesblack</code> ()	35		
<code>\rrhUap</code> ()	203	<code>\rtriltri</code> ()	74		
<code>\rrhUp</code> ()	203	<code>\rtriple</code>	109		
<code>\rrhUs</code> ()	203	<code>\rttopcorner</code> ()	188		
<code>\rrhUsp</code> ()	203	<code>\RU</code> (C)	134		
<code>\rrhUw</code> ()	203	Rubik's Cube	203		
		<code>rubikcube</code> (package)	203, 247, 248		
		<code>\ruledelayed</code> (\Rightarrow)	61		
		runes	162		
		Anglo-Frisian	162		
		Danish	<i>see</i> normal runes		
		Germanic	162		
		Hälsinge	<i>see</i> staveless runes		
		long-branch	<i>see</i> normal runes		
		medieval	162		
		normal	162		
		short-twig	162		
		staveless	162		
		Swedo-Norwegian	<i>see</i> short-twig runes		
		<code>\rupee</code> ()	27		
		<code>\RV</code> (Φ)	134		
		<code>\rVert</code> ()	109		
				S	
				<code>S</code> (ξ)	162
				<code>\S</code> (\S)	15, 243
				<code>\S</code> (\S)	15
				<code>\s</code> (h)	162
				<code>s</code> (ξ)	162
				<code>\sA</code> ()	193
				<code>\SAa</code> (\circ)	159
				<code>\SAb</code> (Π)	159
				<code>\SAd</code> (h)	159
				<code>\Sadb</code> (H)	159
				<code>\SAdd</code> (H)	159
				<code>\Sadey</code> (\ominus)	196
				<code>\sadface</code> (\ominus)	196
				<code>\SAf</code> (\diamond)	159
				safety-related symbols	136
				<code>\Saftpresse</code> ()	196
				<code>\Sag</code> (Γ)	159
				<code>\SAGA</code> (Π)	159
				<code>\Sagittarius</code> ()	133
				<code>\Sagittarius</code> ()	132
				<code>\sagittarius</code> (\times)	131
				<code>\SAh</code> (Ψ)	159
				<code>\SAhd</code> (Ψ)	159
				<code>\SAhu</code> (Ψ)	159
				<code>\SAk</code> (f_1)	159
				<code>\SAl</code> (1)	159
				<code>\SAlq</code> (h)	159
				<code>\SAm</code> (S)	159
				<code>\samebishops</code> ()	186
				<code>\Sampi</code> (e)	159
				<code>\Sampi</code> (h)	159
				<code>\sampi</code> (y)	159
				<code>\sampi</code> (a)	159
				<code>\SAn</code> (h)	159
				sans (dsfont package option)	128
				<code>\sansLmirrored</code> (J)	126
				<code>\sansLturned</code> (J)	126
				<code>\SAo</code> (h)	159




































<code>\Sappho</code> ()	133	<code>\Scorpio</code> ()	133	<code>\sefootline</code> (\searrow)	55
<code>\SAq</code> (ϕ)	159	<code>\Scorpio</code> (\mathcal{M})	132	<code>\sefree</code> (\searrow)	55
<code>\SAr</code> (\circ)	159	<code>\scorpio</code> (\mathcal{M})	131	segmented numerals	130
<code>\sarabfamily</code>	159	<code>\scpolint</code> (β)	49	<code>\Segno</code> ()	164
sarabian (package)	159, 247, 248	<code>\scpolintsl</code> (β)	50	<code>\segno</code> ()	164
<code>\SAs</code> (\times)	159	<code>\scpolintup</code> (β)	50	<code>\seharpoonccw</code> (\searrow)	80
<code>\SAsa</code> (ξ)	159	scr (rsfso package option)	128	<code>\seharpooncw</code> (\searrow)	80
<code>\SAsd</code> (λ)	159	<code>\scr</code> (\mathcal{R})	19	<code>\seharpoonsw</code> (\searrow)	85
<code>\SAsv</code> (μ)	159	script letters	<i>see</i> alphabets, math	<code>\seight</code> ($\{$)	162
<code>\SAt</code> (χ)	159	<code>\scripta</code> (\mathfrak{a})	19	<code>\selcurvearrow</code> (\curvearrowright)	82
<code>\SAtb</code> (ξ)	159	<code>\scriptg</code> (\mathfrak{g})	19	<code>\selectfont</code>	12
<code>\SAtd</code> (\mathbb{I})	159	<code>\scriptscriptstyle</code>	232	<code>\selquigarrow</code> (\curvearrowright)	77
<code>\satellitedish</code> ()	152	<code>\scriptstyle</code>	232	semaf.fd (file)	221
satisfies	<i>see</i> <code>\models</code>	<code>\scripttv</code> (\mathfrak{v})	19	semantic valuation	104, 109
<code>\Saturn</code> (?)	132	<code>\Scroll</code> ()	134	semaphor (package)	220, 221, 247
<code>\Saturn</code> (\mathfrak{h})	133	<code>\scu</code> (\mathfrak{u})	19	semaphore symbols	220–221
<code>\Saturn</code> (\mathfrak{h})	132	<code>\scurel</code> (\mathfrak{s})	60	<code>\semapsto</code> (\searrow)	77
<code>\saturn</code> (\mathfrak{h})	131	<code>\scurel</code> (\mathfrak{s})	61	semibreve <i>see</i> musical symbols	
savesym (package)	226	<code>\scy</code> (\mathfrak{Y})	19	<code>\semibreve</code> (\mathfrak{o})	166
<code>\savesymbol</code>	226	<code>\sddtstile</code> ()	63	<code>\semibreveDotted</code> (\mathfrak{o} .)	166
<code>\SAw</code> (\mathfrak{w})	159	<code>\sDep</code> (\ast)	164	semidirect products	31, 33, 124
<code>\SAy</code> (\mathfrak{y})	159	<code>\sdststile</code> ()	63	semiquaver <i>see</i> musical symbols	
<code>\SAz</code> (\mathfrak{z})	159	<code>\sdtstile</code> ()	63	<code>\semiquaver</code> (\mathfrak{b})	166
<code>\SAzd</code> (\mathfrak{i})	159	<code>\sdtstile</code> ()	63	<code>\semiquaverDotted</code> (\mathfrak{b} .)	166
<code>\Sborder</code> ()	152	<code>\sdtstile</code> ()	63	<code>\semiquaverDottedDouble</code> (\mathfrak{b} ..)	166
<code>\scalebox</code>	226	seagull	<i>see</i> <code>\textseagull</code>	<code>\semiquaverDottedDoubleDown</code> (\mathfrak{b} ..)	166
scaled (CountriesOfEurope package option)	195	<code>\Searrow</code> ()	76	<code>\semiquaverDottedDown</code> (\mathfrak{b} .)	166
scaling	236, 239	<code>\Searrow</code> ()	86	<code>\semiquaverDown</code> (\mathfrak{b})	166
mechanical	236, 239	<code>\Searrow</code> ()	81	<code>\semiquaverRest</code> (\mathfrak{r})	168
optical	236	<code>\Searrow</code> ()	77	<code>\semiquaverRestDotted</code> (\mathfrak{r} .)	168
<code>\scd</code> (\mathfrak{D})	19	<code>\Searrow</code> ()	88	<code>\Semisextile</code> (\mathfrak{V})	133
<code>\scg</code> (\mathfrak{G})	19	<code>\searrow</code> (\searrow)	76	<code>\Semisquare</code> (\mathfrak{L})	133
<code>\Schaler</code> (\mathfrak{A})	196	<code>\searrow</code> (\searrow)	75, 233	semitic transliteration	20, 24
<code>\Schneebeesen</code> (\mathfrak{b})	196	<code>\searrow</code> (\searrow)	81	<code>\seModels</code> (\mathfrak{A})	55
<code>\Schussel</code> (\mathfrak{U})	196	<code>\searrow</code> (\searrow)	77	<code>\semodels</code> (\mathfrak{A})	55
<code>\schwa</code> (\mathfrak{a})	20	<code>\searrow</code> (\searrow)	92	semtrans (package)	20, 24, 247
<code>\schwa</code> (\mathfrak{a})	19	<code>\searrow</code> (\searrow)	88	<code>\senwarrows</code> (\mathfrak{S})	81
Schwartz distribution spaces	<i>see</i> alphabets, math	<code>\searrowtail</code> (\searrow)	81	<code>\senwarrows</code> (\mathfrak{S})	77
<code>\sci</code> (\mathfrak{I})	19	<code>\searrowtail</code> (\searrow)	77	<code>\senwcurvearrow</code> (\curvearrowright)	82
scientific symbols	130–138, 222	<code>\searrowtail</code> (\searrow)	77	<code>\senwharpoons</code> (\mathfrak{N})	85
<code>\ScissorHollowLeft</code> ()	141	<code>\sebkarrow</code> (\searrow)	81	<code>\senwharpoons</code> (\mathfrak{N})	80
<code>\ScissorHollowRight</code> ()	141	<code>\sec</code> (sec)	96	<code>\seovnearrow</code> (\mathfrak{X})	88
<code>\ScissorLeft</code> (\mathfrak{S})	141	<code>\Sech</code> ()	165	<code>\SePa</code> (\mathfrak{y})	165
<code>\ScissorLeftBrokenBottom</code> (\mathfrak{S})	141	<code>\SechBL</code> ()	165	<code>\separated</code> (\mathfrak{X})	55
<code>\ScissorLeftBrokenTop</code> (\mathfrak{S})	141	<code>\SechBl</code> ()	165	separation vector (\mathfrak{s})	128
<code>\ScissorRight</code> (\mathfrak{S})	141	<code>\SechBR</code> ()	165	<code>\sepitchfork</code> (\mathfrak{A})	93
<code>\ScissorRightBrokenBottom</code> (\mathfrak{S})	141	<code>\SechBr</code> ()	165	<code>\seppawns</code> (\mathfrak{o} - \mathfrak{o})	186
<code>\ScissorRightBrokenTop</code> (\mathfrak{S})	141	<code>\second</code> (\mathfrak{n})	124	<code>\Serbia</code> (\mathfrak{v})	195
scissors	141, 199–202	seconds, angular	<i>see</i> <code>\second</code>	<code>\sercurvearrow</code> (\curvearrowright)	82
<code>\scn</code> (\mathfrak{N})	19	<code>\secstress</code> (\mathfrak{i})	25	<code>\SerialInterface</code> ()	134
<code>\scoh</code> (\mathfrak{h})	64	section mark	<i>see</i> <code>\S</code>		
		<code>\SectioningDiamond</code> ()	183		
		<code>\sector</code> (\mathfrak{v})	125		
		sedenions (\mathfrak{S})	<i>see</i> alphabets, math		
		<code>\sefilledspoon</code> (\searrow)	93		
































<code>\SerialPort</code> (\equiv)	134	<code>\shortdowntack</code> (τ)	61	<code>\simneqq</code> (\cong)	61
<code>\sersquigarrow</code> (\curvearrowright)	77	<code>\ShortFifty</code> ($\text{\textcircled{50}}$)	182	<code>\simperp</code> (\perp)	64
<code>\sesearrows</code> (\curvearrowright)	81	<code>\ShortForty</code> ($\text{\textcircled{40}}$)	182	<code>simplewick</code> (package)	236
<code>\sesearrows</code> (\curvearrowleft)	77	<code>\shortleftarrow</code> (\leftarrow)	76	<code>\simplus</code> ($\dot{+}$)	36
<code>\sespoon</code> (\simeq)	93	<code>\shortleftttack</code> (\dashleftarrow)	58	<code>simpsons</code> (package)	189, 247
<code>\Sesquiquadrate</code> ($\text{\textcircled{E}}$)	133	<code>\shortleftttack</code> (\dashrightarrow)	61	Simpsons characters	189
set interior	see <code>\mathring</code>	<code>\shortmid</code> (\mid)	52	<code>\simrdots</code> (\sim)	60
set operators		<code>\shortmid</code> (\mid)	60	<code>\simrdots</code> (\sim)	61
intersection	see <code>\cap</code>	<code>\shortmid</code> (\mid)	57	<code>\sin</code> (\sin)	96
membership	see <code>\in</code>	<code>\shortmid</code> (\mid)	34	<code>\sincoh</code> (\smile)	64
union	see <code>\cup</code>	<code>\ShortNinetyFive</code> ($\text{\textcircled{95}}$)	182	<code>\sinewave</code> (\sim)	125
<code>\setminusminus</code> (\setminus)	31	<code>\shortparallel</code> (\parallel)	52	<code>\sinewave</code> (\sim)	126
<code>\setminusminus</code> (\setminus)	34	<code>\shortparallel</code> (\parallel)	60	<code>\sinh</code> (\sinh)	96
<code>\setminusminus</code> (\setminus)	34	<code>\shortparallel</code> (\parallel)	57	<code>\SixFlowerAlternate</code> ($\text{\textcircled{6}}$)	145
<code>\setminusminus</code> (\setminus)	36	<code>\shortparallel</code> (\parallel)	55	<code>\SixFlowerAltPetal</code> ($\text{\textcircled{6}}$)	145
<code>\seVdash</code> (\searrow)	55	<code>\shortparallel</code> (\parallel)	61	<code>\SixFlowerOpenCenter</code> ($\text{\textcircled{6}}$)	145
<code>\sevdash</code> (\searrow)	55	<code>\ShortPulseHigh</code> ($\text{\textcircled{H}}$)	130	<code>\SixFlowerPetalDotted</code> ($\text{\textcircled{6}}$)	145
<code>\Sextile</code> ($\text{\textcircled{6}}$)	133	<code>\ShortPulseLow</code> ($\text{\textcircled{L}}$)	130	145
<code>\Sey</code> ($\text{\textcircled{S}}$)	196	<code>\shortrightarrow</code> (\rightarrow)	76	<code>\SixFlowerPetalRemoved</code> ($\text{\textcircled{6}}$)	145
<code>\sfive</code> ($\{$)	162	<code>\shortrightarrowleftarrow</code>	88	145
<code>\sfour</code> ($\{$)	162	(\leftrightarrow)	88	<code>\SixFlowerRemovedOpenPetal</code>	
SGML	244	<code>\shortrighttack</code> (\dashrightarrow)	58	($\text{\textcircled{6}}$)	145
sha (III)	229	<code>\ShortSixty</code> ($\text{\textcircled{60}}$)	182	<code>\SixStar</code> ($\text{\textcircled{6}}$)	145
<code>\Shake</code> ($\text{\textcircled{W}}$)	164	<code>\ShortThirty</code> ($\text{\textcircled{30}}$)	182	<code>\SixteenStarLight</code> ($\text{\textcircled{16}}$)	145
<code>\shake</code> ($\text{\textcircled{W}}$)	164	<code>\shortuparrow</code> (\uparrow)	76	<code>\SixteenStarLight</code> ($\text{\textcircled{16}}$)	145
<code>\Shakel</code> ($\text{\textcircled{W}}$)	164	<code>\shortuptack</code> (\perp)	58	sixteenth note	see musical
<code>\Shakene</code> ($\text{\textcircled{W}}$)	164	<code>\shortuptack</code> (\perp)	61	symbols	
<code>\Shakenw</code> ($\text{\textcircled{W}}$)	164	<code>\showclock</code>	183	<code>\sixteenthNote</code> ($\text{\textcircled{6}}$)	166
<code>\Shakesw</code> ($\text{\textcircled{W}}$)	164	<code>\shpos</code> (\downarrow)	30	<code>\sixteenthnote</code> ($\text{\textcircled{6}}$)	163
<code>\sharp</code> (\sharp)	163	shuffle (package)	37, 247, 248	<code>\sixteenthNoteDotted</code> ($\text{\textcircled{6}}$)	166
<code>\sharp</code> (\sharp)	163	<code>\shuffle</code> ($\text{\textcircled{U}}$)	36	<code>\sixteenthNoteDottedDouble</code>	
<code>\sharp</code> (\sharp)	163	<code>\shuffle</code> ($\text{\textcircled{U}}$)	37	($\text{\textcircled{6}}$)	166
<code>\sharp</code> (\sharp)	167	shuffle product ($\text{\textcircled{U}}$)	37	<code>\sixteenthNoteDottedDoubleDown</code>	
<code>\sharp</code> (\sharp)	163	<code>\SI</code> ($\text{\textcircled{S}}$)	135	($\text{\textcircled{6}}$)	166
<code>\sharp</code> (\sharp)	163	<code>\Sieb</code> ($\text{\textcircled{S}}$)	196	<code>\sixteenthNoteDottedDown</code> ($\text{\textcircled{6}}$)	166
		<code>\sieve</code> ($\text{\textcircled{S}}$)	196	166
<code>\sharpArrowboth</code> (\updownarrow)	167	<code>\Sigma</code> (Σ)	97	<code>\sixteenthNoteDown</code> ($\text{\textcircled{6}}$)	166
<code>\sharpArrowdown</code> (\downarrow)	167	<code>\sigma</code> (σ)	97	skak (package)	186, 187, 247
<code>\sharpArrowup</code> (\uparrow)	167	<code>\sigmaup</code> (σ)	98	skull (package)	186, 247
Sharpe, Michael	24	<code>\sim</code> (\sim)	52, 231, 242	<code>\skull</code> ($\text{\textcircled{S}}$)	196
<code>\sharpSlashslashslashStem</code> ($\text{\textcircled{S}}$)	167	<code>\sim</code> (\sim)	57	<code>\skull</code> ($\text{\textcircled{S}}$)	186
		<code>\sim</code> (\sim)	55	skulls	186, 196, 224
<code>\sharpSlashslashslashStemstem</code>		<code>\sim</code> (\sim)	61	<code>\slash</code> ($/$)	242
($\text{\textcircled{S}}$)	167	<code>\simbot</code> ($\text{\textcircled{S}}$)	102	<code>\slashb</code> ($\text{\textcircled{S}}$)	19
<code>\sharpSlashslashStem</code> ($\text{\textcircled{S}}$)	167	<code>\simcolon</code> ($\sim:$)	64	<code>\slashc</code> ($\text{\textcircled{S}}$)	19
<code>\sharpSlashslashStemstemstem</code>		<code>\simcoloncolon</code> ($\sim::$)	64	<code>\slashd</code> ($\text{\textcircled{S}}$)	19
($\text{\textcircled{S}}$)	167	<code>\simeq</code> (\simeq)	52	<code>\slashdiv</code> ($\text{\textcircled{S}}$)	33
<code>\shfermion</code> ($\text{\textcircled{S}}$)	137	<code>\simeq</code> (\simeq)	57	slashed (package)	231, 232
<code>\Shift</code> ($\text{\textcircled{S}}$)	134	<code>\simeq</code> (\simeq)	55	<code>\slashed</code>	231, 232
<code>\shift</code> ($\text{\textcircled{S}}$)	30	<code>\simeq</code> (\simeq)	61	slashed letters	231
<code>\Shilling</code> (β)	26	<code>\simgE</code> (\cong)	72	slashed.sty (file)	232
<code>\shneg</code> (\uparrow)	30	<code>\simgtr</code> ($\text{\textcircled{S}}$)	72	<code>\slashu</code> ($\text{\textcircled{S}}$)	19
short-twig runes	162	<code>\similarleftarrow</code> (\leftarrow)	88	<code>\Sleet</code> ($\text{\textcircled{S}}$)	183
<code>\shortcastling</code> (O-O)	186	<code>\similarrightarrow</code> (\rightarrow)	88	<code>\sliding</code> ($\text{\textcircled{S}}$)	23
<code>\shortdownarrow</code> (\downarrow)	76	<code>\simle</code> (\leq)	72	<code>\Slovakia</code> ($\text{\textcircled{S}}$)	195
<code>\shortdowntack</code> (τ)	58	<code>\simless</code> (\lessgtr)	72	<code>\Slovenia</code> ($\text{\textcircled{S}}$)	195
		<code>\simminussim</code> (\approx)	61		
		<code>\simneqq</code> (\cong)	59		















































<code>\smallaltoclef</code> () 164	<code>\smalliintup</code> (\iint) 41	<code>\SmallRightDiamond</code> (\blacklozenge) . 149
<code>\smallawint</code> (\int) 41	<code>\smallin</code> (\in) 101	<code>\smallrppolint</code> (\int) 41
<code>\smallawintsl</code> (\int) 41	<code>\smallin</code> (\in) 61	<code>\smallrppolintsl</code> (\int) 41
<code>\smallawintup</code> (\int) 41	<code>\smallint</code> (\int) 125	<code>\smallrppolintup</code> (\int) 41
	<code>\smallint</code> (\int) 125	<code>\smallscpolint</code> (\int) 41
	<code>\smallint</code> (\int) 41	<code>\smallscpolintsl</code> (\int) 41
<code>\smallbassclef</code> () 164	<code>\smallintBar</code> (\int) 41	<code>\smallscpolintup</code> (\int) 41
<code>\smallblackcircle</code> (\bullet) 38	<code>\smallintbar</code> (\int) 41	<code>\smallsetminus</code> (\setminus) 31
<code>\smallblackdiamond</code> (\blacklozenge) . . 38	<code>\smallintbarsl</code> (\int) 41	<code>\smallsetminus</code> (\setminus) 35
<code>\smallblacklozenge</code> (\blacklozenge) . . 147	<code>\smallintBarup</code> (\int) 41	<code>\smallsetminus</code> (\setminus) 35
<code>\smallblacksquare</code> (\blacksquare) 38	<code>\smallintbarup</code> (\int) 41	<code>\smallsetminus</code> (\setminus) 34
<code>\smallblackstar</code> (\star) 38	<code>\smallintcap</code> (\int) 41	<code>\smallsetminus</code> (\setminus) 36
<code>\smallblacktriangledown</code> (\blacktriangledown) .	<code>\smallintcapsl</code> (\int) 41	<code>\smallsmile</code> (\smile) 52
. 38, 74	<code>\smallintcapup</code> (\int) 41	<code>\smallsmile</code> (\smile) 60
<code>\smallblacktriangleleft</code> (\blacktriangleleft) .	<code>\smallintclockwise</code> (\int) 41	<code>\smallsmile</code> (\smile) 58, 95
. 38, 74	<code>\smallintclockwisesl</code> (\int) 41	<code>\smallsmile</code> (\smile) 94
<code>\smallblacktriangleleft</code> (\blacktriangleleft) .	<code>\smallintclockwiseup</code> (\int) 41	<code>\smallsmile</code> (\smile) 61
. 149	<code>\smallintcup</code> (\int) 41	<code>\smallsqint</code> (\int) 41
<code>\smallblacktriangleright</code> (\blacktriangleright)	<code>\smallintcupsl</code> (\int) 41	<code>\smallsqintsl</code> (\int) 41
. 38, 74	<code>\smallintcupup</code> (\int) 41	<code>\smallsqintup</code> (\int) 41
<code>\smallblacktriangleright</code> (\blacktriangleright)	<code>\smallintlarhk</code> (\int) 41	<code>\SmallSquare</code> (\square) 149
. 149	<code>\smallintlarhksl</code> (\int) 41	<code>\smallsquare</code> (\square) 38
<code>\smallblacktriangleup</code> (\blacktriangleup) 38,	<code>\smallintlarhkup</code> (\int) 41	<code>\smallsquare</code> (\square) 38
74	<code>\smallintsl</code> (\int) 41	<code>\smallstar</code> (\star) 38
<code>\smallbosonloops</code> () 137	<code>\smallintup</code> (\int) 41	<code>\smallsumint</code> (\int) 41
<code>\smallbosonloopAs</code> () 137	<code>\smallintx</code> (\int) 41	<code>\smallsumintsl</code> (\int) 41
<code>\smallbosonloopVs</code> () 137	<code>\smallintxsl</code> (\int) 41	<code>\smallsumintup</code> (\int) 41
<code>\SmallCircle</code> (\circ) 149	<code>\smallintxup</code> (\int) 41	<code>\smalltrebleclef</code> () . . 164
<code>\smallcircle</code> (\circ) 38	<code>\SmallLowerDiamond</code> (\blacklozenge) . 149	
<code>\smallcirfnint</code> (\int) 41	<code>\smalllowint</code> (\int) 41	<code>\SmallTriangleDown</code> (\blacktriangledown) . 149
<code>\smallcirfnintsl</code> (\int) 41	<code>\smalllowintsl</code> (\int) 41	<code>\smalltriangledown</code> (\blacktriangledown) . . 37
<code>\smallcirfnintup</code> (\int) 41	<code>\smalllowintup</code> (\int) 41	<code>\smalltriangledown</code> (\blacktriangledown) 38, 73
<code>\SmallCross</code> (\times) 149	<code>\smalllozenge</code> (\lozenge) 147	<code>\smalltriangledown</code> (\blacktriangledown) 38, 73
<code>smallctrbull</code> (bullctr package op-	<code>\smalllozenge</code> (\lozenge) 147	<code>\SmallTriangleLeft</code> (\blacktriangleleft) . 149
tion) 185	<code>\smallni</code> (\ni) 61	<code>\smalltriangleleft</code> (\blacktriangleleft) . . 37
<code>\smallctrbull</code> 185	<code>\smallnpolint</code> (\int) 41	<code>\smalltriangleleft</code> (\blacktriangleleft) 39, 74
<code>\smalldiamond</code> (\diamond) 38	<code>\smallnpolintsl</code> (\int) 41	<code>\smalltriangleleft</code> (\blacktriangleleft) 38, 73
<code>\smalldiamond</code> (\diamond) 38	<code>\smallnpolintup</code> (\int) 41	<code>\smalltriangleleft</code> (\blacktriangleleft) . . 148
<code>\SmallDiamondshape</code> (\diamond) . 149	<code>\smalloiint</code> (\oiint) 41	<code>\SmallTriangleRight</code> (\blacktriangleright) . 149
<code>\smalldivslash</code> (\diagup) 35	<code>\smalloiintsl</code> (\oiint) 41	<code>\smalltriangleright</code> (\blacktriangleright) . . 37
<code>\smallfint</code> (\int) 41	<code>\smalloiintup</code> (\oiint) 41	<code>\smalltriangleright</code> (\blacktriangleright) 39, 74
<code>\smallfintsl</code> (\int) 41	<code>\smalloiint</code> (\oiint) 41	<code>\smalltriangleright</code> (\blacktriangleright) 38, 73
<code>\smallfintup</code> (\int) 41	<code>\smalloiintsl</code> (\oiint) 41	<code>\smalltriangleright</code> (\blacktriangleright) . 148
<code>\smallfrown</code> (\frown) 52	<code>\smalloiintup</code> (\oiint) 41	<code>\SmallTriangleUp</code> (\blacktriangleup) . . . 149
<code>\smallfrown</code> (\frown) 60	<code>\smalloint</code> (\oint) 41	<code>\smalltriangleup</code> (\blacktriangleup) 37
<code>\smallfrown</code> (\frown) 58, 95	<code>\smallointctr</code> clockwise (\oint) 41	<code>\smalltriangleup</code> (\blacktriangleup) . . 39, 74
<code>\smallfrown</code> (\frown) 94	<code>\smallointctr</code> clockwisesl (\oint)	<code>\smalltriangleup</code> (\blacktriangleup) . . 38, 73
<code>\smallfrown</code> (\frown) 61 41	<code>\smallupint</code> (\int) 41
<code>\SmallHBar</code> ($\bar{}$) 149	<code>\smallointctr</code> clockwiseup (\oint)	<code>\smallupintsl</code> (\int) 41
<code>\smalliiiint</code> (\iiint) 41 41	<code>\smallupintup</code> (\int) 41
<code>\smalliiiintsl</code> (\iiint) 41	<code>\smallointsl</code> (\oint) 41	<code>\smallvaroint</code> clockwise (\oint) 41
<code>\smalliiiintup</code> (\iiint) 41	<code>\smallointup</code> (\oint) 41	<code>\smallvaroint</code> clockwisesl (\oint)
<code>\smalliiint</code> (\iint) 41	<code>\smallowns</code> (\owns) 101 41
<code>\smalliiintsl</code> (\iint) 41	<code>\smallpencil</code> () 141	<code>\smallvaroint</code> clockwiseup (\oint)
<code>\smalliiintup</code> (\iint) 41	<code>\smallpointint</code> (\int) 41 41
<code>\smalliint</code> (\iint) 41	<code>\smallpointintsl</code> (\int) 41	<code>\SmallVBar</code> ($\bar{}$) 149
<code>\smalliintsl</code> (\iint) 41	<code>\smallpointintup</code> (\int) 41	<code>\smallwhitestar</code> (\star) 39
<code>\smalliintsl</code> (\iint) 41	<code>\smallprod</code> (\prod) 33	

smartctrbull (bullcntr package option)	185	\backslash snttstile ()	63	\backslash Sqcap ()	36
\backslash smartctrbull	185	\backslash SO ()	134, 135	\backslash sqcap ()	33
\backslash smashtimes ()	35	\backslash sO ()	193	\backslash sqcap ()	31
\backslash smashtimes ()	36	\backslash SOH ()	135	\backslash sqcap ()	34
\backslash smbkcircle ()	39	\backslash SOH ()	135	\backslash sqcap ()	33
\backslash smbkcircle ()	40	\backslash solid ()	137	\backslash sqcap ()	36
\backslash smbkldiamond ()	39	South Arabian alphabet	159	\backslash sqcapdot ()	34
\backslash smbkldiamond ()	148	\backslash SouthNode ()	133	\backslash sqcapdot ()	33
\backslash smbklozenge ()	147		193	\backslash sqcapplus ()	32
\backslash smbklozenge ()	148	soyombo (package)	193, 247, 248	\backslash sqcapplus ()	34
\backslash smbklsquare ()	39	Soyombo (font)	193	\backslash Sqcup ()	35
\backslash smbklsquare ()	148	Soyombo symbols	193	\backslash Sqcup ()	36
\backslash smeparsl ()	61	space	240	\backslash sqcup ()	33
\backslash smile ()	52	thin	240	\backslash sqcup ()	30, 31
\backslash smile ()	60	visible	<i>see</i>	\backslash sqcup ()	34
\backslash smile ()	57, 95	\backslash textvisiblespace		\backslash sqcup ()	33
\backslash smile ()	94	\backslash Spacebar ()	134	\backslash sqcupdot ()	36
\backslash smile ()	61	spades	151, 152, 197–198	\backslash sqcupdot ()	34
smile symbols	94, 95	\backslash spadesuit ()	151	\backslash sqcupplus ()	33
\backslash smileeq ()	57, 95	\backslash spadesuit ()	151	\backslash sqcupplus ()	34
\backslash smileeq ()	94	\backslash spadesuit ()	151	\backslash sqcupplus ()	33
\backslash smileeqfrown ()	94	\backslash spadesuit ()	151	\backslash sqdoublecap ()	33
\backslash smileface ()	196	\backslash spadesuit ()	151	\backslash sqdoublecup ()	33
\backslash smilefrown ()	57, 95	\backslash spadesuit ()	151	\backslash sqdoublefrown ()	94
\backslash smilefrown ()	94	\backslash Spain ()	195	\backslash sqdoublefrown ()	94
\backslash smilefrown ()	94	\backslash Sparkle ()	145	\backslash sqdoublefrown ()	94
\backslash smilefrown ()	94	\backslash SparkleBold ()	145	\backslash sqdoublefrown ()	94
\backslash Smiley ()	182, 196	sparkles	145	\backslash sqdoublefrown ()	94
\backslash smiley ()	181	“special” characters	14	\backslash sqdoublefrown ()	94
smiley faces	126, 135, 181, 182, 191, 196–202, 206–209	\backslash SpecialForty ()	182	\backslash sqdoublefrown ()	94
\backslash smt ()	72	\backslash sPed ()	164	\backslash sqdoublefrown ()	94
\backslash smt ()	72	\backslash sphericalangle ()	124	\backslash sqdoublefrown ()	94
\backslash smwhitestar ()	39	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhitestar ()	148	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtcircle ()	39	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtcircle ()	148, 149	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtdiamond ()	39	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtdiamond ()	148, 149	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtlozenge ()	147	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtlozenge ()	148	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtsquare ()	39	\backslash sphericalangle ()	123	\backslash sqdoublefrown ()	94
\backslash smwhtsquare ()	148	\backslash spin ()	138	\backslash sqdoublefrown ()	94
snakes	210–211	\backslash SpinDown ()	149	\backslash sqrt ()	114
\backslash sndtstile ()	63	\backslash spindown ()	138	\backslash sqrt ()	112, 233
\backslash Snow ()	183	\backslash SpinUp ()	149	\backslash sqrt* ()	116
\backslash SnowCloud ()	183	\backslash spinup ()	138	\backslash sqsmile ()	94
\backslash Snowflake ()	145	spirals	210–211	\backslash sqsmileeq ()	94
\backslash SnowflakeChevron ()	145	\backslash spirituslenis ()	111	\backslash sqsmileeqfrown ()	94
\backslash SnowflakeChevronBold ()	145	\backslash spirituslenis ()	111	\backslash sqsmilefrown ()	94
snowflakes	145	\backslash splitvert ()	135	\backslash Sqsubset ()	66
\backslash Snowman ()	197	\backslash Spoon ()	196	\backslash Sqsubset ()	66
\backslash SNPP ()	189	spoon symbols	93, 94	\backslash sqSubset ()	65
\backslash sntstile ()	63	\backslash spreadlips ()	23	\backslash sqSubset ()	66
\backslash sntstile ()	63	\backslash Springtree ()	197	\backslash sqsubset ()	65
		\backslash sqbullet ()	33	\backslash sqsubset ()	64, 65
		\backslash Sqcap ()	35	\backslash sqsubset ()	66

<code>\sqsubset</code> (\sqsubset)	66	square impulse	130	<code>\ssdtstile</code> (⌘)	63
<code>\sqsubset</code> (\sqsubset)	66	square root	<i>see</i> <code>\sqrt</code>	<code>\ssearrow</code> (\searrow)	76
<code>\sqsubset</code> (\sqsubset)	67	hooked	<i>see</i> <code>\hksqrt</code>	<code>\ssearrow</code> (\searrow)	86
<code>\sqsubsetseteq</code> (\sqsubsetseteq)	65	<code>\squarebotblack</code> (\blacksquare)	148	<code>\seven</code> ($\{7\}$)	162
<code>\sqsubsetseteq</code> (\sqsubsetseteq)	64	<code>\SquareCastShadowBottomRight</code>		<code>\ssix</code> ($\{6\}$)	162
<code>\sqsubsetseteq</code> (\sqsubsetseteq)	66	(\square)	150	<code>\sslash</code> ($//$)	32
<code>\sqsubsetseteq</code> (\sqsubsetseteq)	66	<code>\SquareCastShadowTopLeft</code> (\square)		<code>\sslash</code> ($//$)	35
<code>\sqsubsetseteq</code> (\sqsubsetseteq)	67	150	<code>\sslash</code> ($//$)	36
<code>\sqsubsetseteqq</code> (\sqsubsetseteqq)	65	<code>\SquareCastShadowTopRight</code>		<code>\sststile</code> (⌘)	63
<code>\sqsubsetseteqq</code> (\sqsubsetseteqq)	66	(\square)	150	<code>\sststile</code> (⌘)	63
<code>\sqsubsetseteqq</code> (\sqsubsetseteqq)	66	<code>\squarecrossfill</code> (\blacksquare)	148	<code>\ssttstile</code> (⌘)	63
<code>\sqsubsetsetneq</code> (\sqsubsetsetneq)	65	<code>\squaredots</code> ($::$)	120	<code>\sswarrow</code> (\swarrow)	76
<code>\sqsubsetsetneq</code> (\sqsubsetsetneq)	66	<code>\squaredots</code> ($::$)	33, 120	<code>\sswarrow</code> (\swarrow)	86
<code>\sqsubsetsetneq</code> (\sqsubsetsetneq)	66	<code>\squarehfill</code> (\blacksquare)	148	<code>\staccatissimo</code> (♩)	168
<code>\sqsubsetsetneq</code> (\sqsubsetsetneq)	67	<code>\squarehvfill</code> (\blacksquare)	148	<code>\stackrel{rel}{\dots}</code>	30, 230, 234, 235
<code>\sqsubsetsetneqq</code> (\sqsubsetsetneqq)	65	<code>\squareleftblack</code> (\blacksquare)	148	standard state	231
<code>\sqsubsetsetneqq</code> (\sqsubsetsetneqq)	66	<code>\squarellblack</code> (\blacksquare)	148	<code>\star</code> (\star)	31, 234
<code>\sqsubsetsetneqq</code> (\sqsubsetsetneqq)	66	<code>\squarellquad</code> (\square)	148	<code>\star</code> (\star)	162
<code>\Sqsupset</code> (\supset)	66	<code>\squarelrblack</code> (\blacksquare)	148	<code>\star</code> (\star)	39, 147
<code>\Sqsupset</code> (\supset)	66	<code>\squarelrquad</code> (\square)	148	<code>\star</code> (\star)	39
<code>\sqSupset</code> (\supset)	65	<code>\squareneswfill</code> (\blacksquare)	148	<code>\star</code> (\star)	38
<code>\sqSupset</code> (\supset)	66	<code>\squarenwsefill</code> (\blacksquare)	148	<code>\star</code> (\star)	40
<code>\sqsupset</code> (\supset)	65	<code>\Squarepipe</code> (\square)	136	Star of David	144, 145
<code>\sqsupset</code> (\supset)	64, 65	<code>\squarerightblack</code> (\blacksquare)	148	<code>\stareq</code> (\doteq)	57
<code>\sqsupset</code> (\supset)	66	squares	147–152, 173–178, 187, 188, 204–206, 210–211, 222	<code>\stareq</code> (\doteq)	61
<code>\sqsupset</code> (\supset)	66	<code>\SquareShadowA</code> (\square)	149	starfont (package)	133, 247, 248
<code>\sqsupset</code> (\supset)	66	<code>\SquareShadowB</code> (\square)	149	<code>\starofdavid</code> (⬠)	147
<code>\sqsupset</code> (\supset)	67	<code>\SquareShadowBottomRight</code> (\square)		<code>\starredbullet</code> (\star)	146
<code>\sqsupseteq</code> (\supseteq)	65	150	stars	124, 133, 144–149, 204–206
<code>\sqsupseteq</code> (\supseteq)	64	<code>\SquareShadowC</code> (\square)	149	<code>\stater</code> (⌘)	27
<code>\sqsupseteq</code> (\supseteq)	66	<code>\SquareShadowTopLeft</code> (\square)	150	<code>\Station</code> (S)	133
<code>\sqsupseteq</code> (\supseteq)	66	<code>\SquareShadowTopRight</code> (\square)	150	statistical independence	232
<code>\sqsupseteq</code> (\supseteq)	66	<code>\SquareSolid</code> (\blacksquare)	150	<code>\staveI</code> (⌘)	190
<code>\sqsupseteq</code> (\supseteq)	66	<code>\Squaresteel</code> (\blacksquare)	136	<code>\staveII</code> (⌘)	190
<code>\sqsupseteq</code> (\supseteq)	65	<code>\squaretopblack</code> (\blacksquare)	148	<code>\staveIII</code> (⌘)	190
<code>\sqsupseteq</code> (\supseteq)	66	<code>\squareulblack</code> (\blacksquare)	148	<code>\staveIV</code> (⌘)	190
<code>\sqsupseteq</code> (\supseteq)	66	<code>\squareulquad</code> (\square)	148	<code>\staveIX</code> (⌘)	190
<code>\sqsupseteq</code> (\supseteq)	67	<code>\squareurblack</code> (\blacksquare)	148	<code>\staveL</code> (⌘)	190
<code>\sqsupseteq</code> (\supseteq)	65	<code>\squareurquad</code> (\square)	148	<code>\staveL</code> (⌘)	191
<code>\sqsupseteq</code> (\supseteq)	66	<code>\squarevfill</code> (\blacksquare)	148	staveless runes	162
<code>\sqsupseteq</code> (\supseteq)	66	<code>\squarewithdots</code> (⌘)	152	<code>\staveLI</code> (⌘)	190
<code>\sqsupseteq</code> (\supseteq)	66	<code>\squeezer</code> (⌘)	196	<code>\staveLII</code> (⌘)	190
<code>\sqtriplefrown</code> (⌘)	94	<code>\squigarrowdownup</code> (⌘)	77	<code>\staveLIII</code> (⌘)	190
<code>\sqtriplefrown</code> (⌘)	94	<code>\squigarrowleftright</code> (⌘)	77	<code>\staveLIII</code> (⌘)	190
<code>\Square</code> (\square)	133	<code>\squigarrownesw</code> (⌘)	77	<code>\staveLIV</code> (⌘)	190
<code>\Square</code> (\square)	143	<code>\squigarrownwse</code> (⌘)	77	<code>\staveLIX</code> (⌘)	191
<code>\Square</code> (\square)	150	<code>\squigarrowrightleft</code> (⌘)	77	<code>\staveLV</code> (⌘)	190
<code>\Square</code> (\square)	149	<code>\squigarrowsenw</code> (⌘)	77	<code>\staveLVI</code> (⌘)	191
<code>\Square</code> (\square)	150	<code>\squigarrowswne</code> (⌘)	77	<code>\staveLVII</code> (⌘)	191
<code>\Square</code> (\square vs. \square vs. \square)	227	<code>\squigarrowupdown</code> (⌘)	77	<code>\staveLVIII</code> (⌘)	191
<code>\square</code> (\square)	33	<code>\squoval</code> (\square)	148		
<code>\square</code> (\square)	124	<code>\sqplus</code> (⌘)	33		
<code>\square</code> (\square)	147	<code>\sqplus</code> (⌘)	35		
<code>\square</code> (\square)	39	<code>\SS</code> (SS)	15, 134		
<code>\square</code> (\square)	188	<code>\ss</code> (ß)	15		
<code>\square</code> (\square)	38				
<code>\square</code> (\square)	149				

<code>\staveLX</code> ()	191
<code>\staveLXI</code> ()	191
<code>\staveLXII</code> ()	191
<code>\staveLXIII</code> ()	191
<code>\staveLXIV</code> ()	191
<code>\staveLXV</code> ()	191
<code>\staveLXVI</code> ()	191
<code>\staveLXVII</code> ()	191
<code>\staveLXVIII</code> ()	191
staves	190
staves (package)	190, 247
<code>\staveV</code> ()	190
<code>\staveVI</code> ()	190
<code>\staveVII</code> ()	190
<code>\staveVIII</code> ()	190
<code>\staveX</code> ()	191
<code>\staveXI</code> ()	191
<code>\staveXII</code> ()	191
<code>\staveXIII</code> ()	191
<code>\staveXIV</code> ()	191
<code>\staveXIX</code> ()	191
<code>\staveXL</code> ()	191
<code>\staveXLI</code> ()	191
<code>\staveXLII</code> ()	191
<code>\staveXLIII</code> ()	191
<code>\staveXLIV</code> ()	191
<code>\staveXLIX</code> ()	190
<code>\staveXLV</code> ()	191
<code>\staveXLVI</code> ()	191
<code>\staveXLVII</code> ()	190
<code>\staveXLVIII</code> ()	190
<code>\staveXV</code> ()	191
<code>\staveXVI</code> ()	191
<code>\staveXVII</code> ()	191
<code>\staveXVIII</code> ()	191
<code>\staveXX</code> ()	191
<code>\staveXXI</code> ()	191

<code>\staveXXII</code> ()	191
<code>\staveXXIII</code> ()	191
<code>\staveXXIV</code> ()	190
<code>\staveXXIX</code> ()	190
<code>\staveXXV</code> ()	190
<code>\staveXXVI</code> ()	190
<code>\staveXXVII</code> ()	190
<code>\staveXXVIII</code> ()	190
<code>\staveXXX</code> ()	190
<code>\staveXXXI</code> ()	190
<code>\staveXXXII</code> ()	190
<code>\staveXXXIII</code> ()	191
<code>\staveXXXIV</code> ()	191
<code>\staveXXXIX</code> ()	191
<code>\staveXXXV</code> ()	191
<code>\staveXXXVI</code> ()	191
<code>\staveXXXVII</code> ()	191
<code>\staveXXXVIII</code> ()	191
<code>\stdtstile</code> ()	63
<code>\steaming</code> ()	196
steinmetz (package)	131, 247, 248
Steinmetz phasor notation	131
sterling	<i>see</i> \pounds
<code>\sthree</code> ()	162
stick figures	153, 197, 217–221
<code>\Stigma</code> ()	159
<code>\Stigma</code> ()	159
<code>\stigma</code> ()	159
<code>\stigma</code> ()	159
stix (package)	36, 40, 41, 48, 50, 61, 62, 67, 71, 72, 74, 87, 89–91, 96, 99–101, 103, 107, 111, 114, 120, 122, 123, 126, 132, 134, 136, 148, 149, 151, 163, 184, 247, 248
stmaryrd (package)	32, 42, 53, 65, 72, 76, 92, 95, 102, 104, 227, 231, 246, 247
stochastic independence	<i>see</i> \bot
<code>\StoneMan</code> ()	183
<code>\Stopsign</code> ()	136
<code>\StopWatchEnd</code> ()	183
<code>\StopWatchStart</code> ()	183
<code>\stress</code> ()	25
<code>\Strichmaxerl</code> ()	197

<code>\strictfi</code> ()	53
<code>\strictfi</code> ()	60
<code>\strictif</code> ()	53
<code>\strictif</code> ()	60
<code>\strictiff</code> ()	53
<code>\StrikingThrough</code> ()	25
<code>\strns</code> ()	126
<code>\strokedint</code> ()	47
<code>\StrokeFive</code> ()	183
<code>\StrokeFour</code> ()	183
<code>\StrokeOne</code> ()	183
<code>\StrokeThree</code> ()	183
<code>\strokethrough</code> ()	111
<code>\StrokeTwo</code> ()	183
<code>\stst</code> ()	231
<code>\stststile</code> ()	63
<code>\sttstile</code> ()	63
<code>\sttstile</code> ()	63
<code>\STX</code> ()	135
.sty files	12
<code>\SUB</code> ()	135
subatomic particles	137–138
<code>\subcorner</code> ()	23
<code>\subdoublebar</code> ()	23
<code>\subdoublevert</code> ()	23
<code>\subedot</code> ()	67
<code>\sublptr</code> ()	23
<code>\submult</code> ()	67
<code>\subrarr</code> ()	67
<code>\subrptr</code> ()	23
subscripts	new symbols used in 232
<code>\Subset</code> ()	65
<code>\Subset</code> ()	65
<code>\Subset</code> ()	66
<code>\Subset</code> ()	66
<code>\Subset</code> ()	66
<code>\Subset</code> ()	66
<code>\Subset</code> ()	67
<code>\subset</code> ()	65
<code>\subset</code> ()	64
<code>\subset</code> ()	66
<code>\subset</code> ()	66
<code>\subset</code> ()	67
<code>\subsetapprox</code> ()	67
<code>\subsetcirc</code> ()	67
<code>\subsetdot</code> ()	67
<code>\subseteq</code> ()	65
<code>\subseteq</code> ()	64
<code>\subseteq</code> ()	66
<code>\subseteq</code> ()	66
<code>\subseteq</code> ()	67
<code>\subseteqq</code> ()	65
<code>\subseteqq</code> ()	65
<code>\subseteqq</code> ()	66
<code>\subseteqq</code> ()	66

<code>\subseteqq</code> (\subseteq)	66	<code>\succneqq</code> (\succneq)	59	<code>\supset</code> (\supset)	64
<code>\subseteqq</code> (\sqsubseteq)	67	<code>\succneqq</code> (\succneq)	61	<code>\supset</code> (\supset)	66
<code>\subsetneq</code> (\subsetneq)	65	<code>\succnsim</code> (\succsim)	54	<code>\supset</code> (\supset)	66
<code>\subsetneq</code> (\subsetneq)	65	<code>\succnsim</code> (\succsim)	53	<code>\supset</code> (\supset)	67
<code>\subsetneq</code> (\subsetneq)	66	<code>\succnsim</code> (\succsim)	60	<code>\supsetapprox</code> (\supsetapprox)	67
<code>\subsetneq</code> (\subsetneq)	66	<code>\succnsim</code> (\succsim)	59	<code>\supsetcirc</code> (\supsetcirc)	67
<code>\subsetneq</code> (\subsetneq)	66	<code>\succnsim</code> (\succsim)	57	<code>\supsetdot</code> (\supsetdot)	67
<code>\subsetneq</code> (\subsetneq)	67	<code>\succnsim</code> (\succsim)	61	<code>\supseteq</code> (\supseteq)	65
<code>\subsetneqq</code> (\sqsubseteq)	65	<code>\succsim</code> (\succsim)	54	<code>\supseteq</code> (\supseteq)	64
<code>\subsetneqq</code> (\sqsubseteq)	65	<code>\succsim</code> (\succsim)	52	<code>\supseteq</code> (\supseteq)	66
<code>\subsetneqq</code> (\sqsubseteq)	66	<code>\succsim</code> (\succsim)	60	<code>\supseteq</code> (\supseteq)	66
<code>\subsetneqq</code> (\sqsubseteq)	66	<code>\succsim</code> (\succsim)	58	<code>\supseteq</code> (\supseteq)	67
<code>\subsetneqq</code> (\sqsubseteq)	66	<code>\succsim</code> (\succsim)	55	<code>\supseteqq</code> (\supseteqq)	65
<code>\subsetneqq</code> (\sqsubseteq)	67	<code>\succsim</code> (\succsim)	61	<code>\supseteqq</code> (\supseteqq)	65
<code>\subsetplus</code> (\oplus)	65	such that	230, 231	<code>\supseteqq</code> (\supseteqq)	66
<code>\subsetplus</code> (\oplus)	66	<code>\suchthat</code> (\ni)	231	<code>\supseteqq</code> (\supseteqq)	66
<code>\subsetplus</code> (\oplus)	67	<code>\sum</code> (\sum)	42	<code>\supseteqq</code> (\supseteqq)	66
<code>\subsetpluseq</code> (\oplus)	65	<code>\sum</code> (\sum)	47	<code>\supseteqq</code> (\supseteqq)	67
<code>\subsetpluseq</code> (\oplus)	66	<code>\sum</code> (\sum)	47	<code>\supsetneq</code> (\supsetneq)	65
subsets	64–67	<code>\sum</code> (\sum)	49	<code>\supsetneq</code> (\supsetneq)	65
<code>\subsim</code> (\subset)	67	<code>\sumint</code> (\int)	47	<code>\supsetneq</code> (\supsetneq)	66
<code>\subsub</code> (\subset)	67	<code>\sumint</code> (\int)	47	<code>\supsetneq</code> (\supsetneq)	66
<code>\subsup</code> (\supset)	67	<code>\sumint</code> (\int)	49	<code>\supsetneq</code> (\supsetneq)	67
<code>\Succ</code> (\succ)	61	<code>\sumintsl</code> (\int)	50	<code>\supsetneqq</code> (\supsetneqq)	65
<code>\succ</code> (\succ)	52	<code>\sumintup</code> (\int)	50	<code>\supsetneqq</code> (\supsetneqq)	65
<code>\succ</code> (\succ)	57	<code>\Summertree</code> (\sum)	197	<code>\supsetneqq</code> (\supsetneqq)	66
<code>\succ</code> (\succ)	55	<code>\Summit</code> (\blacktriangle)	183	<code>\supsetneqq</code> (\supsetneqq)	66
<code>\succ</code> (\succ)	61	<code>\SummitSign</code> (\blacktriangle)	183	<code>\supsetneqq</code> (\supsetneqq)	66
<code>\succapprox</code> (\succapprox)	54	<code>\Sun</code> (\odot)	132	<code>\supsetneqq</code> (\supsetneqq)	67
<code>\succapprox</code> (\succapprox)	52	<code>\Sun</code> (\odot)	133	<code>\supsetplus</code> (\supsetplus)	65
<code>\succapprox</code> (\succapprox)	60	<code>\Sun</code> (\odot)	132	<code>\supsetplus</code> (\supsetplus)	66
<code>\succapprox</code> (\succapprox)	58	<code>\Sun</code> (\odot)	132	<code>\supsetplus</code> (\supsetplus)	67
<code>\succapprox</code> (\succapprox)	55	<code>\Sun</code> (\odot)	183	<code>\supsetpluseq</code> (\supsetpluseq)	65
<code>\succapprox</code> (\succapprox)	61	<code>\Sun</code> (\odot vs. \odot vs. \odot)	227	<code>\supsetpluseq</code> (\supsetpluseq)	66
<code>\succcurlyeq</code> (\succcurlyeq)	54	sun	131–133, 152, 181, 183, 197–198, 224, 227	<code>\supsim</code> (\supset)	67
<code>\succcurlyeq</code> (\succcurlyeq)	52	<code>\sun</code> (\odot)	132	<code>\supsup</code> (\supset)	67
<code>\succcurlyeq</code> (\succcurlyeq)	60	<code>\sun</code> (\odot)	181	<code>\surd</code> ($\sqrt{\quad}$)	124
<code>\succcurlyeq</code> (\succcurlyeq)	58	<code>\SunCloud</code> (\odot)	183	<code>\surface</code> (Φ)	138
<code>\succcurlyeq</code> (\succcurlyeq)	55	<code>\SunshineOpenCircled</code> (\odot)	152	<code>\SurveySign</code> (Δ)	183
<code>\succcurlyeq</code> (\succcurlyeq)	61	<code>\sup</code> (sup)	96	<code>\svrexample</code> (\mathbb{W})	138
<code>\succdot</code> (\succdot)	54	<code>\supdsub</code> (\supdsub)	67	<code>\svrphoton</code> (f)	138
<code>\succeq</code> (\succeq)	52	<code>\supedot</code> (\supedot)	67	svrsymbols (package)	137, 247, 248
<code>\succeq</code> (\succeq)	58	superscripts		<code>\Swarrow</code> (\swarrow)	76
<code>\succeq</code> (\succeq)	55	new symbols used in	232	<code>\Swarrow</code> (\swarrow)	86
<code>\succeq</code> (\succeq)	61	supersets	64–67	<code>\Swarrow</code> (\swarrow)	81
<code>\succeqq</code> (\supseteq)	53	<code>\suphsol</code> (\suphsol)	67	<code>\Swarrow</code> (\swarrow)	77
<code>\succeqq</code> (\supseteq)	58	<code>\suphsup</code> (\suphsup)	67	<code>\Swarrow</code> (\swarrow)	88
<code>\succeqq</code> (\supseteq)	61	<code>\suplarr</code> (\suplarr)	67	<code>\swarrow</code> (\swarrow)	76
<code>\succnapprox</code> (\succnapprox)	54	<code>\supmult</code> (\supmult)	67	<code>\swarrow</code> (\swarrow)	75, 233
<code>\succnapprox</code> (\succnapprox)	53	supremum	see <code>\sup</code>	<code>\swarrow</code> (\swarrow)	81
<code>\succnapprox</code> (\succnapprox)	60	<code>\Supset</code> (\supset)	65	<code>\swarrow</code> (\swarrow)	77
<code>\succnapprox</code> (\succnapprox)	59	<code>\Supset</code> (\supset)	65	<code>\swarrow</code> (\swarrow)	92
<code>\succnapprox</code> (\succnapprox)	57	<code>\Supset</code> (\supset)	66	<code>\swarrow</code> (\swarrow)	88
<code>\succnapprox</code> (\succnapprox)	61	<code>\Supset</code> (\supset)	66	<code>\swarrowtail</code> (\swarrowtail)	81
<code>\succneq</code> (\succneq)	54	<code>\Supset</code> (\supset)	66	<code>\swarrowtail</code> (\swarrowtail)	77
<code>\succneq</code> (\succneq)	59	<code>\Supset</code> (\supset)	66	<code>\swbkarrow</code> (\swarrow)	81
<code>\succneq</code> (\succneq)	61	<code>\Supset</code> (\supset)	67		
<code>\succneqq</code> (\supseteq)	53	<code>\supset</code> (\supset)	65		
<code>\succneqq</code> (\supseteq)	60				

<code>\Sweden</code> (♁)	195	cipher	191	monetary	26, 27, 129
Swedo-Norwegian runes	<i>see</i>	clock	181–184, 197–198	musical	28, 163–180, 197–202
short-twig runes		communication	136	non-commutative division	119
<code>\swfilleddspoon</code> (✓)	93	computer	199–202	particle physics	137–138
<code>\swfootline</code> (✓)	55	computer hardware	134	Phaistos disk	153
<code>\swfree</code> (✓)	55	contradiction	30, 95	phonetic	17–20
<code>\swharpoonccw</code> (↙)	80	cooking	196, 199–202	physical	130
<code>\swharpooncw</code> (✓)	80	countries	194	Pitman’s base 12	122, 185
<code>\swharpoonnw</code> (✓)	85	crystallography	222	present value	116, 235
<code>\swharpoonse</code> (↘)	85	currency	26, 27, 126, 129	proto-Semitic	153
<code>\Switzerland</code> (♁)	195	dangerous bend	181	pulse diagram	130
<code>\swlcurvearrow</code> (↷)	82	database	126	recycling 192, 196–202, 204	
<code>\swlsquigarow</code> (↷)	77	definition	30, 235	relational	52
<code>\swmapsto</code> (↘)	77	dictionary	17–20, 189	relational database	126
<code>\swModels</code> (⊸)	55	dingbat	139–152	reversed	229–230
<code>\swmodels</code> (⊸)	55	dot	14, 119–121, 234	rotated 17–20, 24, 229–230	
<code>\swnearrows</code> (↗)	81	electrical	130	runes	162
<code>\swnearrows</code> (↖)	78	engineering	126, 130, 136	safety-related	136
<code>\swnecurvearrow</code> (↷)	82	Epi-Olmec	160–161	scientific	130–138, 222
<code>\swneharpoons</code> (↔)	85	extensible 91, 112–118, 131, 228, 234–236		semaphore	220–221
<code>\swneharpoons</code> (↔)	80	Feynman diagram	137	Simpsons characters	189
swords	182	file	199–202	smile	94, 95
<code>\swords</code> (⌘)	196	Frege logic	91, 102, 121, 122, 126	Soyombo	193
<code>\swpitchfork</code> (⌘)	93	frown	94, 95	spoon	93, 94
<code>\swrcurvearrow</code> (↶)	83	game-related 151, 183, 184, 186–188, 199–202, 223–226		staves	190
<code>\swrsquigarow</code> (↶)	78	gates, digital logic	135	subset and superset 64–67	
<code>\swspoon</code> (✓)	93	generological	181	technological	130–138
<code>\swswarrows</code> (↔)	81	general	181	TeXbook	181
<code>\swswarrows</code> (↔)	78	Go stones	187, 188	transliteration	20
swung dash	<i>see</i> <code>\sim</code>	Halloween	40, 118	upside-down	17–20, 24, 229–230, 242
<code>\swVdash</code> (⊸)	55	information	182	variable-sized	42–52, 226, 228
<code>\swvdash</code> (⋈)	55	informer	186	weather	183, 197–198
<code>\syl</code> (♁)	23	inverted 17–20, 24, 229–230		Web	199–202
<code>\syllabic</code> (,)	25	Isthmian	160–161	yin-yang	182, 196–198, 210–211
<code>\symA</code> (A)	128	keyboard	134	zodiacal 131–133, 206–209	
<code>\symAE</code> (Æ)	129	knitting	193	<code>symbols.tex</code> (file) 226, 246, 247	
<code>\symB</code> (B)	128	Knuth’s	181	<code>\symC</code> (C)	128
<code>\ymbishop</code> (♁)	187	laundry	182	<code>\symking</code> (♁)	187
Symbol (font)	98, 229	legal	14, 15, 27, 28, 243	<code>\symknight</code> (♁)	187
symbols	14–153, 163–204, 206, 223, 224, 226, 228, 235, 240–241, 243	letter-like 100–102, 199–202		<code>\symOE</code> (ö)	129
actuarial	116, 235	life insurance	116, 235	<code>\sympawn</code> (♁)	187
alpine	183	linear logic	30–32, 37, 38, 42, 46–48, 52, 64, 100, 101	<code>\symqueen</code> (♁)	187
ancient language 153–162		linguistic	17–20	<code>\symrook</code> (♁)	187
annuity	116, 235	log-like	96, 240	<code>\symUE</code> (ü)	129
APL	61–62, 133, 134	logic	135	<code>\SYN</code> (–)	135
astrological	131–133, 206–209	<i>Magic: The Gathering</i> 224			
astronomical 131–133, 191, 206–209		magical signs	190		
Begriffsschrift	121	map	204–206		
biological	136	maps	194		
block-element	190	mathematical	30–129		
body-text	14–29	media control 182, 199–202			
bold	240–241	METAFONTbook	181		
box-drawing	190	metrical	188, 189		
chess	186, 187, 224–226	miscellaneous	124, 125, 127, 152, 181–198, 203		


T

<code>T</code> (†)	162
<code>\T</code>	16
<code>\T</code> (♁)	24
<code>\T</code> (⊗)	188
<code>\t</code> (♁)	21
<code>\t</code> (⊗)	188

<code>t</code> (\uparrow)	162	<code>\terminus*</code> (\oplus)	188	<code>\textbaro</code> (\oe)	17
<code>t4phonet</code> (package)	20, 24, 247	<code>\Terra</code> (\oplus)	133	<code>\textbarrevglotstop</code> (\f)	17
<code>\Tab</code> (\Leftrightarrow)	134	<code>\tesh</code> (\tj)	19	<code>\textbaru</code> (\u)	17
<code>\tabcolsep</code>	230	<code>testfont.dvi</code> (file)	238	<code>\textbeltl</code> (\t)	17
<code>\tachyon</code> (\t)	138	<code>testfont.tex</code> (file)	238, 239	<code>\textbentailyogh</code> (\z)	18
<code>tacks</code>	52, 100	<code>\tetartemorion</code> (\c)	27	<code>\textBeta</code> (\B)	16
<code>\taild</code> (\d)	19	<code>teubner</code> (package)	27, 121, 159, 189, 247, 248	<code>\textbeta</code> (\beta)	16, 17
<code>\tailinvr</code> (\d)	19	<code>TeX</code>	12, 73, 74, 91, 120, 131, 190, 226, 229–236, 238–240, 242, 244, 245, 249	<code>\textbigcircle</code> (\O)	14
<code>\tail</code> (\l)	19	<code>TeX files</code>	244, 245	<code>\textbigcircle</code> (\O)	14
<code>\tailn</code> (\n)	19	<code>TeXbook, The</code>	230–235, 239	<code>\textbktailgamma</code> (\gamma)	18
<code>\tailr</code> (\r)	19	<code>symbols from</code>	181	<code>\textblank</code> (\b)	28
<code>\tails</code> (\s)	19	<code>\text</code>	30, 232, 233	<code>\textblock</code> (\blacksquare)	190
<code>\tailt</code> (\t)	19	<code>\textacutedbl</code> (\")	25	<code>\textborn</code> (\star)	181
<code>\tailz</code> (\z)	19	<code>\textacutemacron</code> (\m)	21	<code>\textbottomtiebar</code> (\u)	21
<code>\Takt</code>	165	<code>\textacutewedge</code> (\w)	21	<code>\textbraceleft</code>	14
<code>\talloblong</code> (\l)	32	<code>\textadvancing</code> (\m)	21	<code>\textbraceright</code>	14
<code>\talloblong</code> (\l)	39	<code>\textAlpha</code> (\A)	16	<code>\textbrevemacron</code> (\m)	21
<code>\talloblong</code> (\l)	40	<code>\textalpha</code> (\alpha)	16	<code>\textbrokenbar</code> (\)	28, 243
<code>\tally</code> ($\text{\l} \perp \sqcup \square \boxtimes \boxtimes$)	185	<code>\texttao</code> (\ae)	18	<code>\textbullet</code> (\bullet)	14
<code>tally markers</code>	157, 183, 185	<code>\textara</code>	162	<code>\textbullet</code> (\bullet)	14, 244
<code>\tan</code> (\tan)	96	<code>\textarc</code>	162	<code>\textbullseye</code> (\O)	17
<code>\tanh</code> (\tanh)	96	<code>\textarcl</code>	162	<code>\textcelsius</code> (\c)	130, 245
<code>\Tape</code> (\t)	152	<code>\textarm</code>	162	<code>\textceltpal</code> (\c)	17
<code>\Taschenuhr</code> (\t)	183	<code>\textarn</code>	162	<code>\textcent</code> (\c)	26, 243
<code>Tate-Shafarevich group</code>	<i>see sha</i>	<code>\textart</code>	162	<code>\textcentoldstyle</code> (\c)	26
<code>\Tau</code> (\T)	97	<code>\textasciiaacute</code> (\')	25, 243	<code>\textChi</code> (\X)	16
<code>\tau</code> (\tau)	97	<code>\textasciibreve</code> (\`)	25	<code>\textchi</code> (\chi)	16, 17
<code>\tauleptonminus</code> (\tau^-)	138	<code>\textasciicaron</code> (\^)	25	<code>\textcircled</code> (\textcircled)	21
<code>\tauleptonplus</code> (\tau^+)	138	<code>\textasciicircum</code>	14	<code>\textcircledP</code>	27
<code>\Taurus</code> (\taurus)	132	<code>\textasciicircum</code> (\^)	14, 242, 244	<code>\textcircledP</code> (\textcircledP)	27
<code>\Taurus</code> (\taurus)	133	<code>\textasciidieresis</code> (\")	25, 243	<code>\textcircledP</code> (\textcircledP)	27
<code>\Taurus</code> (\taurus)	132	<code>\textasciigrave</code> (\`)	25	<code>\textcircledP</code> (\textcircledP)	27
<code>\taurus</code> (\taurus)	131	<code>\textasciimacron</code>	242	<code>\textcircledP</code> (\textcircledP)	27
<code>tautology</code>	<i>see \top</i>	<code>\textasciimacron</code> (\`)	25, 243	<code>\textcircledP</code> (\textcircledP)	27
<code>\tauup</code> (\tau)	98	<code>\textasciitilde</code>	14	<code>\textcircledP</code> (\textcircledP)	27
<code>\tccentigrade</code> (\c)	121	<code>\textasciitilde</code> (\~)	14, 242, 244	<code>\textcircledP</code> (\textcircledP)	27
<code>\tcmu</code> (\mu)	121	<code>\textasteriskcentered</code> (*)	14	<code>\textcircledP</code> (\textcircledP)	27
<code>\tcohm</code> (\Omega)	121	<code>\textasteriskcentered</code> (*)	14	<code>\textcopyright</code> (\textcopyright)	14, 27
<code>\tcpertenthousand</code> (\textperthousand)	121	<code>\textbabygamma</code> (\s)	17	<code>\textcopyright</code> (\textcopyright)	14, 27, 243
<code>\tcpertousand</code> (\textperthousand)	121	<code>\textbackslash</code>	14	<code>\textcorner</code> (\textcorner)	17
<code>\td</code> (\td)	23	<code>\textbackslash</code> (\)	241, 242	<code>\textcrb</code> (\b)	17
<code>\tddtstile</code> (\tddtstile)	63	<code>\textbaht</code> (\B)	26	<code>\textcrd</code> (\d)	20
<code>\tdststile</code> (\tdststile)	63	<code>\textbar</code>	14	<code>\textcrd</code> (\d)	17
<code>\tdtstile</code> (\tdtstile)	63	<code>\textbar</code> (\l)	241, 242	<code>\textcrg</code> (\g)	17
<code>\tdttstile</code> (\tdttstile)	63	<code>\textbarb</code> (\b)	17	<code>\textcrh</code> (\h)	20
<code>technological symbols</code>	130–138	<code>\textbarc</code> (\c)	17	<code>\textcrh</code> (\h)	17
<code>\Telefon</code> (\t)	136	<code>\textbard</code> (\d)	17	<code>\textcrinvglotstop</code> (\s)	17
<code>\Telephone</code> (\t)	183	<code>\textbardbl</code> (\)	14	<code>\textcrlambda</code> (\lambda)	17
<code>\Telephone</code> (\t)	192	<code>\textbardbl</code> (\)	14	<code>\textcrtwo</code> (\Z)	17
<code>Tennent, Bob</code>	30	<code>\textbardotlessj</code> (\j)	17	<code>\textctc</code> (\c)	17
<code>tensor product</code>	<i>see \otimes</i>	<code>\textbarg</code> (\g)	17	<code>\textctd</code> (\d)	18
<code>\Tent</code> (\t)	183	<code>\textbarglotstop</code> (\z)	17	<code>\textctdtzlig</code> (\dz)	18
<code>\tenuto</code> (\t)	168	<code>\textbari</code> (\i)	17	<code>\textctesh</code> (\t)	18
<code>\Terminus</code> (\t)	188	<code>\textbarl</code> (\t)	17	<code>\textctinvglotstop</code> (\s)	18
<code>\terminus</code> (\otimes)	188				
<code>\Terminus*</code> (\oplus)	188				

<code>\textctj</code> (j)	18	<code>\textepsilon</code> (ϵ)	16, 18	<code>\texthtg</code> (g)	17
<code>\textctjvar</code> (j)	18	<code>\textesh</code> (j)	20	<code>\texthth</code> (fi)	17
<code>\textctn</code> (n)	18	<code>\textesh</code> (J)	18	<code>\texththeng</code> (fi)	17
<code>\textctstretchc</code> ($\text{\textcircled{c}}$)	18	<code>\textestimated</code> (E)	28	<code>\texthtk</code> (k)	20
<code>\textctstretchcvar</code> (c)	18	<code>\textEta</code> (H)	16	<code>\texthtk</code> (K)	17
<code>\textctt</code> (t)	18	<code>\texteta</code> (η)	16	<code>\texthtp</code> (p)	20
<code>\textcttctclig</code> ($\text{\textcircled{t}}$)	18	<code>\texteuro</code> ($\text{\textcircled{€}}$)	27	<code>\texthtp</code> (p)	17
<code>\textcttturnt</code> (t)	18	<code>\texteuro</code> (€)	26	<code>\texthtq</code> (q)	17
<code>\textctyogh</code> ($\text{\textcircled{y}}$)	18	<code>\texteuro</code> (€)	26, 244	<code>\texthttrtaild</code> (d)	17
<code>\textctz</code> (z)	18	<code>\textexclamdown</code>	14	<code>\texthtscg</code> (c)	17
<code>\textcurrency</code> ($\text{\textcircled{¤}}$)	26, 243	<code>\textfallrise</code> ($\text{\textcircled{f}}$)	22	<code>\texthttt</code> (f)	20
<code>\textcyp</code>	158	<code>\textfemale</code> (q)	19	<code>\texthttt</code> (f)	17
<code>\textdagger</code> (†)	14	<code>\textfishhookr</code> (r)	18	<code>\texthvlig</code> (hv)	17
<code>\textdagger</code> (†)	14	<code>\textfiveoldstyle</code> (5)	28	<code>\textifsym</code>	130
<code>\textdaggerdbl</code> (‡)	14	<code>\textfjlig</code> (fj)	20	<code>\textinterrobang</code> (‡)	28
<code>\textdaggerdbl</code> (‡)	14	<code>\textflorin</code> (f)	26	<code>\textinterrobangdown</code> (‡)	28
<code>\textdaggerdbl</code> (‡)	14	<code>\textfouroldstyle</code> (4)	28	<code>\textinvglotstop</code> (j)	17
<code>\textdbend</code> ($\text{\textcircled{E}}$)	181	<code>\textfractionsolidus</code> (/)	126	<code>\textinvomega</code> ($\text{\textcircled{w}}$)	18
<code>\textdblhyphen</code> (=)	28	<code>\textfrac</code>	128	<code>\textinvvca</code> (v)	18
<code>\textdblhyphenchar</code> (=)	28	<code>\textfrbarn</code> (n)	19	<code>\textinvscr</code> (B)	17
<code>\textdblig</code> (db)	18	<code>\textfrhook</code> (rd)	19	<code>\textinvscripta</code> (a)	18
<code>\textdctzlig</code> (dz)	18	<code>\textfrhookdvar</code> (rd)	19	<code>\textinvsubbridge</code> ($\text{\textcircled{u}}$)	22
<code>\textdegree</code> (°)	126, 243	<code>\textfrhookt</code> (t)	19	<code>\textlota</code> (l)	16
<code>\textDelta</code> (Δ)	16	<code>\textfrtailgamma</code> (γ)	19	<code>\textiota</code> (i)	20
<code>\textdelta</code> (δ)	16	<code>\textg</code> (g)	18	<code>\textiota</code> (i)	16, 17
<code>\textdied</code> (+)	181	<code>\textGamma</code> (Γ)	16	<code>\textKappa</code> (K)	16
<code>\textdiscount</code> (%)	28	<code>\textgamma</code> (γ)	16, 18	<code>\textkappa</code> (κ)	16
<code>\textdiv</code> (÷)	126	<code>\textglobfall</code> ($\text{\textcircled{v}}$)	18	<code>\textknit</code>	193
<code>\textdivorced</code> (o)	181	<code>\textglobrise</code> ($\text{\textcircled{v}}$)	18	<code>\textknit{2}</code> ($\text{\textcircled{A}}$)	193
<code>\textdkshade</code> ($\text{\textcircled{█}}$)	190	<code>\textglotstop</code> (Y)	17	<code>\textknit{3}</code> ($\text{\textcircled{A}}$)	193
<code>\textdnblock</code> ($\text{\textcircled{█}}$)	190	<code>\textglotstopvari</code> (?)	19	<code>\textknit{4}</code> ($\text{\textcircled{A}}$)	193
<code>\textdollar</code> (\$)	14	<code>\textglotstopvarii</code> (?)	19	<code>\textknit{5}</code> ($\text{\textcircled{A}}$)	193
<code>\textdollar</code> (\$)	14, 26	<code>\textglotstopvariii</code> (?)	19	<code>\textknit{6}</code> ($\text{\textcircled{A}}$)	193
<code>\textdollaroldstyle</code> (\$)	26	<code>\textgoth</code>	128	<code>\textknit{7}</code> ($\text{\textcircled{A}}$)	193
<code>\textdong</code> (đ)	26	<code>\textgravecircum</code> ($\text{\textcircled{˘}}$)	22	<code>\textknit{8}</code> ($\text{\textcircled{A}}$)	193
<code>\textdotacute</code> ($\text{\textcircled{˙}}$)	21	<code>\textgravedbl</code> ($\text{\textcircled{˘}}$)	25	<code>\textknit{9}</code> ($\text{\textcircled{A}}$)	193
<code>\textdotbreve</code> ($\text{\textcircled{˘}}$)	21	<code>\textgravedot</code> ($\text{\textcircled{˘}}$)	22	<code>\textknit{10}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublebaresh</code> (f)	18	<code>\textgravemacron</code> ($\text{\textcircled{˘}}$)	22	<code>\textknit{11}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublebarpipe</code> (‡)	18	<code>\textgravemid</code> ($\text{\textcircled{˘}}$)	22	<code>\textknit{12}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublebarpipevar</code> (‡)	18	<code>\textgreater</code>	14	<code>\textknit{13}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublebarslash</code> (≠)	18	<code>\textgreater</code> (>)	241, 242	<code>\textknit{14}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublegrave</code> ($\text{\textcircled{`}}$)	21	<code>\textgreek</code> (package)	16, 98, 247, 248	<code>\textknit{15}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublegrave</code> ($\text{\textcircled{`}}$)	24	<code>\textgrgamma</code> (γ)	19	<code>\textknit{16}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublepipe</code> ()	18	<code>\textguarani</code> (G)	26	<code>\textknit{17}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublepipevar</code> ()	18	<code>\texthalflength</code> (˙)	17	<code>\textknit{18}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublevbaraccent</code> ($\text{\textcircled{˘}}$)	21	<code>\texthardsign</code> (b)	17	<code>\textknit{19}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublevbaraccent</code> ($\text{\textcircled{˘}}$)	24	<code>\textheng</code> (h)	19	<code>\textknit{20}</code> ($\text{\textcircled{A}}$)	193
<code>\textdoublevertline</code> ()	18	<code>\texthighrise</code> ($\text{\textcircled{h}}$)	22	<code>\textknit{21}</code> ($\text{\textcircled{A}}$)	193
<code>\textdownarrow</code> ($\text{\textcircled{↓}}$)	75	<code>\texthmllig</code> (hm)	19	<code>\textknit{22}</code> ($\text{\textcircled{A}}$)	193
<code>\textdownfullarrow</code> ($\text{\textcircled{↓}}$)	19	<code>\texthooktop</code> (ˆ)	17	<code>\textknit{23}</code> ($\text{\textcircled{A}}$)	193
<code>\textdownstep</code> ($\text{\textcircled{↓}}$)	18	<code>\texhtb</code> (b)	20	<code>\textknit{24}</code> ($\text{\textcircled{A}}$)	193
<code>\textdyoghlilig</code> (d)	18	<code>\texhtb</code> (b)	17	<code>\textknit{25}</code> ($\text{\textcircled{A}}$)	193
<code>\textdzlig</code> (dz)	18	<code>\texhtbardotlessj</code> (f)	17	<code>\textknit{26}</code> ($\text{\textcircled{A}}$)	193
<code>\texteightoldstyle</code> (8)	28	<code>\texhtbardotlessjvar</code> (f)	18	<code>\textknit{27}</code> ($\text{\textcircled{A}}$)	193
<code>\textellipsis</code>	14	<code>\texhtc</code> (c)	20	<code>\textknit{28}</code> ($\text{\textcircled{A}}$)	193
<code>\textemdash</code>	14	<code>\texhtc</code> (c)	17	<code>\textknit{29}</code> ($\text{\textcircled{A}}$)	193
<code>\textendash</code>	14	<code>\texhtd</code> (d)	20	<code>\textknit{30}</code> ($\text{\textcircled{A}}$)	193
<code>\textEpsilon</code> (E)	16	<code>\texhtd</code> (d)	17	<code>\textknit{31}</code> ($\text{\textcircled{A}}$)	193
<code>\textepsilon</code> (ϵ)	20			<code>\textknit{32}</code> ($\text{\textcircled{A}}$)	193

<code>\textkmit{h}</code> (\downarrow)	193	<code>\textlowrise</code> (\mathbb{M})	22	<code>\textperthousand</code> ($\%$)	14, 244
<code>\textkmit{I}</code> (\nearrow)	193	<code>\textlptr</code> (c)	17	<code>\textpeso</code> (P)	26
<code>\textkmit{i}</code> (\nearrow)	193	<code>\textlquill</code> (f)	110	<code>\textPhi</code> (Φ)	16
<code>\textkmit{J}</code> (\nwarrow)	193	<code>\textltailm</code> (m)	17	<code>\textphi</code> (φ)	16, 18
<code>\textkmit{j}</code> (\nwarrow)	193	<code>\textltailn</code> (n)	20	<code>\textPi</code> (Π)	16
<code>\textkmit{L}</code> (\mathbb{N})	193	<code>\textltailn</code> (n)	17	<code>\textpi</code> (π)	16
<code>\textkmit{l}</code> (λ)	193	<code>\textltilde</code> (t)	18	<code>\textpilcrow</code> (¶)	28
<code>\textkmit{M}</code> (m)	193	<code>\textltshade</code> (■)	190	<code>\textpipe</code> ($ $)	20
<code>\textkmit{m}</code> (m)	193	<code>\textlyoghlig</code> (h)	18	<code>\textpipevar</code> ($ $)	19
<code>\textkmit{O}</code> (O)	193	<code>\textmarried</code> (∞)	181	<code>\textpm</code> (\pm)	126, 243
<code>\textkmit{Q}</code> (Q)	193	<code>\textmho</code> (Ω)	130	<code>\textpmhg</code>	154
<code>\textkmit{q}</code> (Q)	193	<code>\textmicro</code> (μ)	16	<code>\textpolhook</code> (¶)	22
<code>\textkmit{R}</code> (\mathbb{R})	193	<code>\textmidacute</code> (¶)	22	<code>\textprimstress</code> ('^{\prime})	18
<code>\textkmit{r}</code> (\mathbb{R})	193	<code>\textminus</code> ($-$)	126	<code>\textproto</code>	153
<code>\textkmit{S}</code> (\leftarrow)	193	<code>\textMu</code> (M)	16	<code>\textPsi</code> (Ψ)	16
<code>\textkmit{s}</code> (\rightarrow)	193	<code>\textmu</code> (μ)	130, 243	<code>\textpsi</code> (ψ)	16
<code>\textkmit{T}</code> (Q)	193	<code>\textmu</code> (μ)	16	<code>\textqplig</code> (q)	19
<code>\textkmit{t}</code> (Q)	193	<code>\textmugreek</code> (μ)	16	<code>\textquestiondown</code>	14
<code>\textkmit{U}</code> (Q)	193	<code>\textmusicalnote</code> (♯)	163	<code>\textquotedbl</code> ($"$)	17, 241
<code>\textkmit{u}</code> (Q)	193	<code>\textnaira</code> (₦)	26	<code>\textquotedbllft</code>	14
<code>\textkmit{v}</code> (Q)	193	<code>\textnineoldstyle</code> (g)	28	<code>\textquotedbllght</code>	14
<code>\textkmit{V}</code> (Q)	193	<code>\textnrleg</code> (n)	18	<code>\textquotedleft</code>	14
<code>\textkmit{w}</code> (Q)	193	<code>\textNu</code> (N)	16	<code>\textquoteright</code>	14
<code>\textkmit{X}</code> (Q)	193	<code>\textnu</code> (v)	16	<code>\textquotesingle</code> ($'$)	28, 241
<code>\textkmit{x}</code> (Q)	193	<code>\textnumero</code> (N°)	28	<code>\textquotestraightbase</code> (,)	28
<code>\textkmit{Y}</code> (Q)	193	<code>\textObardotlessj</code> (j)	18	<code>\textquotestraightdblbase</code> (,)	28
<code>\textkmit{y}</code> (Q)	193	<code>\textObullseye</code> (⊙)	18	<code>\textraiseglotstop</code> (?)	18
<code>\textkmit{Z}</code> (Q)	193	<code>\texttohm</code> (Ω)	130	<code>\textraiseviby</code> (l)	18
<code>\textkmit{z}</code> (Q)	193	<code>\textOlyoghlig</code> (h)	18	<code>\textraising</code> (¶)	22
<code>\textLambda</code> (Λ)	16	<code>\textOmega</code> (Ω)	16	<code>\texttramshorns</code> (v)	18
<code>\textlambd</code> (λ)	16, 17	<code>\textomega</code> (ω)	16, 18	<code>\texttriangle</code> ($\text{}$)	110, 242
<code>\textlangle</code> (\langle)	110, 242	<code>\textOmikron</code> (O)	16	<code>\texttrbrackdbl</code> ()	110
<code>\textlbrackdbl</code> ()	110	<code>\texttomikron</code> (o)	16	<code>\texttreceipe</code> (R)	28, 228
<code>\textleaf</code> (♣)	181	<code>\texttonehalf</code> ($\frac{1}{2}$)	126, 243	<code>\textrectangle</code> (°)	19
<code>\textleftarrow</code> (\leftarrow)	75	<code>\texttoneoldstyle</code> (1)	28	<code>\textreferencemark</code> (※)	28, 30
<code>\textlengthmark</code> (:)	17	<code>\texttonequarter</code> ($\frac{1}{4}$)	126, 243	<code>\textregistered</code> (®)	14, 27
<code>\textless</code>	14	<code>\texttonesuperior</code> (^)	126, 243	<code>\textregistered</code> (®)	14, 27, 243
<code>\textless</code> ($<$)	241, 242	<code>\texttopenbullet</code> (o)	28	<code>\textretracting</code> (¶)	22
<code>\textlfblock</code> (■)	190	<code>\texttopencorner</code> ('^{\prime})	18	<code>\textretractingvar</code> (-)	19
<code>\textlfishhookrlig</code> (f)	18	<code>\texttopeno</code> (o)	20	<code>\textrevapostrophe</code> (')	18
<code>\textlhbend</code> (S)	181	<code>\texttopeno</code> (o)	18	<code>\textreve</code> (e)	18
<code>\textlhookfour</code> (f)	18	<code>\textordfeminine</code> (^)	14	<code>\textrevepsilon</code> (ε)	18, 229
<code>\textlhookp</code> (p)	18	<code>\textordfeminine</code> (^)	14, 243	<code>\textreversedvideobend</code> (Z)	181
<code>\textlhookt</code> (t)	17	<code>\textordmasculine</code> (^)	14	<code>\textrevglotstop</code> (Y)	18
<code>\textlhti</code> (h)	18	<code>\textordmasculine</code> (^)	14, 243	<code>\textrevscl</code> (J)	19
<code>\textlhtlongi</code> (h)	17	<code>\textovercross</code> (X)	22	<code>\textrevscr</code> (Я)	19
<code>\textlhtlongy</code> (h)	17	<code>\textoverw</code> (W)	22	<code>\textrevyogh</code> (z)	18
<code>\textlinb</code>	157, 158	<code>\textpalhook</code> (,)	18	<code>\textRho</code> (P)	16
<code>\textlira</code> (£)	26	<code>\textpalhooklong</code> (,)	19	<code>\textrho</code> (ρ)	16
<code>\textlnot</code> (-)	126, 243	<code>\textpalhookvar</code> (,)	19	<code>\textrhooka</code> (a)	19
<code>\textlonglegr</code> (r)	17	<code>\textparagraph</code> (¶)	14	<code>\textrhooko</code> (e)	19
<code>\textlooptoprevesh</code> (l)	18	<code>\textparagraph</code> (¶)	14	<code>\textrhookepsilon</code> (ε)	19
<code>\textlowering</code> (¶)	22	<code>\textperiodcentered</code> (.)	14	<code>\textrhookopeno</code> (o)	19
		<code>\textperiodcentered</code> (.)	14, 243	<code>\textrhookrevespsilon</code> (x)	18
		<code>\textpertenthousand</code> ($\%$)	14		
		<code>\textpertenthousand</code> ($\%$)	14		
		<code>\textperthousand</code> ($\%$)	14		

<code>\textrhookswa</code> (æ)	18	<code>\textSFi</code> (ɿ)	190	<code>\textsubhalfring</code> (⊖)	22
<code>\textrhoticity</code> (˘)	18	<code>\textSFii</code> (ˆL)	190	<code>\textsubplus</code> (⊕)	22
<code>\textrightarrow</code> (→)	75	<code>\textSFiii</code> (ɿ)	190	<code>\textsubrhalfring</code> (⊖)	22
<code>\textringmacron</code> (̄)	22	<code>\textSFiv</code> (ˆJ)	190	<code>\textsubrightarrow</code> (↪)	19
<code>\textrisefall</code> (̂)	22	<code>\textSFix</code> (ˆI)	190	<code>\textsubring</code> (⊖)	22
<code>\textroundcap</code> (̂)	22	<code>\textSF1</code> (ˆb)	190	<code>\textsubsquare</code> (⊖)	22
<code>\textrptr</code> (˘)	18	<code>\textSFli</code> (ɿ)	190	<code>\textsubtilde</code> (̃)	22
<code>\textrquill</code> (})	110	<code>\textSFlii</code> (ɿ)	190	<code>\textsubumlaut</code> (̈)	22
<code>\textrtaild</code> (d)	20	<code>\textSFliii</code> (ɿ)	190	<code>\textsubv</code> (⊖)	22
<code>\textrtaild</code> (d)	18	<code>\textSFliv</code> (ɿ)	190	<code>\textsubwedge</code> (⊖)	22
<code>\textrtaillhth</code> (h̄)	19	<code>\textSFv</code> (ˆ+)	190	<code>\textsuperimposetilde</code> (̃)	22
<code>\textrtaill</code> (l)	18	<code>\textSFvi</code> (ɿ)	190	<code>\textsuperscript</code>	23
<code>\textrtailln</code> (n)	17	<code>\textSFvii</code> (ˆL)	190	<code>\textsurd</code> (√)	126
<code>\textrtailr</code> (r)	17	<code>\textSFviii</code> (ˆ+)	190	<code>\textswab</code>	128
<code>\textrtails</code> (s)	17	<code>\textSFx</code> (−)	190	<code>\textsyllabic</code> (̣)	22
<code>\textrtailt</code> (t)	20	<code>\textSFxi</code> (l)	190	<code>\textTau</code> (T)	16
<code>\textrtailt</code> (t)	17	<code>\textSFxix</code> (ˆI)	190	<code>\texttau</code> (τ)	16
<code>\textrtaillz</code> (z)	17	<code>\textSFxl</code> (ˆL)	190	<code>\texttctclig</code> (tc)	17
<code>\textrtblock</code> (█)	190	<code>\textSFxli</code> (ɿ)	190	<code>\texttेशlig</code> (t)	20
<code>\textrthook</code> (˘)	17	<code>\textSFxlii</code> (ɿ)	190	<code>\texttेशlig</code> (t)	17
<code>\textrthooklong</code> (˘)	18	<code>\textSFxliii</code> (=)	190	<code>\textTheta</code> (Θ)	16
<code>\textRubikUa</code> (Ua )	203	<code>\textSFxliv</code> (ɿ)	190	<code>\texttheta</code> (θ)	16, 17
<code>\textsarab</code>	159	<code>\textSFxliv</code> (ɿ)	190	<code>\textthing</code> (ʘ)	182
<code>\textsca</code> (A)	17	<code>\textSFxliv</code> (ɿ)	190	<code>\textthorn</code> (þ)	18
<code>\textscaolig</code> (A)	18	<code>\textSFxlvi</code> (ˆL)	190	<code>\textthornvari</code> (þ)	19
<code>\textscb</code> (B)	17	<code>\textSFxlvii</code> (ɿ)	190	<code>\textthornvarii</code> (þ)	19
<code>\textscdelta</code> (Δ)	18	<code>\textSFxlviii</code> (ɿ)	190	<code>\textthornvariii</code> (þ)	19
<code>\textsce</code> (E)	17	<code>\textSFxxx</code> (ɿ)	190	<code>\textthornvariv</code> (þ)	19
<code>\textscf</code> (F)	18	<code>\textSFxxi</code> (ɿ)	190	<code>\textthreeoldstyle</code> (3)	28
<code>\textscg</code> (G)	17	<code>\textSFxxii</code> (ɿ)	190	<code>\textthreequarters</code> (¾)	126, 243
<code>\textsch</code> (H)	17	<code>\textSFxxiii</code> (ɿ)	190	<code>\textthreequartersemdash</code> (—)	28
<code>\textschwa</code> (dʰ)	20	<code>\textSFxxiv</code> (ɿ)	190	<code>\textthreesuperior</code> (³)	126, 243
<code>\textschwa</code> (ə)	17	<code>\textSFxxv</code> (ɿ)	190	<code>\texttildedot</code> (̇)	22
<code>\textsci</code> (I)	17	<code>\textSFxxvi</code> (ɿ)	190	<code>\texttildelow</code> (˘)	28, 242
<code>\textscj</code> (J)	17	<code>\textSFxxvii</code> (ˆL)	190	<code>\texttimes</code> (×)	126
<code>\textscck</code> (K)	18	<code>\textSFxxviii</code> (ˆJ)	190	<code>\texttoneletterstem</code> (l)	18
<code>\textsccl</code> (L)	17	<code>\textSFxxxix</code> (ɿ)	190	<code>\texttoptiebar</code> (̄)	22
<code>\textscm</code> (M)	18	<code>\textSFxxxvi</code> (ɿ)	190	<code>\texttrademark</code> (™)	14, 27
<code>\textscn</code> (N)	17	<code>\textSFxxxvii</code> (ɿ)	190	<code>\texttrademark</code> (™)	14, 27, 244
<code>\textscoelig</code> (Æ)	17	<code>\textSFxxxviii</code> (ˆL)	190	<code>\texttslig</code> (ts)	18
<code>\textscomega</code> (Ω)	17	<code>\texttshade</code> (■)	190	<code>\textturna</code> (ø)	18
<code>\textscp</code> (P)	18	<code>\texttSigma</code> (Σ)	16	<code>\textturncelig</code> (æ)	18
<code>\textscq</code> (Q)	18	<code>\texttsigma</code> (σ)	16	<code>\textturnglotstop</code> (ɫ)	19
<code>\textscr</code> (R)	17	<code>\texttsixoldstyle</code> (6)	28	<code>\textturnh</code> (u)	18
<code>\textscripta</code> (a)	17	<code>\texttsoftsign</code> (b)	17	<code>\textturnk</code> (x)	18
<code>\textscriptg</code> (g)	17	<code>\texttspleftarrow</code> (←)	18	<code>\textturnlonglegr</code> (l)	18
<code>\textscriptv</code> (f)	20	<code>\texttsterling</code> (£)	14	<code>\textturnm</code> (u)	18
<code>\textscriptv</code> (v)	17	<code>\texttsterling</code> (£)	14, 26	<code>\textturnmleg</code> (u)	18
<code>\textscu</code> (U)	17	<code>\texttstretchc</code> (C)	17	<code>\textturnr</code> (r)	18
<code>\textscy</code> (Y)	17	<code>\texttstretchcvar</code> (c)	18	<code>\textturnrrtail</code> (r)	18
<code>\textseagull</code> (☞)	22	<code>\texttstyle</code>	232, 233, 240	<code>\textturnsck</code> (x)	19
<code>\textsecstress</code> (˘)	17	<code>\texttsubacute</code> (◌̂)	22	<code>\textturnscripta</code> (v)	18
<code>\textsection</code> (¶)	162	<code>\texttsubarch</code> (⌒)	22	<code>\textturnscu</code> (n)	19
<code>\textsection</code> (§)	14	<code>\texttsubbar</code> (▬)	22	<code>\textturnt</code> (t)	18
<code>\textsection</code> (§)	14	<code>\texttsubbridge</code> (⌒)	22	<code>\textturnthree</code> (g)	19
<code>\textservicemark</code>	27	<code>\texttsubcircum</code> (⌒)	22		
<code>\textservicemark</code> (SM)	27	<code>\texttsubdot</code> (⌒)	22		
<code>\textsevenoldstyle</code> (7)	28	<code>\texttsubdoublearrow</code> (↔)	18		
		<code>\texttsubgrave</code> (◌̂)	22		

<code>\textturntwo</code> (ζ)	19	<code>\thicksim</code> (≈)	61	<code>\timesbar</code> (⊗)	34
<code>\textturnv</code> (Λ)	18	<code>\thickvert</code> ()	104	<code>\timesbar</code> (⊗)	36
<code>\textturnw</code> (⋈)	18	thin space	240	timing (package)	130
<code>\textturny</code> (⋈)	18	<code>\ThinFog</code> (☼)	183	tipa (package) 17, 18, 20, 21, 23,	24, 229, 247
<code>\texttwelveudash</code> (—)	28	<code>\thinstar</code> (*)	38	tipx (package)	18, 247
<code>\texttwooldstyle</code>	28	<code>\third</code> (///)	124	<code>\Tmesonminus</code> (T^-)	138
<code>\texttwooldstyle</code> (2)	28	thirty-second note . <i>see</i> musical		<code>\Tmesonnull</code> (T^o)	138
<code>\texttwosuperior</code> (²) 126, 243		symbols		<code>\Tmesonplus</code> (T^+)	138
<code>\textunrcfemale</code> (♀)	19	<code>\thirtysecondNote</code> (♩) . . . 166		<code>\tminus</code> (−)	36
<code>\textunderscore</code>	14	<code>\thirtysecondNoteDotted</code> (♩.)		<code>\tndtstile</code> ()	63
<code>\textuparrow</code> (↑)	75 166		<code>\tnststile</code> ()	63
<code>\textupblock</code> (■)	190	<code>\thirtysecondNoteDottedDouble</code>		<code>\tntstile</code> ()	63
<code>\textupfullarrow</code> (↑)	19	(♩.) 166		<code>\tnttstile</code> ()	63
<code>\textUpsilon</code> (Υ)	16	<code>\thirtysecondNoteDottedDoubleDown</code>		<code>\to</code> <i>see</i> <code>\rightarrow</code>	
<code>\textupsilon</code> (υ)	16, 18	(♩̣) 166		<code>\to</code> (→)	83
<code>\textupstep</code> (↑)	18	<code>\thirtysecondNoteDottedDown</code>		<code>\ToBottom</code> (▼)	182
<code>\textvbaraccent</code> (⊖)	23	(♩̣) 166		<code>\toea</code> (⊗)	88
<code>\textvbaraccent</code> (⊖)	24	<code>\thirtysecondNoteDown</code> (♩̣) 166		<code>\tona</code> (⊗)	88
<code>\textvline</code> ()	18	<code>\Thorn</code> (Ð)	20	<code>\tone</code>	18
<code>\textvibyi</code> (ι)	18	<code>\thorn</code> (þ)	20	<code>\Tongey</code> (☺)	196
<code>\textvibyy</code> (υ)	18	<code>\thorn</code> (þ)	19	<code>\top</code> (⊤)	31, 100, 232
<code>\textvisiblespace</code>	14	<code>\thorn</code> (þ)	20	<code>\top</code> (⊤)	101
<code>\textwon</code> (₩)	26	thousandths <i>see</i>		<code>\top</code> (τ)	100
<code>\textwynn</code> (p)	18	<code>\textperthousand</code>		<code>\top</code> (⊤)	101
<code>\textXi</code> (Ξ)	16	<code>\threeBeamedQuavers</code> (♩♩♩) . .		<code>\topborder</code> (⊤)	188
<code>\textxi</code> (ξ)	16 167		<code>\topbot</code> (⊤)	232, 233
<code>\textxswdown</code> (⊗)	182	<code>\threeBeamedQuaversI</code> (♩♩♩) .		<code>\topbot</code> (⊤)	101
<code>\textxswup</code> (⊗)	182 167		<code>\Topbottomheat</code> (⊤)	196
<code>\textyen</code> (¥)	26, 243	<code>\threeBeamedQuaversII</code> (♩♩♩)		<code>\topcir</code> (⊤)	126
<code>\textyogh</code> (ȝ)	20 167		<code>\topdoteq</code> (≐)	54
<code>\textyogh</code> (ȝ)	18	<code>\threeBeamedQuaversIII</code>		<code>\topfork</code> (⊤)	60
<code>\textzerooldstyle</code> (o)	28	(♩♩♩) 167		<code>\topfork</code> (⊤)	61
<code>\textZeta</code> (Ζ)	16	<code>\threedangle</code> (⋈)	123	<code>\Topheat</code> (⊤)	196
<code>\textzeta</code> (ζ)	16	<code>\threedotcolon</code> (∴)	36	<code>\topsemicircle</code> (⌢)	148
.tfm files	12, 204, 226, 245	<code>\threesim</code> (≈)	231	torus (⊤) <i>see</i> alphabets, math	
tfruppee (package)	27, 247, 248	thumb pizzicato <i>see</i> <code>\lilyThumb</code>		<code>\tosa</code> (⊗)	88
<code>\TH</code> (Ð)	15, 243	tick <i>see</i> check marks		<code>\ToTop</code> (▲)	182
<code>\th</code> (þ)	162	<code>\tieinfy</code> (∞)	122	<code>\towa</code> (⊗)	89
<code>\th</code> (þ)	15, 243	TikZ (package)	196–198, 203	<code>\tplus</code> (+)	36
Thành, Hàn Thê	234	tikzsymbols (package)	196, 197,	<code>\TR</code> (⊞)	134
<code>\therefore</code> (∴)	54	247, 248		trademark	14, 27, 243, 244
<code>\therefore</code> (∴)	52, 119	tilde	14, 17, 19, 21–23, 25, 28,	registered	14, 27, 243
<code>\therefore</code> (∴)	60	110, 112, 115, 234, 242		<code>\TransformHoriz</code> (↔)	64
<code>\therefore</code> (∴)	120	extensible	112, 115	transforms	64, 118
<code>\therefore</code> (∴)	120	vertically centered	242	<code>\TransformVert</code> (↕)	64
<code>\Thermo</code>	183	<code>\tilde</code> (̃)	111	transliteration	20, 24
<code>\thermod</code> (‡)	126	<code>\tilde</code> (̃)	110, 234	semitic	20, 24
<code>\Theta</code> (Θ)	97	<code>\tildel</code> (‡)	19	transliteration symbols	20
<code>\theta</code> (θ)	97	time of day	183, 184	transpose	31
<code>\thetaup</code> (θ)	98	time signatures	167	transversal intersection	<i>see</i>
<code>\thething</code> (⚗)	182	<code>\timelimit</code> (⊕)	186	<code>\pitchfork</code>	
<code>\thickapprox</code> (≈)	52	<code>\times</code> (×)	31	<code>\trapezium</code> (▭)	148
<code>\thickapprox</code> (≈)	60	<code>\times</code> (×)	35	<code>\trebleclef</code> (♩)	164
<code>\thickapprox</code> (≈)	58	<code>\times</code> (×)	34	trees	197, 224
<code>\thickapprox</code> (≈)	61	<code>\times</code> (×)	33		
<code>\thicksim</code> (≈)	52	<code>\times</code> (×)	36		
<code>\thicksim</code> (≈)	60	Times Roman (font)	26, 228		
<code>\thicksim</code> (≈)	58				

trema (̃)	<i>see accents</i>	<code>\trianglerighteqslant (⊳)</code> 74	<code>\twoBeamedQuavers (♪♪)</code> . . . 167
trfsgns (package)	64, 101, 118, 247	triangles 124, 133, 135, 147–150, 173–178, 187, 188, 204–206, 222	<code>\twocaps (Ⓜ)</code> 36
<code>\triangle (△)</code>	124	<code>\triangles (△)</code> 148	<code>\twocups (∪)</code> 36
<code>\triangle (Δ)</code>	39, 74	<code>\triangle serif s (△)</code> 40	<code>\twoheaddownarrow (⇓)</code> 86
<code>\triangle (⊠)</code>	188	<code>\triangle times (△)</code> 40	<code>\twoheaddownarrow (⇓)</code> 81
<code>\triangle (Δ)</code>	73	<code>\triangleubar (△)</code> 148	<code>\twoheaddownarrow (⇓)</code> 78
<code>\triangle (△)</code>	40, 149	<code>\TriangleUp (▲)</code> 150	<code>\twoheaddownarrow (⇓)</code> 89
triangle relations	72–74	<code>\TriangleUp (△)</code> 150	<code>\twoheadleftarrow (←)</code> 75
<code>\triangleleft (△)</code>	148	<code>\TriangleUp (▲ vs. △)</code> . . . 227	<code>\twoheadleftarrow (←)</code> 86
<code>\TriangleDown (▼)</code>	150	<code>\Tribar (♁)</code> 197	<code>\twoheadleftarrow (←)</code> 81
<code>\TriangleDown (▽)</code>	149	<code>\trident (⚉)</code> 196	<code>\twoheadleftarrow (←)</code> 78
<code>\TriangleDown (▼ vs. ▽)</code>	227	<code>\trill (♯)</code> 164	<code>\twoheadleftarrow (←)</code> 89
<code>\triangledown (▽)</code>	124	<code>\Trine (Δ)</code> 133	<code>\twoheadleftarrowtail (↵)</code> . . . 89
<code>\triangledown (▽)</code>	147	<code>\triple</code> 109	<code>\twoheadleftdbkarrow (↔↔)</code> . . . 89
<code>\triangledown (▽)</code>	39, 74	<code>\triplebar ()</code> 162	<code>\twoheadmapsfrom (↔)</code> 89
<code>\triangledown (▽)</code>	73	<code>\triplecovbond (↔↔)</code> 138	<code>\twoheadmapsto (⇒)</code> 89
<code>\triangledown (▽)</code>	148	<code>\triplecross (⊚)</code> 162	<code>\twoheadnearrow (↗)</code> 81
<code>\triangleleft (△)</code>	74	<code>\triple dot (⋮)</code> 162	<code>\twoheadnearrow (↗)</code> 78
<code>\triangleleft (△)</code>	73	<code>\tripleeye (◌̇)</code> 162	<code>\twoheadnwarrow (↖)</code> 81
<code>\triangleleft (△)</code>	148	<code>\tripleeye (◌̇)</code> 162	<code>\twoheadnwarrow (↖)</code> 78
<code>\triangleleft (△)</code>	73	<code>\triplefrown (⊖)</code> 94	<code>\twoheadrightarrow (→)</code> 75
<code>\triangleleft (△)</code>	74, 147	<code>\tripleplus (‡)</code> 162	<code>\twoheadrightarrow (→)</code> 86
<code>\triangleleft (△)</code>	39, 74	<code>\tripleplus (♯)</code> 36	<code>\twoheadrightarrow (→)</code> 81
<code>\triangleleft (△)</code>	73	<code>\triplesim (≈)</code> 58	<code>\twoheadrightarrow (→)</code> 78
<code>\triangleleft (△)</code>	148	<code>\triplesim (≈)</code> 55	<code>\twoheadrightarrowtail (→→)</code> . . . 89
<code>\triangleleft (△)</code>	73	<code>\triplesmile (☺)</code> 94	<code>\twoheadsearrow (↘)</code> 81
<code>\triangleleft (△)</code>	72	<code>\trprime (⸍)</code> 122	<code>\twoheadsearrow (↘)</code> 78
<code>\triangleleft (△)</code>	74	<code>\trslash (//)</code> 36	<code>\twoheadswarrow (↙)</code> 81
<code>\triangleleft (△)</code>	74	<code>trsym (package)</code> 64, 247	<code>\twoheadswarrow (↙)</code> 78
<code>\triangleleft (△)</code>	74	<code>\tsbm (⏟)</code> 188	<code>\twoheaduparrow (↑)</code> 86
<code>\triangleleft (△)</code>	69, 73	<code>\tsdtstile (■)</code> 63	<code>\twoheaduparrow (↑)</code> 81
<code>\triangleleft (△)</code>	74	<code>\tsmb (⏟)</code> 188	<code>\twoheaduparrow (↑)</code> 78
<code>\triangleleft (△)</code>	74	<code>\tsmm (⏟)</code> 188	<code>\twoheaduparrow (↑)</code> 89
<code>\triangleleft (△)</code>	74	<code>\tsststile (■)</code> 63	<code>\twoheaduparrowcircle (⤴)</code> . . . 89
<code>\triangleleft (△)</code>	74	<code>\Tsteel (⚒)</code> 136	<code>\twoheadwhiteuparrow (⤴)</code> 86
<code>\triangleleft (△)</code>	148	<code>\tststile (■)</code> 63	<code>\twoheadwhiteuparrowpedestal (⤴)</code> 86
<code>\triangleleft (△)</code>	40	<code>\tsttstile (■)</code> 63	<code>\twonotes (♪)</code> 163
<code>\triangleleft (△)</code>	30, 72	<code>\ttdtstile (■)</code> 63	<code>\twonotes (♩)</code> 163
<code>\triangleleft (△)</code>	60	<code>\ttimes (⌘)</code> 35	txfonts (package) 30, 32, 44, 53, 54, 65, 68, 76, 95, 98–100, 124, 128, 151, 226, 228, 242, 247
<code>\triangleleft (△)</code>	74	<code>\TTsteel (⚒)</code> 136	typelcm (package) 226
<code>\triangleleft (△)</code>	73	<code>\tttstile (■)</code> 63	<code>\typecolon (⌚)</code> 36
<code>\triangleleft (△)</code>	74	<code>\tttstile (■)</code> 63	Type 1 (font) 239
<code>\TriangleRight (▷)</code>	150	TUGboat 112, 249	
<code>\triangleright (▷)</code>	73	<code>\Tumbler (⊠)</code> 182	
<code>\triangleright (▷)</code>	31	<code>\turn (↻)</code> 164	
<code>\triangleright (▷)</code>	74, 147	<code>\turnangle (⌞)</code> 123	
<code>\triangleright (▷)</code>	39, 74	<code>\turnedbackneg (↵)</code> 125	
<code>\triangleright (▷)</code>	73	<code>\turneddiota (ι)</code> 99	
<code>\triangleright (▷)</code>	148	<code>\turnedneg (↵)</code> 125	
<code>\trianglerighteq (⊳)</code>	73	<code>\turnednot (↵)</code> 126	
<code>\trianglerighteq (▷)</code>	72	turnstile (package) 63, 247, 248	
<code>\trianglerighteq (▷)</code>	74	<code>\TwelveStar (✳)</code> 145	
<code>\trianglerighteq (▷)</code>	74	twididdle <i>see tilde</i>	
<code>\trianglerighteq (▷)</code>	69, 73		
<code>\trianglerighteq (▷)</code>	74		
<code>\trianglerighteq (▷)</code>	74		
<code>\trianglerighteq (▷)</code>	74		
<code>\trianglerighteq (▷)</code>	72		
			U
			<code>U (Λ)</code> 162
			<code>\U (Ⓢ)</code> 24
			<code>\U (Ⓢ)</code> 21
			<code>\U (Ⓢ)</code> 21
			<code>\u (Ⓢ)</code> 21
			<code>u (h)</code> 162
			<code>\UA (↑)</code> 134
			<code>\UArrow (⤴)</code> 134
			<code>\UB (↵)</code> 165
			<code>\ubar (u)</code> 20

\backslash ubarbbrevis ($\underline{\underline{u}}$) 189
 \backslash ubarbrevis (\underline{u}) 189
 \backslash ubarsbrevis ($\underline{\underline{\underline{u}}}$) 189
 \backslash ubrbrak ($\overline{_}$) 126
 \backslash ubrevislonga ($\underline{_}$) 189
 ubulb.fd (file) 239
 ucs (package) 245
 \backslash udesc (u) 20
 udingbat.fd (file) 213
 \backslash udot (·) 33
 \backslash udotdot (··) 34, 120
 \backslash udotdot (··) 33, 120
 \backslash udots (···) 120
 \backslash udots (···) 120
 \backslash udtimes (x) 37
 \backslash UHORN (U) 16
 \backslash uhorn (u) 16
 \backslash ularc (r) 126
 \backslash ulblacktriangle (\blacktriangledown) . . . 148
 \backslash ulcorner (r) 102
 \backslash ulcorner (R) 102
 \backslash ulcorner (r) 102
 \backslash ulcorner () 106
 \backslash ulcorner (r) 105
 \backslash ulcorner (R) 103
 \backslash ullcorner () 106
 \backslash ullcorner (r) 105
 \backslash ulrcorner () 106
 \backslash ulrcorner (r) 105
 ulsy (package) . . . 37, 95, 229, 247
 \backslash ultriangle (∇) 148
 \backslash Umd ($\underline{_}$) 165
 \backslash uminus (u) 36
 umlaut (\ddot{u}) *see* accents
 umranda (package) 210, 211, 247
 umrandb (package) 211, 212, 247
 unary operators 30
 \backslash unclear (∞) 186
 \backslash underaccent 234
 \backslash underarc ($\underline{_}$) 24
 \backslash underarch ($\underline{_}$) 23
 \backslash underbrace ($\underbrace{_}$) 114
 \backslash underbrace ($\underbrace{_}$) 113
 \backslash underbrace ($\underbrace{_}$) 113
 \backslash underbrace ($\underbrace{_}$) 114
 \backslash underbrace ($\underbrace{_}$) 114
 \backslash underbrace ($\underbrace{_}$) 112
 \backslash underbrace ($\underbrace{_}$) 112
 \backslash underbracket ($\underline{_}$) 114

\backslash underbracket ($\underline{_}$) 114
 \backslash underbracket ($\underline{_}$) . . . 235, 236
 \backslash underdots (·) 25
 \backslash undergroup ($\underbrace{_}$) 114
 \backslash undergroup ($\underbrace{_}$) 113
 \backslash undergroup ($\underbrace{_}$) 113
 \backslash underleftarrow (\leftarrow) 114
 \backslash underleftarrow (\leftarrow) . . . 92, 113
 \backslash underlefttharp (\leftarrow) 91
 \backslash underlefttharpdown (\leftarrow) . . . 91
 \backslash underlefttharpoon (\leftarrow) . . . 114
 \backslash underleftrightharpoon (\leftarrow) 114
 \backslash underleftrightharpoon (\leftarrow) 92,
 113
 \backslash underleftswishingghost (\leftarrow)
 118
 \backslash underleftwitchonbroom (\leftarrow)
 118
 \backslash underleftwitchonbroom* (\leftarrow)
 118
 underline 14, 30, 112, 116
 \backslash underline ($\underline{_}$) 112
 \backslash underlinesegment ($\underline{_}$) . . . 113
 \backslash underlinesegment ($\underline{_}$) . . . 113
 \backslash underparen ($\underbrace{_}$) 114
 \backslash underparenthesis ($\underbrace{_}$) . . . 235,
 236
 \backslash underrightarrow (\rightarrow) 114
 \backslash underrightarrow (\rightarrow) 92, 113
 \backslash underrightharp (\rightarrow) 91
 \backslash underrightharpdown (\rightarrow) . . . 91
 \backslash underrightharpoon (\rightarrow) . . . 114
 \backslash underrightswhishingghost (\rightarrow)
 118
 \backslash underrightwitchonbroom (\rightarrow)
 118
 \backslash underrightwitchonbroom*
 (\rightarrow) 118
 \backslash underring (·) 25
 underscore *see* underline
 underscore (package) 14
 \backslash underscriptleftarrow (\leftarrow) 118
 \backslash underscriptlefttrightharpoon
 (\leftarrow) 118
 \backslash underscriptrightarrow (\rightarrow) . .
 118
 \backslash underset 230
 undertilde (package) . . . 115, 247
 \backslash undertilde ($\underline{_}$) 25
 \backslash underwedge (\wedge) 25
 Unicode 12, 190, 244–246

union *see* \backslash cup
 unit disk (D) *see* alphabets,
 math
 \backslash unitedpawns (∞) 186
 units (package) 126
 unity ($\mathbb{1}$) *see* alphabets, math
 universa (package) 150, 182, 247
 \backslash unlhd (\triangleleft) 31, 32
 \backslash unlhd (\triangleleft) 71
 \backslash unlhd (\triangleleft) 69, 73
 \backslash unlhd (\triangleleft) 36
 \backslash unrhd (\triangleright) 31, 32
 \backslash unrhd (\triangleright) 71
 \backslash unrhd (\triangleright) 69, 73
 \backslash unrhd (\triangleright) 36
 \backslash upalpha (α) 98
 \backslash upand (\wp) 36
 \backslash UParrow (\blacktriangledup) 181
 \backslash Uparrow (\Uparrow) 75, 103
 \backslash Uparrow (\Uparrow) 81
 \backslash Uparrow (\Uparrow) 106
 \backslash Uparrow (\Uparrow) 78
 \backslash Uparrow (\Uparrow) 89
 \backslash Uparrow (\Uparrow) 107
 \backslash uparrow (\uparrow) 75, 103, 226
 \backslash uparrow (\uparrow) 106
 \backslash uparrow (\uparrow) 81
 \backslash uparrow (\uparrow) 78
 \backslash uparrow (\uparrow) 92
 \backslash uparrow (\uparrow) 107
 \backslash uparrow (\uparrow) 89
 \backslash uparrowbarred (\uparrow) 89
 \backslash uparrowoncircle (\uparrow) . . . 148
 \backslash uparrowtail (\uparrow) 82
 \backslash uparrowtail (\uparrow) 78
 \backslash upAssert (\pm) 58
 \backslash upassert (\pm) 58
 \backslash upbackepsilon (ϵ) 99
 \backslash upbar 23
 \backslash upbeta (β) 98
 \backslash upbkarrow (\uparrow) 82
 \backslash upblackarrow (\blackuparrow) 86
 \backslash upblackspoon (\uparrow) 94
 \backslash upbow (\bowtie) 164
 \backslash upbowtie (x) 34, 35
 \backslash upbracketfill 235
 \backslash upchi (χ) 98
 \backslash updasharrow (\dashrightarrow) 86
 \backslash updasharrow (\dashrightarrow) 89
 \backslash Upsilon (Δ) 98
 \backslash updelta (δ) 98
 \backslash Upsilon (\Downarrow) 75, 103
 \backslash Upsilon (\Downarrow) 82
 \backslash Upsilon (\Downarrow) 106

<code>\Updownarrow</code> (\Updownarrow)	78	<code>\upharpoonleft</code> (\upharpoonleft)	87	<code>\uprightcurvearrow</code> (\curvearrowright)	89
<code>\Updownarrow</code> (\Updownarrow)	89	<code>\upharpoonleft</code> (\upharpoonleft)	85	<code>\uprsquigarrow</code> (\uprsquigarrow)	83
<code>\Updownarrow</code> (\Updownarrow)	107	<code>\upharpoonleft</code> (\upharpoonleft)	90	<code>\uprsquigarrow</code> (\uprsquigarrow)	78
<code>\updownarrow</code> (\updownarrow)	75, 103	<code>\upharpoonleftbar</code> (\upharpoonleftbar)	90	upside-down symbols	242
<code>\updownarrow</code> (\updownarrow)	106	<code>\upharpoonright</code> (\upharpoonright)	77	upside-down symbols	17–20, 24, 229
<code>\updownarrow</code> (\updownarrow)	82	<code>\upharpoonright</code> (\upharpoonright)	76	<code>\Upsilon</code> (Σ)	98
<code>\updownarrow</code> (\updownarrow)	78	<code>\upharpoonright</code> (\upharpoonright)	87	<code>\upsigma</code> (σ)	98
<code>\updownarrow</code> (\updownarrow)	92	<code>\upharpoonright</code> (\upharpoonright)	85	<code>\Upsilon</code> (Υ)	97
<code>\updownarrow</code> (\updownarrow)	107	<code>\upharpoonright</code> (\upharpoonright)	90, 91	<code>\upsilon</code> (υ)	97
<code>\updownarrow</code> (\updownarrow)	89	<code>\upharpoonrightbar</code> (\upharpoonrightbar)	91	<code>\Upsilon</code> (Υ)	138
<code>\updownarrowbar</code> (\updownarrowbar)	86	<code>\upharpoonsleftright</code> (\upharpoonsleftright)	91	<code>\upsilonup</code> (υ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	89	<code>\upin</code> (Ψ)	61	<code>\upslice</code> (Δ)	38
<code>\updownarrowbar</code> (\updownarrowbar)	86	<code>upint</code> (stix package option)	41, 42, 49, 51	<code>\upspoon</code> (\upspoon)	94
<code>\updownarrowbar</code> (\updownarrowbar)	89	<code>\upint</code> (\int)	49	<code>\upspoon</code> (\upspoon)	93
<code>\updownarrowbar</code> (\updownarrowbar)	86	<code>\upintsl</code> (\int)	51	<code>\upt</code> (\perp)	25
<code>\updownarrowbar</code> (\updownarrowbar)	89	<code>\upintup</code> (\int)	51	<code>\uptau</code> (τ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	86	<code>\upiota</code> (ι)	98	<code>\uptherefore</code> (\therefore)	120
<code>\updownarrowbar</code> (\updownarrowbar)	89	<code>\upkappa</code> (κ)	98	<code>\uptherefore</code> (\therefore)	33, 120
<code>\updownarrowbar</code> (\updownarrowbar)	86	<code>\Uplambda</code> (Λ)	98	<code>\Upttheta</code> (Θ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	83	<code>\uplambda</code> (λ)	98	<code>\uptheta</code> (θ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\uplcurvearrow</code> (\curvearrowleft)	83	<code>\uptodownarrow</code> (\Downarrow)	76
<code>\updownarrowbar</code> (\updownarrowbar)	85	<code>\upleftcurvedarrow</code> (\curvearrowleft)	83	<code>\uptodownarrow</code> (\Downarrow)	86
<code>\updownarrowbar</code> (\updownarrowbar)	80	<code>\uplett</code>	23	<code>\upuparrows</code> (\Uparrows)	76
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\uplsquigarrow</code> (\Updownarrow)	83	<code>\upuparrows</code> (\Uparrows)	75
<code>\updownarrowbar</code> (\updownarrowbar)	85	<code>\uplsquigarrow</code> (\Updownarrow)	78	<code>\upuparrows</code> (\Uparrows)	86
<code>\updownarrowbar</code> (\updownarrowbar)	85	<code>\uplus</code> (\uplus)	33	<code>\upuparrows</code> (\Uparrows)	82
<code>\updownarrowbar</code> (\updownarrowbar)	80	<code>\uplus</code> (\uplus)	31	<code>\upuparrows</code> (\Uparrows)	78
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\uplus</code> (\uplus)	35	<code>\upuparrows</code> (\Uparrows)	89
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\uplus</code> (\uplus)	35	<code>\upupharpoons</code> (\Updownarrow)	77
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\uplus</code> (\uplus)	34	<code>\Upsilon</code> (Υ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\uplus</code> (\uplus)	36	<code>\upsilon</code> (υ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	77	<code>\Upmapsto</code> (\Uparrow)	82	<code>\upvarepsilon</code> (ε)	98
<code>\updownarrowbar</code> (\updownarrowbar)	85	<code>\upmapsto</code> (\Uparrow)	82	<code>\upvarphi</code> (φ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	80	<code>\upmapsto</code> (\Uparrow)	78	<code>\upvarpi</code> (ω)	98
<code>\updownarrowbar</code> (\updownarrowbar)	85	<code>\UpModels</code> ($\underline{\underline{\Uparrow}}$)	55	<code>\upvarrho</code> (ρ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\upmodels</code> ($\underline{\underline{\Uparrow}}$)	58	<code>\upvarsigma</code> (σ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	90	<code>\upmodels</code> ($\underline{\underline{\Uparrow}}$)	55	<code>\upvartheta</code> (ϑ)	98
<code>\updownarrowbar</code> (\updownarrowbar)	55	<code>\upmu</code> (μ)	98	<code>\upVDash</code> ($\underline{\underline{\Uparrow}}$)	58
<code>\updownarrowbar</code> (\updownarrowbar)	55	<code>\upnu</code> (ν)	98	<code>\upVdash</code> ($\underline{\underline{\Uparrow}}$)	58
<code>\updownarrowbar</code> (\updownarrowbar)	83	<code>\Upomega</code> (Ω)	98	<code>\upVdash</code> ($\underline{\underline{\Uparrow}}$)	55
<code>\updownarrowbar</code> (\updownarrowbar)	82	<code>\upomega</code> (ω)	98	<code>\upvdash</code> ($\underline{\underline{\Uparrow}}$)	58
<code>\updownarrowbar</code> (\updownarrowbar)	86	<code>\upp</code> (\wedge)	25	<code>\upvdash</code> ($\underline{\underline{\Uparrow}}$)	58
<code>\upepsilon</code> (ϵ)	98	<code>\upparentfill</code>	235	<code>\upvdash</code> ($\underline{\underline{\Uparrow}}$)	55
<code>\upeta</code> (η)	98	<code>\Upphi</code> (Φ)	98	<code>\upwvearrow</code> (\Updownarrow)	82
<code>\upfilleddspoon</code> (\upfilleddspoon)	93	<code>\upphi</code> (ϕ)	98	<code>\upwhitearrow</code> (\Updownarrow)	86
<code>\upfishtail</code> (\upfishtail)	61	<code>\Uppi</code> (Π)	98	<code>\upwhitearrow</code> (\Updownarrow)	89
<code>\upfootline</code> (\upfootline)	55	<code>\uppi</code> (π)	98	<code>\Upxi</code> (Ξ)	98
<code>\upfree</code> (\upfree)	55	<code>\uppitchfork</code> (\uppitchfork)	95	<code>\upxi</code> (ξ)	98
<code>\Upsilon</code> (Γ)	98	<code>\uppitchfork</code> (\uppitchfork)	93	<code>\upY</code> (λ)	34
<code>\upgamma</code> (γ)	98	<code>\upproperto</code> (\upproperto)	55	<code>\upY</code> (λ)	33
<code>upgreek</code> (package)	16, 98, 247	<code>\Upsilon</code> (Ψ)	98	<code>\upzeta</code> (ζ)	98
<code>\upharpoonccw</code> (\upharpoonccw)	80	<code>\uppsi</code> (ψ)	98	<code>\Uranus</code> (δ)	132
<code>\upharpooncw</code> (\upharpooncw)	80	<code>upquote</code> (package)	242	<code>\Uranus</code> (δ)	133
<code>\upharpoonleft</code> (\upharpoonleft)	77	<code>\uprcurvearrow</code> (\Updownarrow)	83	<code>\uranus</code> (δ)	131
<code>\upharpoonleft</code> (\upharpoonleft)	76	<code>\uprho</code> (ρ)	98	<code>\urarc</code> (\curvearrowright)	126
		upright Greek letters	16, 98	<code>\urblacktriangle</code> (\blacktriangledown)	148
		<code>\uprightcurvearrow</code> (\curvearrowright)	83	<code>\urcorner</code> (\urcorner)	102

<code>\urcorner</code> (\lrcorner)	102	<code>\varcurlyvee</code> (\vee)	32	<code>\varleftrightharrow</code> (\leftrightarrow)	92
<code>\urcorner</code> (\lrcorner)	102	<code>\varcurlywedge</code> (\wedge)	32	<code>\varleftrighthwarrow</code> (\leftrightarrow)	82
<code>\urcorner</code> (\lrcorner)	106	<code>\vardiamond</code> (\blacklozenge)	151	<code>\varleftwarrow</code> (\longleftarrow)	82
<code>\urcorner</code> (\lrcorner)	105	<code>\vardiamondsuit</code> (\blacklozenge)	151	<code>\varleq</code> (\leq)	68
<code>\urcorner</code> (\lrcorner)	103	<code>\vardiamondsuit</code> (\blacklozenge)	151	<code>\varliminf</code> (\liminf)	96
<code>url</code> (package)	242	<code>\vardigamma</code> (\dagger)	159	<code>\varlimsup</code> (\limsup)	96
<code>\urtriangle</code> (\blacktriangledown)	148	<code>\vardoublebarwedge</code> ($\overline{\wedge}$)	36	<code>\varlongleftarrow</code> (\longleftarrow)	92
<code>urwchancal</code> (package)	128, 247	<code>\vardownarrow</code> (\blacktriangledown)	92	<code>\varlongleftrightharrow</code> (\longleftrightarrow)	92
<code>\US</code> ($_$)	134, 135	<code>\vardownwavyarrow</code> (\Downarrow)	82	<code>\varlongmapsfrom</code> (\longleftarrow)	92
<code>\US</code> ($_$)	135	<code>\varEarth</code> (\earth)	132	<code>\varlongmapsto</code> (\longmapsto)	92
<code>\usepackage</code>	12	<code>\varepsilon</code> (ε)	97	<code>\varlongrightarrow</code> (\longrightarrow)	92
<code>\usf</code> ($\overline{}$)	164	<code>\varepsilon</code> (ε)	99	<code>\varlrrtriangle</code> (\blacktriangleright)	149
<code>\usfz</code> ($\overline{}$)	164	<code>\varepsilon</code> (ε)	99	<code>\varlrrtriangle</code> (\blacktriangleright)	74, 147
<code>ushort</code> (package)	116, 247, 248	<code>\varepsilon</code> (ε)	98	<code>\varmapsfrom</code> (\leftarrow)	92
<code>\ushort</code> ($\overline{}$)	116	<code>\VarFlag</code> (\blacktriangle)	183	<code>\varmapsto</code> (\mapsto)	92
<code>\ushortdw</code> ($\overline{}$)	116	<code>varg</code> (txfonts/pxfonts package option)	99	<code>\varmathbb</code>	128
<code>\ushortw</code> ($\overline{}$)	116	<code>\varg</code> (g)	99	<code>\varmodtwosum</code> (\sum)	48
<code>\ut</code> ($\text{\textcircled{u}}$)	23	<code>\varg</code> (g)	99	<code>\varMoon</code> ($\text{\textcircled{C}}$)	133
UTF-8	245	<code>\varg</code> (g)	20	<code>\VarMountain</code> (\blacktriangle)	183
<code>utf8x</code> (inputenc package option)	245	<code>\vargeq</code> (\geq)	68	<code>\varnearrow</code> (\nearrow)	92
<code>\utilde</code> ($\text{\textcircled{u}}$)	115	<code>\varhash</code> ($\#$)	124	<code>\varniobar</code> (Ξ)	61
<code>\utimes</code> (\otimes)	34, 35	<code>\varhash</code> ($\#$)	60	<code>\varnis</code> (\ni)	60
<code>\utimes</code> (\otimes)	37	<code>\varheart</code> (\heartsuit)	151	<code>\varnis</code> (\ni)	61
<code>\utimes</code> (\otimes)	33	<code>\varheartsuit</code> (\heartsuit)	151	<code>\varnothing</code> (\emptyset)	30, 124
Utopia (font)	26, 51	<code>\varheartsuit</code> (\heartsuit)	151	<code>\varnothing</code> (\emptyset)	125
<code>\UU</code> ($\text{\textcircled{U}}$)	134	<code>\varheartsuit</code> (\heartsuit)	151	<code>\varnothing</code> (\emptyset)	125
<code>\UUparrow</code> (\Uparrow)	89	<code>\varhexagon</code> (\hexagon)	148	<code>\varnothing</code> (\emptyset)	125
<code>\UUparrow</code> (\Uparrow)	108	<code>\varhexagon</code> (\hexagon)	146	<code>\varnothing</code> (\emptyset)	123
<code>\UUparrow</code> (\Uparrow)	82	<code>\varhexagonblack</code> (\blackhexagon)	148	<code>\varnotin</code> (\notin)	100
<code>\UUparrow</code> (\Uparrow)	89	<code>\varhexagonblack</code> (\blackhexagon)	148	<code>\varnotowner</code> (\notin)	100
<code>\UUparrow</code> (\Uparrow)	108	<code>\varhexagonlrbonds</code> (\hexagon)	148	<code>\varowast</code> (\otimes)	32
<code>uwebo.fd</code> (file)	210	<code>\varhexstar</code> (\ast)	144	<code>\varobar</code> ($\text{\textcircled{O}}$)	32
V					
<code>\v</code> ($\text{\textcircled{v}}$)	21	<code>\varhookdownarrow</code> (\Downarrow)	82	<code>\varobslash</code> ($\text{\textcircled{O}}$)	32
<code>\vara</code> (α)	20	<code>\varhookleftarrow</code> (\leftarrow)	82	<code>\varocircle</code> ($\text{\textcircled{O}}$)	32
<code>\varamalg</code> (\cup)	34	<code>\varhookleftarrow</code> (\leftrightarrow)	92	<code>\varodot</code> (\odot)	32
<code>\varangle</code> (\sphericalangle)	124	<code>\varhookleftarrow</code> (\leftrightarrow)	92	<code>\varodot</code> (\odot)	32
<code>\varbarwedge</code> ($\overline{\wedge}$)	36	<code>\varhooknearrow</code> (\nearrow)	82	<code>\varogreaterthan</code> (\otimes)	32
<code>\varbeta</code> (β)	99	<code>\varhooknarrow</code> (\curvearrowright)	82	<code>\varoiintclockwise</code> (\oint)	44
<code>\varbigcirc</code> (\bigcirc)	32	<code>\varhooknarrow</code> (\curvearrowright)	82	<code>\varoiintctrlockwise</code> (\oint)	44
<code>\varbigtriangledown</code> (\blacktriangledown)	149	<code>\varhookrightarrow</code> (\rightarrow)	82		44
<code>\varbigtriangleup</code> (\blacktriangleup)	149	<code>\varhookrightarrow</code> (\leftrightarrow)	92	<code>\varoiint</code> (\oint)	45
<code>\varcap</code> (\cap)	35	<code>\varhookrightarrow</code> (\leftrightarrow)	92	<code>\varoiintclockwise</code> (\oint)	44
<code>\varCapricorn</code> ($\text{\textcircled{C}}$)	133	<code>\varhooksearrow</code> (\searrow)	82	<code>\varoiintctrlockwise</code> (\oint)	44
<code>\varcarriagereturn</code> (\Uparrow)	89	<code>\varhookswarrow</code> (\swarrow)	82	<code>\varoint</code> (\oint)	43
<code>\VarClock</code> ($\text{\textcircled{C}}$)	183	<code>\varhookuparrow</code> (\Uparrow)	82	<code>\varointclockwise</code> (\oint)	44
<code>\varclub</code> (\clubsuit)	151	<code>\vari</code> (ι)	20	<code>\varointclockwise</code> (\oint)	45
<code>\varclubsuit</code> (\clubsuit)	151	variable-sized symbols	42–52, 226, 228	<code>\varointclockwise</code> (\oint)	48
<code>\varclubsuit</code> (\clubsuit)	151	<code>\VarIceMountain</code> (\blacktriangle)	183	<code>\varointclockwise</code> (\oint)	49
<code>\varcoppa</code> (\wp)	159	<code>\varinjlim</code> (\varinjlim)	92, 96	<code>\varointclockwise</code> (\oint)	50
<code>\varcoprod</code> (\coprod)	47	<code>\varint</code> (\int)	43	<code>\varointclockwise</code> (\oint)	50
<code>\varcup</code> (\cup)	35	<code>\varintercal</code> ($\text{\textcircled{T}}$)	35	<code>\varointclockwise</code> (\oint)	45
		<code>\various</code> ($\text{\textcircled{R}}$)	186	<code>\varointclockwise</code> (\oint)	45
		<code>\varisinobar</code> (Ξ)	61	<code>\varointctrlockwise</code> (\oint)	48
		<code>\varisins</code> (ϵ)	60	<code>\varointctrlockwise</code> (\oint)	45
		<code>\varisins</code> (ϵ)	61	<code>\varointctrlockwise</code> (\oint)	45
		<code>\varkappa</code> (\varkappa)	97	<code>\varolessthan</code> (\otimes)	32
		<code>\varkappa</code> (\varkappa)	99	<code>\varomega</code> (ω)	20
		<code>\varkappa</code> (\varkappa)	99		
		<code>\varleftarrow</code> (\leftarrow)	92		

<code>\varominus</code> (\ominus)	32	<code>\varsubsetneq</code> (\subsetneq)	66	<code>\varVdash</code> (\Vdash)	61
<code>\varopeno</code> (\circ)	20	<code>\varsubsetneq</code> (\subsetneq)	66	<code>\varveebar</code> (\veebar)	36
<code>\varoplus</code> (\oplus)	32	<code>\varsubsetneq</code> (\subsetneq)	67	<code>\varw</code> (w)	99
<code>\varoslash</code> (\oslash)	32	<code>\varsubsetneqq</code> (\subsetneqq)	65	<code>\vary</code> (y)	99
<code>\varosum</code> (\osum)	48	<code>\varsubsetneqq</code> (\subsetneqq)	65	<code>\VBar</code> ($ $)	150
<code>\varotimes</code> (\otimes)	32	<code>\varsubsetneqq</code> (\subsetneqq)	66	<code>\Vbar</code> (\ll)	58
<code>\varovee</code> (\ovee)	32	<code>\varsubsetneqq</code> (\subsetneqq)	66	<code>\Vbar</code> (\ll)	62
<code>\varowedge</code> (\owedge)	32	<code>\varsubsetneqq</code> (\subsetneqq)	66	<code>\vBar</code> (\pm)	58
<code>\varparallel</code> ($//$)	53	<code>\varsubsetneqq</code> (\subsetneqq)	67	<code>\vBar</code> (\pm)	61
<code>\varparallelinv</code> (\parallel)	53	<code>\varsum</code> (\sum)	48	<code>\vBarv</code> (\neq)	62
<code>\varpartialdiff</code> (∂)	102	<code>\varsumint</code> (\int)	48	<code>\vbipropto</code> (\propto)	33
<code>\varphi</code> (φ)	97	<code>\VarSummit</code> (Δ)	183	<code>\vbrtri</code> (\triangleright)	74
<code>\varphi</code> (φ)	99	<code>\varsupsetneq</code> (\supsetneq)	65	<code>\vcentercolon</code> ($:$)	62
<code>\varphi</code> (φ)	99	<code>\varsupsetneq</code> (\supsetneq)	65	<code>\vcenter</code>	231
<code>\varphiup</code> (φ)	98	<code>\varsupsetneq</code> (\supsetneq)	66	<code>\vcrossing</code> (\times)	55
<code>\varphoton</code> ($\text{\textcircled{f}}$)	138	<code>\varsupsetneq</code> (\supsetneq)	66	<code>\VDash</code> (\Vdash)	54
<code>\varpi</code> (ϖ)	97	<code>\varsupsetneq</code> (\supsetneq)	66	<code>\VDash</code> (\Vdash)	60
<code>\varpi</code> (ϖ)	99	<code>\varsupsetneq</code> (\supsetneq)	67	<code>\VDash</code> (\Vdash)	58
<code>\varpi</code> (ϖ)	98	<code>\varsupsetneqq</code> (\supsetneqq)	65	<code>\VDash</code> (\Vdash)	56
<code>\varpi</code> (ϖ)	99	<code>\varsupsetneqq</code> (\supsetneqq)	65	<code>\VDash</code> (\Vdash)	62
<code>\varpiup</code> (ϖ)	98	<code>\varsupsetneqq</code> (\supsetneqq)	66	<code>\Vdash</code> (\dashv)	54
<code>\varPluto</code> ($\text{\textcircled{P}}$)	133	<code>\varsupsetneqq</code> (\supsetneqq)	66	<code>\Vdash</code> (\dashv)	52
<code>\varprod</code> (\prod)	45	<code>\varsupsetneqq</code> (\supsetneqq)	66	<code>\Vdash</code> (\dashv)	60
<code>\varprod</code> (\prod)	48	<code>\varsupsetneqq</code> (\supsetneqq)	67	<code>\Vdash</code> (\dashv)	58
<code>\varprojlim</code> (\varinjlim)	92, 96	<code>\varswarrow</code> (\swarrow)	92	<code>\Vdash</code> (\dashv)	56
<code>\varpropto</code> (\propto)	52	<code>\VarTaschenuhr</code> ($\text{\textcircled{clock}}$)	183	<code>\Vdash</code> (\dashv)	62
<code>\varpropto</code> (\propto)	60	<code>\varTerra</code> ($\text{\textcircled{T}}$)	133	<code>\vDash</code> (\dashv)	54
<code>\varpropto</code> (\propto)	58	<code>\vartheta</code> (ϑ)	97	<code>\vDash</code> (\dashv)	52
<code>\varpropto</code> (\propto)	56	<code>\vartheta</code> (ϑ)	99	<code>\vDash</code> (\dashv)	60
<code>\varpropto</code> (\propto)	61	<code>\vartheta</code> (ϑ)	99	<code>\vDash</code> (\dashv)	58
<code>\varrho</code> (ϱ)	97	<code>\vartheta</code> (ϑ)	99	<code>\vDash</code> (\dashv)	56
<code>\varrho</code> (ϱ)	99	<code>\varthetaup</code> (ϑ)	98	<code>\vDash</code> (\dashv)	62
<code>\varrho</code> (ϱ)	98	<code>\vartimes</code> (\times)	32	<code>\vdash</code> (\dashv)	52
<code>\varrho</code> (ϱ)	99	<code>\vartimes</code> (\times)	35	<code>\vdash</code> (\dashv)	58
<code>\varrhoup</code> (ϱ)	98	<code>\vartriangle</code> (Δ)	124	<code>\vdash</code> (\dashv)	56
<code>\varrightarrow</code> (\rightarrow)	92	<code>\vartriangle</code> (Δ)	74	<code>\vdash</code> (\dashv)	62
<code>\varrightarrow</code> (\rightarrow)	82	<code>\vartriangle</code> (Δ)	39, 74	<code>\vdash</code> (\dashv)	62
<code>\Varsampi</code> ($\text{\textcircled{P}}$)	159	<code>\vartriangle</code> (Δ)	73	<code>\vDdash</code> (\Vdash)	58
<code>\varsampi</code> ($\text{\textcircled{P}}$)	159	<code>\vartriangle</code> (Δ)	74	<code>\vDdash</code> (\Vdash)	62
<code>\vsearrow</code> (\searrow)	92	<code>\vartriangleleft</code> (\triangleleft)	73	<code>\vdotdot</code> ($:$)	34, 120
<code>\varsigma</code> (ς)	97	<code>\vartriangleleft</code> (\triangleleft)	72	<code>\vdotdot</code> ($:$)	33, 120
<code>\varsigma</code> (ς)	99	<code>\vartriangleleft</code> (\triangleleft)	74	<code>\vdots</code> ($:$)	120
<code>\varsigma</code> (ς)	99	<code>\vartriangleleft</code> (\triangleleft)	74	<code>\vdots</code> ($:$)	119
<code>\varsigmaup</code> (ς)	98	<code>\vartriangleleft</code> (\triangleleft)	69, 73	<code>\vdots</code> ($:$)	34
<code>\varspade</code> (\spadesuit)	151	<code>\vartriangleleft</code> (\triangleleft)	74, 149	<code>\vdots</code> ($:$)	120
<code>\varspadesuit</code> (\spadesuit)	151	<code>\vartriangleright</code> (\triangleright)	73	<code>\vdots</code> ($:$)	62
<code>\varsqcap</code> (\sqcap)	35	<code>\vartriangleright</code> (\triangleright)	72	<code>\vec</code> (\vec)	111
<code>\varsqcup</code> (\sqcup)	35	<code>\vartriangleright</code> (\triangleright)	74	<code>\vec</code> (\vec)	111
<code>\varsqsubsetneq</code> (\subsetneq)	65	<code>\vartriangleright</code> (\triangleright)	74	<code>\vec</code> (\vec)	111
<code>\varsqsubsetneqq</code> (\subsetneqq)	65	<code>\vartriangleright</code> (\triangleright)	69, 73	<code>\vec</code> (\vec)	111
<code>\varsqsupsetneq</code> (\supsetneq)	65	<code>\vartriangleright</code> (\triangleright)	74, 149	<code>\vec</code> (\vec)	110
<code>\varsqsupsetneqq</code> (\supsetneqq)	65	<code>\varuparrow</code> (\uparrow)	92	<code>\vectimes</code> (\times)	36
<code>\varstar</code> ($*$)	33	<code>\varupdownarrow</code> (\updownarrow)	92	<code>\Vee</code> (\vee)	35
<code>\varstar</code> ($*$)	149	<code>\varupdownwavedarrow</code> (\Updownarrow)	82	<code>\Vee</code> (\vee)	36
<code>\varstigma</code> ($\text{\textcircled{S}}$)	159	<code>\varupwavedarrow</code> (\Uparrow)	82	<code>\vee</code> (\vee)	33
<code>\varsubsetneq</code> (\subsetneq)	65	<code>\varUranus</code> ($\text{\textcircled{U}}$)	133	<code>\vee</code> (\vee)	31
<code>\varsubsetneq</code> (\subsetneq)	65	<code>\varv</code> (v)	99	<code>\vee</code> (\vee)	35
<code>\varsubsetneq</code> (\subsetneq)	66	<code>\varvarpi</code> (ϖ)	98	<code>\vee</code> (\vee)	34, 35
		<code>\varvarrho</code> (ϱ)	98		











































`\vee` (\vee) 33
`\vee` (\vee) 36
`\veebar` ($\underline{\vee}$) 33
`\veebar` ($\underline{\vee}$) 31
`\veebar` ($\underline{\vee}$) 35
`\veebar` ($\underline{\vee}$) 34
`\veebar` ($\underline{\vee}$) 36
`\veebar` ($\underline{\vee}$) 36
`\veedot` (\vee) 34
`\veedot` (\vee) 33
`\veedot` (\vee) 36
`\veedoublebar` ($\underline{\underline{\vee}}$) 33
`\veedoublebar` ($\underline{\underline{\vee}}$) 34
`\veedoublebar` ($\underline{\underline{\vee}}$) 36
`\veeeq` (\cong) 60
`\veeeq` (\cong) 58
`\veeeq` (\cong) 62
`\veemidvert` (\vee) 36
`\veeodot` ($\dot{\vee}$) 36
`\veeonvee` (\mathbb{W}) 35
`\veeonvee` (\mathbb{W}) 35
`\veeonvee` (\mathbb{W}) 36
`\veeonwedge` (\mathbb{X}) 62
`\Venus` ($\text{\textcircled{V}}$) 132
`\Venus` ($\text{\textcircled{V}}$) 133
`\Venus` ($\text{\textcircled{V}}$) 132
`\venus` ($\text{\textcircled{V}}$) 131
`\vernal` ($\text{\textcircled{V}}$) 131
`versicle` ($\text{\textcircled{V}}$) 245, 246
`\VERT` ($\text{\textcircled{V}}$) 109
`\Vert` ($\text{\textcircled{V}}$) 103–105
`\Vert` ($\text{\textcircled{V}}$) 106
`\Vert` ($\text{\textcircled{V}}$) 107
`\Vert` ($\text{\textcircled{V}}$) 108
`\vert` ($\text{\textcircled{V}}$) 103–105
`\vert` ($\text{\textcircled{V}}$) 106
`\vert` ($\text{\textcircled{V}}$) 107
`\vert` ($\text{\textcircled{V}}$) 108
`\vertbottie` ($\text{\textcircled{V}}$) 34
`\vertdiv` ($\text{\textcircled{V}}$) 34
`\Vertex` ($\text{\textcircled{V}}$) 133
`\vertoverlay` ($\text{\textcircled{V}}$) 62
`\Vesta` ($\text{\textcircled{V}}$) 133
`\VHF` ($\text{\textcircled{V}}$) 130
`\Vier` ($\text{\textcircled{V}}$) 165
`vietnam` (package) 247
`\viewdata` ($\text{\textcircled{V}}$) 126
`\Village` ($\text{\textcircled{V}}$) 183
`\vin` ($\text{\textcircled{V}}$) 103
`vinculum` *see* `\overline`
`\ViPa` ($\text{\textcircled{V}}$) 165
`virga` *see* `musixgre`
`\Virgo` ($\text{\textcircled{V}}$) 133
`\Virgo` ($\text{\textcircled{V}}$) 132









`\virgo` ($\text{\textcircled{V}}$) 131
`\vlongdash` ($\text{\textcircled{V}}$) 58
`\vlongdash` ($\text{\textcircled{V}}$) 62
`\VM` ($\text{\textcircled{V}}$) 165
`vtex` (package) 16, 21
`\vod` ($\text{\textcircled{V}}$) 20
`\voicedh` ($\text{\textcircled{V}}$) 20
`\Vomey` ($\text{\textcircled{V}}$) 196
`\vppm` ($\text{\textcircled{V}}$) 188
`\vppm` ($\text{\textcircled{V}}$) 188
`\vrectangle` ($\text{\textcircled{V}}$) 149
`\vrectangleblack` ($\text{\textcircled{V}}$) 149
`\vrule` 190
`\VT` ($\text{\textcircled{V}}$) 135
`\Vulkanus` ($\text{\textcircled{V}}$) 133
`\vv` ($\text{\textcircled{V}}$) 115
`\VvDash` ($\text{\textcircled{V}}$) 53
`\Vvdash` ($\text{\textcircled{V}}$) 54
`\Vvdash` ($\text{\textcircled{V}}$) 52
`\Vvdash` ($\text{\textcircled{V}}$) 60
`\Vvdash` ($\text{\textcircled{V}}$) 58
`\Vvdash` ($\text{\textcircled{V}}$) 55
`\Vvdash` ($\text{\textcircled{V}}$) 62
`\Vvert` ($\text{\textcircled{V}}$) 107
`\Vvert` ($\text{\textcircled{V}}$) 108
`\vvvert` ($\text{\textcircled{V}}$) 104
`\ysmblkcircle` ($\text{\textcircled{V}}$) 40
`\ysmblksquare` ($\text{\textcircled{V}}$) 149
`\ysmwhtcircle` ($\text{\textcircled{V}}$) 40
`\ysmwhtsquare` ($\text{\textcircled{V}}$) 149
`\vzigzag` ($\text{\textcircled{V}}$) 126

W

`w` ($\text{\textcircled{W}}$) 162
`\Walley` ($\text{\textcircled{W}}$) 196
`\warning` ($\text{\textcircled{W}}$) 196
`\WashCotton` ($\text{\textcircled{W}}$) 182
`\WashSynthetics` ($\text{\textcircled{W}}$) 182
`\WashWool` ($\text{\textcircled{W}}$) 182
`\wasylozenge` ($\text{\textcircled{W}}$) 181
`\wasypropto` ($\text{\textcircled{W}}$) 53
`wasyym` (package) .. 20, 26, 28,
32, 43, 53, 65, 68, 119, 124,
130, 131, 133, 136, 143, 144,
146, 163, 181, 227, 247
`\wasytherefore` ($\text{\textcircled{W}}$) 119
`\Water` ($\text{\textcircled{W}}$) 133
`\water` ($\text{\textcircled{W}}$) 138
`wavy-line delimiters` .. 104–108
`\wbetter` ($\text{\textcircled{W}}$) 186
`\Wboson` ($\text{\textcircled{W}}$) 138
`\Wbosonminus` ($\text{\textcircled{W}}$) 138
`\Wbosonplus` ($\text{\textcircled{W}}$) 138
`\wdecisive` ($\text{\textcircled{W}}$) 186
`\weakpt` ($\text{\textcircled{W}}$) 186
`\WeakRain` ($\text{\textcircled{W}}$) 183
`\WeakRainCloud` ($\text{\textcircled{W}}$) 183







`weather symbols` .. 183, 197–198
`Web symbols` 199–202
`webomints` (package) .. 209, 210,
247
`\Wecker` ($\text{\textcircled{W}}$) 183
`\Wedge` ($\text{\textcircled{W}}$) 35
`\Wedge` ($\text{\textcircled{W}}$) 36
`\wedge` ($\text{\textcircled{W}}$) 33
`\wedge` ($\text{\textcircled{W}}$) 31
`\wedge` ($\text{\textcircled{W}}$) 35
`\wedge` ($\text{\textcircled{W}}$) 34, 35
`\wedge` ($\text{\textcircled{W}}$) 34
`\wedge` ($\text{\textcircled{W}}$) 36
`\wedgebar` ($\text{\textcircled{W}}$) 36
`\wedgedot` ($\text{\textcircled{W}}$) 34
`\wedgedot` ($\text{\textcircled{W}}$) 34
`\wedgedot` ($\text{\textcircled{W}}$) 36
`\wedgedoublebar` ($\text{\textcircled{W}}$) 36
`\wedgemidvert` ($\text{\textcircled{W}}$) 36
`\wedgeodot` ($\text{\textcircled{W}}$) 36
`\wedgeonwedge` ($\text{\textcircled{W}}$) 35
`\wedgeonwedge` ($\text{\textcircled{W}}$) 36
`\wedgeeq` ($\text{\textcircled{W}}$) 58
`\wedgeeq` ($\text{\textcircled{W}}$) 62
`Weierstrass φ function` .. *see* `\wp`
`\westcross` ($\text{\textcircled{W}}$) 143
`\wfermion` ($\text{\textcircled{W}}$) 137
`\Wheelchair` ($\text{\textcircled{W}}$) 182
`\whfermion` ($\text{\textcircled{W}}$) 137
`\whistle` ($\text{\textcircled{W}}$) 23
`\white` 188
`\whitearrowupfrombar` ($\text{\textcircled{W}}$) .. 87
`\whitearrowupfrombar` ($\text{\textcircled{W}}$) .. 89
`\whitearrowuppedestal` ($\text{\textcircled{W}}$) .. 87
`\whitearrowuppedestalhbar` ($\text{\textcircled{W}}$)
..... 87
`\whitearrowuppedestallvbar` ($\text{\textcircled{W}}$)
..... 87
`\WhiteBishopOnBlack` ($\text{\textcircled{W}}$) ..
..... 187
`\WhiteBishopOnWhite` ($\text{\textcircled{W}}$) ..
..... 187
`\whiteblackspoon` ($\text{\textcircled{W}}$) ... 94
`\WhiteEmptySquare` ($\text{\textcircled{W}}$) 187
`\whiteinwhitetrangle` ($\text{\textcircled{W}}$) ..
..... 149
`\WhiteKingOnBlack` ($\text{\textcircled{W}}$) 187
`\WhiteKingOnWhite` ($\text{\textcircled{W}}$) 187
`\WhiteKnightOnBlack` ($\text{\textcircled{W}}$) ..
..... 187
`\WhiteKnightOnWhite` ($\text{\textcircled{W}}$) ..
..... 187

`\WhitePawnOnBlack` () 187
`\WhitePawnOnWhite` () 187
`\whitepointerleft` () .. 149
`\whitepointerright` () .. 149
`\WhiteQueenOnBlack` () 187
`\WhiteQueenOnWhite` () 187
`\WhiteRookOnBlack` () 187
`\WhiteRookOnWhite` () 187
`\whitesquaretickleft` () 40
`\whitesquaretickright` () 40
`\whitestone` 187
whole note *see* musical symbols
`\wholeNote` () 166
`\wholeNoteDotted` () .. 166
`\wholeNoteRest` () 168
`\wholeNoteRestDotted` () 168
`\wholeof` (ε) 229
`\whthorzoval` () 149
`\whtvertoval` () 149
Wick contractions 236
`\wideangledown` (\sphericalangle) 123
`\wideangleup` (\sphericalangle) 123
`\widearc` () 115
`\widearrow` () 114
`\widebar` () 114
`\widebridgeabove` () 111
`\widecheck` () 114
`\widecheck` () 114
`\widehat` () 113
`\widehat` () 113
`\widehat` () 114
`\widehat` () 113
`\widehat` () 112
`\wideOarc` () 115
`\wideparen` () 114
`\wideparen` () 113
`\wideparen` () 115
`\wideparen` () 113
`\wideparen` () 113
`\widering` () 114
`\widering` () 115
`\widering` () 113
`\widetilde` () 113
`\widetilde` () 113
`\widetilde` () 114
`\widetilde` () 113
`\widetilde` () 112, 115
`\widetriangle` () 113
`\wind` 183
Windows[®] 244

`\Winkey` () 196
`\wInnocey` () 196
`\Wintertree` () 197
witches 40, 118
`\with` ($\&$) 37
`\with` (\perp) 186
`\withattack` (\rightarrow) 186
`\withidea` (Δ) 186
`\withinit` (\dagger) 186
`\without` (\perp) 186
Wizards of the Coast 224
`\wn` (?) 30
woman 153, 182
`\WomanFace` () 182
won *see* `\textwon`
world 182
`\WorstTree` () 197
`\wp` (\wp) 100
`\wp` (\wp) 101
`\wp` (\wp) 101
`\wp` (\wp) 100
`\wp` (\wp) 101
`\wq` () 164
`\wqq` () 164
`\wr` (\wr) 31
`\wr` (\wr) 35
`\wr` (\wr) 34
`\wr` (\wr) 36
`\wreath` (\wr) 34, 35
`\wreath` (\wr) 34
wreath product *see* `\wr`
`\WritingHand` () 182
wsuipa (package) 19, 23, 25, 227,
229, 234, 247
`\wupperhand` (\pm) 186

X

`\x` (ξ) 122
`\x` ($::$) 188
`\XBox` (\boxtimes) 143
`\xbsol` (\backslash) 49
Xdvi 91, 229
X_{La}TeX 97, 163, 245
X_YTeX 24
`\Xey` (\ominus) 196
xfrac (package) 126
`\xhookleftarrow` (\hookleftarrow) 116
`\xhookleftarrow` (\hookleftarrow) 92
`\xhookrightarrow` (\hookrightarrow) ... 116
`\xhookrightarrow` (\hookrightarrow) 92
`\Xi` (Ξ) 97
`\xi` (ξ) 97
`\xiup` (ξ) 98
`\xLeftarrow` (\Lleftarrow) 116
`\xLeftarrow` (\Lleftarrow) 92, 116
`\xleftarrowpoondown` ($\xrightarrow{.}$) .. 116
`\xleftarrowpoonup` ($\xrightarrow{.}$) 116

`\xLeftrightarrow` (\Leftrightarrow) .. 117
`\xLeftrightarrow` (\Leftrightarrow) .. 116
`\xleftarrow` (\leftrightarrow) .. 117
`\xleftarrow` (\leftrightarrow) .. 116
`\xleftarrow` (\leftrightarrow) 92
`\xleftarrowharpoons` (\Leftrightarrow) 116
`\xleftswishingghost` () 118
`\xleftwitchonbroom` () 118
`\xleftwitchonbroom*` () 118
`\xlongequal` (\longequal) 117
`\xlongequal` (\longequal) 117
`\xLongleftarrow` (\Longleftarrow) ... 117
`\xLongleftarrow` (\Longleftarrow) ... 117
`\xLongleftrightarrow` (\Longleftarrow)
..... 117
`\xLongleftrightarrow` (\Longleftarrow)
..... 117
`\xLongrightarrow` (\Longrightarrow) .. 117
`\xlongrightarrow` (\longrightarrow) .. 117
`\xmapsto` (\mapsto) 116
`\xmapsto` (\mapsto) 117
`\xmapsto` (\mapsto) 92
XML 244
`\XQ` (ξ) 134
`\xRightarrow` (\Rrightarrow) 116
`\xrightarrow` (\rightarrow) ... 92, 116
`\xrightarrowharpoondown` (\rightarrow) . 116
`\xrightarrowharpoonup` (\rightarrow) .. 116
`\xrightarrowleftharpoons` (\Rrightarrow) 116
`\xrightarrowleftharpoons` (\Rrightarrow) 116
`\xrightswishingghost` () 118
`\xrightwitchonbroom` () 118
`\xrightwitchonbroom*` () ..
..... 118
Xs 143, 144, 182
`\xsol` ($/$) 49
`\XSolid` (\times) 143
`\XSolidBold` (\times) 143
`\XSolidBrush` (\times) 143
`\xswordsdown` (\times) 182
`\xswordsup` (\times) 182
`\xtofrom` (\longleftrightarrow) 117
`\xtwoheadleftarrow` (\twoheadleftarrow) 117
`\xtwoheadrightarrow` (\twoheadrightarrow) .
..... 117

Xy-pic 233

Y

`\Ydown` (γ) 32
`\Ydown` (γ) 35
`yen` *see* `\textyen`
`\yen` (\yen) 126
`yfonts` (package) .. 128, 129, 247
`yhmath` (package) 112, 113, 115,
121, 234, 247
yin-yang symbols 182, 196–198,
210–211
`\Yinyang` ($\text{\textcircled{Y}}$) 182
`\yinyang` ($\text{\textcircled{y}}$) 196
`\Yleft` (\leftarrow) 32
`\Yleft` (\leftarrow) 35
`\yogh` ($\text{\textcircled{y}}$) 20
`\yogh` ($\text{\textcircled{y}}$) 19
`\Yright` (\rightarrow) 32
`\Yright` (\rightarrow) 35
Yu, Billy 235
`\Yup` (λ) 32
`\Yup` (λ) 35
`\Yup` (λ) 101

Z

`\ZA` (\underline{A}) 134
Zapf Chancery (font) 128
Zapf Dingbats (font) . 139, 144
`\ZB` (\underline{B}) 134
`\Zbar` (Z) 101
`\Zborder` ($\text{\textcircled{Z}}$) 152
`\Zboson` (Z) 138
`\ZC` (\underline{C}) 134
`\zcmp` ($\text{\textcircled{z}}$) 126
`\ZD` (\underline{D}) 134
`\ZE` (\underline{E}) 134
`\Zeta` (Z) 97
`\zeta` (ζ) 97
`\zetaaup` (ζ) 98
`\Zeus` ($\text{\textcircled{Z}}$) 133
`\ZF` (\underline{F}) 134
`\ZG` (\underline{G}) 134
`\ZH` (\underline{H}) 134
`\ZI` (\underline{I}) 134
`\ZJ` (\underline{J}) 134
`\ZK` (\underline{K}) 134
`\ZL` (\underline{L}) 134
`\ZM` (\underline{M}) 134
`\ZN` (\underline{N}) 134

`\ZO` (\underline{O}) 134
`\Zodiac` 132
zodiacal symbols 131–133,
206–209
`\ZP` (\underline{P}) 134
`\zpipe` (\gg) 126
`\zproject` (\uparrow) 126
`\ZQ` (\underline{Q}) 134
`\ZR` (\underline{R}) 134
`\ZS` (\underline{S}) 134
`\ZT` (\underline{T}) 134
`\Ztransf` ($\bullet\text{\textcircled{Z}}$) 64
`\Ztransf` ($\text{\textcircled{Z}}$) 60
`\ztransf` ($\text{\textcircled{z}}$) 64
`\ztransf` ($\text{\textcircled{z}}$) 60
`\ZU` (\underline{U}) 134
`\zugzwang` ($\text{\textcircled{Z}}$) 186
`\ZV` (\underline{V}) 134
`\ZW` (\underline{W}) 134
`\Zwdr` ($\text{\textcircled{Z}}$) 165
`\ZwPa` ($\text{\textcircled{Z}}$) 165
`\ZX` (\underline{X}) 134
`\ZY` (\underline{Y}) 134
`\ZZ` (\underline{Z}) 134